
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8245097/publications.pdf Version: 2024-02-01



Δηριαν Βατεμανι

#	Article	IF	CITATIONS
1	The Bowel Cancer Screening Programme Expert Board: an analysis of activity during 2017–2020. Histopathology, 2022, 80, 782-789.	2.9	4
2	Expert opinion in bowel cancer screening pathology. Histopathology, 2022, 80, 779-781.	2.9	0
3	The spectrum of serrated colorectal lesions—new entities and unanswered questions. Histopathology, 2021, 78, 780-790.	2.9	12
4	Current dilemmas in the pathological staging of colorectal cancer: the results of a national survey. Histopathology, 2021, 78, 634-639.	2.9	1
5	New life for old cellular pathology: a transformational approach to the upcycling of historic e-pathology records for contemporary clinical uses. Journal of Clinical Pathology, 2021, , jclinpath-2021-207385.	2.0	Ο
6	DNA mismatch repair proteins: scientific update and practical guide. Journal of Clinical Pathology, 2021, 74, 264-268.	2.0	37
7	Histopathological diagnosis of tumour deposits in colorectal cancer: a Delphi consensus study. Histopathology, 2021, 79, 168-175.	2.9	22
8	DNA mismatch repair protein immunohistochemistry – an illustrated guide. Histopathology, 2021, 79, 128-138.	2.9	12
9	Immune Checkpoint Inhibitor Therapy in Colorectal Cancer—The Role of Cellular Pathology. International Journal of Surgical Pathology, 2021, 29, 584-591.	0.8	3
10	Current and Emerging Biomarkers and Imaging Modalities for Nonalcoholic Fatty Liver Disease: Clinical and Research Applications. Clinical Therapeutics, 2021, 43, 1505-1522.	2.5	6
11	Interobserver variation in the classification of tumor deposits in rectal cancer—is the use of histopathological characteristics the way to go?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 479, 1111-1118.	2.8	9
12	Interobserver agreement of a gastric adenocarcinoma tumor regression grading system that incorporates assessment of lymph nodes. Human Pathology, 2021, 116, 94-101.	2.0	9
13	Gastrointestinal Involvement by Systemic Disease. , 2020, , 13-29.		Ο
14	DIPLOMA Approach for Standardized Pathology Assessment of Distal Pancreatectomy Specimens. Journal of Visualized Experiments, 2020, , .	0.3	5
15	Breast cancer in patients with germline TP53 pathogenic variants have typical tumour characteristics: the Cohort study of TP53 carrier early onset breast cancer (COPE study). Journal of Pathology: Clinical Research, 2019, 5, 189-198.	3.0	18
16	Activated T-Follicular Helper 2 Cells Are Associated With Disease Activity in IgG4-Related Sclerosing Cholangitis and Pancreatitis. Clinical and Translational Gastroenterology, 2019, 10, e00020.	2.5	29
17	Molecules in cancer immunotherapy: benefits and side effects. Journal of Clinical Pathology, 2019, 72, 20-24.	2.0	12
18	Increases in IgE, Eosinophils, and Mast Cells Can be Used in Diagnosis and to Predict Relapse of IgG4-Related Disease. Clinical Gastroenterology and Hepatology, 2017, 15, 1444-1452.e6.	4.4	116

#	Article	IF	CITATIONS
19	British Society of Gastroenterology position statement on serrated polyps in the colon and rectum. Gut, 2017, 66, 1181-1196.	12.1	250
20	lgG4â€related disease—experience of 100 consecutive cases from a specialist centre. Histopathology, 2017, 70, 798-813.	2.9	47
21	Elevated Serum IgG4 Levels in Diagnosis, Treatment Response, Organ Involvement, and Relapse in a Prospective IgG4-Related Disease UK Cohort. American Journal of Gastroenterology, 2016, 111, 733-743.	0.4	167
22	A comparison of formalin and GEWF in fixation of colorectal carcinoma specimens: rates of lymph node retrieval and effect on TNM staging. Journal of Clinical Pathology, 2016, 69, 511-517.	2.0	7
23	Breast pathology. Surgery, 2016, 34, 1-7.	0.3	3
24	Prognostic utility of the presence of extramural vascular invasion in stage II and III colorectal cancer: Data from the FACS randomised controlled trial Journal of Clinical Oncology, 2016, 34, 3575-3575.	1.6	0
25	Lymph node granulomas in immunoglobulin G4â€related disease. Histopathology, 2015, 67, 557-561.	2.9	18
26	UK guidance for the pathological reporting of serrated lesions of the colorectum. Journal of Clinical Pathology, 2015, 68, 585-591.	2.0	31
27	Are plasma cell-rich inflammatory conditions of the oral mucosa manifestations of IgG4-related disease?. Journal of Clinical Pathology, 2015, 68, 802-807.	2.0	44
28	A 63-year-old man with a recurrent right-sided pleural effusion: FigureÂ1. Thorax, 2015, 70, 504-507.	5.6	14
29	A pathologist's survey on the reporting of sessile serrated adenomas/polyps. Journal of Clinical Pathology, 2014, 67, 426-430.	2.0	9
30	Pathology of serrated colorectal lesions. Journal of Clinical Pathology, 2014, 67, 865-874.	2.0	18
31	General principles of IgG4-related disease. Diagnostic Histopathology, 2013, 19, 111-118.	0.4	15
32	The successful treatment of IgG4-positive colitis with adalimumab in a patient with IgG4-related sclerosing disease – a new subtype of aggressive colitis?. Journal of Crohn's and Colitis, 2013, 7, e81-e84.	1.3	12
33	Intraduct papillary mucinous neoplasm of the pancreas: a tumour linked with IgG4-related disease?. Journal of Clinical Pathology, 2013, 66, 671-675.	2.0	52
34	Refining pathological evaluation of neoadjuvant therapy for adenocarcinoma of the esophagus. World Journal of Gastroenterology, 2013, 19, 9282.	3.3	44
35	Hepatocyte Expression of the Senescence Marker p21 Is Linked to Fibrosis and an Adverse Liver-Related Outcome in Alcohol-Related Liver Disease. PLoS ONE, 2013, 8, e72904.	2.5	76
36	Chronic gastric ulceration: a novel manifestation of IgG4-related disease?. Journal of Clinical Pathology, 2012, 65, 569-570.	2.0	29

#	Article	IF	CITATIONS
37	lgG4-related disease: can non-classical histopathological features or the examination of clinically uninvolved tissues be helpful in the diagnosis?. Journal of Clinical Pathology, 2012, 65, 963-969.	2.0	21
38	Pathological grading of regression: an International Study Group perspective. Journal of Clinical Pathology, 2012, 65, 865-866.	2.0	19
39	Developing a â€~traffic light' test with potential for rational early diagnosis of liver fibrosis and cirrhosis in the community. British Journal of General Practice, 2012, 62, e616-e624.	1.4	26
40	Consensus statement on the pathology of IgG4-related disease. Modern Pathology, 2012, 25, 1181-1192.	5.5	2,171
41	A multi-centre pathologist survey on pathological processing and regression grading of colorectal cancer resection specimens treated by neoadjuvant chemoradiation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2012, 460, 151-155.	2.8	19
42	Expression of CtBP family protein isoforms in breast cancer and their role in chemoresistance. Biology of the Cell, 2011, 103, 1-19.	2.0	55
43	The endoscopically normal colon - when is mapping biopsy histopathologically justifiable?. Gut, 2011, 60, A53-A53.	12.1	1
44	Cytokeratin expression as an aid to diagnosis in medical liver biopsies. Histopathology, 2010, 56, 415-425.	2.9	50
45	A novel HER2-positive breast cancer phenotype arising from germline TP53 mutations. Journal of Medical Genetics, 2010, 47, 771-774.	3.2	102
46	Spindle cell tumour with glandular elements: an unusual ileal neoplasm. Journal of Clinical Pathology, 2009, 62, 555-557.	2.0	1
47	IgC4â€related systemic sclerosing disease – an emerging and underâ€diagnosed condition. Histopathology, 2009, 55, 373-383.	2.9	107
48	Rectal cancer staging post neoadjuvant therapy – how should the changes be assessed?. Histopathology, 2009, 54, 713-721.	2.9	68
49	The Desmoplastic Reaction Surrounding Hepatic Colorectal Adenocarcinoma Metastases Aids Tumor Growth and Survival via αv Integrin Ligation. Clinical Cancer Research, 2008, 14, 6405-6413.	7.0	62
50	CD117/KIT Expression in Pancreatic Adenocarcinoma. Pancreas, 2008, 36, 76-79.	1.1	7
51	Colonic expression of leukotriene-pathway enzymes in inflammatory bowel diseases. Inflammatory Bowel Diseases, 2007, 13, 537-546.	1.9	69
52	Patterns of histological change in liver disease: my approach to â€ [~] medical' liver biopsy reporting. Histopathology, 2007, 51, 585-596.	2.9	19
53	Vascular Invasion is Underrecognized in Colorectal Cancer Using Conventional Hematoxylin and Eosin Staining. Diseases of the Colon and Rectum, 2007, 50, 1867-1872.	1.3	69
54	Prognostic significance of cyclooxygenase-2 (COX-2) expression in patients with surgically resectable adenocarcinoma of the oesophagus. BMC Cancer, 2006, 6, 134.	2.6	34

#	Article	IF	CITATIONS
55	The retroperitoneal surface in distal caecal and proximal ascending colon carcinoma: the Cinderella surgical margin?. Journal of Clinical Pathology, 2005, 58, 426-428.	2.0	37
56	Mucosal expression of cyclooxygenase isoforms 1 and 2 is increased with worsening damage to the gastric mucosa. Histopathology, 2005, 46, 280-286.	2.9	24
57	ICAM-1 polymorphisms and development of cutaneous malignant melanoma. International Journal of Immunogenetics, 2005, 32, 367-373.	1.8	17
58	Influence of cytokine and ICAM-1 gene polymorphisms on susceptibility to chronic pancreatitis. Journal of Clinical Pathology, 2005, 58, 595-599.	2.0	10
59	Cytokine gene polymorphisms and breast cancer susceptibility and prognosis*. International Journal of Immunogenetics, 2004, 31, 167-173.	1.2	117
60	Up-Regulation of Collagen and Tissue Inhibitors of Matrix Metalloproteinase in Colonic Diverticular Disease. Diseases of the Colon and Rectum, 2004, 47, 371-379.	1.3	57
61	Type I Collagen Promotes the Malignant Phenotype of Pancreatic Ductal Adenocarcinoma. Clinical Cancer Research, 2004, 10, 7427-7437.	7.0	267
62	Genetic Polymorphism, the Immune Response and Chronic Pancreatitis. , 2004, , 306-317.		0
63	Cytokine gene single nucleotide polymorphisms and susceptibility to and prognosis in cutaneous malignant melanoma. International Journal of Immunogenetics, 2003, 30, 409-414.	1.2	67
64	<i>EGF</i> +61 gene polymorphism and susceptibility to and prognostic markers in cutaneous malignant melanoma. International Journal of Cancer, 2003, 107, 673-675.	5.1	59
65	The nuclear BAG-1 isoform, BAG-1L, enhances oestrogen-dependent transcription. Oncogene, 2003, 22, 4973-4982.	5.9	63
66	An insight into the genetic pathway of adenocarcinoma of the small intestine. Gut, 2002, 50, 218-223.	12.1	128
67	Apoptosis and proliferation of acinar and islet cells in chronic pancreatitis: evidence for differential cell loss mediating preservation of islet function. Gut, 2002, 50, 542-548.	12.1	52
68	Influence of TNFα and LTα single nucleotide polymorphisms on susceptibility to and prognosis in cutaneous malignant melanoma in the British population. International Journal of Immunogenetics, 2002, 29, 17-23.	1.2	33
69	Influence of vascular endothelial growth factor single nucleotide polymorphisms on tumour development in cutaneous malignant melanoma. Genes and Immunity, 2002, 3, 229-232.	4.1	153
70	BAG-1 expression and function in human cancer. British Journal of Cancer, 2002, 87, 834-839.	6.4	55
71	Massive hepatosplenomegaly caused by Penicillium marneffei associated with human immunodeficiency virus infection in a Thai patient. Journal of Clinical Pathology, 2002, 55, 143-144.	2.0	13
72	BAG-1 Immunostaining and Survival in Early Breast Cancer. Journal of Clinical Oncology, 2001, 19, 3706-3707.	1.6	5

#	Article	IF	CITATIONS
73	IL-10 promoter polymorphisms influence tumour development in cutaneous malignant melanoma. Genes and Immunity, 2001, 2, 25-31.	4.1	138
74	Invasiveness of cutaneous malignant melanoma is influenced by matrix metalloproteinase 1 gene polymorphism. Cancer Research, 2001, 61, 1296-8.	0.9	88
75	Polymerase chain reaction based human leucocyte antigen genotyping for the investigation of suspected gastrointestinal biopsy contamination. Gut, 1999, 45, 259-263.	12.1	10
76	Human leukocyte antigens and cancer: is it in our genes?. Journal of Pathology, 1999, 188, 231-236.	4.5	39
77	Cutaneous T-lymphocyte infiltrate associated with B-cell chronic lymphocytic leukaemia. Histopathology, 1999, 34, 183-4.	2.9	4
78	HLAâ€ÐQB1*0303 and *0301 alleles influence susceptibility to and prognosis in cutaneous malignant melanoma in the British Caucasian population. Tissue Antigens, 1998, 52, 67-73.	1.0	55
79	HLA genotype and increased risk of skin cancer. British Journal of Dermatology, 1998, 139, 1111-1111.	1.5	3
80	Fatal myocarditis associated with a Lancefield group B streptococcus. Journal of Infection, 1998, 36, 354-355.	3.3	7
81	Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing Journal of Clinical Pathology, 1997, 50, 288-293.	2.0	9
82	lmmunohistochemical phenotype of malignant mesothelioma: predictive value of CA125 and HBMEâ€1 expression. Histopathology, 1997, 30, 49-56.	2.9	80
83	Nested polymerase chain reaction-based HLA class II typing for the unique identification of formalin-fixed and paraffin-embedded tissue. , 1997, 181, 228-234.		9
84	EDITORIAL. WHOSE TISSUE IS IT ANYWAY?. , 1996, 179, 229-231.		2
85	Investigation of specimen mislabelling in paraffinâ€embedded tissue using a rapid, alleleâ€specific, PCRâ€based HLA class II typing method. Histopathology, 1996, 28, 169-174.	2.9	19
86	Massive arterial haemorrhage from the lower gastrointestinal tract. Histopathology, 1996, 29, 225-231.	2.9	12
87	Detection of specimen contamination in routine histopathology by HLA class II typing using the polymerase chain reaction and sequence specific oligonucleotide probing. Journal of Pathology, 1994, 173, 243-248.	4.5	18
88	Epitheliotropism in high-grade lymphomas of mucosa-associated lymphoid tissue. Histopathology, 1993, 23, 409-415.	2.9	28
89	Fatal infection associated with group C streptococci Journal of Clinical Pathology, 1993, 46, 965-967.	2.0	15