

JoÅ;ko BeziÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8246527/publications.pdf>

Version: 2024-02-01

19
papers

89
citations

1684188

5
h-index

1474206

9
g-index

19
all docs

19
docs citations

19
times ranked

223
citing authors

#	ARTICLE	IF	CITATIONS
1	SARS-CoV-2 Antibody Seroprevalence in Industry Workers in Split-Dalmatia and Šibenik-Knin County, Croatia. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, 32-37.	1.7	24
2	Building the COVID-19 Testing Capacities in Croatia: Establishing the Interdepartmental COVID-19 Unit at the Split University Hospital Centre. <i>Acta Clinica Croatica</i> , 2021, 60, 254-258.	0.2	0
3	Pseudocystic Nevus. <i>International Journal of Surgical Pathology</i> , 2020, 28, 643-644.	0.8	0
4	Invasive breast carcinoma with hyaline globules (â€œathantosomesâ€œ). <i>Breast Disease</i> , 2020, 39, 43-45.	0.8	0
5	Clinicopathological Characteristics of BRAF V600E Mutated Melanomas in the Dalmatian Region of Croatia. <i>Acta Dermatovenerologica Croatica</i> , 2019, 27, 225-230.	0.1	2
6	Breast fibroadenoma with pseudoangiomatous (PASH-like) stroma. <i>Breast Disease</i> , 2018, 37, 155-157.	0.8	4
7	Fibroadenoma with â€œimmature-likeâ€œ type of usual ductal hyperplasia. <i>Breast Disease</i> , 2016, 36, 157-160.	0.8	0
8	Osteonevus of Nanta Revisited: Clinicopathological Features of 33 Cases. <i>American Journal of Dermatopathology</i> , 2016, 38, 859-861.	0.6	7
9	Flow cytometric DNA hypertetraploidy tends to be more frequent in male than in female breast cancers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 185-189.	2.8	2
10	Near-Diploid Hyperploidy in Early Breast Cancer (T1a,b) is Associated with Higher Risk of Lymph Node Involvement. <i>Pathology and Oncology Research</i> , 2013, 19, 71-77.	1.9	3
11	Signet ring lobular carcinoma in situ as a part of the “rosen triad” (tubular carcinoma,) Tj ETQq1 1 0,784314 rgBT /Overl	0.3	1
12	Mammographic screening has failed to improve pathohistological characteristics of breast cancers in Split region of Croatia. <i>Breast Disease</i> , 2013, 34, 47-51.	0.8	5
13	HER-2/neu Assessment for Gastric Carcinoma: Validation of Scoring System. <i>Hepato-Gastroenterology</i> , 2012, 59, 300-3.	0.5	6
14	Salivary Oncocytic Cystadenoma with Intraluminal Crystalloids: a Case Report with Review of the Literature. <i>Head and Neck Pathology</i> , 2011, 5, 419-422.	2.6	15
15	Intraductal fibroadenoma and intraductal phyllodes tumourâ€œ”a part of the spectrum of the breast ductal adenoma?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 105-106.	2.8	4
16	Minimal Breast Cancer in Split Region of Croatia on the Eve of the National Mammographic Screening Program. <i>Breast Journal</i> , 2009, 15, 429-431.	1.0	4
17	Immunohistochemically Detected High Expression of Matrix Metalloproteinase-2 as Predictor of Poor Prognosis in Dukeâ€™s B Colon Cancer. <i>Croatian Medical Journal</i> , 2008, 49, 636-642.	0.7	9
18	A 52-year-old woman with a subcutaneous, slightly movable and painless nodule in the left breast. <i>Annals of Saudi Medicine</i> , 2006, 26, 403-404.	1.1	2

#	ARTICLE	IF	CITATIONS
19	DIAGNOSIS: Subcutaneous breast nodule due to <i>Dirofilaria repens</i> infestation. Annals of Saudi Medicine, 2006, 26, 414-416.	1.1	1