

Elisabetta Trento

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8248078/publications.pdf>

Version: 2024-02-01

36
papers

1,141
citations

361413

20
h-index

395702

33
g-index

36
all docs

36
docs citations

36
times ranked

1689
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlated increases of tumour necrosis factor-alpha, interleukin-6 and granulocyte monocyte-colony stimulating factor levels in suction blister fluids and sera of psoriatic patients relationships with disease severity. <i>Clinical and Experimental Dermatology</i> , 1994, 19, 383-387.	1.3	155
2	Zoledronic-Acid-Induced Circulating Level Modifications of Angiogenic Factors, Metalloproteinases and Proinflammatory Cytokines in Metastatic Breast Cancer Patients. <i>Oncology</i> , 2005, 69, 35-43.	1.9	119
3	Cytokine profiles during infliximab monotherapy in psoriatic arthritis. <i>British Journal of Dermatology</i> , 2005, 153, 531-536.	1.5	80
4	Analysis of the ORFK1 hypervariable regions reveal distinct HHV-8 clustering in Kaposi's sarcoma and non-Kaposi's cases. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 1.	8.6	62
5	Inflammatory cytokines and biofilm production sustain <i>Staphylococcus aureus</i> outgrowth and persistence: a pivotal interplay in the pathogenesis of Atopic Dermatitis. <i>Scientific Reports</i> , 2018, 8, 9573.	3.3	56
6	Microbial biofilm correlates with an increased antibiotic tolerance and poor therapeutic outcome in infective endocarditis. <i>BMC Microbiology</i> , 2019, 19, 228.	3.3	51
7	Effective Therapy with Anti-TNF- α in Patients with Psoriatic Arthritis Is Associated with Decreased Levels of Metalloproteinases and Angiogenic Cytokines in the Sera and Skin Lesions. <i>Annals of the New York Academy of Sciences</i> , 2007, 1110, 578-589.	3.8	48
8	Increased Interleukin-7 Concentrations in Lesional Skin and in the Sera of Patients with Plaque-Type Psoriasis. <i>Clinical Immunology and Immunopathology</i> , 1997, 83, 41-44.	2.0	47
9	Decreased levels of metalloproteinase-9 and angiogenic factors in skin lesions of patients with psoriatic arthritis after therapy with anti-TNF- α . <i>Journal of Autoimmune Diseases</i> , 2006, 3, 5.	1.0	44
10	Early but not lasting improvement of recalcitrant subcorneal pustular dermatosis (Sneddon-Wilkinson disease) after infliximab therapy: relationships with variations in cytokine levels in suction blister fluids. <i>Clinical and Experimental Dermatology</i> , 2005, 30, 662-665.	1.3	41
11	Spontaneous release of leukemia inhibitory factor and oncostatin-M is increased in supernatants of short-term organ cultures from lesional psoriatic skin. <i>Archives of Dermatological Research</i> , 1998, 290, 9-13.	1.9	38
12	How Human Papillomavirus Replication and Immune Evasion Strategies Take Advantage of the Host DNA Damage Repair Machinery. <i>Viruses</i> , 2017, 9, 390.	3.3	38
13	Long-term follow-up of peripheral lymphocyte subsets in a cohort of multiple sclerosis patients treated with natalizumab. <i>Clinical and Experimental Immunology</i> , 2014, 176, 320-326.	2.6	33
14	Effective treatment of Kaposi's sarcoma by electrochemotherapy and intravenous bleomycin administration. <i>Dermatologic Therapy</i> , 2012, 25, 214-218.	1.7	29
15	Soluble E-Selectin and Soluble Tumour Necrosis Factor Receptor (60 kD) Serum Levels in Patients with Psoriasis. <i>Dermatology</i> , 1995, 190, 128-131.	2.1	27
16	Interleukin-11 production is increased in organ cultures of lesional skin of patients with active plaque-type psoriasis as compared with nonlesional and normal skin. Similarity to interleukin-1 β , interleukin-6 and interleukin-8. <i>Archives of Dermatological Research</i> , 1997, 289, 399-403.	1.9	27
17	Human Herpesvirus 8 Infection in Patients With Cutaneous Lymphoproliferative Diseases. <i>Archives of Dermatology</i> , 2005, 141, 1235-42.	1.4	27
18	Antigen specific cytokine response in pediatric patients with atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2005, 16, 113-120.	2.6	20

#	ARTICLE	IF	CITATIONS
19	Permanent tattoos: evidence of pseudolymphoma in three patients and metal composition of the dyes. <i>European Journal of Dermatology</i> , 2012, 22, 776-780.	0.6	20
20	Immunologic Biomarkers for Clinical and Therapeutic Management of Psoriasis. <i>Mediators of Inflammation</i> , 2014, 2014, 1-11.	3.0	20
21	The Emerging Role of Microbial Biofilm in Lyme Neuroborreliosis. <i>Frontiers in Neurology</i> , 2018, 9, 1048.	2.4	20
22	Identification of a new control region in the genome of the DDP strain of BK virus isolated from PBMC. , 1999, 58, 413-419.		17
23	Prevalence of human papilloma virus type 5 DNA in lesional and non-lesional skin scales of Italian plaque-type psoriatic patients: association with disease severity. <i>Clinical Microbiology and Infection</i> , 2005, 11, 47-51.	6.0	15
24	Naïve/Effector CD4 T cell ratio as a useful predictive marker of immune reconstitution in late presenter HIV patients: A multicenter study. <i>PLoS ONE</i> , 2019, 14, e0225415.	2.5	15
25	Serum Cytokines and Biomoral Immunological Characterization of Psoriatic Patients in Long Term Etanercept Treatment. <i>International Journal of Immunopathology and Pharmacology</i> , 2008, 21, 643-649.	2.1	14
26	Demographic Indicators and Risk of Infection with Human Herpesvirus Type 8 in Central Italy. <i>Infection</i> , 2007, 35, 22-25.	4.7	12
27	Assessment of T Regulatory Cells and Expanded Profiling of Autoantibodies May Offer Novel Biomarkers for the Clinical Management of Systemic Sclerosis and Undifferentiated Connective Tissue Disease. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-7.	3.3	12
28	Serum interleukin-6 levels as an early marker of therapeutic response to UVB radiation and topical steroids in psoriatic patients. <i>International Journal of Clinical and Laboratory Research</i> , 1994, 24, 122-123.	1.0	10
29	KI and WU Polyomaviruses in Patients Infected with HIV-1, Italy. <i>Emerging Infectious Diseases</i> , 2009, 15, 1323-1325.	4.3	9
30	Correlation of Lesional Skin Corneometry Values with Serum E-selectin Levels and Disease Severity in Patients Affected by Plaque-type Psoriasis: Recovery after Effective Therapy. <i>Journal of Dermatology</i> , 1995, 22, 475-479.	1.2	7
31	Silver Sulfadiazine Eradicates Antibiotic-Tolerant <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> Biofilms in Patients with Infected Diabetic Foot Ulcers. <i>Journal of Clinical Medicine</i> , 2020, 9, 3807.	2.4	7
32	Activation of DNA Damage Response Induced by the Kaposi's Sarcoma-Associated Herpes Virus. <i>International Journal of Molecular Sciences</i> , 2016, 17, 854.	4.1	6
33	Nucleic Acid Sensing Perturbation: How Aberrant Recognition of Self-Nucleic Acids May Contribute to Autoimmune and Autoinflammatory Diseases. <i>International Review of Cell and Molecular Biology</i> , 2019, 344, 117-137.	3.2	6
34	HIV and decreased risk of multiple sclerosis: role of low CD4+ lymphocyte count and male prevalence. <i>Journal of NeuroVirology</i> , 2017, 23, 147-151.	2.1	5
35	Familial Kaposi's Sarcoma in HHV8 infected subjects presenting the G-174C allele of the IL-6 promoter: a possible role for EBV?. <i>European Journal of Dermatology</i> , 2014, 24, 503-504.	0.6	4
36	Radiation recall dermatitis in course of epidemic Kaposi's sarcoma. <i>Dermatologic Therapy</i> , 2013, 26, n/a-n/a.	1.7	0