

# Elisabetta Trento

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8248078/publications.pdf>

Version: 2024-02-01

36  
papers

1,141  
citations

361413

20  
h-index

395702

33  
g-index

36  
all docs

36  
docs citations

36  
times ranked

1689  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Silver Sulfadiazine Eradicates Antibiotic-Tolerant Staphylococcus aureus and Pseudomonas aeruginosa Biofilms in Patients with Infected Diabetic Foot Ulcers. <i>Journal of Clinical Medicine</i> , 2020, 9, 3807.  | 2.4 | 7         |
| 2  | Microbial biofilm correlates with an increased antibiotic tolerance and poor therapeutic outcome in infective endocarditis. <i>BMC Microbiology</i> , 2019, 19, 228.   | 3.3 | 51        |
| 3  | Na <sup>+</sup> /Effector CD4 T cell ratio as a useful predictive marker of immune reconstitution in late presenter HIV patients: A multicenter study. <i>PLoS ONE</i> , 2019, 14, e0225415.   | 2.5 | 15        |
| 4  | Nucleic Acid Sensing Perturbation: How Aberrant Recognition of Self-Nucleic Acids May Contribute to Autoimmune and Autoinflammatory Diseases. <i>International Review of Cell and Molecular Biology</i> , 2019, 344, 117-137.  | 3.2 | 6         |
| 5  | The Emerging Role of Microbial Biofilm in Lyme Neuroborreliosis. <i>Frontiers in Neurology</i> , 2018, 9, 1048.  | 2.4 | 20        |
| 6  | Inflammatory cytokines and biofilm production sustain Staphylococcus aureus outgrowth and persistence: a pivotal interplay in the pathogenesis of Atopic Dermatitis. <i>Scientific Reports</i> , 2018, 8, 9573.  | 3.3 | 56        |
| 7  | HIV and decreased risk of multiple sclerosis: role of low CD4+ lymphocyte count and male prevalence. <i>Journal of NeuroVirology</i> , 2017, 23, 147-151.  | 2.1 | 5         |
| 8  | How Human Papillomavirus Replication and Immune Evasion Strategies Take Advantage of the Host DNA Damage Repair Machinery. <i>Viruses</i> , 2017, 9, 390.  | 3.3 | 38        |
| 9  | Activation of DNA Damage Response Induced by the Kaposi's Sarcoma-Associated Herpes Virus. <i>International Journal of Molecular Sciences</i> , 2016, 17, 854.   | 4.1 | 6         |
| 10 | Analysis of the ORFK1 hypervariable regions reveal distinct HHV-8 clustering in Kaposi's sarcoma and non-Kaposi's cases. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 1.  | 8.6 | 62        |
| 11 | Familial Kaposi's Sarcoma in HHV8 infected subjects presenting the G-174C allele of the IL-6 promoter: a possible role for EBV?. <i>European Journal of Dermatology</i> , 2014, 24, 503-504.   | 0.6 | 4         |
| 12 | Immunologic Biomarkers for Clinical and Therapeutic Management of Psoriasis. <i>Mediators of Inflammation</i> , 2014, 2014, 1-11.  | 3.0 | 20        |
| 13 | Long-term follow-up of peripheral lymphocyte subsets in a cohort of multiple sclerosis patients treated with natalizumab. <i>Clinical and Experimental Immunology</i> , 2014, 176, 320-326.  | 2.6 | 33        |
| 14 | Radiation recall dermatitis in course of epidemic Kaposi's sarcoma. <i>Dermatologic Therapy</i> , 2013, 26, n/a-n/a.   | 1.7 | 0         |
| 15 | Assessment of T Regulatory Cells and Expanded Profiling of Autoantibodies May Offer Novel Biomarkers for the Clinical Management of Systemic Sclerosis and Undifferentiated Connective Tissue Disease. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-7. | 3.3 | 12        |
| 16 | Permanent tattoos: evidence of pseudolymphoma in three patients and metal composition of the dyes. <i>European Journal of Dermatology</i> , 2012, 22, 776-780.   | 0.6 | 20        |
| 17 | Effective treatment of Kaposi's sarcoma by electrochemotherapy and intravenous bleomycin administration. <i>Dermatologic Therapy</i> , 2012, 25, 214-218.  | 1.7 | 29        |
| 18 | KI and WU Polyomaviruses in Patients Infected with HIV-1, Italy. <i>Emerging Infectious Diseases</i> , 2009, 15, 1323-1325.  | 4.3 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Serum Cytokines and Biomoral Immunological Characterization of Psoriatic Patients in Long Term Etanercept Treatment. <i>International Journal of Immunopathology and Pharmacology</i> , 2008, 21, 643-649.  | 2.1 | 14        |
| 20 | Effective Therapy with Anti-TNF- $\alpha$ in Patients with Psoriatic Arthritis Is Associated with Decreased Levels of Metalloproteinases and Angiogenic Cytokines in the Sera and Skin Lesions. <i>Annals of the New York Academy of Sciences</i> , 2007, 1110, 578-589.                                      | 3.8 | 48        |
| 21 | Demographic Indicators and Risk of Infection with Human Herpesvirus Type 8 in Central Italy. <i>Infection</i> , 2007, 35, 22-25.  | 4.7 | 12        |
| 22 | Decreased levels of metalloproteinase-9 and angiogenic factors in skin lesions of patients with psoriatic arthritis after therapy with anti-TNF- $\alpha$ . <i>Journal of Autoimmune Diseases</i> , 2006, 3, 5.   | 1.0 | 44        |
| 23 | Prevalence of human papilloma virus type 5 DNA in lesional and non-lesional skin scales of Italian plaque-type psoriatic patients: association with disease severity. <i>Clinical Microbiology and Infection</i> , 2005, 11, 47-51.   | 6.0 | 15        |
| 24 | Antigen specific cytokine response in pediatric patients with atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , 2005, 16, 113-120.   | 2.6 | 20        |
| 25 | Cytokine profiles during infliximab monotherapy in psoriatic arthritis. <i>British Journal of Dermatology</i> , 2005, 153, 531-536.   | 1.5 | 80        |
| 26 | Early but not lasting improvement of recalcitrant subcorneal pustular dermatosis (Sneddon-Wilkinson disease) after infliximab therapy: relationships with variations in cytokine levels in suction blister fluids. <i>Clinical and Experimental Dermatology</i> , 2005, 30, 662-665.                          | 1.3 | 41        |
| 27 | Human Herpesvirus 8 Infection in Patients With Cutaneous Lymphoproliferative Diseases. <i>Archives of Dermatology</i> , 2005, 141, 1235-42.   | 1.4 | 27        |
| 28 | Zoledronic-Acid-Induced Circulating Level Modifications of Angiogenic Factors, Metalloproteinases and Proinflammatory Cytokines in Metastatic Breast Cancer Patients. <i>Oncology</i> , 2005, 69, 35-43.  | 1.9 | 119       |
| 29 | Identification of a new control region in the genome of the DDP strain of BK virus isolated from PBMC. , 1999, 58, 413-419.   |     | 17        |
| 30 | Spontaneous release of leukemia inhibitory factor and oncostatin-M is increased in supernatants of short-term organ cultures from lesional psoriatic skin. <i>Archives of Dermatological Research</i> , 1998, 290, 9-13.  | 1.9 | 38        |
| 31 | Increased Interleukin-7 Concentrations in Lesional Skin and in the Sera of Patients with Plaque-Type Psoriasis. <i>Clinical Immunology and Immunopathology</i> , 1997, 83, 41-44.   | 2.0 | 47        |
| 32 | Interleukin-11 production is increased in organ cultures of lesional skin of patients with active plaque-type psoriasis as compared with nonlesional and normal skin. Similarity to interleukin-1 $\beta$ , interleukin-6 and interleukin-8. <i>Archives of Dermatological Research</i> , 1997, 289, 399-403. | 1.9 | 27        |
| 33 | Soluble E-Selectin and Soluble Tumour Necrosis Factor Receptor (60 kD) Serum Levels in Patients with Psoriasis. <i>Dermatology</i> , 1995, 190, 128-131.  | 2.1 | 27        |
| 34 | Correlation of Lesional Skin Corneometry Values with Serum E-Selectin Levels and Disease Severity in Patients Affected by Plaque-Type Psoriasis: Recovery after Effective Therapy. <i>Journal of Dermatology</i> , 1995, 22, 475-479.   | 1.2 | 7         |
| 35 | Serum interleukin-6 levels as an early marker of therapeutic response to UVB radiation and topical steroids in psoriatic patients. <i>International Journal of Clinical and Laboratory Research</i> , 1994, 24, 122-123.  | 1.0 | 10        |
| 36 | Correlated increases of tumour necrosis factor-alpha, interleukin-6 and granulocyte monocyte-colony stimulating factor levels in suction blister fluids and sera of psoriatic patients relationships with disease severity. <i>Clinical and Experimental Dermatology</i> , 1994, 19, 383-387.                 | 1.3 | 155       |