

Oliver Rivero-Arias

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8250520/publications.pdf>

Version: 2024-02-01

84
papers

3,398
citations

147801

31
h-index

155660

55
g-index

89
all docs

89
docs citations

89
times ranked

4878
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology of fragile X syndrome: A systematic review and meta-analysis. American Journal of Medical Genetics, Part A, 2014, 164, 1648-1658.	1.2	320
2	Estimating the Association between SF-12 Responses and EQ-5D Utility Values by Response Mapping. Medical Decision Making, 2006, 26, 18-29.	2.4	188
3	Surgical stabilisation of the spine compared with a programme of intensive rehabilitation for the management of patients with chronic low back pain: cost utility analysis based on a randomised controlled trial. BMJ: British Medical Journal, 2005, 330, 1239.	2.3	136
4	Comparing the Efficacy of a Mobile Phone-Based Blood Glucose Management System With Standard Clinic Care in Women With Gestational Diabetes: Randomized Controlled Trial. JMIR MHealth and UHealth, 2018, 6, e71.	3.7	130
5	Handling Data Quality Issues to Estimate the Spanish EQ-5D-5L Value Set Using a Hybrid Interval Regression Approach. Value in Health, 2018, 21, 596-604.	0.3	129
6	Mapping the Modified Rankin Scale (mRS) Measurement into the Generic EuroQol (EQ-5D) Health Outcome. Medical Decision Making, 2010, 30, 341-354.	2.4	127
7	Valuation and Modeling of EQ-5D-5L Health States Using a Hybrid Approach. Medical Care, 2017, 55, e51-e58.	2.4	121
8	Burden of disease and costs of aneurysmal subarachnoid haemorrhage (aSAH) in the United Kingdom. Cost Effectiveness and Resource Allocation, 2010, 8, 6.	1.5	100
9	Healthcare and social services resource use and costs of self-harm patients. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 263-271.	3.1	96
10	Effect of MRI on preterm infants and their families: a randomised trial with nested diagnostic and economic evaluation. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F15-F21.	2.8	86
11	Review of Valuation Methods of Preference-Based Measures of Health for Economic Evaluation in Child and Adolescent Populations: Where are We Now and Where are We Going?. Pharmacoeconomics, 2020, 38, 325-340.	3.3	86
12	Assessing the Use of a Feedback Module to Model EQ-5D-5L Health States Values in Hong Kong. Patient, 2018, 11, 235-247.	2.7	84
13	International Valuation Protocol for the EQ-5D-Y-3L. Pharmacoeconomics, 2020, 38, 653-663.	3.3	84
14	Evaluation of software for multiple imputation of semi-continuous data. Statistical Methods in Medical Research, 2007, 16, 243-258.	1.5	82
15	Prophylactic antibiotics in the prevention of infection after operative vaginal delivery (ANODE): a multicentre randomised controlled trial. Lancet, The, 2019, 393, 2395-2403.	13.7	81
16	Treatment Pathways, Resource Use, and Costs of Endovascular Coiling Versus Surgical Clipping After aSAH. Stroke, 2008, 39, 111-119.	2.0	74
17	The MAPS Reporting Statement for Studies Mapping onto Generic Preference-Based Outcome Measures: Explanation and Elaboration. Pharmacoeconomics, 2015, 33, 993-1011.	3.3	70
18	Valuation of EuroQol Five-Dimensional Questionnaire, Youth Version (EQ-5D-Y) and EuroQol Five-Dimensional Questionnaire, Three-Level Version (EQ-5D-3L) Health States: The Impact of Wording and Perspective. Value in Health, 2018, 21, 1291-1298.	0.3	70

#	ARTICLE	IF	CITATIONS
19	Mapping EQ-5D Utility Scores from the PedsQL [®] Generic Core Scales. <i>Pharmacoeconomics</i> , 2014, 32, 693-706.	3.3	66
20	Normative Profile of Health-Related Quality of Life for Hong Kong General Population Using Preference-Based Instrument EQ-5D-5L. <i>Value in Health</i> , 2019, 22, 916-924.	0.3	61
21	Multiple imputation to deal with missing EQ-5D-3L data: Should we impute individual domains or the actual index?. <i>Quality of Life Research</i> , 2015, 24, 805-815.	3.1	60
22	Cost-Utility Analysis of Physiotherapy Treatment Compared With Physiotherapy Advice in Low Back Pain. <i>Spine</i> , 2006, 31, 1381-1387.	2.0	59
23	The effect of teamwork training on team performance and clinical outcome in elective orthopaedic surgery: a controlled interrupted time series study. <i>BMJ Open</i> , 2015, 5, e006216-e006216.	1.9	57
24	Cost-effectiveness of referral for generic care or problem-solving treatment from community mental health nurses, compared with usual general practitioner care for common mental disorders. <i>British Journal of Psychiatry</i> , 2006, 189, 50-59.	2.8	54
25	The current practice of handling and reporting missing outcome data in eight widely used PROMs in RCT publications: a review of the current literature. <i>Quality of Life Research</i> , 2016, 25, 1613-1623.	3.1	53
26	Responsiveness of Objective, Disease-Specific, and Generic Outcome Measures in Patients With Chronic Low Back Pain: An Assessment for Improving, Stable, and Deteriorating Patients. <i>Spine</i> , 2006, 31, 815-822.	2.0	45
27	Eq5d: A command to Calculate Index Values for the EQ-5D Quality-of-life Instrument. <i>The Stata Journal</i> , 2011, 11, 120-125.	2.2	44
28	A combined teamwork training and work standardisation intervention in operating theatres: controlled interrupted time series study. <i>BMJ Quality and Safety</i> , 2015, 24, 111-119.	3.7	43
29	Multiple imputation for patient reported outcome measures in randomised controlled trials: advantages and disadvantages of imputing at the item, subscale or composite score level. <i>BMC Medical Research Methodology</i> , 2018, 18, 87.	3.1	42
30	Effect of Self-monitoring of Blood Pressure on Diagnosis of Hypertension During Higher-Risk Pregnancy. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1656.	7.4	40
31	A cluster randomised trial of strategies to increase cervical screening uptake at first invitation (STRATEGIC). <i>Health Technology Assessment</i> , 2016, 20, 1-138.	2.8	36
32	Effect of Self-monitoring of Blood Pressure on Blood Pressure Control in Pregnant Individuals With Chronic or Gestational Hypertension. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1666.	7.4	34
33	Gestational age and hospital admissions during childhood: population based, record linkage study in England (TIGAR study). <i>BMJ</i> , 2020, 371, m4075.	6.0	33
34	Blood pressure monitoring in high-risk pregnancy to improve the detection and monitoring of hypertension (the BUMP 1 and 2 trials): protocol for two linked randomised controlled trials. <i>BMJ Open</i> , 2020, 10, e034593.	1.9	30
35	Valuing EQ-5D-Y-3L Health States Using a Discrete Choice Experiment: Do Adult and Adolescent Preferences Differ?. <i>Medical Decision Making</i> , 2021, 41, 584-596.	2.4	30
36	Healthcare and wider societal implications of stillbirth: a population-based cost-of-illness study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 108-117.	2.3	29

#	ARTICLE	IF	CITATIONS
37	Dealing with the health state “dead” when using discrete choice experiments to obtain values for EQ-5D-5L health states. <i>European Journal of Health Economics</i> , 2013, 14, 33-42.	2.8	28
38	Beyond maternal death: improving the quality of maternal care through national studies of “near-miss” maternal morbidity. <i>Programme Grants for Applied Research</i> , 2016, 4, 1-180.	1.0	26
39	Accounting for Unobservable Preference Heterogeneity and Evaluating Alternative Anchoring Approaches to Estimate Country-Specific EQ-5D-Y Value Sets: A Case Study Using Spanish Preference Data. <i>Value in Health</i> , 2022, 25, 835-843.	0.3	26
40	Effectiveness of facilitated introduction of a standard operating procedure into routine processes in the operating theatre: a controlled interrupted time series. <i>BMJ Quality and Safety</i> , 2015, 24, 120-127.	3.7	25
41	Valuing child and adolescent health: a qualitative study on different perspectives and priorities taken by the adult general public. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 222.	2.4	24
42	Preferred Reporting Items for Studies Mapping onto Preference-Based Outcome Measures: The MAPS Statement. <i>Pharmacoeconomics</i> , 2015, 33, 985-991.	3.3	21
43	The costs and prognostic characteristics of ischaemic neurological deficit due to subarachnoid haemorrhage in the United Kingdom. <i>Journal of Neurology</i> , 2009, 256, 364-373.	3.6	20
44	Feasibility, Validity and Differences in Adolescent and Adult EQ-5D-Y Health State Valuation in Australia and Spain: An Application of Best“Worst Scaling. <i>Pharmacoeconomics</i> , 2020, 38, 499-513.	3.3	19
45	Survival, Dependency, and Health-Related Quality of Life in Patients With Ruptured Intracranial Aneurysm: 10-Year Follow-up of the United Kingdom Cohort of the International Subarachnoid Aneurysm Trial. <i>Neurosurgery</i> , 2021, 88, 252-260.	1.1	18
46	Hypothermia for perinatal asphyxia: trial-based quality of life at 6“7 years. <i>Archives of Disease in Childhood</i> , 2018, 103, 654-659.	1.9	17
47	A multicentre, randomised controlled trial of position during the late stages of labour in nulliparous women with an epidural: clinical effectiveness and an economic evaluation (BUMPES). <i>Health Technology Assessment</i> , 2017, 21, 1-176.	2.8	15
48	Preferred reporting items for studies mapping onto preference-based outcome measures: the MAPS statement. <i>Quality of Life Research</i> , 2016, 25, 275-281.	3.1	14
49	Patient preferences for management of high blood pressure in the UK: a discrete choice experiment. <i>British Journal of General Practice</i> , 2019, 69, e629-e637.	1.4	14
50	The Multinational Nature of Cost-Effectiveness Analyses Alongside Multinational Clinical Trials. <i>Value in Health</i> , 2010, 13, 34-41.	0.3	13
51	Preferred reporting items for studies mapping onto preference-based outcome measures: The MAPS statement. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 106.	2.4	13
52	Hypothermia for perinatal asphyxia: trial-based resource use and costs at 6“7 years. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F285-F292.	2.8	13
53	Difference in Restricted Mean Survival Time for Cost-Effectiveness Analysis Using Individual Patient Data Meta-Analysis: Evidence from a Case Study. <i>PLoS ONE</i> , 2016, 11, e0150032.	2.5	13
54	Computerised interpretation of the fetal heart rate during labour: a randomised controlled trial (INFANT). <i>Health Technology Assessment</i> , 2018, 22, 1-186.	2.8	13

#	ARTICLE	IF	CITATIONS
55	What do we know about managing Dupuytren's disease cost-effectively?. BMC Musculoskeletal Disorders, 2018, 19, 34.	1.9	11
56	Exploring women's preferences for birth settings in England: A discrete choice experiment. PLoS ONE, 2019, 14, e0215098.	2.5	11
57	Gestational age at birth and child special educational needs: a UK representative birth cohort study. Archives of Disease in Childhood, 2021, 106, 842-848.	1.9	11
58	Lean Participative Process Improvement: Outcomes and Obstacles in Trauma Orthopaedics. PLoS ONE, 2016, 11, e0152360.	2.5	10
59	Comparison of statistical approaches for analyzing incomplete longitudinal patient-reported outcome data in randomized controlled trials. Patient Related Outcome Measures, 2018, Volume 9, 197-209.	1.2	10
60	Does Changing the Age of a Child to be Considered in 3-Level Version of EQ-5D-Y Discrete Choice Experiment-Based Valuation Studies Affect Health Preferences?. Value in Health, 2022, 25, 1196-1204.	0.3	10
61	Scoring system to facilitate diagnosis of Gaucher disease. Internal Medicine Journal, 2020, 50, 1538-1546.	0.8	9
62	The Impact of Risk Management Standards on Patient Safety: The Determinants of MRSA Infections in Acute NHS Hospitals, 2001-08*. Oxford Bulletin of Economics and Statistics, 2013, 75, 340-361.	1.7	8
63	Response Mapping to Translate Health Outcomes into the Generic Health-Related Quality-of-Life Instrument EQ-5D: Introducing the mrs2eq and oks2eq Commands. The Stata Journal, 2013, 13, 474-491.	2.2	8
64	Autoimmune markers for the diagnosis of rheumatoid arthritis in primary care: primary care diagnostic technology update. British Journal of General Practice, 2013, 63, 553-554.	1.4	7
65	PREFERRED REPORTING ITEMS FOR STUDIES MAPPING ONTO PREFERENCE-BASED OUTCOME MEASURES: THE MAPS STATEMENT. International Journal of Technology Assessment in Health Care, 2015, 31, 230-235.	0.5	7
66	The societal monetary value of a QALY associated with EQ-5D-3L health gains. European Journal of Health Economics, 2020, 21, 363-379.	2.8	7
67	Optimising neonatal service provision for preterm babies born between 27 and 31 weeks gestation in England (OPTI-PREM), using national data, qualitative research and economic analysis: a study protocol. BMJ Open, 2019, 9, e029421.	1.9	6
68	Preferences for interventions designed to increase cervical screening uptake in non-attending young women: How findings from a discrete choice experiment compare with observed behaviours in a trial. Health Expectations, 2020, 23, 202-211.	2.6	5
69	Preferred reporting items for studies mapping onto preference-based outcome measures: The MAPS statement. Journal of Medical Economics, 2015, 18, 851-857.	2.1	4
70	Intravenous co-amoxiclav to prevent infection after operative vaginal delivery: the ANODE RCT. Health Technology Assessment, 2019, 23, 1-54.	2.8	4
71	Benchmarking the Cost-Effectiveness of Interventions Delaying Diabetes: A Simulation Study Based on NAVIGATOR Data. Diabetes Care, 2020, 43, 2485-2492.	8.6	3
72	Economic evaluation plan of a randomised controlled trial of intra-nodular injection of anti-TNF and placebo among patients with early Dupuytren's disease: Repurposing Anti-TNF for Treating Dupuytren's Disease (RIDDD). Wellcome Open Research, 2018, 3, 156.	1.8	3

#	ARTICLE	IF	CITATIONS
73	Safer delivery of surgical services: a programme of controlled before-and-after intervention studies with pre-planned pooled data analysis. Programme Grants for Applied Research, 2016, 4, 1-170.	1.0	3
74	Exploring the use of health and wellbeing measures during pregnancy and the first year following birth in women living with pre-existing long-term conditions: qualitative interviews with women and healthcare professionals. BMC Health Services Research, 2021, 21, 597.	2.2	2
75	Methods for evaluating the benefits and harms of antenatal and newborn screening programmes adopted by health economic assessments: protocol for a systematic review. BMJ Open, 2021, 11, e048031.	1.9	2
76	Using stated-preferences methods to develop a summary metric to determine successful treatment of children with a surgical condition: a study protocol. BMJ Open, 2022, 12, e062833.	1.9	2
77	Preferred Reporting Items for Studies Mapping onto Preference-Based Outcome Measures: The MAPS Statement. Medical Decision Making, 2015, 35, NP1-NP8.	2.4	1
78	Preferred Reporting Items for Studies Mapping onto Preference-Based Outcome Measures: The MAPS Statement. Applied Health Economics and Health Policy, 2015, 13, 437-443.	2.1	1
79	The way forward to a renewed and improved Health and Quality of Life Outcomes. Health and Quality of Life Outcomes, 2021, 19, 109.	2.4	1
80	Is a simple "Thank you" too much to ask?. BMJ: British Medical Journal, 2009, 339, b3683-b3683.	2.3	1
81	Economic evaluation plan of a randomised controlled trial of intra-nodular injection of anti-TNF and placebo among patients with early Dupuytren's disease: Repurposing Anti-TNF for Treating Dupuytren's Disease (RIDDD). Wellcome Open Research, 2018, 3, 156.	1.8	1
82	Prophylactic Antibiotics in the Prevention of Infection After Operative Vaginal Delivery (ANODE): A Multicenter Randomized Controlled Trial. Obstetrical and Gynecological Survey, 2019, 74, 635-637.	0.4	0
83	Economic evaluation of computerised interpretation of fetal heart rate during labour: a cost-consequence analysis alongside the INFANT study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 143-148.	2.8	0
84	Late pregnancy ultrasound parameters identifying fetuses at risk of adverse perinatal outcomes: a protocol for a systematic review of systematic reviews. BMJ Open, 2022, 12, e058293.	1.9	0