Paolo Caffarra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8256700/publications.pdf

Version: 2024-02-01

117625 37204 10,903 109 34 citations h-index papers

g-index 113 113 113 16294 docs citations times ranked citing authors all docs

96

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Association of Rare <i>APOE</i> Missense Variants V236E and R251G With Risk of Alzheimer Disease. JAMA Neurology, 2022, 79, 652. | 9.0 | 31 |
| 2 | Being the Family Caregiver of a Patient With Dementia During the Coronavirus Disease 2019 Lockdown. Frontiers in Aging Neuroscience, 2021, 13, 653533. | 3.4 | 39 |
| 3 | Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. Nature Communications, 2021, 12, 3417. | 12.8 | 140 |
| 4 | Distinct brain dysfunctions underlying visuo-constructive deficit in DLB and AD. Brain Imaging and Behavior, 2021, , 1. | 2.1 | 3 |
| 5 | Enhancing cognitive training effects in Alzheimer's disease: rTMS as an add-on treatment. Brain Stimulation, 2020, 13, 1655-1664. | 1.6 | 50 |
| 6 | Behavioral and Psychological Effects of Coronavirus Disease-19 Quarantine in Patients With Dementia. Frontiers in Psychiatry, 2020, 11, 578015. | 2.6 | 157 |
| 7 | The Role of Free and Cued Selective Reminding Test in Predicting [18F]Florbetaben PET Results in Mild Cognitive Impairment and Mild Dementia. Journal of Alzheimer's Disease, 2020, 73, 1647-1659. | 2.6 | 4 |
| 8 | The Impact of COVID-19 Quarantine on Patients With Dementia and Family Caregivers: A Nation-Wide Survey. Frontiers in Aging Neuroscience, 2020, 12, 625781. | 3.4 | 85 |
| 9 | Two distinct pathological substrates associated with MMSE-pentagons item deficit in DLB and AD. Neuropsychologia, 2019, 133, 107174. | 1.6 | 12 |
| 10 | The Incremental Diagnostic Value of [18F]Florbetaben PET and the Pivotal Role of the Neuropsychological Assessment in Clinical Practice. Journal of Alzheimer's Disease, 2019, 67, 1235-1244. | 2.6 | 5 |
| 11 | Transethnic meta-analysis of rare coding variants in PLCG2, ABI3, and TREM2 supports their general contribution to Alzheimer's disease. Translational Psychiatry, 2019, 9, 55. | 4.8 | 32 |
| 12 | ABCA1- and ABCG1-mediated cholesterol efflux capacity of cerebrospinal fluid is impaired in Alzheimer's disease. Journal of Lipid Research, 2019, 60, 1449-1456. | 4.2 | 44 |
| 13 | Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates Aβ, tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430. | 21.4 | 1,962 |
| 14 | Hippocampal vascularization patterns: A high-resolution 7 Tesla time-of-flight magnetic resonance angiography study. Neurolmage: Clinical, 2019, 21, 101609. | 2.7 | 47 |
| 15 | Stereotypic behaviours in frontotemporal dementia and progressive supranuclear palsy. Cortex, 2018, 109, 272-278. | 2.4 | 4 |
| 16 | Testing Hippocampal Memory in Prodromal Dementia with Lewy Bodies. Journal of Alzheimer's Disease, 2018, 64, 349-353. | 2.6 | 9 |
| 17 | Combining Structural Magnetic Resonance Imaging and Visuospatial Tests to Classify Mild Cognitive Impairment. Current Alzheimer Research, 2018, 15, 237-246. | 1.4 | 6 |
| 18 | Characterizing cognitive inhibitory deficits in mild cognitive impairment. Psychiatry Research, 2017, 251, 342-348. | 3.3 | 17 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | The need for harmonisation and innovation of neuropsychological assessment in neurodegenerative dementias in Europe: consensus document of the Joint Program for Neurodegenerative Diseases Working Group. Alzheimer's Research and Therapy, 2017, 9, 27. | 6.2 | 66 |
| 20 | The Progression of Alzheimer's Disease: Are Fast Decliners Really Fast? AÂFour-Year Follow-Up. Journal of Alzheimer's Disease, 2017, 57, 775-786. | 2.6 | 24 |
| 21 | Specific Verbal Memory Measures May Distinguish Alzheimer's Disease from Dementia with Lewy Bodies. Journal of Alzheimer's Disease, 2017, 59, 1009-1015. | 2.6 | 12 |
| 22 | A case of reversible anti-NMDA-receptor encephalitis: neuropsychological and neuroradiological features. Neurological Sciences, 2017, 38, 2231-2236. | 1.9 | 2 |
| 23 | Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. Nature Genetics, 2017, 49, 1373-1384. | 21.4 | 783 |
| 24 | The Gut Microbial Metabolite Trimethylamine-N-Oxide Is Present in Human Cerebrospinal Fluid. Nutrients, 2017, 9, 1053. | 4.1 | 108 |
| 25 | Increased PCSK9 Cerebrospinal Fluid Concentrations in Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 55, 315-320. | 2.6 | 47 |
| 26 | P2â€017: The Effectiveness of Action Observation Treatment (AOT) in Alzheimer's Disease: Benefit on Temporal Orientation and Visuoâ€Prassic Abilities. Alzheimer's and Dementia, 2016, 12, P615. | 0.8 | 3 |
| 27 | P2-220: Brain FDG-Pet in Mild Cognitive Impairment: A Retrospective Longitudinal Study. , 2016, 12, P705-P705. | | 0 |
| 28 | P4â€171: Combining Structural Magnetic Resonance Imaging and Neuropsychological Tests to Classify Mild Cognitive Impairment. Alzheimer's and Dementia, 2016, 12, P1083. | 0.8 | 0 |
| 29 | P1â€064: The Development of a Homeâ€Based and Computerized Cognitive Stimulation Therapy for Persons Living With Dementia. Alzheimer's and Dementia, 2016, 12, P426. | 0.8 | 0 |
| 30 | Brain Activation Patterns Characterizing Different Phases of Motor Action: Execution, Choice and Ideation. Brain Topography, 2016, 29, 679-692. | 1.8 | 19 |
| 31 | Shared genetic contribution to ischemic stroke and Alzheimer's disease. Annals of Neurology, 2016, 79, 739-747. | 5.3 | 56 |
| 32 | Brain Metabolism Correlates of The Free and Cued Selective Reminding Test in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2016, 51, 27-31. | 2.6 | 9 |
| 33 | Increased Functional Connectivity in the Default Mode Network in Mild Cognitive Impairment: A Maladaptive Compensatory Mechanism Associated with Poor Semantic Memory Performance. Journal of Alzheimer's Disease, 2015, 45, 457-470. | 2.6 | 112 |
| 34 | Clinical and Cognitive Phenotype of Mild Cognitive Impairment Evolving to Dementia with Lewy Bodies. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 442-449. | 1.3 | 35 |
| 35 | Italian Frontotemporal Dementia Network (FTD Group-SINDEM): sharing clinical and diagnostic procedures in Frontotemporal Dementia in Italy. Neurological Sciences, 2015, 36, 751-757. | 1.9 | 9 |
| 36 | Relationship between spatial ability, visuospatial working memory and self-assessed spatial orientation ability: a study in older adults. Cognitive Processing, 2015, 16, 165-176. | 1.4 | 61 |

3

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | High specificity of MMSE pentagon scoring for diagnosis of prodromal dementia with Lewy bodies. Parkinsonism and Related Disorders, 2015, 21, 303-305. | 2.2 | 35 |
| 38 | Convergent genetic and expression data implicate immunity in Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 658-671. | 0.8 | 173 |
| 39 | The Novel GRN g.1159_1160delTG Mutation is Associated with Behavioral Variant Frontotemporal Dementia. Journal of Alzheimer's Disease, 2015, 44, 277-282. | 2.6 | 7 |
| 40 | DHEA and cognitive function in the elderly. Journal of Steroid Biochemistry and Molecular Biology, 2015, 145, 281-292. | 2.5 | 61 |
| 41 | The New Qualitative Scoring MMSE Pentagon Test (QSPT) as a Valid Screening Tool between Autopsy-Confirmed Dementia with Lewy Bodies and Alzheimer's Disease. Journal of Alzheimer's Disease, 2014, 39, 823-832. | 2.6 | 28 |
| 42 | Recommendations of the Sleep Study Group of the Italian Dementia Research Association (SINDem) on clinical assessment and management of sleep disorders in individuals with mild cognitive impairment and dementia: a clinical review. Neurological Sciences, 2014, 35, 1329-1348. | 1.9 | 25 |
| 43 | Estimating the Inheritance of Frontotemporal Lobar Degeneration in the Italian Population. Journal of Alzheimer's Disease, 2014, 41, 371-376. | 2.6 | 5 |
| 44 | P3-104: A NOVEL MUTATION IN PROGRANULIN GENE IN BEHAVIOURAL VARIANT FRONTO-TEMPORAL DEMENTIA. , 2014, 10, P666-P666. | | 0 |
| 45 | P4-107: INCREASED DEFAULT MODE NETWORK FUNCTIONAL CONNECTIVITY IN MILD COGNITIVE IMPAIRMENT: A DETRIMENTAL BRAIN MECHANISM ASSOCIATED WITH POOR SEMANTIC MEMORY PERFORMANCE. , 2014, 10, P823-P824. | | 1 |
| 46 | Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. PLoS ONE, 2014, 9, e94661. | 2.5 | 155 |
| 47 | Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. Nature Genetics, 2013, 45, 1452-1458. | 21.4 | 3,741 |
| 48 | A Retrospective Survey on Rotated Drawing in Persons With Mild Cognitive Impairment or Degenerative Dementia. Clinical Neuropsychologist, 2013, 27, 1300-1315. | 2.3 | 4 |
| 49 | Genome-wide haplotype association study identifies the FRMD4A gene as a risk locus for Alzheimer's disease. Molecular Psychiatry, 2013, 18, 461-470. | 7.9 | 103 |
| 50 | Visuospatial Memory and Neuroimaging Correlates in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2013, 35, 75-90. | 2.6 | 36 |
| 51 | Degenerative Jargon Aphasia: Unusual Progression of Logopenic/Phonological Progressive Aphasia?. Behavioural Neurology, 2013, 26, 89-93. | 2.1 | 17 |
| 52 | The Qualitative Scoring MMSE Pentagon Test (QSPT): A New Method for Differentiating Dementia with Lewy Body from Alzheimer's Disease. Behavioural Neurology, 2013, 27, 213-220. | 2.1 | 43 |
| 53 | Brain Structural Substrates of Semantic Memory Decline in Mild Cognitive Impairment. Current Alzheimer Research, 2013, 10, 373-389. | 1.4 | 29 |
| 54 | The qualitative scoring MMSE pentagon test (QSPT): a new method for differentiating dementia with Lewy Body from Alzheimer's disease. Behavioural Neurology, 2013, 27, 213-20. | 2.1 | 24 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Degenerative jargon aphasia: unusual progression of logopenic/phonological progressive aphasia?. Behavioural Neurology, 2013, 26, 89-93. | 2.1 | 10 |
| 56 | Prevalence of Sleep Disturbances in Mild Cognitive Impairment and Dementing Disorders: A Multicenter Italian Clinical Cross-Sectional Study on 431 Patients. Dementia and Geriatric Cognitive Disorders, 2012, 33, 50-58. | 1.5 | 265 |
| 57 | Stereotypic behaviors in degenerative dementias. Journal of Neurology, 2012, 259, 2452-2459. | 3.6 | 26 |
| 58 | The hormonal pathway to cognitive impairment in older men. Journal of Nutrition, Health and Aging, 2012, 16, 40-54. | 3.3 | 56 |
| 59 | Position paper of the Italian Society for the study of Dementias (Sindem) on the proposal of a new Lexicon on Alzheimer disease. Neurological Sciences, 2012, 33, 201-208. | 1.9 | 6 |
| 60 | Italian norms for the Freedman version of the Clock Drawing Test. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 982-988. | 1.3 | 64 |
| 61 | Visuo-Spatial Imagery Impairment in Posterior Cortical Atrophy: A Cognitive and SPECT Study. Behavioural Neurology, 2011, 24, 123-132. | 2.1 | 34 |
| 62 | Tower of London Test: A Comparison between Conventional Statistic Approach and Modelling Based on Artificial Neural Network in Differentiating Fronto-Temporal Dementia from Alzheimer's Disease. Behavioural Neurology, 2011, 24, 149-158. | 2.1 | 11 |
| 63 | Influence of APOE Status on Lexical–Semantic Skills in Mild Cognitive Impairment. Journal of the International Neuropsychological Society, 2011, 17, 423-430. | 1.8 | 23 |
| 64 | Visuo-spatial imagery impairment in posterior cortical atrophy: a cognitive and SPECT study. Behavioural Neurology, 2011, 24, 123-32. | 2.1 | 18 |
| 65 | Tower of London test: a comparison between conventional statistic approach and modelling based on artificial neural network in differentiating fronto-temporal dementia from Alzheimer's disease. Behavioural Neurology, 2011, 24, 149-58. | 2.1 | 14 |
| 66 | Recovery from transient global amnesia following restoration of hippocampal and fronto - cingulate perfusion. Behavioural Neurology, 2010, 22, 131-9. | 2.1 | 3 |
| 67 | The ideation of movement is supported by fronto-temporal cortical regions involved in the retrieval of semantic knowledge. Acta Biomedica, 2010, 81, 21-9. | 0.3 | 8 |
| 68 | Early structural changes in individuals at risk of familial Alzheimer's disease: a volumetry and magnetization transfer MR imaging study. Journal of Neurology, 2009, 256, 925-932. | 3.6 | 31 |
| 69 | Decreased drug-cue-induced attentional bias in individuals with treated and untreated drug dependence. Acta Neuropsychiatrica, 2009, 21, 179-185. | 2.1 | 17 |
| 70 | Functional Disability in Early Alzheimer's Disease – A Validation Study of the Italian Version of the Disability Assessment for Dementia Scale. Dementia and Geriatric Cognitive Disorders, 2008, 25, 186-194. | 1.5 | 24 |
| 71 | Differential Patterns of Hypoperfusion in Subtypes of Mild Cognitive Impairment. Open Neuroimaging Journal, 2008, 2, 20-28. | 0.2 | 35 |
| 72 | Visuospatial Planning and Problem Solving in Alzheimer's Disease Patients: A Study with the Tower of London Test. Dementia and Geriatric Cognitive Disorders, 2007, 24, 424-428. | 1.5 | 31 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Comparing treatment effects in a clinical sample of patients with probable Alzheimer's disease treated with two different cholinesterase inhibitors. Acta Biomedica, 2007, 78, 16-21. | 0.3 | 5 |
| 74 | Modified Card Sorting Test: Normative Data. Journal of Clinical and Experimental Neuropsychology, 2004, 26, 246-250. | 1.3 | 92 |
| 75 | A normative study of a shorter version of Raven?s progressive matrices 1938. Neurological Sciences, 2003, 24, 336-339. | 1.9 | 47 |
| 76 | Identification of New Presenilin Gene Mutations in Early-Onset Familial Alzheimer Disease. Archives of Neurology, 2003, 60, 1541. | 4.5 | 45 |
| 77 | Independent representations for cursive and print style: Evidence from dysgraphia in Alzheimer's disease. Cognitive Neuropsychology, 2002, 19, 387-400. | 1.1 | 26 |
| 78 | Rey-Osterrieth complex figure: normative values in an Italian population sample. Neurological Sciences, 2002, 22, 443-447. | 1.9 | 605 |
| 79 | Project Cronos: multiple versions of the Mini Mental State Examination?. Neurological Sciences, 2002, 23, 259-260. | 1.9 | 1 |
| 80 | Rivastagmine-induced agitation following transient recollection of autobiographical memory. Neurological Sciences, 2001, 22, 279-280. | 1.9 | 3 |
| 81 | Muscarinic cholinergic mediation of the GH response to gamma-hydroxybutyric acid: neuroendocrine evidence in normal and parkinsonian subjects. Psychoneuroendocrinology, 2000, 25, 179-185. | 2.7 | 16 |
| 82 | Neural Basis of Endogenous and Exogenous Spatial Orienting: A Functional MRI Study. Journal of Cognitive Neuroscience, 1999, 11, 135-152. | 2.3 | 258 |
| 83 | Transient autobiographic amnesia. Neurology, 1998, 50, 186-191. | 1.1 | 28 |
| 84 | Cognitive Dysfunction and Impaired Organization of Complex Motility in Degenerative Parkinsonian Syndromes. Archives of Neurology, 1998, 55, 372. | 4.5 | 73 |
| 85 | Defective 5-HT1 -Receptor-Mediated Neurotransmission in the Control of Growth Hormone Secretion in Parkinson's Disease. Neuropsychobiology, 1997, 35, 79-83. | 1.9 | 19 |
| 86 | ACTH/Cortisol Involvement in the Serotonergic Disorder Affecting the Parkinsonian Brain. Neuropsychobiology, 1997, 35, 73-78. | 1.9 | 19 |
| 87 | Different control mechanisms of growth hormone (GH) secretion between î ³ -amino- and î ³ -hydroxy-butyric acid: neuroendocrine evidence in parkinson's disease. Psychoneuroendocrinology, 1997, 22, 531-538. | 2.7 | 14 |
| 88 | Dementia of the Frontal Lobe Type Report of the Neuroimaging and Neuropsychological Results of a Case Study. Dementia and Geriatric Cognitive Disorders, 1996, 7, 155-160. | 1.5 | 1 |
| 89 | Effect of substance P on basal and thyrotropin-releasing hormone-stimulated thyrotropin release in humans. Metabolism: Clinical and Experimental, 1995, 44, 474-477. | 3.4 | 3 |
| 90 | Low-dose ovine corticotropin-releasing hormone stimulation test in diabetes mellitus with or without neuropathy. Metabolism: Clinical and Experimental, 1995, 44, 538-542. | 3.4 | 23 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Restoration of ACTH/cortisol and LH responses to naloxone by chronic dopaminergic treatment in Parkinson's disease. Journal of Neural Transmission Parkinson's Disease and Dementia Section, 1994, 7, 1-11. | 1.2 | 12 |
| 92 | Differing patterns of psychiatric impairment in Alzheimer and demented parkinsonian patients. Italian Journal of Neurological Sciences, 1994, 15, 407-411. | 0.1 | 3 |
| 93 | Perseverative dysgraphia: A selective disorder in writing double letters. Neuropsychologia, 1994, 32, 923-931. | 1.6 | 23 |
| 94 | Lack of seasonal variation in abnormal TSH secretion in patients with seasonal affective disorder. Biological Psychiatry, 1994, 35, 36-41. | 1.3 | 16 |
| 95 | Lack of ACTH/cortisol and GH responses to intravenously-infused substance P in Parkinson's disease. Journal of Neural Transmission Parkinson's Disease and Dementia Section, 1993, 6, 99-107. | 1.2 | 5 |
| 96 | Abnormal serotonergic control of prolactin and cortisol secretion in patients with seasonal affective disorder. Psychoneuroendocrinology, 1993, 18, 551-556. | 2.7 | 23 |
| 97 | Age at Onset and SPECT Imaging in Alzheimer's Disease. Dementia and Geriatric Cognitive Disorders, 1993, 4, 342-346. | 1.5 | 1 |
| 98 | Reduction in the Arginine Vasopressin Responses to Metoclopramide and Insulin-Induced Hypoglycemia in Normal Weight Bulimic Women. Neuroendocrinology, 1993, 57, 907-911. | 2.5 | 5 |
| 99 | A multicenter Italian randomised study on early treatment of Parkinson disease: comparison of 1-dopa, 1-deprenyl and dopaminoagonists. Study design and short term results. Italian Journal of Neurological Sciences, 1992, 13, 735-739. | 0.1 | 11 |
| 100 | Differential hemispheric asymmetries in depression and anxiety: A reaction-time study. Biological Psychiatry, 1991, 29, 887-899. | 1.3 | 54 |
| 101 | Reduced ACTH/cortisol responses to naloxone in men with Parkinson's disease. Journal of Neural Transmission Parkinson's Disease and Dementia Section, 1991, 3, 127-132. | 1.2 | 7 |
| 102 | Transient global amnesia and migraine. Italian Journal of Neurological Sciences, 1988, 9, 287-289. | 0.1 | 7 |
| 103 | Semiquantitative assessment of regional cerebral perfusion using 99mTc HM-PAO and emission tomography. European Journal of Nuclear Medicine and Molecular Imaging, 1988, 14, 565-8. | 2.1 | 5 |
| 104 | Dementia and cognitive impairment in Parkinson's disease Journal of Neurology, Neurosurgery and Psychiatry, 1988, 51, 1498-1502. | 1.9 | 78 |
| 105 | Alexia without Agraphia or Hemianopia. European Neurology, 1987, 27, 65-71. | 1.4 | 24 |
| 106 | Ataxia and hypothyroidism. Italian Journal of Neurological Sciences, 1986, 7, 625-625. | 0.1 | 2 |
| 107 | Transient topographical amnesia. Italian Journal of Neurological Sciences, 1983, 4, 361-361. | 0.1 | 9 |
| 108 | NEUROPSYCHOLOGICAL FUNCTIONS IN THE FOLLOW-UP OF TRANSIENT GLOBAL AMNESIA. Brain, 1980, 103, 161-178. | 7.6 | 71 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | "Benign Recurrent Vertigo―and Its Connection with Migraine. Headache, 1980, 20, 344-346. | 3.9 | 67 |