# William J Baker

List of Publications by Year
in descending order



| 140 | 8,253 | 61984<br>43 | 58581<br>82 |
|---|---|---|---|
| papers | citations | h-index | g-index |

| 150 | 150 | 150 | 10451 |
|---|---|---|---|
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | TRY plant trait database â€“ enhanced coverage and open access. Global Change Biology, 2020, 26, 119-188. | 9.5 | 1,038 |
| 2 | Earth BioGenome Project: Sequencing life for the future of life. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 4325-4333. | 7.1 | 652 |
| 3 | Sympatric speciation in palms on an oceanic island. Nature, 2006, 441, 210-213. | 27.8 | 527 |
| 4 | A Universal Probe Set for Targeted Sequencing of 353 Nuclear Genes from Any Flowering Plant Designed Using k-Medoids Clustering. Systematic Biology, 2019, 68, 594-606. | 5.6 | 371 |
| 5 | Origin and global diversification patterns of tropical rain forests: inferences from a complete genus-level phylogeny of palms. BMC Biology, 2011, 9, 44. | 3.8 | 228 |
| 6 | Cenozoic imprints on the phylogenetic structure of palm species assemblages worldwide. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 7379-7384. | 7.1 | 209 |
| 7 | Complete Generic-Level Phylogenetic Analyses of Palms (Arecaceae) with Comparisons of Supertree and Supermatrix Approaches. Systematic Biology, 2009, 58, 240-256. | 5.6 | 189 |
| 8 | Global warming, elevational ranges and the vulnerability of tropical biota. Biological Conservation, 2011, 144, 548-557. | 4.1 | 185 |
| 9 | Speciation with gene flow on Lord Howe Island. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 13188-13193. | 7.1 | 184 |
| 10 | Plastid genomes reveal support for deep phylogenetic relationships and extensive rate variation among palms and other commelinid monocots. New Phytologist, 2016, 209, 855-870. | 7.3 | 181 |
| 11 | A new subfamily classification of the palm family (Arecaceae): evidence from plastid DNA phylogeny. Botanical Journal of the Linnean Society, 2006, 151, 15-38. | 1.6 | 171 |
| 12 | Taxonomy based on science is necessary for global conservation. PLoS Biology, 2018, 16, e2005075. | 5.6 | 149 |
| 13 | Global biogeography and diversification of palms sheds light on the evolution of tropical lineages. I. Historical biogeography. Journal of Biogeography, 2013, 40, 274-285. | 3.0 | 147 |
| 14 | Factors Affecting Targeted Sequencing of 353 Nuclear Genes From Herbarium Specimens Spanning the Diversity of Angiosperms. Frontiers in Plant Science, 2019, 10, 1102. | 3.6 | 124 |
| 15 | Beyond<i>Genera Palmarum</i>: progress and prospects in palm systematics. Botanical Journal of the Linnean Society, 2016, 182, 207-233. | 1.6 | 114 |
| 16 | New Guinea has the worldâ€™s richest island flora. Nature, 2020, 584, 579-583. | 27.8 | 108 |
| 17 | A Comprehensive Phylogenomic Platform for Exploring the Angiosperm Tree of Life. Systematic Biology, 2022, 71, 301-319. | 5.6 | 107 |
| 18 | Tackling Rapid Radiations With Targeted Sequencing. Frontiers in Plant Science, 2019, 10, 1655. | 3.6 | 106 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | The fossil history of palms (Arecaceae) in Africa and new records from the Late Oligocene (28â€“27 Mya) of north-western Ethiopia. Botanical Journal of the Linnean Society, 2006, 151, 69-81. | 1.6 | 100 |
| 20 | Elevational gradients, area and tropical island diversity: an example from the palms of New Guinea. Ecography, 2004, 27, 299-310. | 4.5 | 99 |
| 21 | Hyb-Seq for Flowering Plant Systematics. Trends in Plant Science, 2019, 24, 887-891. | 8.8 | 98 |
| 22 | Phylogenetic relationships among arecoid palms (Arecaceae: Arecoideae). Annals of Botany, 2011, 108, 1417-1432. | 2.9 | 97 |
| 23 | Global biogeography and diversification of palms sheds light on the evolution of tropical lineages. II. Diversification history and origin of regional assemblages. Journal of Biogeography, 2013, 40, 286-298. | 3.0 | 96 |
| 24 | Quaternary and preâ€Quaternary historical legacies in the global distribution of a major tropical plant lineage. Global Ecology and Biogeography, 2012, 21, 909-921. | 5.8 | 91 |
| 25 | Tropical rain forest evolution: palms as a model group. BMC Biology, 2013, 11, 48. | 3.8 | 81 |
| 26 | Molecular Phylogenetics of Subfamily Calamoideae (Palmae) Based on nrDNA ITS and cpDNA rps16 Intron Sequence Data. Molecular Phylogenetics and Evolution, 2000, 14, 195-217. | 2.7 | 80 |
| 27 | Pollen aperture morphology in Arecaceae: Application within phylogenetic analyses, and a summary of record of palm-like pollen the fossil. Grana, 2001, 40, 45-77. | 0.8 | 78 |
| 28 | Miocene Dispersal Drives Island Radiations in the Palm Tribe Trachycarpeae (Arecaceae). Systematic Biology, 2012, 61, 426-442. | 5.6 | 77 |
| 29 | Frugivory-related traits promote speciation of tropical palms. Nature Ecology and Evolution, 2017, 1, 1903-1911. | 7.8 | 77 |
| 30 | Collections-based research in the genomic era. Biological Journal of the Linnean Society, 2016, 117, 5-10. | 1.6 | 76 |
| 31 | An all-evidence species-level supertree for the palms (Arecaceae). Molecular Phylogenetics and Evolution, 2016, 100, 57-69. | 2.7 | 75 |
| 32 | Historical legacies in the geographical diversity patterns of New World palm (Arecaceae) subfamilies. Botanical Journal of the Linnean Society, 2006, 151, 113-125. | 1.6 | 74 |
| 33 | A phylogenetic study of the palm family (Palmae) based on chloroplast DNA sequences from thetrnL ?trnF region. Plant Systematics and Evolution, 1999, 219, 111-126. | 0.9 | 72 |
| 34 | Mid-Tertiary dispersal, not Gondwanan vicariance explains distribution patterns in the wax palm subfamily (Ceroxyloideae: Arecaceae). Molecular Phylogenetics and Evolution, 2007, 45, 272-288. | 2.7 | 71 |
| 35 | Dispersal and niche evolution jointly shape the geographic turnover of phylogenetic clades across continents. Scientific Reports, 2013, 3, 1164. | 3.3 | 66 |
| 36 | Molecular Phylogenetics of Calamus (Palmae) and Related Rattan Genera Based on 5S nrDNA Spacer Sequence Data. Molecular Phylogenetics and Evolution, 2000, 14, 218-231. | 2.7 | 65 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Plant phylogeny as a window on the evolution of hyperdiversity in the tropical rainforest biome. New Phytologist, 2017, 214, 1408-1422. | 7.3 | 64 |
| 38 | Phylogeny, Character Evolution, and a New Classification of the Calamoid Palms. Systematic Botany, 2000, 25, 297. | 0.5 | 63 |
| 39 | The global abundance of tree palms. Global Ecology and Biogeography, 2020, 29, 1495-1514. | 5.8 | 62 |
| 40 | Homoplasious character combinations and generic delimitation: a case study from the Indoâ€Pacific arecoid palms (Arecaceae: Areceae). American Journal of Botany, 2006, 93, 1065-1080. | 1.7 | 56 |
| 41 | The conservation value of botanic garden palm collections. Biological Conservation, 2001, 98, 259-271. | 4.1 | 53 |
| 42 | A nuclear phylogenomic study of the angiosperm order Myrtales, exploring the potential and limitations of the universal Angiosperms353 probe set. American Journal of Botany, 2021, 108, 1087-1111. | 1.7 | 53 |
| 43 | PalmTraits 1.0, a species-level functional trait database of palms worldwide. Scientific Data, 2019, 6, 178. | 5.3 | 51 |
| 44 | To adapt or go extinct? The fate of megafaunal palm fruits under past global change. Proceedings of the Royal Society B: Biological Sciences, 2018, 285, 20180882. | 2.6 | 50 |
| 45 | A new classification of Cyperaceae (Poales) supported by phylogenomic data. Journal of Systematics and Evolution, 2021, 59, 852-895. | 3.1 | 46 |
| 46 | Palaeo-precipitation is a major determinant of palm species richness patterns across Madagascar: a tropical biodiversity hotspot. Proceedings of the Royal Society B: Biological Sciences, 2013, 280, 20123048. | 2.6 | 45 |
| 47 | Molecular phylogeny of the palm genus Chamaedorea, based on the low-copy nuclear genes PRK and RPB2. Molecular Phylogenetics and Evolution, 2006, 38, 398-415. | 2.7 | 43 |
| 48 | A monograph of the betel nut palms (Areca: Arecaceae) of East Malesia. Botanical Journal of the Linnean Society, 2012, 168, 147-173. | 1.6 | 43 |
| 49 | Evaluation of genetic isolation within an island flora reveals unusually widespread local adaptation and supports sympatric speciation. Philosophical Transactions of the Royal Society B: Biological Sciences, 2014, 369, 20130342. | 4.0 | 42 |
| 50 | A comparative analysis of pollinator type and pollen ornamentation in the Araceae and the Arecaceae, two unrelated families of the monocots. BMC Research Notes, 2009, 2, 145. | 1.4 | 41 |
| 51 | Low-copy nuclear DNA, phylogeny and the evolution of dichogamy in the betel nut palms and their relatives (Arecinae; Arecaceae). Molecular Phylogenetics and Evolution, 2006, 39, 598-618. | 2.7 | 40 |
| 52 | A roadmap for global synthesis of the plant tree of life. American Journal of Botany, 2018, 105, 614-622. | 1.7 | 38 |
| 53 | Global diversification of a tropical plant growth form: environmental correlates and historical contingencies in climbing palms. Frontiers in Genetics, 2015, 5, 452. | 2.3 | 37 |
| 54 | Arbuscular mycorrhizal fungi promote coexistence and niche divergence of sympatric palm species on a remote oceanic island. New Phytologist, 2018, 217, 1254-1266. | 7.3 | 36 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | New targets acquired: Improving locus recovery from the Angiosperms353 probe set. Applications in Plant Sciences, 2021, 9, . | 2.1 | 36 |
| 56 | Joining forces in Ochnaceae phylogenomics: a tale of two targeted sequencing probe kits. American Journal of Botany, 2021, 108, 1201-1216. | 1.7 | 36 |
| 57 | Exploring Angiosperms353: An open, community toolkit for collaborative phylogenomic research on flowering plants. American Journal of Botany, 2021, 108, 1059-1065. | 1.7 | 36 |
| 58 | Hundreds of nuclear and plastid loci yield novel insights into orchid relationships. American Journal of Botany, 2021, 108, 1166-1180. | 1.7 | 35 |
| 59 | Settling a family feud: a highâ€level phylogenomic framework for the Gentianales based on 353 nuclear genes and partial plastomes. American Journal of Botany, 2021, 108, 1143-1165. | 1.7 | 34 |
| 60 | How sympatric is speciation in the <i>Howea</i> palms of Lord Howe Island?. Molecular Ecology, 2009, 18, 3629-3638. | 3.9 | 33 |
| 61 | Standards recommendations for the Earth BioGenome Project. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 7.1 | 33 |
| 62 | A new Coryphoid palm genus from Madagascar. Botanical Journal of the Linnean Society, 0, 156, 79-91. | 1.6 | 32 |
| 63 | Low extinction risk for an important plant resource: Conservation assessments of continental African palms (Arecaceae/Palmae). Biological Conservation, 2018, 221, 323-333. | 4.1 | 30 |
| 64 | Global variation in diversification rate and species richness are unlinked in plants. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 7.1 | 29 |
| 65 | Comprehensive Red List Assessment Reveals Exceptionally High Extinction Risk to Madagascar Palms. PLoS ONE, 2014, 9, e103684. | 2.5 | 27 |
| 66 | The palm family (Arecaceae): a microcosm of sexual system evolution. Botanical Journal of the Linnean Society, 2016, 182, 376-388. | 1.6 | 26 |
| 67 | Comparative Gynoecium Structure and Multiple Origins of Apocarpy in Coryphoid Palms (Arecaceae). International Journal of Plant Sciences, 2011, 172, 674-690. | 1.3 | 23 |
| 68 | Phylogenetics and diversification history of African rattans (Calamoideae, Ancistrophyllinae). Botanical Journal of the Linnean Society, 2016, 182, 256-271. | 1.6 | 23 |
| 69 | Botanical Monography in the Anthropocene. Trends in Plant Science, 2021, 26, 433-441. | 8.8 | 23 |
| 70 | Floral anatomy in Dypsis (Arecaceaeâ€"Areceae): a case of complex synorganization and stamen reduction. Botanical Journal of the Linnean Society, 2003, 143, 115-133. | 1.6 | 22 |
| 71 | The best of both worlds: Combining lineageâ€specific and universal bait sets in targetâ€enrichment hybridization reactions. Applications in Plant Sciences, 2021, 9, . | 2.1 | 22 |
| 72 | A higherâ€level nuclear phylogenomic study of the carrot family (Apiaceae). American Journal of Botany, 2021, 108, 1252-1269. | 1.7 | 22 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | An updated infraâ€familial classification of Sapindaceae based on targeted enrichment data. American Journal of Botany, 2021, 108, 1234-1251. | 1.7 | 20 |
| 74 | Relative performance of customized and universal probe sets in target enrichment: A case study in subtribe Malinae. Applications in Plant Sciences, 2021, 9, e11442. | 2.1 | 20 |
| 75 | Biogeography and distribution patterns of Southeast Asian palms. , 2012, , 164-190. | | 19 |
| 76 | Lineageâ€specific vs. universal: A comparison of the Compositae1061 and Angiosperms353 enrichment panels in the sunflower family. Applications in Plant Sciences, 2021, 9, . | 2.1 | 19 |
| 77 | A revision of the palm genera (Arecaceae) of New Caledonia. Kew Bulletin, 2008, 63, 61-73. | 0.9 | 17 |
| 78 | Speciation in Howea Palms Occurred in Sympatry, Was Preceded by Ancestral Admixture, and Was Associated with Edaphic and Phenological Adaptation. Molecular Biology and Evolution, 2019, 36, 2682-2697. | 8.9 | 17 |
| 79 | Phylogenomics and biogeography of Cunoniaceae (Oxalidales) with complete generic sampling and taxonomic realignments. American Journal of Botany, 2021, 108, 1181-1200. | 1.7 | 17 |
| 80 | A revised delimitation of the rattan genus Calamus (Arecaceae). Phytotaxa, 2015, 197, 139. | 0.3 | 16 |
| 81 | A comprehensive phylogenomic study of the monocot order Commelinales, with a new classification of Commelinaceae. American Journal of Botany, 2021, 108, 1066-1086. | 1.7 | 16 |
| 82 | The Cenozoic history of palms: Global diversification, biogeography and the decline of megathermal forests. Global Ecology and Biogeography, 2022, 31, 425-439. | 5.8 | 16 |
| 83 | Comparative floral structure and systematics of Pelagodoxa and Sommieria (Arecaceae). Botanical Journal of the Linnean Society, 2004, 146, 27-39. | 1.6 | 15 |
| 84 | On the origin of giant seeds: the macroevolution of the double coconut (<i>Lodoicea maldivica</i>) and its relatives (Borasseae, Arecaceae). New Phytologist, 2020, 228, 1134-1148. | 7.3 | 15 |
| 85 | A Birdâ€™s Eye View of the Systematics of Convolvulaceae: Novel Insights From Nuclear Genomic Data. Frontiers in Plant Science, 0, 13, . | 3.6 | 15 |
| 86 | Ecological speciation in sympatric palms: 4. Demographic analyses support speciation of Howea in the face of high gene flow. Evolution; International Journal of Organic Evolution, 2019, 73, 1996-2002. | 2.3 | 14 |
| 87 | Molecular Clocks and Archeogenomics of a Late Period Egyptian Date Palm Leaf Reveal Introgression from Wild Relatives and Add Timestamps on the Domestication. Molecular Biology and Evolution, 2021, 38, 4475-4492. | 8.9 | 14 |
| 88 | A genus-level phylogenetic linear sequence of monocots. Taxon, 2015, 64, 552-581. | 0.7 | 13 |
| 89 | Ecological speciation in sympatric palms: 3. Genetic map reveals genomic islands underlying species divergence in <i>Howea</i>. Evolution; International Journal of Organic Evolution, 2019, 73, 1986-1995. | 2.3 | 13 |
| 90 | A robust phylogenomic framework for the calamoid palms. Molecular Phylogenetics and Evolution, 2021, 157, 107067. | 2.7 | 13 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Exploring Angiosperms353: Developing and applying a universal toolkit for flowering plant phylogenomics. Applications in Plant Sciences, 2021, 9, . | 2.1 | 13 |
| 92 | A Synopsis of the Genus Hydriastele (Arecaceae). Kew Bulletin, 2004, 59, 61. | 0.9 | 12 |
| 93 | Sympatric plant speciation in islands? (Reply). Nature, 2006, 443, E12-E13. | 27.8 | 12 |
| 94 | Repeated parallel losses of inflexed stamens in Moraceae: Phylogenomics and generic revision of the tribe Moreae and the reinstatement of the tribe Olmedieae (Moraceae). Taxon, 2021, 70, 946-988. | 0.7 | 12 |
| 95 | <I>Dransfieldia</I> (Arecaceae)â€"A New Palm Genus from Western New Guinea. Systematic Botany, 2006, 31, 61-69. | 0.5 | 11 |
| 96 | A monograph of Cyrtostachys (Arecaceae). Kew Bulletin, 2009, 64, 67-94. | 0.9 | 11 |
| 97 | Embolism resistance in petioles and leaflets of palms. Annals of Botany, 2019, 124, 1173-1183. | 2.9 | 11 |
| 98 | Combination of Sanger and target-enrichment markers supports revised generic delimitation in the problematic â€˜Urera cladeâ€™ of the nettle family (Urticaceae). Molecular Phylogenetics and Evolution, 2021, 158, 107008. | 2.7 | 11 |
| 99 | New rattans from New Guinea (Calamus, Arecaceae). Phytotaxa, 2014, 163, 181. | 0.3 | 10 |
| 100 | Resolving generic limits in Cyperaceae tribe Abildgaardieae using targeted sequencing. Botanical Journal of the Linnean Society, 2021, 196, 163-187. | 1.6 | 10 |
| 101 | Targeted sequencing supports morphology and embryo features in resolving the classification of Cyperaceae tribe Fuireneae s.l.. Journal of Systematics and Evolution, 2021, 59, 809-832. | 3.1 | 10 |
| 102 | Uses and benefits of digital sequence information from plant genetic resources: Lessons learnt from botanical collections. Plants People Planet, 2022, 4, 33-43. | 3.3 | 10 |
| 103 | Will Climate Change, Genetic and Demographic Variation or Rat Predation Pose the Greatest Risk for Persistence of an Altitudinally Distributed Island Endemic?. Biology, 2012, 1, 736-765. | 2.8 | 9 |
| 104 | Three new genera of arecoid palm (Arecaceae) from eastern Malesia. Kew Bulletin, 2014, 69, 1. | 0.9 | 9 |
| 105 | Species limits, geographical distribution and genetic diversity inJohannesteijsmannia(Arecaceae). Botanical Journal of the Linnean Society, 2016, 182, 318-347. | 1.6 | 9 |
| 106 | Calospatha subsumed in Calamus (Arecaceae: Calamoideae). Kew Bulletin, 2008, 63, 161-162. | 0.9 | 8 |
| 107 | Evolution of the palm androecium as revealed by character mapping on a supertree. , 2011, , 156-180. | | 7 |
| 108 | The demographic history of Madagascan micro-endemics: have rare species always been rare?. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20210957. | 2.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|---|---|---|---|
| 109 | Molecular phylogenetics of the palm subtribe Ptychospermatinae (Arecaceae). American Journal of Botany, 2011, 98, 1716-1726. | 1.7 | 6 |
| 110 | A phylogenetic analysis of palm subtribe Archontophoenicinae (Arecaceae) based on 14 DNA regions. Botanical Journal of the Linnean Society, 2014, 175, 469-481. | 1.6 | 6 |
| 111 | Evolution of stamen number in Ptychospermatinae (Arecaceae): Insights from a new molecular phylogeny of the subtribe. Molecular Phylogenetics and Evolution, 2014, 76, 227-240. | 2.7 | 6 |
| 112 | Population modelling and genetics of a critically endangered Madagascan palm Tahina spectabilis. Ecology and Evolution, 2020, 10, 3120-3137. | 1.9 | 6 |
| 113 | The Implications of Incongruence between Gene Tree and Species Tree Topologies for Divergence Time Estimation. Systematic Biology, 2022, 71, 1124-1146. | 5.6 | 6 |
| 114 | An Account of the Papuasian Species of Calamus (Arecaceae) with Paired Fruit. Kew Bulletin, 2003, 58, 371. | 0.9 | 5 |
| 115 | A revision of the Heterospathe elegans (Arecaceae) complex in New Guinea. Kew Bulletin, 2008, 63, 639-647. | 0.9 | 5 |
| 116 | Conservation genetics and ecology of an endemic montane palm on Lord Howe Island and its potential for resilience. Conservation Genetics, 2012, 13, 257-270. | 1.5 | 5 |
| 117 | Palm snorkelling: leaf bases as aeration structures in the mangrove palm (<i>Nypa fruticans</i>). Botanical Journal of the Linnean Society, 2014, 174, 257-270. | 1.6 | 5 |
| 118 | Morphometric Analysis of the Rattan <i>Calamus javensis</i> Complex (Arecaceae: Calamoideae). Systematic Botany, 2017, 42, 494-506. | 0.5 | 5 |
| 119 | A Revision of the Calamus aruensis (Arecaceae) Complex in New Guinea and the Pacific. Kew Bulletin, 2003, 58, 351. | 0.9 | 4 |
| 120 | A Monograph of the Genus Rhopaloblaste (Arecaceae). Kew Bulletin, 2004, 59, 47. | 0.9 | 4 |
| 121 | Two Unusual Calamus Species from New Guinea. Kew Bulletin, 2002, 57, 719. | 0.9 | 3 |
| 122 | Calamus longipinna (Arecaceae: Calamoideae) and Its Relatives in New Guinea. Kew Bulletin, 2002, 57, 853. | 0.9 | 3 |
| 123 | Calamus kebariensis (Arecaceae)â€"a new montane rattan from New Guinea. Phytotaxa, 2014, 163, 235. | 0.3 | 3 |
| 124 | More new rattans from New Guinea and the Solomon Islands (Calamus, Arecaceae). Phytotaxa, 2017, 305, 61. | 0.3 | 3 |
| 125 | A monograph of the Hydriastele wendlandiana group (Arecaceae: Hydriastele). Kew Bulletin, 2018, 73, 1. | 0.9 | 3 |
| 126 | A taxonomic revision of the myrmecophilous species of the rattan genus Korthalsia (Arecaceae). Kew Bulletin, 2019, 74, 1. | 0.9 | 3 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Comparative development of the rattan ocrea, a structural innovation that facilitates antâ€“plant mutualism. Plant Systematics and Evolution, 2014, 300, 1973-1983. | 0.9 | 2 |
| 128 | A monograph of Hydriastele (Areceae, Arecaceae) in New Guinea and Australia. Phytotaxa, 2018, 370, 1. | 0.3 | 2 |
| 129 | Systematics and Evolution of the Genus Phoenix: Towards Understanding Date Palm Origins. Compendium of Plant Genomes, 2021, , 29-54. | 0.5 | 2 |
| 130 | Calamus maturbongsii, an Unusual New Rattan Species from New Guinea. Kew Bulletin, 2002, 57, 725. | 0.9 | 1 |
| 131 | A monograph of the Nengella group of Hydriastele (Arecaceae). Kew Bulletin, 2018, 73, 1. | 0.9 | 1 |
| 132 | Four new species of Dypsis (Arecaceae: Arecoideae) from Madagascar. Kew Bulletin, 2018, 73, 1. | 0.9 | 1 |
| 133 | Testing tropical biogeographical regions using the palm family as a model clade. Journal of Biogeography, 2021, 48, 2502-2511. | 3.0 | 1 |
| 134 | Benefits of alignment qualityâ€control processing steps and an Angiosperms353 phylogenomics pipeline applied to the Celastrales. Cladistics, 2022, 38, 595-611. | 3.3 | 1 |
| 135 | Calamus suaveolens: A New Rattan from Sulawesi. Kew Bulletin, 2004, 59, 69. | 0.9 | 0 |
| 136 | (2279) Proposal to reject the name <i>Areca glandiformis</i> (<i>Arecaceae</i>). Taxon, 2014, 63, 434-435. | 0.7 | 0 |
| 137 | Corrections to Phytotaxa 197: A revised delimitation of the rattan genus Calamus (Arecaceae). Phytotaxa, 2015, 204, 235. | 0.3 | 0 |
| 138 | Developing a new variety of kentia palms (<i>Howea forsteriana</i>): up-regulation of cytochrome b561 and chalcone synthase is associated with red colouration of the stems. Botany Letters, 2018, 165, 241-247. | 1.4 | 0 |
| 139 | A monograph of Heterospathe (Areceae, Arecaceae) in New Guinea. Phytotaxa, 2019, 413, 71-116. | 0.3 | 0 |
| 140 | Chapitre 45. Palmiers (Arecaceae) deÂMadagascar. , 2022, , 671-681. | | 0 |