
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8270892/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Stability of Fe-Isotope Signatures During Low Salinity Mixing in Subarctic Estuaries. Aquatic Geochemistry, 2019, 25, 195-218. | 1.3 | 1 |
| 2 | Distribution of Fe isotopes in particles and colloids in the salinity gradient along the Lena River plume, Laptev Sea. Biogeosciences, 2019, 16, 1305-1319. | 3.3 | 11 |
| 3 | Seasonal Variations of Redox State in Hemiboreal Soils Indicated by Changes of δ ⁵⁶ Fe, Sulfate, and Nitrate in Headwater Streams. ACS Earth and Space Chemistry, 2019, 3, 2816-2823. | 2.7 | 2 |
| 4 | Geochemistry of tungsten and molybdenum during freshwater transport and estuarine mixing. Applied Geochemistry, 2018, 93, 36-48. | 3.0 | 18 |
| 5 | Strontium (87Sr/86Sr) isotopes: A tracer for geochemical processes in mineralogically-complex mine wastes. Applied Geochemistry, 2018, 99, 42-54. | 3.0 | 14 |
| 6 | Iron isotope pathways in the boreal landscape: Role of the riparian zone. Geochimica Et Cosmochimica Acta, 2018, 239, 49-60. | 3.9 | 23 |
| 7 | Strontium isotopes – A tracer for river suspended iron aggregates. Applied Geochemistry, 2017, 79, 85-90. | 3.0 | 5 |
| 8 | Distribution of dissolved and suspended particulate molybdenum, vanadium, and tungsten in the Baltic Sea. Marine Chemistry, 2017, 196, 135-147. | 2.3 | 37 |
| 9 | Deposition rates and 14C apparent ages of Holocene sediments in the Bothnian Bay of the Gulf of Bothnia using paleomagnetic dating as a reference. Marine Geology, 2017, 383, 1-13. | 2.1 | 5 |
| 10 | Assessment of the natural variability of B, Cd, Cu, Fe, Pb, Sr, Tl and Zn concentrations and isotopic compositions in leaves, needles and mushrooms using single sample digestion and two-column matrix separation. Journal of Analytical Atomic Spectrometry, 2016, 31, 220-233. | 3.0 | 26 |
| 11 | Organic carbon remobilized from thawing permafrost is resequestered by reactive iron on the Eurasian Arctic Shelf. Geophysical Research Letters, 2015, 42, 8122-8130. | 4.0 | 46 |
| 12 | Changes in trace metal sedimentation during freshening of a coastal basin. Marine Chemistry, 2014, 167, 2-12. | 2.3 | 21 |
| 13 | Cadmium isotope ratio measurements in environmental matrices by MC-ICP-MS. Journal of Analytical Atomic Spectrometry, 2014, 29, 1570-1584. | 3.0 | 46 |
| 14 | Mobility and Transport of Nd Isotopes in the Vadose Zone During Weathering of Granitic Till in a Boreal Forest. Aquatic Geochemistry, 2014, 20, 1-17. | 1.3 | 7 |
| 15 | Impact of Hydropower Regulation on River Water Composition in Northern Sweden. Aquatic Geochemistry, 2014, 20, 59-80. | 1.3 | 11 |
| 16 | Trace metals and nutrients in Baltic Sea cyanobacteria: Internal and external fractions and potential use in nitrogen fixation. Marine Chemistry, 2014, 158, 27-38. | 2.3 | 6 |
| 17 | Li Isotope Behaviour in the Low Salinity Zone During Estuarine Mixing. Procedia Earth and Planetary Science, 2014, 10, 204-207. | 0.6 | 5 |
| 18 | Biogeochemical mapping of stream plants to trace acid sulphate soils: a comparison between water geochemistry and metal content in macrophytes. Geochemistry: Exploration, Environment, Analysis, 2014, 14, 85-94. | 0.9 | 3 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Fractionation of trace metals in a contaminated freshwater stream using membrane filtration, ultrafiltration, DGT and transplanted aquatic moss. Geochemistry: Exploration, Environment, Analysis, 2012, 12, 303-312. | 0.9 | 9 |
| 20 | Simultaneous measurements of As, Mo, Sb, V and W using a ferrihydrite diffusive gradients in thin films (DGT) device. Analytica Chimica Acta, 2010, 682, 59-65. | 5.4 | 70 |
| 21 | Temporal isotopic variations of dissolved silicon in a pristine boreal river. Chemical Geology, 2010, 271, 142-152. | 3.3 | 67 |
| 22 | Physicochemical Distribution of Metals in the Water Phase of Catch Basin Mixtures. Water Quality Research Journal of Canada, 2009, 44, 151-160. | 2.7 | 1 |
| 23 | Temporal variations of colloidal carrier phases and associated trace elements in a boreal river. Geochimica Et Cosmochimica Acta, 2007, 71, 5339-5354. | 3.9 | 102 |
| 24 | Trace Metal Speciation in Brackish Water Using Diffusive Gradients in Thin Films and Ultrafiltration: Comparison of Techniques. Environmental Science & Technology, 2006, 40, 3901-3905. | 10.0 | 57 |
| 25 | Iron isotope fractionation in river colloidal matter. Earth and Planetary Science Letters, 2006, 245, 792-798. | 4.4 | 114 |
| 26 | Colloidal rare earth elements in a boreal river: Changing sources and distributions during the spring flood. Geochimica Et Cosmochimica Acta, 2006, 70, 3261-3274. | 3.9 | 120 |
| 27 | The POC/234Th ratio of settling particles isolated using split flow-thin cell fractionation (SPLITT). Marine Chemistry, 2006, 100, 314-322. | 2.3 | 21 |
| 28 | Molybdenum isotope ratio measurements on geological samples by MC-ICPMS. International Journal of Mass Spectrometry, 2005, 245, 94-107. | 1.5 | 58 |
| 29 | Performance of diffusive gradients in thin films for measurement of the isotopic composition of soluble Zn. Analytica Chimica Acta, 2005, 537, 401-405. | 5.4 | 14 |
| 30 | The concentration and isotopic composition of diffusible Nd in fresh and marine waters. Earth and Planetary Science Letters, 2005, 233, 9-16. | 4.4 | 31 |
| 31 | Evaluation of the collection efficiency of upper ocean sub-photic-layer sediment traps: a 24-month in situ calibration in the open Baltic Sea using234Th. Limnology and Oceanography: Methods, 2004, 2, 62-74. | 2.0 | 37 |
| 32 | Size distribution of colloidal trace metals and organic carbon during a coastal bloom in the Baltic Sea. Marine Chemistry, 2004, 91, 117-130. | 2.3 | 30 |
| 33 | Characterization of Siberian Arctic coastal sediments: Implications for terrestrial organic carbon export. Global Biogeochemical Cycles, 2004, 18, n/a-n/a. | 4.9 | 166 |
| 34 | Association of calcium with colloidal particles and speciation of calcium in the Kalix and Amazon rivers. Geochimica Et Cosmochimica Acta, 2004, 68, 4059-4075. | 3.9 | 64 |
| 35 | Geochemistry of the Kola River, northwestern Russia. Applied Geochemistry, 2004, 19, 1975-1995. | 3.0 | 19 |
| 36 | Performance of high resolution MC-ICP-MS for Fe isotope ratio measurements in sedimentary geological materials. Journal of Analytical Atomic Spectrometry, 2003, 18, 687-695. | 3.0 | 107 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Evaluation and Optimization of Two Complementary Cross-Flow Ultrafiltration Systems toward Isolation of Coastal Surface Water Colloids. Environmental Science & Technology, 2002, 36, 2236-2241. | 10.0 | 45 |
| 38 | Multielemental analysis of Mn–Fe nodules by ICP-MS: optimisation of analytical method. Analyst, The, 2002, 127, 76-82. | 3.5 | 67 |
| 39 | Early diagenesis and isotopic composition of lead in Lake Laisan, northern Sweden. Chemical Geology, 2002, 189, 183-197. | 3.3 | 15 |
| 40 | Performance of the diffusive gradients in thin films technique for measuring Ca and Mg in freshwater. Analytica Chimica Acta, 2002, 460, 247-256. | 5.4 | 60 |
| 41 | The isotopic composition of Nd in a boreal river: a reflection of selective weathering and colloidal transport. Geochimica Et Cosmochimica Acta, 2001, 65, 521-527. | 3.9 | 75 |
| 42 | The geochemistry of Co and Cu in the Kafue River as it drains the Copperbelt mining area, Zambia. Chemical Geology, 2001, 177, 399-414. | 3.3 | 46 |
| 43 | Functional separation of colloids and gravitoids in surface waters based on differential settling velocity: Coupled crossâ€flow filtration—split flow thinâ€cell fractionation (CFFâ€6PLITT). Limnology and Oceanography, 2000, 45, 1731-1742. | 3.1 | 32 |
| 44 | Colloid dynamics and transport of major elements through a boreal river — brackish bay mixing zone. Marine Chemistry, 2000, 71, 1-21. | 2.3 | 105 |
| 45 | Hydrogeochemical Processes in the Kafue River upstream from the Copperbelt Mining Area, Zambia. Aquatic Geochemistry, 2000, 6, 385-411. | 1.3 | 12 |
| 46 | Ba/Sr, Ca/Sr and 87Sr/86Sr ratios in soil water and groundwater: implications for relative contributions to stream water discharge. Applied Geochemistry, 2000, 15, 311-325. | 3.0 | 111 |
| 47 | Temporal variations in the fractionation of the rare earth elements in a boreal river; the role of colloidal particles Chemical Geology, 2000, 166, 23-45. | 3.3 | 233 |
| 48 | Change of Sm-Nd isotope composition during weathering of till. Geochimica Et Cosmochimica Acta, 2000, 64, 813-820. | 3.9 | 66 |
| 49 | Past and present weathering rates in northern Sweden. Applied Geochemistry, 1999, 14, 761-774. | 3.0 | 50 |
| 50 | Solid speciation and fractionation of rare earth elements in a spodosol profile from northern Sweden as revealed by sequential extraction. Chemical Geology, 1999, 160, 121-138. | 3.3 | 117 |
| 51 | Mobility of rare earth elements during weathering of till in northern Sweden. Applied Geochemistry, 1996, 11, 93-99. | 3.0 | 107 |
| 52 | Redox cycling of iron and manganese in sediments of the Kalix River estuary, Northern Sweden. Aquatic Geochemistry, 1996, 2, 185-201. | 1.3 | 23 |
| 53 | Early diagenesis of arsenic in sediments of the Kalix River estuary, northern Sweden. Chemical Geology, 1995, 125, 185-196. | 3.3 | 89 |
| 54 | 238U234U and232Th230Th in the Baltic Sea and in river water. Earth and Planetary Science Letters, 1995, 130, 217-234. | 4.4 | 112 |

| # | Article | IF | CITATIONS |
|------------|---|------|-----------|
| 55 | Uptake of alkali and alkaline-earth elements on suspended iron and manganese in the kalix river, northern sweden. Geochimica Et Cosmochimica Acta, 1994, 58, 5433-5442. | 3.9 | 70 |
| 56 | Strontium, dissolved and particulate loads in fresh and brackish waters: The Baltic Sea and Mississippi Delta. Earth and Planetary Science Letters, 1994, 124, 195-210. | 4.4 | 83 |
| 5 7 | Environmental monitoring with river suspended matter: case study in the River Daläen, central Sweden. Applied Geochemistry, 1993, 8, 125-130. | 3.0 | 5 |
| 58 | Geochemistry of manganese in the Kalix River, northern Sweden. Geochimica Et Cosmochimica Acta, 1992, 56, 1485-1494. | 3.9 | 92 |
| 59 | The sources and transport of Sr and Nd isotopes in the Baltic Sea. Earth and Planetary Science Letters, 1992, 113, 459-472. | 4.4 | 139 |
| 60 | lsotopic compositions of Ce, Nd and Sr in ferromanganese nodules from the Pacific and Atlantic Oceans, the Baltic and Barents Seas, and the Gulf of Bothnia. Earth and Planetary Science Letters, 1991, 105, 554-565. | 4.4 | 43 |
| 61 | A rapid preconcentration method for multielement analysis of natural freshwaters. Water Research, 1991, 25, 617-620. | 11.3 | 12 |
| 62 | Chemistry of suspended particles in the southern Baltic Sea. Marine Chemistry, 1991, 32, 73-87. | 2.3 | 41 |
| 63 | Temporal variations in dissolved and suspended iron and manganese in the Kalix River, northern Sweden. Chemical Geology, 1990, 81, 121-131. | 3.3 | 51 |
| 64 | Origin of iron-manganese-rich suspended matter in the Landsort Deep, NW Baltic Sea. Marine Chemistry, 1988, 24, 93-98. | 2.3 | 20 |
| 65 | Rare earth abundance patterns in ferromanganese concretions from the Gulf of Bothnia and the Barents Sea. Geochimica Et Cosmochimica Acta, 1987, 51, 155-161. | 3.9 | 46 |
| 66 | Iron and manganese layering in recent sediments in the Gulf of Bothnia. Chemical Geology, 1986, 56, 105-116. | 3.3 | 46 |
| 67 | Geochemistry of ferromanganese concretions in the Barents Sea. Marine Geology, 1985, 67, 101-119. | 2.1 | 28 |
| 68 | Geochemistry and origin of ferromanganese concretions in the Gulf of Bothnia. Marine Geology, 1982, 50, 1-24. | 2.1 | 68 |
| 69 | Applications in Natural Waters. , 0, , 123-145. | | 5 |