

# Joseph F Hayes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8275742/publications.pdf>

Version: 2024-02-01

68  
papers

3,019  
citations

257450

24  
h-index

182427

51  
g-index

73  
all docs

73  
docs citations

73  
times ranked

4865  
citing authors

#	ARTICLE	IF	CITATIONS
1	Air Pollution (Particulate Matter) Exposure and Associations with Depression, Anxiety, Bipolar, Psychosis and Suicide Risk: A Systematic Review and Meta-Analysis. <i>Environmental Health Perspectives</i> , 2019, 127, 126002.	6.0	336
2	Mortality gap for people with bipolar disorder and schizophrenia: UK-based cohort study 2000–2014. <i>British Journal of Psychiatry</i> , 2017, 211, 175-181.	2.8	302
3	A systematic review and meta-analysis of premature mortality in bipolar affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 417-425.	4.5	270
4	Indirect acute effects of the COVID-19 pandemic on physical and mental health in the UK: a population-based study. <i>The Lancet Digital Health</i> , 2021, 3, e217-e230.	12.3	220
5	Depressive symptoms and objectively measured physical activity and sedentary behaviour throughout adolescence: a prospective cohort study. <i>Lancet Psychiatry</i> , 2020, 7, 262-271.	7.4	158
6	Using clinical Natural Language Processing for health outcomes research: Overview and actionable suggestions for future advances. <i>Journal of Biomedical Informatics</i> , 2018, 88, 11-19.	4.3	139
7	Prescribing Trends in Bipolar Disorder: Cohort Study in the United Kingdom THIN Primary Care Database 1995–2009. <i>PLoS ONE</i> , 2011, 6, e28725.	2.5	100
8	Lithium vs. valproate vs. olanzapine vs. quetiapine as maintenance monotherapy for bipolar disorder: a population-based UK cohort study using electronic health records. <i>World Psychiatry</i> , 2016, 15, 53-58.	10.4	91
9	Atopic Eczema in Adulthood and Risk of Depression and Anxiety: A Population-Based Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 248-257.e16.	3.8	90
10	Self-harm, Unintentional Injury, and Suicide in Bipolar Disorder During Maintenance Mood Stabilizer Treatment. <i>JAMA Psychiatry</i> , 2016, 73, 630.	11.0	88
11	Adverse Renal, Endocrine, Hepatic, and Metabolic Events during Maintenance Mood Stabilizer Treatment for Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002058.	8.4	88
12	The association between cardiorespiratory fitness and the incidence of common mental health disorders: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019, 257, 748-757.	4.1	83
13	A systematic review and meta-analysis of clinical predictors of lithium response in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 94-115.	4.5	80
14	Recording of Severe Mental Illness in United Kingdom Primary Care, 2000–2010. <i>PLoS ONE</i> , 2013, 8, e82365.	2.5	69
15	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019, 214, 27-35.	2.8	54
16	Association of Late Adolescent Personality With Risk for Subsequent Serious Mental Illness Among Men in a Swedish Nationwide Cohort Study. <i>JAMA Psychiatry</i> , 2017, 74, 703.	11.0	52
17	Psychotropic medicine consumption in 65 countries and regions, 2008–19: a longitudinal study. <i>Lancet Psychiatry</i> , 2021, 8, 1071-1082.	7.4	51
18	Prevalence and risk factors for HIV, hepatitis B, and hepatitis C in people with severe mental illness: a total population study of Sweden. <i>Lancet Psychiatry</i> , 2017, 4, 685-693.	7.4	50

#	ARTICLE	IF	CITATIONS
19	Association of Hydroxymethyl Glutaryl Coenzyme A Reductase Inhibitors, L-Type Calcium Channel Antagonists, and Biguanides With Rates of Psychiatric Hospitalization and Self-Harm in Individuals With Serious Mental Illness. <i>JAMA Psychiatry</i> , 2019, 76, 382.	11.0	48
20	Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. <i>Lancet Psychiatry</i> , 2017, 4, 49-56.	7.4	36
21	Impact of replacing sedentary behaviour with other movement behaviours on depression and anxiety symptoms: a prospective cohort study in the UK Biobank. <i>BMC Medicine</i> , 2021, 19, 133.	5.5	33
22	Individual and combined associations between cardiorespiratory fitness and grip strength with common mental disorders: a prospective cohort study in the UK Biobank. <i>BMC Medicine</i> , 2020, 18, 303.	5.5	32
23	Interconnected or disconnected? Promotion of mental health and prevention of mental disorder in the digital age. <i>British Journal of Psychiatry</i> , 2016, 208, 205-207.	2.8	31
24	Severe mental illness and chronic kidney disease: a cross-sectional study in the United Kingdom. <i>Clinical Epidemiology</i> , 2018, Volume 10, 421-429.	3.0	31
25	Trazodone use and risk of dementia: A population-based cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002728.	8.4	29
26	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. <i>Psychological Medicine</i> , 2017, 47, 23-33.	4.5	28
27	Association of Relative Age in the School Year With Diagnosis of Intellectual Disability, Attention-Deficit/Hyperactivity Disorder, and Depression. <i>JAMA Pediatrics</i> , 2019, 173, 1068.	6.2	28
28	The Camden & Islington Research Database: Using electronic mental health records for research. <i>PLoS ONE</i> , 2018, 13, e0190703.	2.5	27
29	Visual Acuity in Late Adolescence and Future Psychosis Risk in a Cohort of 1 Million Men. <i>Schizophrenia Bulletin</i> , 2019, 45, 571-578.	4.3	23
30	Pharmacoepidemiology research: delivering evidence about drug safety and effectiveness in mental health. <i>Lancet Psychiatry</i> , 2020, 7, 363-370.	7.4	23
31	The effect of sibutramine prescribing in routine clinical practice on cardiovascular outcomes: a cohort study in the United Kingdom. <i>International Journal of Obesity</i> , 2015, 39, 1359-1364.	3.4	22
32	Individual and area-level risk factors for suicidal ideation and attempt in people with severe depression. <i>Journal of Affective Disorders</i> , 2016, 205, 387-392.	4.1	20
33	Childhood and Parental Asthma, Future Risk of Bipolar Disorder and Schizophrenia Spectrum Disorders: A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 360-368.	4.3	18
34	Curiosity killed the cat: no evidence of an association between cat ownership and psychotic symptoms at ages 13 and 18 years in a UK general population cohort. <i>Psychological Medicine</i> , 2017, 47, 1659-1667.	4.5	17
35	Effects of long-term antipsychotics treatment on body weight: A population-based cohort study. <i>Journal of Psychopharmacology</i> , 2020, 34, 79-85.	4.0	17
36	Clustering of physical health multimorbidity in people with severe mental illness: An accumulated prevalence analysis of United Kingdom primary care data. <i>PLoS Medicine</i> , 2022, 19, e1003976.	8.4	17

#	ARTICLE	IF	CITATIONS
37	Bipolar disorder prevalence and psychotropic medication utilisation in Hong Kong and the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1588-1600.	1.9	16
38	Diagnosed depression and sociodemographic factors as predictors of mortality in patients with dementia. <i>British Journal of Psychiatry</i> , 2018, 213, 471-476.	2.8	15
39	The war on antidepressants: What we can, and can't conclude, from the systematic review of antidepressant withdrawal effects by Davies and Read. <i>Addictive Behaviors</i> , 2019, 97, 122-125.	3.0	15
40	Cognitive neuropsychiatric analysis of an additional large Capgras delusion case series. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 123-134.	1.3	13
41	Prediction of individuals at high risk of chronic kidney disease during treatment with lithium for bipolar disorder. <i>BMC Medicine</i> , 2021, 19, 99.	5.5	13
42	Impact on adolescent mental health of replacing screen-use with exercise: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 301, 240-247.	4.1	12
43	Psychotic symptoms and sensory impairment: Findings from the 2014 adult psychiatric morbidity survey. <i>Schizophrenia Research</i> , 2020, 215, 357-364.	2.0	11
44	Weight change over two years in people prescribed olanzapine, quetiapine and risperidone in UK primary care: Cohort study in THIN, a UK primary care database. <i>Journal of Psychopharmacology</i> , 2018, 32, 1098-1103.	4.0	9
45	Device-measured sedentary behaviour and anxiety symptoms during adolescence: a 6-year prospective cohort study. <i>Psychological Medicine</i> , 2022, 52, 2962-2971.	4.5	9
46	Associations between psychosis and visual acuity impairment: A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 6-27.	4.5	9
47	Prescribing of antipsychotics among people with recorded personality disorder in primary care: a retrospective nationwide cohort study using The Health Improvement Network primary care database. <i>BMJ Open</i> , 2022, 12, e053943.	1.9	9
48	Cancer rates and mortality in people with severe mental illness: Further evidence of lack of parity. <i>Schizophrenia Research</i> , 2022, 246, 260-267.	2.0	9
49	Newer-Generation Antidepressants and Suicide Risk. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 371-372.	8.8	8
50	#BJPsych and social media "likes, followers and leading?". <i>British Journal of Psychiatry</i> , 2019, 214, 245-247.	2.8	8
51	Childhood sexual abuse in patients with severe mental illness: Demographic, clinical and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 495-502.	4.5	8
52	You Can't Manage What You Do Not Measure - Why Adolescent Mental Health Monitoring Matters. <i>Journal of Adolescent Health</i> , 2023, 72, S7-S8.	2.5	8
53	Diagnosis: one useful method among many. <i>Lancet Psychiatry</i> , 2014, 1, 412-413.	7.4	6
54	Characteristics and risk of repeat suicidal ideation and self-harm in patients who present to emergency departments with suicidal ideation or self-harm: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2020, 273, 358-363.	4.1	5

#	ARTICLE	IF	CITATIONS
55	OUP accepted manuscript. Schizophrenia Bulletin, 2021, , .	4.3	5
56	Risk factors for mental illness in adults with atopic eczema or psoriasis: protocol for a systematic review. BMJ Open, 2020, 10, e038324.	1.9	5
57	Psychiatric hospitalization following antipsychotic medication cessation in first episode psychosis. Journal of Psychopharmacology, 2019, 33, 532-534.	4.0	4
58	Objective and subjective neighbourhood characteristics and suicidality: a multilevel analysis. Psychological Medicine, 2023, 53, 1166-1175.	4.5	4
59	Doxycycline exposure during adolescence and future risk of non-affective psychosis and bipolar disorder: a total population cohort study. Translational Psychiatry, 2021, 11, 468.	4.8	4
60	Common mental disorders: falling through the gap. Lancet Psychiatry,the, 2019, 6, 636-637.	7.4	3
61	Prevalence and characteristics of antidepressant prescribing in adults with comorbid depression and type 2 diabetes mellitus: A systematic review and meta-analysis. Health Sciences Review, 2021, 1, 100002.	1.5	3
62	Time trends in access to smoking cessation support for people with depression or severe mental illness: a cohort study in English primary care. BMJ Open, 2021, 11, e048341.	1.9	3
63	A new model for quality improvement in acute inpatient psychiatry: observational data from an acute assessment unit. JRSM Short Reports, 2012, 3, 1-8.	0.6	1
64	Authors' reply. British Journal of Psychiatry, 2020, 216, 284-284.	2.8	1
65	Antipsychotic polypharmacy and adverse drug reactions among adults in a London mental health service, 2008â€“2018. Psychological Medicine, 2023, 53, 4220-4227.	4.5	1
66	Reply. Acta Psychiatrica Scandinavica, 2015, 132, 315-316.	4.5	0
67	Creativity and Mental Illness: The Mad Genius in Question By Simon Kyaga. Palgrave Macmillan. 2014. Â£58.00 (hb). 224 pp. ISBN 9781137345806. British Journal of Psychiatry, 2015, 207, 180-181.	2.8	0
68	Reply to: â€˜To the editor: how statistics killed the catâ€™™ â€˜ E. F. Torrey, R. H Yolken. Psychological Medicine, 2018, 48, 692-692.	4.5	0