Cristina M Caperchione

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8277739/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Meta-analysis of internet-delivered interventions to increase physical activity levels. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 52.	4.6	417
2	Associations of moderate to vigorous physical activity and sedentary behavior with depressive and anxiety symptoms in self-isolating people during the COVID-19 pandemic: A cross-sectional survey in Brazil. Psychiatry Research, 2020, 292, 113339.	3.3	176
3	Physical Activity in Culturally and Linguistically Diverse Migrant Groups to Western Society. Sports Medicine, 2009, 39, 167-177.	6.5	132
4	Effectiveness of a Web- and Mobile Phone-Based Intervention to Promote Physical Activity and Healthy Eating in Middle-Aged Males: Randomized Controlled Trial of the ManUp Study. Journal of Medical Internet Research, 2014, 16, e136.	4.3	131
5	Nurses and stress: recognizing causes and seeking solutions. Journal of Nursing Management, 2013, 21, 638-647.	3.4	117
6	An Updated Review of Interventions that Include Promotion of Physical Activity for Adult Men. Sports Medicine, 2015, 45, 775-800.	6.5	89
7	A Review of the Effectiveness of Physical Activity Interventions for Adult Males. Sports Medicine, 2012, 42, 281-300.	6.5	80
8	Physical activity behaviours of Culturally and Linguistically Diverse (CALD) women living in Australia: A qualitative study of socio-cultural influences. BMC Public Health, 2011, 11, 26.	2.9	74
9	What a Man Wants. American Journal of Men's Health, 2012, 6, 453-461.	1.6	71
10	Effectiveness of a web-based physical activity intervention for adults with Type 2 diabetes—A randomised controlled trial. Preventive Medicine, 2014, 60, 33-40.	3.4	52
11	What Kinds of Website and Mobile Phone–Delivered Physical Activity and Nutrition Interventions Do Middle-Aged Men Want?. Journal of Health Communication, 2013, 18, 1070-1083.	2.4	42
12	Moderate to vigorous physical activity and sedentary behavior changes in self-isolating adults during the COVID-19 pandemic in Brazil: a cross-sectional survey exploring correlates. Sport Sciences for Health, 2022, 18, 155-163.	1.3	42
13	Using Web 2.0 applications to promote health-related physical activity: findings from the WALK 2.0 randomised controlled trial. British Journal of Sports Medicine, 2017, 51, 1433-1440.	6.7	40
14	Factors That Impact the Success of Interorganizational Health Promotion Collaborations: A Scoping Review. American Journal of Health Promotion, 2018, 32, 1095-1109.	1.7	40
15	WALK 2.0 - Using Web 2.0 applications to promote health-related physical activity: A randomised controlled trial protocol. BMC Public Health, 2013, 13, 436.	2.9	35
16	Effectiveness of a Web 2.0 Intervention to Increase Physical Activity in Real-World Settings: Randomized Ecological Trial. Journal of Medical Internet Research, 2017, 19, e390.	4.3	35
17	Effectiveness of a website and mobile phone based physical activity and nutrition intervention for middle-aged males: Trial protocol and baseline findings of the ManUp Study. BMC Public Health, 2012, 12, 656.	2.9	34
18	A review of the nature and effectiveness of nutrition interventions in adult males – a guide for intervention strategies. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 13.	4.6	33

#	Article	IF	CITATIONS
19	More real-world trials are needed to establish if web-based physical activity interventions are effective. British Journal of Sports Medicine, 2019, 53, 1553-1554.	6.7	31
20	Is abstinence really the best option? Exploring the role of exercise in the treatment and management of eating disorders. Eating Disorders, 2018, 26, 290-310.	3.0	30
21	Men's Perspectives of a Gender-Sensitized Health Promotion Program Targeting Healthy Eating, Active Living, and Social Connectedness. American Journal of Men's Health, 2018, 12, 2157-2166.	1.6	30
22	How nurses cope with occupational stress outside their workplaces. Collegian, 2013, 20, 195-199.	1.3	29
23	The effectiveness of a web 2.0 physical activity intervention in older adults – a randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 4.	4.6	29
24	A Men's Workplace Health Intervention. Journal of Occupational and Environmental Medicine, 2016, 58, 765-769.	1.7	26
25	Mediating relationship between body mass index and the direct measures of the Theory of Planned Behaviour on physical activity intention. Psychology, Health and Medicine, 2008, 13, 168-179.	2.4	25
26	Validity and responsiveness to change of the Active Australia Survey according to gender, age, BMI, education, and physical activity level and awareness. BMC Public Health, 2019, 19, 407.	2.9	23
27	Examining Physical Activity Service Provision to Culturally and Linguistically Diverse (CALD) Communities in Australia: A Qualitative Evaluation. PLoS ONE, 2013, 8, e62777.	2.5	22
28	The HAT TRICK programme for improving physical activity, healthy eating and connectedness among overweight, inactive men: study protocol of a pragmatic feasibility trial. BMJ Open, 2017, 7, e016940.	1.9	21
29	One small step for man, one giant leap for men's health: a meta-analysis of behaviour change interventions to increase men's physical activity. British Journal of Sports Medicine, 2020, 54, 1208-1216.	6.7	20
30	"People say men don't talk, well that's bullshit― A focus group study exploring challenges and opportunities for men's mental health promotion. PLoS ONE, 2022, 17, e0261997.	2.5	20
31	Changes in Sitting Time, Screen Exposure and Physical Activity during COVID-19 Lockdown in South American Adults: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 5239.	2.6	18
32	Gender-Associated Perceptions of Barriers and Motivators to Physical Activity Participation in South Asian Punjabis Living in Western Canada. Journal of Physical Activity and Health, 2015, 12, 686-693.	2.0	17
33	Examining an Australian physical activity and nutrition intervention using RE-AIM. Health Promotion International, 2016, 31, 450-458.	1.8	17
34	Evaluation of QuitNow Men: An Online, Men-Centered Smoking Cessation Intervention. Journal of Medical Internet Research, 2016, 18, e83.	4.3	17
35	Validity of the Stages of Change in Steps instrument (SoC-Step) for achieving the physical activity goal of 10,000 steps per day. BMC Public Health, 2015, 15, 1197.	2.9	16
36	The POWERPLAY workplace physical activity and nutrition intervention for men: Study protocol and baseline characteristics. Contemporary Clinical Trials, 2015, 44, 42-47.	1.8	16

#	Article	IF	CITATIONS
37	Recruitment, screening, and baseline participant characteristics in the WALK 2.0 study: A randomized controlled trial using web 2.0 applications to promote physical activity. Contemporary Clinical Trials Communications, 2016, 2, 25-33.	1.1	16
38	Healthy Eating and Active Living: Rural-Based Working Men's Perspectives. American Journal of Men's Health, 2017, 11, 1664-1672.	1.6	16
39	Traditional Versus Hybrid Outpatient Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2018, 38, 231-238.	2.1	16
40	Changes in Men's Physical Activity and Healthy Eating Knowledge and Behavior as a Result of Program Exposure: Findings From the Workplace POWERPLAY Program. Journal of Physical Activity and Health, 2016, 13, 1364-1371.	2.0	14
41	How do management and non-management employees perceive workplace wellness programmes? A qualitative examination. Health Education Journal, 2016, 75, 553-564.	1.2	13
42	WALK 2.0: Examining the effectiveness of Web 2.0 features to increase physical activity in a â€~real world' setting: an ecological trial protocol. BMJ Open, 2014, 4, e006374.	1.9	12
43	Healthy mind, healthy body: A randomized trial testing the efficacy of a computer-tailored vs. interactive web-based intervention for increasing physical activity and reducing depressive symptoms. Mental Health and Physical Activity, 2016, 11, 29-37.	1.8	12
44	Acceptability of the POWERPLAY Program: A Workplace Health Promotion Intervention for Men. American Journal of Men's Health, 2017, 11, 1809-1822.	1.6	12
45	Examining the role of acculturation in the leisure-time physical activity of South Asians living in Canada. Journal of Science and Medicine in Sport, 2015, 18, 156-160.	1.3	11
46	Innovative approach for increasing physical activity among breast cancer survivors: protocol for Project MOVE, a quasi-experimental study. BMJ Open, 2016, 6, e012533.	1.9	11
47	Utilizing RE-AIM to examine the translational potential of Project MOVE, a novel intervention for increasing physical activity levels in breast cancer survivors. Translational Behavioral Medicine, 2019, 9, 646-655.	2.4	11
48	Associations between quality of life and duration and frequency of physical activity and sedentary behaviour: Baseline findings from the WALK 2.0 randomised controlled trial. PLoS ONE, 2017, 12, e0180072.	2.5	11
49	Physical activity screening to recruit inactive randomized controlled trial participants: how much is too much?. Trials, 2015, 16, 446.	1.6	10
50	A preliminary trial examining a â€real world' approach for increasing physical activity among breast cancer survivors: findings from project MOVE. BMC Cancer, 2019, 19, 272.	2.6	10
51	Acceptability and satisfaction of project MOVE: A pragmatic feasibility trial aimed at increasing physical activity in female breast cancer survivors. Psycho-Oncology, 2018, 27, 1251-1256.	2.3	9
52	A systematic review of workplace behavioral interventions to promote sleep health in men. Sleep Health, 2020, 6, 418-430.	2.5	8
53	The Association Between Men's Heath Behaviors and Interest in Workplace Health Promotion. Workplace Health and Safety, 2020, 68, 226-235.	1.4	7
54	Bridging the gap between attitudes and action: A qualitative exploration of clinician and exercise professional's perceptions to increase opportunities for exercise counselling and referral in cancer care. Patient Education and Counseling, 2022, 105, 2489-2496.	2.2	7

#	Article	IF	CITATIONS
55	What is the impact of obtaining medical clearance to participate in a randomised controlled trial examining a physical activity intervention on the socio-demographic and risk factor profiles of included participants?. Trials, 2016, 17, 580.	1.6	6
56	Qualitative Exploration of the Feasibility and Acceptability of Workplace-Based Microgrants to Improve Physical Activity. Journal of Occupational and Environmental Medicine, 2018, 60, e406-e411.	1.7	5
57	Can lifestyle interventions improve Canadian men's mental health? Outcomes from the HAT TRICK programme. Health Promotion International, 2021, 36, 943-951.	1.8	5
58	A RE-AIM Evaluation of a Workplace Physical Activity Microgrant Initiative. Journal of Occupational and Environmental Medicine, 2019, 61, 718-723.	1.7	4
59	A Time-based Visualization for Web User Classification in Social Networks. , 2014, , .		4
60	Men's Physical Activity and Sleep Following a Workplace Health Intervention: Findings from the POWERPLAY STEP Up challenge. American Journal of Men's Health, 2021, 15, 155798832098847.	1.6	3
61	Sleep Health in Male-dominated Workplaces: A Qualitative Study Examining the Perspectives of Male Employees. Behavioral Sleep Medicine, 2022, 20, 224-240.	2.1	3
62	A qualitative exploration of perspectives of physical activity and sedentary behaviour among Indian migrants in Melbourne, Australia: how are they defined and what can we learn?. BMC Public Health, 2021, 21, 2085.	2.9	3
63	The impact of sport and physical activity programs on the mental health and social and emotional wellbeing of young Aboriginal and Torres Strait Islander Australians: A systematic review. Preventive Medicine Reports, 2022, 25, 101676.	1.8	3
64	Validity and reliability of measures assessing social-cognitive determinants of physical activity in low-active Australian adults. Measurement in Physical Education and Exercise Science, 2018, 22, 322-331.	1.8	2
65	Preliminary assessment criteria for prescribing exercise when treating eating disorders: What do the experts have to say?. Mental Health and Physical Activity, 2018, 15, 27-33.	1.8	2
66	Positive Lifestyle Behavior Changes Among Canadian Men: Findings From the HAT TRICK Program. American Journal of Health Promotion, 2021, 35, 193-201.	1.7	2
67	Cancer survivors' exercise beliefs, knowledge, and behaviors: An Australian National Survey. Asia-Pacific Journal of Clinical Oncology, 2022, 18, 625-633.	1.1	2
68	Infographic. One small step for man, one giant leap for men's health: a meta-analysis of behaviour change interventions to increase men's physical activity. British Journal of Sports Medicine, 2020, 55, bjsports-2020-102976.	6.7	1
69	Process evaluation of HAT TRICK: feasibility, acceptability and opportunities for programme refinement. Health Education Research, 2020, 35, 605-617.	1.9	1
70	It doesn't hurt to TRY – Experiences of youths participating in a TRYathlon event series. Health Promotion Journal of Australia, 2022, 33, 379-385.	1.2	1
71	Exploring the Effectiveness of an Integrated Physical Activity and Psychosocial Program Targeting At-Risk Adolescent Girls: Protocol for the Girls United and on the Move (GUM) Intervention Study. JMIR Research Protocols, 2020, 9, e15302.	1.0	1
72	Mental health literacy practices within Australian football league next generation academy clubs: An exploratory study. International Journal of Sports Science and Coaching, 2023, 18, 705-716.	1.4	0