

Elisabeth Epstein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8281694/publications.pdf>

Version: 2024-02-01

105
papers

5,031
citations

109321

35
h-index

95266

68
g-index

157
all docs

157
docs citations

157
times ranked

3587
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk assessment for endometrial cancer in women with abnormal vaginal bleeding: Results from the prospective IETA cohort study. International Journal of Gynecology and Obstetrics, 2022, 159, 103-110.	2.3	3
2	The Risk of Endometrial Malignancy and Other Endometrial Pathology in Women with Abnormal Uterine Bleeding: An Ultrasound-Based Model Development Study by the IETA Group. Gynecologic and Obstetric Investigation, 2022, 87, 54-61.	1.6	5
3	Time to first recurrence, pattern of recurrence, and survival after recurrence in endometrial cancer according to the molecular classification. Gynecologic Oncology, 2022, 165, 230-238.	1.4	20
4	Imaging in gynecological disease (24): clinical and ultrasound characteristics of ovarian mature cystic teratomas. Ultrasound in Obstetrics and Gynecology, 2022, 60, 549-558.	1.7	9
5	Sun Exposure - Hazards and Benefits. Anticancer Research, 2022, 42, 1671-1677.	1.1	8
6	Ultrasound features of endometrial pathology in women without abnormal uterine bleeding: results from the International Endometrial Tumor Analysis study (<scp>IETA3</scp>). Ultrasound in Obstetrics and Gynecology, 2022, 60, 243-255.	1.7	14
7	Combination of Proactive Molecular Risk Classifier for Endometrial cancer (<scp>ProMisE</scp>) with sonographic and demographic characteristics in preoperative prediction of recurrence or progression of endometrial cancer. Ultrasound in Obstetrics and Gynecology, 2021, 58, 457-468.	1.7	5
8	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (<scp>IETA</scp>) terminology in women with abnormal uterine bleeding. Ultrasound in Obstetrics and Gynecology, 2021, 57, 164-172.	1.7	35
9	Ultrasound image analysis using deep neural networks for discriminating between benign and malignant ovarian tumors: comparison with expert subjective assessment. Ultrasound in Obstetrics and Gynecology, 2021, 57, 155-163.	1.7	55
10	Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, non-gestational choriocarcinomas and malignant mixed germ cell tumors. Ultrasound in Obstetrics and Gynecology, 2021, 57, 987-994.	1.7	7
11	Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. Ultrasound in Obstetrics and Gynecology, 2021, 57, 324-334.	1.7	6
12	Interobserver agreement of transvaginal ultrasound and magnetic resonance imaging in local staging of cervical cancer. Ultrasound in Obstetrics and Gynecology, 2021, 58, 773-779.	1.7	6
13	Terms, definitions and measurements to describe sonographic features of lymph nodes: consensus opinion from the Vulvar International Tumor Analysis (<scp>VITA</scp>) group. Ultrasound in Obstetrics and Gynecology, 2021, 57, 861-879.	1.7	24
14	Imaging in gynecological disease: clinical and ultrasound characteristics of ovarian carcinosarcomas. Ultrasound in Obstetrics and Gynecology, 2021, , .	1.7	5
15	Implementation of the 2021 molecular ESGO/ESTRO/ESP risk groups in endometrial cancer. Gynecologic Oncology, 2021, 162, 394-400.	1.4	39
16	744...Terms and definitions to describe sonographic features of lymph nodes: consensus opinion from the vulvar international tumor analysis (VITA) group. , 2021, , .		0
17	Follicular Helper T-Cell-Based Classification of Endometrial Cancer Promotes Precise Checkpoint Immunotherapy and Provides Prognostic Stratification. Frontiers in Immunology, 2021, 12, 788959.	4.8	9
18	Validation of ultrasound strategies to assess tumor extension and to predict high-risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis) cohort. Ultrasound in Obstetrics and Gynecology, 2020, 55, 115-124.	1.7	26

#	ARTICLE	IF	CITATIONS
19	Dynamic contrast-enhanced ultrasound improves diagnostic performance in endometrial cancer staging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 96-105.	1.7	16
20	Imaging in gynecological disease (19): clinical and ultrasound features of extragastrointestinal stromal tumors (<scp>eGIST</scp>). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 749-758.	1.7	8
21	Interpretation of somatic <i>POLE</i> mutations in endometrial carcinoma. <i>Journal of Pathology</i> , 2020, 250, 323-335.	4.5	203
22	Clinicopathological and molecular characterisation of "multiple" classifier™ endometrial carcinomas. <i>Journal of Pathology</i> , 2020, 250, 312-322.	4.5	205
23	Ultrasound-based risk model for preoperative prediction of lymph node metastases in women with endometrial cancer: model development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 443-452.	1.7	13
24	Vaginal bromocriptine for treatment of adenomyosis: Impact on magnetic resonance imaging and transvaginal ultrasound. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 254, 38-43.	1.1	10
25	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020, 370, m2614.	6.0	54
26	Imaging in gynecological disease (17): ultrasound features of malignant ovarian yolk sac tumors (endodermal sinus tumors). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 276-284.	1.7	15
27	Imaging in gynecological disease (20): clinical and ultrasound characteristics of adnexal torsion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 934-943.	1.7	39
28	Sonographic characteristics of postmolar gestational trophoblastic neoplasia at diagnosis and during follow-up, and relationship with methotrexate resistance. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 759-765.	1.7	7
29	Women with fair phenotypes seem to confer a survival advantage in a low UV milieu. A nested matched case control study. <i>PLoS ONE</i> , 2020, 15, e0228582.	2.5	7
30	Gestational Trophoblastic Neoplasia Ultrasound assessment: TITANIUM study. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1216-1220.	2.5	7
31	Imaging in gynecological disease (15): clinical and ultrasound characteristics of uterine sarcoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 676-687.	1.7	69
32	Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 823-830.	1.7	26
33	Clinical and ultrasound characteristics of the microcystic elongated and fragmented (MELF) pattern in endometrial cancer according to the International Endometrial Tumor Analysis (IETA) criteria. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 119-125.	2.5	5
34	Phenotype of POLE-mutated endometrial cancer. <i>PLoS ONE</i> , 2019, 14, e0214318.	2.5	53
35	Intra- and Inter-Rater Agreement Describing Myometrial Lesions Using Morphologic Uterus Sonographic Assessment: A Pilot Study. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 2673-2683.	1.7	14
36	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology, The</i> , 2019, 20, 448-458.	10.7	110

#	ARTICLE	IF	CITATIONS
37	Abstract 465: Molecular classification of endometrial cancer provides complementary information but does not outperform current predictive models: The Karolinska and Bern experience. , 2019, , .		0
38	EP447â€¦Clinical and ultrasound features of extra gastrointestinal stromal tumors (eGIST). , 2019, , .		0
39	Platelet protein biomarker panel for ovarian cancer diagnosis. Biomarker Research, 2018, 6, 2.	6.8	36
40	Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. Ultrasound in Obstetrics and Gynecology, 2018, 52, 535-543.	1.7	29
41	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. Ultrasound in Obstetrics and Gynecology, 2018, 51, 818-828.	1.7	61
42	Prediction of Tubal Ectopic Pregnancy Using Offline Analysis of 3â€¢Dimensional Transvaginal Ultrasonographic Data Sets: An Interobserver and Diagnostic Accuracy Study. Journal of Ultrasound in Medicine, 2018, 37, 1467-1472.	1.7	4
43	Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. Ultrasound in Obstetrics and Gynecology, 2018, 52, 792-800.	1.7	36
44	Endometrial cancer off-line staging using two-dimensional transvaginal ultrasound and three-dimensional volume contrast imaging: Intermethod agreement, interrater reliability and diagnostic accuracy. Gynecologic Oncology, 2018, 150, 438-445.	1.4	35
45	A Pilot Study on Diagnostic Performance of Contrast-Enhanced Ultrasonography for Detection of Early Cervical Cancer. Ultrasound in Medicine and Biology, 2018, 44, 1664-1671.	1.5	12
46	Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. Clinical Cancer Research, 2017, 23, 5082-5090.	7.0	37
47	Avoidance of sun exposure as a risk factor for major causes of death: a competing risk analysis of the Melanoma in Southern Sweden cohort. Journal of Internal Medicine, 2016, 280, 375-387.	6.0	94
48	Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. American Journal of Obstetrics and Gynecology, 2016, 214, 424-437.	1.3	212
49	Subjective ultrasound assessment, the <scp>ADNEX</scp> model and ultrasoundâ€¢guided truâ€¢cut biopsy to differentiate disseminated primary ovarian cancer from metastatic nonâ€¢ovarian cancer. Ultrasound in Obstetrics and Gynecology, 2016, 47, 110-116.	1.7	34
50	Preoperative prediction of lymph node metastasis and deep stromal invasion in women with invasive cervical cancer: prospective multicenter study using <scp>2D</scp> and <scp>3D</scp> ultrasound. Ultrasound in Obstetrics and Gynecology, 2015, 45, 470-475.	1.7	22
51	Transvaginal ultrasound assessment of myometrial and cervical stromal invasion in women with endometrial cancer: interobserver reproducibility among ultrasound experts and gynecologists. Ultrasound in Obstetrics and Gynecology, 2015, 45, 476-482.	1.7	59
52	Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. Ultrasound in Obstetrics and Gynecology, 2015, 46, 284-298.	1.7	461
53	Are serum HE4 or ROMA scores useful to experienced examiners for improving characterization of adnexal masses after transvaginal ultrasonography?. Ultrasound in Obstetrics and Gynecology, 2014, 43, 89-97.	1.7	28
54	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. BMJ, The, 2014, 349, g5920-g5920.	6.0	309

#	ARTICLE	IF	CITATIONS
55	Imaging in gynecological disease (10): clinical and ultrasound characteristics of decidualized endometriomas surgically removed during pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 354-360.	1.7	67
56	Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 328-335.	1.7	28
57	Avoidance of sun exposure is a risk factor for all-cause mortality: results from the Melanoma in Southern Sweden cohort. <i>Journal of Internal Medicine</i> , 2014, 276, 77-86.	6.0	85
58	Imaging in endometrial cancer. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 721-739.	2.8	68
59	Development and external validation of new ultrasound-based mathematical models for preoperative prediction of high-risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 586-595.	1.7	17
60	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014, 111, 680-688.	6.4	98
61	Early-stage cervical cancer: Tumor delineation by magnetic resonance imaging and ultrasound – A European multicenter trial. <i>Gynecologic Oncology</i> , 2013, 128, 449-453.	1.4	115
62	Multicentre external validation of IOTA prediction models and RMI by operators with varied training. <i>British Journal of Cancer</i> , 2013, 108, 2448-2454.	6.4	80
63	Evaluating myometrial and cervical invasion in women with endometrial cancer: comparing subjective assessment with objective measurement techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 353-358.	1.7	38
64	Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 459-463.	1.7	16
65	Grayscale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 586-593.	1.7	42
66	Effect of gel instillation sonography on Doppler ultrasound findings in endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 355-359.	1.7	19
67	OC17.02: New ultrasound based mathematical models for the preoperative prediction of high risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 31-32.	1.7	0
68	OC27.01: Grayscale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 48-49.	1.7	0
69	Endometrial Thickness Measurement for Detecting Endometrial Cancer in Women With Postmenopausal Bleeding. <i>Obstetrics and Gynecology</i> , 2010, 116, 160-167.	2.4	251
70	Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 103-112.	1.7	212
71	Sonographic characteristics of squamous cell cancer and adenocarcinoma of the uterine cervix. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 512-516.	1.7	27
72	OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 41-42.	1.7	0

#	ARTICLE	IF	CITATIONS
73	Histopathology indicates lymphatic spread of a pelvic retroperitoneal ectopic pregnancy removed by robot-assisted laparoscopy with temporary occlusion of the blood supply. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 835-839.	2.8	20
74	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ: British Medical Journal</i> , 2010, 341, c6839-c6839.	2.3	336
75	A population-based cohort study on the use of hormone treatment and endometrial cancer in southern Sweden. <i>International Journal of Cancer</i> , 2009, 125, 421-425.	5.1	9
76	The relationship between lifestyle factors and venous thromboembolism among women: a report from the MISS study. <i>British Journal of Haematology</i> , 2009, 144, 234-240.	2.5	75
77	A population-based cohort study on sun habits and endometrial cancer. <i>British Journal of Cancer</i> , 2009, 101, 537-540.	6.4	21
78	Does an active sun exposure habit lower the risk of venous thrombotic events? A D-lightful hypothesis. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 605-610.	3.8	88
79	OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 7-7.	1.7	0
80	OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19.	1.7	0
81	OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19.	1.7	0
82	OC25.05: Adjusting prediction models for ovarian tumor classification to new clinical settings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 49-50.	1.7	0
83	OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 158-158.	1.7	0
84	OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 160-160.	1.7	0
85	The use of new and old ultrasound techniques in the assessment of women with postmenopausal bleeding. <i>Australasian Journal of Ultrasound in Medicine</i> , 2009, 12, 24-27.	0.6	0
86	OC150: Investigation of the performance of mathematical models on small ovarian masses in the IOTA phase 1 and 2 study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 292-292.	1.7	0
87	OC153: Prospective evaluation of a model to diagnose adnexal masses as benign, primary invasive, borderline, or metastatic. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 293-293.	1.7	0
88	OP06.06: Sonographic appearance of endomyometriosi s - case report. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 329-330.	1.7	1
89	47 The relation between venous thromboembolism and lifestyle factors – a report from the large prospective MISS study. <i>Thrombosis Research</i> , 2007, 119, S110.	1.7	0
90	High risk of cervical pathology among women with postmenopausal bleeding and endometrium ≥ 4.4 mm: long-term follow-up results. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1368-1374.	2.8	12

#	ARTICLE	IF	CITATIONS
91	Gray-scale ultrasound morphology in the presence or absence of intrauterine fluid and vascularity as assessed by color Doppler for discrimination between benign and malignant endometrium in women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 89-95.	1.7	49
92	Management of postmenopausal bleeding in Sweden: a need for increased use of hydrososonography and hysteroscopy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 89-95.	2.8	21
93	Managing women with post-menopausal bleeding. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2004, 18, 125-143.	2.8	54
94	Management of postmenopausal bleeding in Sweden: a need for increased use of hydrososonography and hysteroscopy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 89-95.	2.8	9
95	Frequency and type of adnexal lesions in autopsy material from postmenopausal women: ultrasound study with histological correlation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 284-289.	1.7	53
96	OC141: Chair overview: the endometrium?what a practicing gynecologist needs to know from an imaging technique. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 38-39.	1.7	0
97	OC142: Ultrasound and the management of women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 39-39.	1.7	0
98	Ultrasound in the Management of Postmenopausal Bleeding (PMB). <i>BMUS Bulletin</i> , 2002, 10, 18-22.	0.0	0
99	An algorithm including results of gray-scale and power Doppler ultrasound examination to predict endometrial malignancy in women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 370-376.	1.7	82
100	Intraobserver and interobserver reproducibility of ultrasound measurements of endometrial thickness in postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 486-491.	1.7	36
101	Comparison of Endorette [®] and dilatation and curettage for sampling of the endometrium in women with postmenopausal bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 959-964.	2.8	21
102	Dilatation and curettage fails to detect most focal lesions in the uterine cavity in women with postmenopausal bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 1131-1136.	2.8	168
103	Transvaginal sonography, saline contrast sonohysterography and hysteroscopy for the investigation of women with postmenopausal bleeding and endometrium > 5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 157-162.	1.7	128
104	Rebleeding and endometrial growth in women with postmenopausal bleeding and endometrial thickness <5 mm managed by dilatation and curettage or ultrasound follow-up: a randomized controlled study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 499-504.	1.7	40
105	Comparison of Endorette [®] and dilatation and curettage for sampling of the endometrium in women with postmenopausal bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 959-964.	2.8	22