

Jochen Krauss

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8284563/publications.pdf>

Version: 2024-02-01

93
papers

8,821
citations

61984

43
h-index

43889

91
g-index

96
all docs

96
docs citations

96
times ranked

10739
citing authors

#	ARTICLE	IF	CITATIONS
1	Flower fields and pesticide use interactively shape pollen beetle infestation and parasitism in oilseed rape fields. <i>Journal of Applied Ecology</i> , 2022, 59, 263.	4.0	5
2	Phylogenetic relatedness of food plants reveals highest insect herbivore specialization at intermediate temperatures along a broad climatic gradient. <i>Global Change Biology</i> , 2022, 28, 4027-4040.	9.5	5
3	A multitaxa assessment of the effectiveness of agri-environmental schemes for biodiversity management. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	60
4	Local and landscape responses of biodiversity in calcareous grasslands. <i>Biodiversity and Conservation</i> , 2021, 30, 2415-2432.	2.6	9
5	Contrasting responses of above- and belowground diversity to multiple components of land-use intensity. <i>Nature Communications</i> , 2021, 12, 3918.	12.8	81
6	Where do hamsters go after cereal harvest? A case study.. <i>Basic and Applied Ecology</i> , 2021, 54, 98-107.	2.7	2
7	Assessing the impact of grassland management on landscape multifunctionality. <i>Ecosystem Services</i> , 2021, 52, 101366.	5.4	25
8	Alkaloid Concentrations of <i>Lolium perenne</i> Infected with <i>Epichloa festucae</i> var. <i>lolii</i> with Different Detection Methodsâ€”A Re-Evaluation of Intoxication Risk in Germany?. <i>Journal of Fungi (Basel)</i> , Tj ETQq0 0 0 rgBT30verlock210 Tf 50 4	1.0	0
9	Pest control potential of adjacent agri-environment schemes varies with crop type and is shaped by landscape context and within-field position. <i>Journal of Applied Ecology</i> , 2020, 57, 1482-1493.	4.0	30
10	Contrasting Effects of Grass - Endophyte Chemotypes on a Tri-Trophic Cascade. <i>Journal of Chemical Ecology</i> , 2020, 46, 422-429.	1.8	7
11	Aphid cardsâ€”A useful model for assessing predation rates or bias prone nonsense?. <i>Journal of Applied Entomology</i> , 2020, 144, 74-80.	1.8	16
12	<i>Epichloa</i> Endophyte Infection Rates and Alkaloid Content in Commercially Available Grass Seed Mixtures in Europe. <i>Microorganisms</i> , 2020, 8, 498.	3.6	8
13	Can <i>Epichloa</i> endophytes enhance direct and indirect plant defence?. <i>Fungal Ecology</i> , 2019, 38, 98-103.	1.6	32
14	Agri-environmental schemes promote ground-dwelling predators in adjacent oilseed rape fields: Diversity, species traits and distance-decay functions. <i>Journal of Applied Ecology</i> , 2019, 56, 10-20.	4.0	48
15	Size, age and surrounding semi-natural habitats modulate the effectiveness of flower-rich agri-environment schemes to promote pollinator visitation in crop fields. <i>Agriculture, Ecosystems and Environment</i> , 2019, 284, 106590.	5.3	46
16	Understanding extinction debts: spatio-temporal scales, mechanisms and a roadmap for future research. <i>Ecography</i> , 2019, 42, 1973-1990.	4.5	77
17	Neuroanatomical correlates of mobility: Sensory brain centres are bigger in winged than in wingless parthenogenetic pea aphid females. <i>Arthropod Structure and Development</i> , 2019, 52, 100883.	1.4	4
18	Infection Rates and Alkaloid Patterns of Different Grass Species with Systemic <i>Epichloa</i> Endophytes. <i>Applied and Environmental Microbiology</i> , 2019, 85, .	3.1	18

#	ARTICLE	IF	CITATIONS
19	The interplay of landscape composition and configuration: new pathways to manage functional biodiversity and agroecosystem services across Europe. <i>Ecology Letters</i> , 2019, 22, 1083-1094.	6.4	364
20	Get larger or grow longer wings? Impacts of habitat area and habitat amount on orthopteran assemblages and populations in semi-natural grasslands. <i>Landscape Ecology</i> , 2019, 34, 175-186.	4.2	9
21	Day length constrains the time budget of aphid predators. <i>Insect Science</i> , 2019, 26, 164-170.	3.0	3
22	Desynchronizations in bee-plant interactions cause severe fitness losses in solitary bees. <i>Journal of Animal Ecology</i> , 2018, 87, 139-149.	2.8	88
23	Hide and seek – Infection rates and alkaloid concentrations of <i>Epichloa festucae</i> var. <i>lolii</i> in <i>Lolium perenne</i> along a land-use gradient in Germany. <i>Grass and Forage Science</i> , 2018, 73, 510-516.	2.9	11
24	Knowing your neighbourhood – the effects of <i>Epichloa</i> endophytes on foliar fungal assemblages in perennial ryegrass in dependence of season and land-use intensity. <i>PeerJ</i> , 2018, 6, e4660.	2.0	13
25	It's a matter of design – how pitfall trap design affects trap samples and possible predictions. <i>PeerJ</i> , 2018, 6, e5078.	2.0	39
26	A global synthesis of the effects of diversified farming systems on arthropod diversity within fields and across agricultural landscapes. <i>Global Change Biology</i> , 2017, 23, 4946-4957.	9.5	259
27	The database of the PREDICTS (Projecting Responses of Ecological Diversity In Changing) Tj ETQq1 1 0,784314 rgBT /Ove	1.9	186
28	Complementarity among natural enemies enhances pest suppression. <i>Scientific Reports</i> , 2017, 7, 8172.	3.3	58
29	Plant age and seasonal timing determine endophyte growth and alkaloid biosynthesis. <i>Fungal Ecology</i> , 2017, 29, 52-58.	1.6	54
30	Food colouring as a new possibility to study diet ingestion and honeydew excretion by aphids. <i>Entomologia Experimentalis Et Applicata</i> , 2017, 164, 141-149.	1.4	3
31	A damping circadian clock drives weak oscillations in metabolism and locomotor activity of aphids (<i>Acyrtosiphon pisum</i>). <i>Scientific Reports</i> , 2017, 7, 14906.	3.3	25
32	Herbivore-specific induction of defence metabolites in a grass-endophyte association. <i>Functional Ecology</i> , 2017, 31, 318-324.	3.6	45
33	Enhanced aphid abundance in spring desynchronizes predator-prey and plant-microorganism interactions. <i>Oecologia</i> , 2017, 183, 469-478.	2.0	15
34	Contrasting Effects of Extreme Drought and Snowmelt Patterns on Mountain Plants along an Elevation Gradient. <i>Frontiers in Plant Science</i> , 2017, 8, 1478.	3.6	40
35	Land-use intensification causes multitrophic homogenization of grassland communities. <i>Nature</i> , 2016, 540, 266-269.	27.8	404
36	Pea Aphids (Hemiptera: Aphididae) Have Diurnal Rhythms When Raised Independently of a Host Plant. <i>Journal of Insect Science</i> , 2016, 16, 31.	1.5	21

#	ARTICLE	IF	CITATIONS
37	Locally rare species influence grassland ecosystem multifunctionality. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150269.	4.0	117
38	Spillover from adjacent crop and forest habitats shapes carabid beetle assemblages in fragmented semi-natural grasslands. <i>Oecologia</i> , 2016, 182, 1141-1150.	2.0	41
39	Biodiversity at multiple trophic levels is needed for ecosystem multifunctionality. <i>Nature</i> , 2016, 536, 456-459.	27.8	526
40	Asymmetric carabid beetle spillover between calcareous grasslands and coniferous forests. <i>Journal of Insect Conservation</i> , 2016, 20, 49-57.	1.4	25
41	Biological pest control and yields depend on spatial and temporal crop cover dynamics. <i>Journal of Applied Ecology</i> , 2015, 52, 1283-1292.	4.0	56
42	Interactive effects of elevation, species richness and extreme climatic events on plant-pollinator networks. <i>Global Change Biology</i> , 2015, 21, 4086-4097.	9.5	49
43	Configurational landscape heterogeneity shapes functional community composition of grassland butterflies. <i>Journal of Applied Ecology</i> , 2015, 52, 505-513.	4.0	129
44	Grassland management intensification weakens the associations among the diversities of multiple plant and animal taxa. <i>Ecology</i> , 2015, 96, 1492-1501.	3.2	75
45	Fragmentation genetics of the grassland butterfly <i>Polyommatus coridon</i> : Stable genetic diversity or extinction debt?. <i>Conservation Genetics</i> , 2015, 16, 549-558.	1.5	15
46	Landscape simplification filters species traits and drives biotic homogenization. <i>Nature Communications</i> , 2015, 6, 8568.	12.8	399
47	Coping with shorter days: do phenology shifts constrain aphid fitness?. <i>PeerJ</i> , 2015, 3, e1103.	2.0	13
48	Interannual variation in land-use intensity enhances grassland multidiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 308-313.	7.1	243
49	Contrasting effects of habitat area and connectivity on evenness of pollinator communities. <i>Ecography</i> , 2014, 37, 544-551.	4.5	30
50	Elevation and experimental snowmelt manipulation affect emergence phenology and abundance of soil-hibernating arthropods. <i>Ecological Entomology</i> , 2014, 39, 412-418.	2.2	15
51	Effects of grassland management, endophytic fungi and predators on aphid abundance in two distinct regions. <i>Journal of Plant Ecology</i> , 2014, 7, 490-498.	2.3	6
52	Species richness and trait composition of butterfly assemblages change along an altitudinal gradient. <i>Oecologia</i> , 2014, 175, 613-623.	2.0	36
53	Linking Indices for Biodiversity Monitoring to Extinction Risk Theory. <i>Conservation Biology</i> , 2014, 28, 1575-1583.	4.7	23
54	Combined Effects of Extreme Climatic Events and Elevation on Nutritional Quality and Herbivory of Alpine Plants. <i>PLoS ONE</i> , 2014, 9, e93881.	2.5	16

#	ARTICLE	IF	CITATIONS
55	Combined effects of climate and management on plant diversity and pollination type in alpine grasslands. <i>Diversity and Distributions</i> , 2013, 19, 386-395.	4.1	18
56	Linking life history traits to pollinator loss in fragmented calcareous grasslands. <i>Landscape Ecology</i> , 2013, 28, 107-120.	4.2	75
57	Predation rates on semi-natural grasslands depend on adjacent habitat type. <i>Basic and Applied Ecology</i> , 2013, 14, 614-621.	2.7	29
58	Traits of butterfly communities change from specialist to generalist characteristics with increasing land-use intensity. <i>Basic and Applied Ecology</i> , 2013, 14, 547-554.	2.7	114
59	Peramine and Lolitrem B from Endophyte-Grass Associations Cascade Up the Food Chain. <i>Journal of Chemical Ecology</i> , 2013, 39, 1385-1389.	1.8	29
60	Butterfly diversity and historical land cover change along an altitudinal gradient. <i>Journal of Insect Conservation</i> , 2013, 17, 1039-1046.	1.4	6
61	Phenological response of grassland species to manipulative snowmelt and drought along an altitudinal gradient. <i>Journal of Experimental Botany</i> , 2013, 64, 241-251.	4.8	38
62	Altitude acts as an environmental filter on phylogenetic composition, traits and diversity in bee communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4447-4456.	2.6	198
63	Traits related to species persistence and dispersal explain changes in plant communities subjected to habitat loss. <i>Diversity and Distributions</i> , 2012, 18, 898-908.	4.1	70
64	The landscape matrix modifies the effect of habitat fragmentation in grassland butterflies. <i>Landscape Ecology</i> , 2012, 27, 121-131.	4.2	78
65	Decreased Functional Diversity and Biological Pest Control in Conventional Compared to Organic Crop Fields. <i>PLoS ONE</i> , 2011, 6, e19502.	2.5	101
66	Effects of genetic diversity of grass on insect species diversity at higher trophic levels are not due to cascading diversity effects. <i>Oikos</i> , 2011, 120, 1031-1036.	2.7	15
67	The impact of habitat fragmentation on trophic interactions of the monophagous butterfly <i>Polyommatus coridon</i> . <i>Journal of Insect Conservation</i> , 2011, 15, 707-714.	1.4	19
68	Changes in the life history traits of the European Map butterfly, <i>Araschnia levana</i> (Lepidoptera:). <i>Journal of Insect Conservation</i> , 2011, 15, 707-714.	1.2	7
69	Allometric density responses in butterflies: the response to small and large patches by small and large species. <i>Ecography</i> , 2010, 33, 1149-1156.	4.5	15
70	Butterfly and plant specialists suffer from reduced connectivity in fragmented landscapes. <i>Journal of Applied Ecology</i> , 2010, 47, 799-809.	4.0	167
71	Habitat fragmentation causes immediate and time-delayed biodiversity loss at different trophic levels. <i>Ecology Letters</i> , 2010, 13, 597-605.	6.4	620
72	Life history traits predict species responses to habitat area and isolation: a cross-continental synthesis. <i>Ecology Letters</i> , 2010, 13, 969-979.	6.4	336

#	ARTICLE	IF	CITATIONS
73	Extended larval development time for aphid parasitoids in the presence of plant endosymbionts. <i>Ecological Entomology</i> , 2009, 34, 20-25.	2.2	18
74	Habitat area but not habitat age determines wild bee richness in limestone quarries. <i>Journal of Applied Ecology</i> , 2009, 46, 194-202.	4.0	74
75	Extinction debt: a challenge for biodiversity conservation. <i>Trends in Ecology and Evolution</i> , 2009, 24, 564-571.	8.7	1,053
76	How do local habitat management and landscape structure at different spatial scales affect fritillary butterfly distribution on fragmented wetlands?. <i>Landscape Ecology</i> , 2008, 23, 269-283.	4.2	67
77	Trophic cascades initiated by fungal plant endosymbionts impair reproductive performance of parasitoids in the second generation. <i>Oecologia</i> , 2008, 157, 399-407.	2.0	28
78	Natural enemies act faster than endophytic fungi in population control of cereal aphids. <i>Journal of Animal Ecology</i> , 2008, 77, 605-611.	2.8	13
79	Fungal endosymbionts of plants reduce lifespan of an aphid secondary parasitoid and influence host selection. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 2627-2632.	2.6	24
80	Author Sequence and Credit for Contributions in Multiauthored Publications. <i>PLoS Biology</i> , 2007, 5, e18.	5.6	413
81	Habitat specialization, body size, and family identity explain lepidopteran density-area relationships in a cross-continental comparison. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 8368-8373.	7.1	74
82	Effects of fertilizer, fungal endophytes and plant cultivar on the performance of insect herbivores and their natural enemies. <i>Functional Ecology</i> , 2007, 21, 107.	3.6	62
83	Journal self-citation rates in ecological sciences. <i>Scientometrics</i> , 2007, 73, 79-89.	3.0	33
84	Fungal endosymbionts affect aphid population size by reduction of adult life span and fecundity. <i>Basic and Applied Ecology</i> , 2006, 7, 244-252.	2.7	57
85	Fungal plant endosymbionts alter life history and reproductive success of aphid predators. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006, 273, 1301-1306.	2.6	65
86	Relative importance of resource quantity, isolation and habitat quality for landscape distribution of a monophagous butterfly. <i>Ecography</i> , 2005, 28, 465-474.	4.5	67
87	Symbiosis between grasses and asexual fungal endophytes. <i>Current Opinion in Plant Biology</i> , 2005, 8, 450-456.	7.1	210
88	Reconstruction of the colonization route from glacial refugium to the northern distribution range of the European butterfly <i>Polyommatus coridon</i> (Lepidoptera: Lycaenidae). <i>Diversity and Distributions</i> , 2004, 10, 271-274.	4.1	20
89	Effects of habitat area, isolation, and landscape diversity on plant species richness of calcareous grasslands. <i>Biodiversity and Conservation</i> , 2004, 13, 1427-1439.	2.6	189
90	Effects of habitat fragmentation on the genetic structure of the monophagous butterfly <i>Polyommatus coridon</i> along its northern range margin. <i>Molecular Ecology</i> , 2004, 13, 311-320.	3.9	56

#	ARTICLE	IF	CITATIONS
91	Landscape occupancy and local population size depends on host plant distribution in the butterfly <i>Cupido minimus</i> . <i>Biological Conservation</i> , 2004, 120, 355-361.	4.1	70
92	Local species immigration, extinction, and turnover of butterflies in relation to habitat area and habitat isolation. <i>Oecologia</i> , 2003, 137, 591-602.	2.0	107
93	How does landscape context contribute to effects of habitat fragmentation on diversity and population density of butterflies?. <i>Journal of Biogeography</i> , 2003, 30, 889-900.	3.0	257