

Aimee L Landar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8285512/publications.pdf>

Version: 2024-02-01

64
papers

5,313
citations

109321

35
h-index

128289

60
g-index

65
all docs

65
docs citations

65
times ranked

7281
citing authors

#	ARTICLE	IF	CITATIONS
1	Pleiotropic effects of 4-hydroxynonenal on oxidative burst and phagocytosis in neutrophils. <i>Redox Biology</i> , 2016, 9, 57-66.	9.0	31
2	Mitochondrial thiol modification by a targeted electrophile inhibits metabolism in breast adenocarcinoma cells by inhibiting enzyme activity and protein levels. <i>Redox Biology</i> , 2016, 8, 136-148.	9.0	15
3	Nitration of Hsp90 on Tyrosine 33 Regulates Mitochondrial Metabolism. <i>Journal of Biological Chemistry</i> , 2015, 290, 19055-19066.	3.4	34
4	A Novel Class of Mitochondria-Targeted Soft Electrophiles Modifies Mitochondrial Proteins and Inhibits Mitochondrial Metabolism in Breast Cancer Cells through Redox Mechanisms. <i>PLoS ONE</i> , 2015, 10, e0120460.	2.5	11
5	Mitochondrial oncobioenergetic index: A potential biomarker to predict progression from indolent to aggressive prostate cancer. <i>Oncotarget</i> , 2015, 6, 43065-43080.	1.8	24
6	Proteomic analysis of 4-hydroxynonenal (4-HNE) modified proteins in liver mitochondria from chronic ethanol-fed rats. <i>Redox Biology</i> , 2014, 2, 1038-1047.	9.0	41
7	Detection of electrophile-sensitive proteins. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 913-922.	2.4	26
8	Metastasis Suppressor KISS1 Seems to Reverse the Warburg Effect by Enhancing Mitochondrial Biogenesis. <i>Cancer Research</i> , 2014, 74, 954-963.	0.9	75
9	Quercetin prevents left ventricular hypertrophy in the Apo E knockout mouse. <i>Redox Biology</i> , 2013, 1, 381-386.	9.0	29
10	Mitochondria-targeted heme oxygenase-1 decreases oxidative stress in renal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F255-F264.	2.7	59
11	Mitochondrial Bioenergetics of Metastatic Breast Cancer Cells in Response to Dynamic Changes in Oxygen Tension: Effects of HIF-1 α . <i>PLoS ONE</i> , 2013, 8, e68348.	2.5	28
12	The Janus of Oxidative Stress Signaling in Different Pathophysiological Conditions. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-2.	4.0	1
13	Hemin causes mitochondrial dysfunction in endothelial cells through promoting lipid peroxidation: the protective role of autophagy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1394-H1409.	3.2	130
14	Cell signalling by reactive lipid species: new concepts and molecular mechanisms. <i>Biochemical Journal</i> , 2012, 442, 453-464.	3.7	268
15	Oxidative Modification of Proteins: An Emerging Mechanism of Cell Signaling. <i>Frontiers in Physiology</i> , 2012, 3, 369.	2.8	104
16	The Electrophile Responsive Proteome: Integrating Proteomics and Lipidomics with Cellular Function. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 1580-1589.	5.4	51
17	Subsets of ATP γ -sensitive potassium channel (K _{ATP}) inhibitors increase gap junctional intercellular communication in metastatic cancer cell lines independent of SUR expression. <i>FEBS Letters</i> , 2012, 586, 27-31.	2.8	8
18	Assessing bioenergetic function in response to oxidative stress by metabolic profiling. <i>Free Radical Biology and Medicine</i> , 2011, 51, 1621-1635.	2.9	372

#	ARTICLE	IF	CITATIONS
19	Oxidative Post-Translational Modification of the Regulatory Region of the GTPase Rac1 by 15-Deoxy- $\Delta^12,14$ -Prostaglandin J2 in Vascular Endothelial Cells. <i>Free Radical Biology and Medicine</i> , 2011, 51, S33.	2.9	0
20	Nitric oxide and hypoxia exacerbate alcohol-induced mitochondrial dysfunction in hepatocytes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 1573-1582.	1.0	61
21	Redox Regulation of Soluble Epoxide Hydrolase by 15-Deoxy- $\Delta^12,14$ -Prostaglandin J2 Controls Coronary Hypoxic Vasodilation. <i>Circulation Research</i> , 2011, 108, 324-334.	4.5	50
22	Modulation of mammary cancer cell migration by 15-deoxy- $\Delta^12,14$ -prostaglandin J2: implications for anti-metastatic therapy. <i>Biochemical Journal</i> , 2010, 430, 69-78.	3.7	35
23	Heme Oxygenase-1 Inhibits Renal Tubular Macroautophagy in Acute Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1702-1712.	6.1	144
24	Acquisition of Temozolomide Chemoresistance in Gliomas Leads to Remodeling of Mitochondrial Electron Transport Chain. <i>Journal of Biological Chemistry</i> , 2010, 285, 39759-39767.	3.4	158
25	Mitochondrial targeting of the electrophilic lipid 15-deoxy- $\Delta^12,14$ -prostaglandin J2 increases apoptotic efficacy via redox cell signalling mechanisms. <i>Biochemical Journal</i> , 2010, 426, 31-41.	3.7	52
26	Analysis of the liver mitochondrial proteome in response to ethanol and S-adenosylmethionine treatments: novel molecular targets of disease and hepatoprotection. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, G732-G745.	3.4	43
27	Homotypic Gap Junctional Communication Associated with Metastasis Suppression Increases with PKA Activity and Is Unaffected by PI3K Inhibition. <i>Cancer Research</i> , 2010, 70, 10002-10011.	0.9	31
28	The permissive role of mitochondria in the induction of haem oxygenase-1 in endothelial cells. <i>Biochemical Journal</i> , 2009, 419, 427-436.	3.7	23
29	Methods for imaging and detecting modification of proteins by reactive lipid species. <i>Free Radical Biology and Medicine</i> , 2009, 47, 201-212.	2.9	32
30	Methods for the determination and quantification of the reactive thiol proteome. <i>Free Radical Biology and Medicine</i> , 2009, 47, 675-683.	2.9	84
31	S1900 Mitochondrial Complex III Is Decreased in Morbidly Obese Patients with Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2008, 134, A-780.	1.3	0
32	Accumulation of 15-deoxy- $\Delta^12,14$ -prostaglandin J2 adduct formation with Keap1 over time: effects on potency for intracellular antioxidant defence induction. <i>Biochemical Journal</i> , 2008, 411, 297-306.	3.7	104
33	Proteomic Approaches to Identify and Characterize Alterations to the Mitochondrial Proteome in Alcoholic Liver Disease. <i>Methods in Molecular Biology</i> , 2008, 447, 369-380.	0.9	14
34	Methods for Determining the Modification of Protein Thiols by Reactive Lipids. <i>Methods in Cell Biology</i> , 2007, 80, 417-434.	1.1	4
35	Evidence for oxygen as the master regulator of the responsiveness of soluble guanylate cyclase and cytochrome c oxidase to nitric oxide. <i>Biochemical Journal</i> , 2007, 405, e3-4.	3.7	7
36	Is the soluble guanylate cyclase pathway the only one available for nitric oxide (NO) signaling?. <i>IUBMB Life</i> , 2007, 59, 110-112.	3.4	0

#	ARTICLE	IF	CITATIONS
37	Novel interactions of mitochondria and reactive oxygen/nitrogen species in alcohol mediated liver disease. <i>World Journal of Gastroenterology</i> , 2007, 13, 4967.	3.3	58
38	Activation of Mitogen-Activated Protein Kinases by Lysophosphatidylcholine-Induced Mitochondrial Reactive Oxygen Species Generation in Endothelial Cells. <i>American Journal of Pathology</i> , 2006, 168, 1737-1748.	3.8	86
39	Induction of the permeability transition and cytochrome c release by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J2 in mitochondria. <i>Biochemical Journal</i> , 2006, 394, 185-195.	3.7	65
40	Modification of lipids by reactive oxygen and nitrogen species: the oxyâ€“nitroxyâ€“lipidome and its role in redox cell signaling. <i>Future Lipidology</i> , 2006, 1, 203-211.	0.5	7
41	A sensitive method for the quantitative measurement of protein thiol modification in response to oxidative stress. <i>Free Radical Biology and Medicine</i> , 2006, 40, 459-468.	2.9	43
42	The Covalent Advantage: A New Paradigm for Cell Signaling Mediated by Thiol Reactive Lipid Oxidation Products. , 2006, , 343-367.		4
43	S-adenosylmethionine prevents chronic alcohol-induced mitochondrial dysfunction in the rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, G857-G867.	3.4	97
44	Interaction of electrophilic lipid oxidation products with mitochondria in endothelial cells and formation of reactive oxygen species. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1777-H1787.	3.2	124
45	Free Radicals, Mitochondria, and Oxidized Lipids. <i>Circulation Research</i> , 2006, 99, 924-932.	4.5	301
46	Mitochondrial proteomics in free radical research. <i>Free Radical Biology and Medicine</i> , 2005, 38, 175-188.	2.9	65
47	Nitroxia: The pathological consequence of dysfunction in the nitric oxideâ€“cytochrome c oxidase signaling pathway. <i>Free Radical Biology and Medicine</i> , 2005, 38, 297-306.	2.9	107
48	Nitric oxide signaling gone awry: Nitration of glutamine synthetase and hyperammonemia in sepsis. <i>Hepatology</i> , 2005, 41, 980-982.	7.3	3
49	Oxidized LDL induces mitochondrially associated reactive oxygen/nitrogen species formation in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H852-H861.	3.2	122
50	Oxidative modification of hepatic mitochondria protein thiols: effect of chronic alcohol consumption. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, G521-G527.	3.4	75
51	Modification of the Mitochondrial Proteome in Response to the Stress of Ethanol-dependent Hepatotoxicity. <i>Journal of Biological Chemistry</i> , 2004, 279, 22092-22101.	3.4	158
52	Weight Loss and Race Modulate Nitric Oxide Metabolism in Overweight Women. <i>Free Radical Biology and Medicine</i> , 2004, 37, 695-702.	2.9	24
53	Cellular mechanisms of redox cell signalling: role of cysteine modification in controlling antioxidant defences in response to electrophilic lipid oxidation products. <i>Biochemical Journal</i> , 2004, 378, 373-382.	3.7	531
54	Mechanisms of signal transduction mediated by oxidized lipids: the role of the electrophile-responsive proteome. <i>Biochemical Society Transactions</i> , 2004, 32, 151-155.	3.4	83

#	ARTICLE	IF	CITATIONS
55	Redox signalling: from nitric oxide to oxidized lipids. <i>Biochemical Society Symposia</i> , 2004, 71, 107-120.	2.7	36
56	Nitric oxide and cell signaling; modulation of redox tone and protein modification. <i>Amino Acids</i> , 2003, 25, 313-321.	2.7	51
57	Three-Dimensional Solution Structure of the Calcium-Signaling Protein Apo-S100A1 As Determined by NMR. <i>Biochemistry</i> , 2002, 41, 788-796.	2.5	73
58	Design, characterization, and structure of a biologically active single-chain mutant of human IFN- β 1 Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 2000, 299, 169-179.	4.2	30
59	^1H , ^{13}C and ^{15}N NMR sequence-specific resonance assignments for rat apo-S100A1 (alpha alpha). <i>Journal of Biomolecular NMR</i> , 1999, 14, 91-92.	2.8	14
60	S100A1 Utilizes Different Mechanisms for Interacting with Calcium-Dependent and Calcium-Independent Target Proteins. <i>Biochemistry</i> , 1998, 37, 17429-17438.	2.5	44
61	The role of cysteine residues in S100B dimerization and regulation of target protein activity. <i>BBA - Proteins and Proteomics</i> , 1997, 1343, 117-129.	2.1	27
62	Identification of an S100A1/S100B target protein: phosphoglucomutase. <i>Cell Calcium</i> , 1996, 20, 279-285.	2.4	54
63	The S100 protein family: History, function, and expression. <i>Brain Research Bulletin</i> , 1995, 37, 417-429.	3.0	853
64	Analysis of S100A1 Expression During Skeletal Muscle and Neuronal Cell Differentiation. <i>Journal of Neurochemistry</i> , 1995, 64, 2727-2736.	3.9	29