Rajender R Aparasu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8287384/publications.pdf

Version: 2024-02-01

142 papers 3,391 citations

147801 31 h-index 51 g-index

143 all docs $\begin{array}{c} 143 \\ \text{docs citations} \end{array}$

143 times ranked 3776 citing authors

#	Article	IF	CITATIONS
1	Healthcare Outcomes Associated with Beers' Criteria: A Systematic Review. Annals of Pharmacotherapy, 2007, 41, 438-448.	1.9	239
2	Inappropriate Prescribing for the Elderly: Beers Criteria-Based Review. Annals of Pharmacotherapy, 2000, 34, 338-346.	1.9	208
3	Psychotropic Prescription Use by Community-Dwelling Elderly in the United States. Journal of the American Geriatrics Society, 2003, 51, 671-677.	2.6	121
4	Inappropriate Medication Prescribing for the Elderly by Office-Based Physicians. Annals of Pharmacotherapy, 1997, 31, 823-829.	1.9	109
5	Prescribing Potentially Inappropriate Psychotropic Medications to the Ambulatory Elderly. Archives of Internal Medicine, 2000, 160, 2825.	3.8	106
6	Use of Antipsychotics among Elderly Nursing Home Residents with Dementia in the US. Drugs and Aging, 2009, 26, 483-492.	2.7	97
7	Antipsychotic drug use among elderly nursing home residents in the United States. American Journal of Geriatric Pharmacotherapy, 2008, 6, 187-197.	3.0	93
8	Inappropriate prescribing for elderly outpatients. American Journal of Health-System Pharmacy, 1999, 56, 433-439.	1.0	76
9	The concomitant use of tyrosine kinase inhibitors and proton pump inhibitors: Prevalence, predictors, and impact on survival and discontinuation of therapy in older adults with cancer. Cancer, 2019, 125, 1155-1162.	4.1	72
10	Prevalence, correlates, and associated outcomes of potentially inappropriate psychotropic use in the community-dwelling elderly. American Journal of Geriatric Pharmacotherapy, 2004, 2, 102-111.	3.0	64
11	Prescribing of Psychotropics in the Elderly. CNS Drugs, 2002, 16, 99-109.	5.9	62
12	Interaction Between Selective Serotonin Reuptake Inhibitors and Nonsteroidal Antiinflammatory Drugs: Review of the Literature. Pharmacotherapy, 2006, 26, 1307-1313.	2.6	61
13	Antihypertensive drug use and the risk of dementia in patients with diabetes mellitus. Alzheimer's and Dementia, 2012, 8, 437-444.	0.8	61
14	Patterns and determinants of antipsychotic prescribing in children and adolescents, 2003–2004. Current Medical Research and Opinion, 2007, 23, 49-56.	1.9	57
15	Off-Label Use of Second-Generation Antipsychotic Agents Among Elderly Nursing Home Residents. Psychiatric Services, 2010, 61, 130-136.	2.0	56
16	Polypharmacy trends in office visits by the elderly in the United States, 1990 and 2000. Research in Social and Administrative Pharmacy, 2005, 1, 446-459.	3.0	55
17	Opioid-Induced Emesis Among Hospitalized Nonsurgical Patients. Journal of Pain and Symptom Management, 1999, 18, 280-288.	1.2	54
18	Clinically important potential drug-drug interactions in outpatient settings. Research in Social and Administrative Pharmacy, 2007, 3, 426-437.	3.0	50

#	Article	IF	Citations
19	Prevalence and Predictors of Antidepressant Prescribing in Nursing Home Residents in the United States. American Journal of Geriatric Pharmacotherapy, 2011, 9, 109-119.	3.0	50
20	Risk factors for dementia in patients over 65 with diabetes. International Journal of Geriatric Psychiatry, 2011, 26, 749-757.	2.7	49
21	U.S. National Trends in the Use of Antipsychotics During Office Visits, 1998–2002. Annals of Clinical Psychiatry, 2005, 17, 147-152.	0.6	48
22	Prevalence and Predictors of Anticholinergic Medication Use in Elderly Nursing Home Residents with Dementia. Drugs and Aging, 2010, 27, 987-997.	2.7	48
23	Application of machine learning in predicting hospital readmissions: a scoping review of the literature. BMC Medical Research Methodology, 2021, 21, 96.	3.1	46
24	Prevalence and predictors of non-evidence based proton pump inhibitor use among elderly nursing home residents in the US. Research in Social and Administrative Pharmacy, 2017, 13, 358-363.	3.0	45
25	A Comparison of Supervised Machine Learning Techniques for Predicting Short-Term In-Hospital Length of Stay among Diabetic Patients. , 2014, , .		44
26	Prevalence and Determinants of Anticholinergic Medication Use in Elderly Dementia Patients. Drugs and Aging, 2013, 30, 837-844.	2.7	42
27	Anticholinergic Medication Use and Risk of Pneumonia in Elderly Adults: A Nested Case–Control Study. Journal of the American Geriatrics Society, 2016, 64, 394-400.	2.6	41
28	Persistence of Stimulants in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. Journal of Child and Adolescent Psychopharmacology, 2012, 22, 139-148.	1.3	36
29	Potentially Inappropriate Anticholinergic Medication Use in Community-Dwelling Older Adults: A National Cross-Sectional Study. Drugs and Aging, 2015, 32, 379-389.	2.7	36
30	The Definition and Prevalence of Pediatric Psychotropic Polypharmacy. Psychiatric Services, 2011, 62, 1450-1455.	2.0	34
31	Risk of Falls and Fractures in Older Adults Using Atypical Antipsychotic Agents: A Propensity Score–Adjusted, Retrospective Cohort Study. American Journal of Geriatric Pharmacotherapy, 2012, 10, 83-94.	3.0	33
32	Prevalence and Predictors of Anticholinergic Agents in Elderly Outpatients with Dementia. American Journal of Geriatric Pharmacotherapy, 2011, 9, 434-441.	3.0	32
33	Pschotropic prescribing for the elderly in office-based practice. Clinical Therapeutics, 1998, 20, 603-616.	2.5	30
34	Hospitalization risk associated with typical and atypical antipsychotic use in community-dwelling elderly patients. American Journal of Geriatric Pharmacotherapy, 2008, 6, 198-204.	3.0	30
35	Risk of Falls and Fractures in Older Adults Using Antipsychotic Agents. Drugs and Aging, 2010, 27, 815-829.	2.7	29
36	Anticholinergic Medication Use and Risk of Fracture in Elderly Adults with Depression. Journal of the American Geriatrics Society, 2016, 64, 1492-1497.	2.6	28

#	Article	IF	CITATIONS
37	The Impact of Medicare Part D on Psychotropic Utilization and Financial Burden for Community-Based Seniors. Psychiatric Services, 2008, 59, 1191-1197.	2.0	27
38	Risk of Death in Dual-eligible Nursing Home Residents Using Typical or Atypical Antipsychotic Agents. Medical Care, 2012, 50, 961-969.	2.4	26
39	Consideration of Aggressive and Strategic Approaches to Address Declining Enrollment in US Pharmacy Schools. American Journal of Pharmaceutical Education, 2019, 83, 6959.	2.1	26
40	Extent of functional impairment in children and adolescents with depression. Current Medical Research and Opinion, 2010, 26, 2057-2064.	1.9	25
41	Care Provision and Prescribing Practices of Physicians Treating Children and Adolescents With ADHD. Psychiatric Services, 2017, 68, 681-688.	2.0	25
42	Discharge medication complexity and 30-day heart failure readmissions. Research in Social and Administrative Pharmacy, 2017, 13, 857-863.	3.0	25
43	Comparative Risk of Cerebrovascular Adverse Events in Community-Dwelling Older Adults using Risperidone, Olanzapine and Quetiapine. Drugs and Aging, 2012, 29, 807-817.	2.7	24
44	Potentially inappropriate anticholinergic medication use in older adults with dementia. Journal of the American Pharmacists Association: JAPhA, 2015, 55, 603-612.	1.5	24
45	Anticholinergic Medication Use and Risk of Dementia Among Elderly Nursing Home Residents with Depression. American Journal of Geriatric Psychiatry, 2016, 24, 485-495.	1.2	24
46	Risk of Cerebrovascular Adverse Events in Older Adults Using Antipsychotic Agents. Journal of Clinical Psychiatry, 2010, 71, 689-698.	2.2	23
47	Development and Validation of the RxDx-Dementia Risk Index to Predict Dementia inÂPatients with Type 2 Diabetes andÂHypertension. Journal of Alzheimer's Disease, 2015, 49, 423-432.	2.6	23
48	Determinants of atypical antipsychotic use among antipsychotic users in community-dwelling elderly, 1996–2004. Current Medical Research and Opinion, 2008, 24, 709-716.	1.9	22
49	Concurrent Use of Stimulants and Second-Generation Antipsychotics Among Children With ADHD Enrolled in Medicaid. Psychiatric Services, 2015, 66, 404-410.	2.0	22
50	Datapoints: Antipsychotic Prescribing Trends Among Youths, 1997-2002. Psychiatric Services, 2005, 56, 904-904.	2.0	21
51	Risk of Pneumonia in Elderly Nursing Home Residents Using Typical Versus Atypical Antipsychotics. Annals of Pharmacotherapy, 2013, 47, 464-474.	1.9	21
52	Risk of Mortality Associated with Anticholinergic Use in Elderly Nursing Home Residents with Depression. Drugs and Aging, 2017, 34, 691-700.	2.7	21
53	Risk of Serious Cardiac Events in Older Adults Using Antipsychotic Agents. American Journal of Geriatric Pharmacotherapy, 2011, 9, 120-132.	3.0	20
54	Quality of life of patients with Parkinson's disease and neurodegenerative dementia: A nationally representative study. Research in Social and Administrative Pharmacy, 2016, 12, 604-613.	3.0	20

#	Article	IF	CITATIONS
55	Concomitant antipsychotic prescribing in US outpatient settings. Research in Social and Administrative Pharmacy, 2009, 5, 234-241.	3.0	18
56	Risk of Dementia Among Elderly Nursing Home Patients Using Paroxetine and Other Selective Serotonin Reuptake Inhibitors. Psychiatric Services, 2015, 66, 1333-1340.	2.0	18
57	Outcomes associated with <i>Clostridium difficile</i> infection in patients with chronic liver disease. Epidemiology and Infection, 2018, 146, 1101-1105.	2.1	18
58	Application of the nonlinear Blinder-Oaxaca decomposition to study racial/ethnic disparities in antiobesity medication use in the United States. Research in Social and Administrative Pharmacy, 2013, 9, 13-26.	3.0	17
59	Anticholinergic burden and risk of cognitive impairment in elderly nursing home residents with depression. Research in Social and Administrative Pharmacy, 2020, 16, 329-335.	3.0	16
60	Drug-related-injury visits to hospital emergency departments. American Journal of Health-System Pharmacy, 1998, 55, 1158-1161.	1.0	15
61	Comparative effectiveness of individual angiotensin receptor blockers on risk of mortality in patients with chronic heart failure. Pharmacoepidemiology and Drug Safety, 2012, 21, 233-240.	1.9	15
62	Risk factors of psychotropic polypharmacy in the treatment of children and adolescents with psychiatric disorders. Research in Social and Administrative Pharmacy, 2019, 15, 395-403.	3.0	15
63	Visits to Office-Based Physicians in the United States for Medication-Related Morbidity. Journal of the American Pharmacists Association, 1999, 39, 332-337.	0.5	14
64	Attitudinal Dimensions that Determine Pharmacists' Decisions to Support DTCA of Prescription Medication. Drug Information Journal, 2000, 34, 103-114.	0.5	14
65	Antipsychotic Use and Expenditure in the United States. Psychiatric Services, 2006, 57, 1693-1693.	2.0	14
66	Risk of Manic Switch Associated with Antidepressant Therapy in Pediatric Bipolar Depression. Journal of Child and Adolescent Psychopharmacology, 2014, 24, 551-561.	1.3	14
67	Effect of Psychopharmacotherapy on Body Mass Index Among Children and Adolescents with Bipolar Disorders. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 349-358.	1.3	13
68	Risk of Mortality Associated with Non-selective Antimuscarinic medications in Older Adults with Dementia: a Retrospective Study. Journal of General Internal Medicine, 2020, 35, 2084-2093.	2.6	13
69	The utilization of psychopharmacological treatment and medication adherence among Medicaid enrolled children and adolescents with bipolar depression. Journal of Affective Disorders, 2013, 150, 424-429.	4.1	12
70	Comparative Adherence Trajectories of Oral Fingolimod and Injectable Disease Modifying Agents in Multiple Sclerosis. Patient Preference and Adherence, 2020, Volume 14, 2187-2199.	1.8	12
71	Risk of Hospitalization and Use of First- Versus Second-Generation Antipsychotics Among Nursing Home Residents. Psychiatric Services, 2014, 65, 781-788.	2.0	11
72	Use of Statins and Risk of Dementia in Heart Failure: A Retrospective Cohort Study. Drugs and Aging, 2015, 32, 743-754.	2.7	11

#	Article	IF	CITATIONS
73	Antimuscarinic Medication Use in Elderly Patients with Overactive Bladder. Drugs and Aging, 2016, 33, 755-763.	2.7	11
74	The association between geographic access to providers and the treatment quality of pediatric depression. Journal of Affective Disorders, 2019, 253, 162-170.	4.1	11
75	Citicoline and COVID-19-Related Cognitive and Other Neurologic Complications. Brain Sciences, 2022, 12, 59.	2.3	11
76	Comparative effectiveness of monotherapy with mood stabilizers versus second generation (atypical) antipsychotics for the treatment of bipolar disorder in children and adolescents. Pharmacoepidemiology and Drug Safety, 2014, 23, 299-308.	1.9	10
77	Anticholinergic drugs and health-related quality of life in older adults with dementia. Journal of the American Pharmacists Association: JAPhA, 2015, 55, 282-287.	1.5	10
78	Which riskâ€adjustment index performs better in predicting 30â€day mortality? A systematic review and metaâ€analysis. Journal of Evaluation in Clinical Practice, 2015, 21, 292-299.	1.8	10
79	Risk of Cognitive Decline Associated With Paroxetine Use in Elderly Nursing Home Patients With Depression. American Journal of Alzheimer's Disease and Other Dementias, 2016, 31, 678-686.	1.9	10
80	Hypertension management in outpatient visits by diabetic patients. Research in Social and Administrative Pharmacy, 2008, 4, 284-291.	3.0	9
81	Unmet prescription medication need in U.S. children. Journal of the American Pharmacists Association: JAPhA, 2009, 49, 769-776.	1.5	9
82	Risk of Mortality in Elderly Nursing Home Patients with Depression Using Paroxetine. Pharmacotherapy, 2017, 37, 287-296.	2.6	9
83	Reversibility of psychotropic medication induced weight gain among children and adolescents with bipolar disorders. Psychiatry Research, 2019, 276, 151-159.	3.3	9
84	Documentation of asthma control and severity in pediatrics: analysis of national office-based visits. Journal of Asthma, 2020, 57, 205-216.	1.7	9
85	Anticholinergic medications and risk of dementia in older adults: Where are we now?. Expert Opinion on Drug Safety, 2020, 19, 1251-1267.	2.4	9
86	Comparative effectiveness of different angiotensin-converting enzyme inhibitors on the risk of hospitalization in patients with heart failure. Journal of Comparative Effectiveness Research, 2012, 1, 195-206.	1.4	8
87	Prevalence and predictors of human papillomavirus vaccination in adolescent girls. Journal of the American Pharmacists Association: JAPhA, 2012, 52, 52-58.	1.5	8
88	Prevalence of anticholinergic use among older home health patients. Journal of Clinical Nursing, 2013, 22, 285-288.	3.0	8
89	Predictors of Concomitant Use of Antipsychotics and Stimulants and Its Impact on Stimulant Persistence in Pediatric Attention Deficit Hyperactivity Disorder. Journal of Managed Care & Specialty Pharmacy, 2015, 21, 486-498.	0.9	8
90	Use of Angiotensin-Converting Enzyme Inhibitors, Angiotensin Receptor Blockers, and Risk of Dementia in Heart Failure. American Journal of Alzheimer's Disease and Other Dementias, 2016, 31, 395-404.	1.9	8

#	Article	IF	CITATIONS
91	The Impact of Pharmacotherapy on Substance Use in Adolescents With Attention-Deficit/Hyperactivity Disorder: Variations Across Subtypes. Substance Use and Misuse, 2017, 52, 1266-1274.	1.4	8
92	Risk of pneumonia associated with atypical antipsychotic use in nursing home residents with Parkinson's disease. Journal of Psychiatric Research, 2019, 117, 116-121.	3.1	8
93	Racial/ethnic differences in treatment quality among youth with primary care providerâ€initiated versus mental health specialistâ€initiated care for major depressive disorders. Child and Adolescent Mental Health, 2020, 25, 28-35.	3.5	8
94	<p>Use of Atypical Antipsychotics in Long-Term Care Residents with Parkinson's Disease and Comorbid Depression</p> . Drug, Healthcare and Patient Safety, 2020, Volume 12, 23-30.	2.5	8
95	Comparative risk of adverse outcomes associated with nonselective and selective antimuscarinic medications in older adults with dementia and overactive bladder. International Journal of Geriatric Psychiatry, 2021, 36, 684-696.	2.7	8
96	Visits to Hospital Outpatient Departments in the United States Due to Adverse Effects of Medications. Hospital Pharmacy, 2000, 35, 825-831.	1.0	7
97	Datapoints: Antipsychotic Utilization and Expenditure Trends Among Elderly Persons. Psychiatric Services, 2007, 58, 1400-1400.	2.0	7
98	Effect of certain angiotensin-converting enzyme inhibitors on mortality in heart failure: A multiple-propensity analysis. Research in Social and Administrative Pharmacy, 2012, 8, 145-156.	3.0	7
99	Comparative Effectiveness of Second-Generation Antidepressants in Reducing the Risk of Dementia in Elderly Nursing Home Residents with Depression. Pharmacotherapy, 2016, 36, 38-48.	2.6	7
100	Functional Status of Elderly Nursing Home Residents With Parkinson's Disease. Journal of Parkinson's Disease, 2016, 6, 617-624.	2.8	7
101	Cardiovascular Safety of Concomitant Use of Atypical Antipsychotics and Long-Acting Stimulants in Children and Adolescents With ADHD. Journal of Attention Disorders, 2019, 23, 163-172.	2.6	7
102	Marginal Health Care Expenditure Burden Among U.S. Civilian Noninstitutionalized Individuals with Multiple Sclerosis: 2010-2015. Journal of Managed Care & Specialty Pharmacy, 2020, 26, 741-749.	0.9	7
103	Use of disease modifying agents in patients with multiple sclerosis: Analysis of ten years of national data. Research in Social and Administrative Pharmacy, 2020, 16, 1670-1676.	3.0	7
104	Pharmacotherapy with Atomoxetine for US Children and Adolescents. Annals of Clinical Psychiatry, 2007, 19, 175-180.	0.6	6
105	Comparative risk of hip fractures in elderly nursing home patients with depression using paroxetine and other selective serotonin reuptake inhibitors. Journal of Comparative Effectiveness Research, 2016, 5, 461-473.	1.4	6
106	Atypical antipsychotic prescribing in elderly patients with depression. Research in Social and Administrative Pharmacy, 2018, 14, 645-652.	3.0	6
107	Physician Care Coordination and the Use of Psychotropic Polypharmacy in the Management of Pediatric Mental Disorders. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 29-38.	0.9	6
108	Psychotropic Medication Expenditures for Community-Dwelling Elderly Persons. Psychiatric Services, 2003, 54, 739-742.	2.0	5

#	Article	IF	Citations
109	Health care consequences of black-box warnings for antidepressants in the United States and Canada. Research in Social and Administrative Pharmacy, 2010, 6, 78-84.	3.0	5
110	Use of narcotic analgesics associated with increased falls and fractures in elderly patients with osteoarthritis. Evidence-Based Medicine, 2014, 19, 37-38.	0.6	5
111	Racial/ethnic differences in the treatment of adolescent major depressive disorders (MDD) across healthcare providers participating in the medicaid program. Journal of Affective Disorders, 2018, 235, 155-161.	4.1	5
112	Factors Associated with Prescribing Oral Disease Modifying Agents in Multiple Sclerosis: a Real-world Analysis of Electronic Medical Records. Multiple Sclerosis and Related Disorders, 2020, 45, 102334.	2.0	5
113	Risk of Mortality Associated With Atypical Antipsychotic use: A National Cohort Study of Older Adults With Depression and Parkinson's Disease. American Journal of Geriatric Psychiatry, 2020, 28, 1079-1088.	1.2	5
114	Higher Resource Utilization and Costs in Long-Term Nursing Home Residents With Overactive Bladder: A Retrospective Study of Medicare Beneficiaries. Journal of the American Medical Directors Association, 2021, 22, 1300-1306.	2.5	5
115	Antimuscarinic Cascade Across Individual Cholinesterase Inhibitors in Older Adults with Dementia. Drugs and Aging, 2021, 38, 593-602.	2.7	5
116	Opioid Prescribing Among Outpatients with Rheumatoid Arthritis. Pain Medicine, 2021, 22, 2224-2234.	1.9	4
117	The Costs and Healthcare Resource Utilization Associated with Anticholinergic Burden in Long-Stay Nursing Home Residents with Overactive Bladder in the US. PharmacoEconomics - Open, 2021, 5, 727-736.	1.8	4
118	Impact of geographic access to primary care providers on pediatric behavioral health screening. Preventive Medicine, 2021, 153, 106856.	3.4	4
119	Risk of Serious Adverse Events Associated With Individual Cholinesterase Inhibitors Use in Older Adults With Dementia: A Population-Based Cohort Study. Drugs and Aging, 2022, 39, 453-465.	2.7	4
120	Comparative Cognitive Profile of Second-Generation Antidepressants in Elderly Nursing Home Residents With Depression. Annals of Pharmacotherapy, 2016, 50, 96-105.	1.9	3
121	Antimuscarinic use among older adults with dementia and overactive bladder: a Medicare beneficiaries study. Current Medical Research and Opinion, 2021, 37, 1303-1313.	1.9	3
122	Pharmacy Education In Indonesia. Pharmacy Education, 0, 21, 432-442.	0.6	3
123	Prescribing of disease modifying agents in older adults with multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 57, 103308.	2.0	3
124	Datapoints: Psychotropic Drug Use Among Elderly Patients in Home Care in the United States. Psychiatric Services, 2012, 63, 6-6.	2.0	2
125	Antipsychotic Initiation Among Older Dementia Patients Using Cholinesterase Inhibitors: A National Retrospective Cohort Study. Drugs and Aging, 2021, 38, 493-502.	2.7	2
126	Health-related quality of life of patients with multiple sclerosis: Analysis of ten years of national data. Multiple Sclerosis and Related Disorders, 2022, 66, 104019.	2.0	2

#	Article	IF	CITATIONS
127	Path model for analyzing factors associated with salaries of Louisiana hospital pharmacists. American Journal of Health-System Pharmacy, 1996, 53, 1706-1708.	1.0	1
128	Pilot of a patient-centered pharmacy practice model. American Journal of Health-System Pharmacy, 2012, 69, 1860-1861.	1.0	1
129	Asthma Medication Prescribing Practices in Pediatric Office Visits. Clinical Pediatrics, 2019, 58, 395-405.	0.8	1
130	Antimuscarinic Discontinuation in Patients with Overactive Bladder in Nursing Homes: A Retrospective Study of Medicare Beneficiaries. Advances in Therapy, 2020, 37, 3584-3605.	2.9	1
131	Prevalence and Factors Associated with Cumulative Anticholinergic Burden Among Older Long-Stay Nursing Home Residents with Overactive Bladder. Drugs and Aging, 2021, 38, 311-326.	2.7	1
132	Comparative treatment effectiveness of oral fingolimod and conventional injectable diseaseâ€modifying agents in multiple sclerosis. Pharmacotherapy, 2021, 41, 440-450.	2.6	1
133	National surveys to evaluate prescribing practices: Methodological considerations. Research in Social and Administrative Pharmacy, 2021, , .	3.0	1
134	Risk of overactive bladder associated with cholinesterase inhibitors in dementia. Journal of the American Geriatrics Society, 2022, 70, 820-830.	2.6	1
135	FACTORS ASSOCIATED WITH SWITCHING FROM INJECTABLE TO ORAL DISEASE MODIFYING AGENTS AMONG PATIENTS WITH MULTIPLE SCLEROSIS. Multiple Sclerosis and Related Disorders, 2022, 60, 103703.	2.0	1
136	Antipsychotic Use and Risk of Nursing Home Admission Among Dual-Eligible Medicare Beneficiaries: A Propensity-Matched Study. Drugs - Real World Outcomes, 2015, 2, 61-71.	1.6	0
137	FRAX tool underestimates the risk of osteoporotic fractures in mental disorders. Evidence-Based Mental Health, 2018, 21, 80-80.	4.5	0
138	Acetylcholinesterase Inhibitors: Start Low or Risk Going Slow?. Journal of the American Geriatrics Society, 2018, 66, 1663-1664.	2.6	0
139	Chemoprotective effect of metformin against HR+/HER2- breast cancer among women with type-2 diabetes Journal of Clinical Oncology, 2021, 39, 10518-10518.	1.6	0
140	Factors associated with oral fingolimod use over injectable disease- modifying agent use in multiple sclerosis. Exploratory Research in Clinical and Social Pharmacy, 2021, 2, 100021.	1.0	0
141	The impact of concomitant use of tyrosine kinase inhibitors and proton pump inhibitors on survival in older adults with cancer Journal of Clinical Oncology, 2018, 36, e18732-e18732.	1.6	0
142	Use of national databases and surveys to evaluate prescribing patterns and medication use. , 2022, , 527-539.		0