
## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/828989/publications.pdf Version: 2024-02-01



SVINIA KAAVA

#	Article	IF	CITATIONS
1	Grand challenges in global mental health. Nature, 2011, 475, 27-30.	27.8	1,654
2	Explaining Adherence Success in Sub-Saharan Africa: An Ethnographic Study. PLoS Medicine, 2009, 6, e1000011.	8.4	322
3	Depressive Symptoms Increase Risk of HIV Disease Progression and Mortality Among Women in Tanzania. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 470-477.	2.1	227
4	Predictors of HIV-1 serostatus disclosure: a prospective study among HIV-infected pregnant women in Dar es Salaam, Tanzania. Aids, 2001, 15, 1865-1874.	2.2	219
5	Validity of the Hopkins Symptom Checklist-25 amongst HIV-positive pregnant women in Tanzania. Acta Psychiatrica Scandinavica, 2002, 106, 9-19.	4.5	194
6	Toward an Understanding of Disengagement from HIV Treatment and Care in Sub-Saharan Africa: A Qualitative Study. PLoS Medicine, 2013, 10, e1001369.	8.4	171
7	Packages of Care for Depression in Low- and Middle-Income Countries. PLoS Medicine, 2009, 6, e1000159.	8.4	161
8	Maternal depressive symptoms and early childhood cognitive development: a meta-analysis. Psychological Medicine, 2017, 47, 680-689.	4.5	154
9	Grand Challenges: Improving HIV Treatment Outcomes by Integrating Interventions for Co-Morbid Mental Illness. PLoS Medicine, 2013, 10, e1001447.	8.4	94
10	Genetic polymorphism of CYP2D6 and CYP2C19 in East- and Southern African populations including psychiatric patients. European Journal of Clinical Pharmacology, 2001, 57, 11-17.	1.9	81
11	Promoting sexual and reproductive health in early adolescence in South Africa and Tanzania: Development of a theory- and evidence-based intervention programme. Scandinavian Journal of Public Health, 2006, 34, 150-158.	2.3	75
12	Randomized controlled trial evaluating the effect of an interactive group counseling intervention for HIV-positive women on prenatal depression and disclosure of HIV status. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 854-862.	1.2	74
13	Association between intimate partner violence and poor child growth: results from 42 demographic and health surveys. Bulletin of the World Health Organization, 2016, 94, 331-339.	3.3	73
14	Detecting Depressive Disorder With the Hopkins Symptom Checklist-25 in Tanzania. International Journal of Social Psychiatry, 2008, 54, 7-20.	3.1	71
15	Tanzanian Adolescent Boys' Transitions Through Puberty: The Importance of Context. American Journal of Public Health, 2014, 104, 2290-2297.	2.7	69
16	Management of somatic presentations of psychiatric illness in general medical settings: evaluation of a new training course for general practitioners. Medical Education, 1992, 26, 138-144.	2.1	68
17	Prevalence of depression and anxiety disorders in HIV-positive outpatients in rural Tanzania. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 415-419.	1.2	68
18	Dynamics of Parent–Adolescent Communication on Sexual Health and HIV/AIDS in Tanzania. AIDS and Behavior, 2014, 18, 69-74.	2.7	61

#	Article	IF	CITATIONS
19	Sociodemographic variations in communication on sexuality and HIV/AIDS with parents, family members and teachers among in-school adolescents: A multi-site study in Tanzania and South Africa. Scandinavian Journal of Public Health, 2009, 37, 65-74.	2.3	57
20	How Treatment Partners Help: Social Analysis of an African Adherence Support Intervention. AIDS and Behavior, 2012, 16, 1308-1315.	2.7	54
21	Socio-economic and partner relationship factors associated with antenatal depressive morbidity among pregnant women in. Tanzania Health Research Bulletin, 2010, 12, 23-35.	0.5	53
22	Correlates of intention to use condoms among Sub-Saharan African youth: The applicability of the the theory of planned behaviour. Scandinavian Journal of Public Health, 2009, 37, 87-91.	2.3	52
23	Factors associated with depressive symptoms and suicidal ideation and behaviours amongst subâ€Saharan African adolescents aged 10â€19 years: crossâ€sectional study. Tropical Medicine and International Health, 2020, 25, 54-69.	2.3	51
24	Schoolâ€based sexual health interventions in subâ€Saharan Africa: A review. Social Dynamics, 2002, 28, 64-88.	0.5	48
25	Effects of the SATZ teacher-led school HIV prevention programmes on adolescent sexual behaviour: cluster randomised controlled trials in three sub-Saharan African sites. International Health, 2012, 4, 111-122.	2.0	47
26	Genetic Polymorphism of Cytochrome P450 1A1 (CYP1A1) and Glutathione Transferases (M1, T1 and P1) among Africans. Clinical Chemistry and Laboratory Medicine, 2002, 40, 952-7.	2.3	46
27	Intimate Partner Violence, Depression, and Child Growth and Development. Pediatrics, 2018, 142, .	2.1	45
28	Parents' and teachers' communication about HIV and sex in relation to the timing of sexual initiation among young adolescents in Tanzania. Scandinavian Journal of Public Health, 2008, 36, 879-888.	2.3	44
29	Cross-cultural adaptation of the Child Depression Inventory for use in Tanzania with children affected by HIV. Vulnerable Children and Youth Studies, 2010, 5, 174-187.	1.1	44
30	Arylamine N-acetyltransferase (NAT2) genotypes in Africans. Pharmacogenetics and Genomics, 2003, 13, 55-58.	5.7	43
31	Social and cognitive variables predicting voluntary HIV counseling and testing among Tanzanian medical students. Patient Education and Counseling, 2009, 75, 135-140.	2.2	43
32	Parental education as an indicator of socioeconomic status: Improving quality of data by requiring consistency across measurement occasions. Scandinavian Journal of Public Health, 2009, 37, 16-27.	2.3	42
33	Cancer and the â€~other' noncommunicable chronic diseases in older people living with HIV/AIDS in resource-limited settings. Aids, 2012, 26, S65-S75.	2.2	38
34	Multivitamin supplementation in HIV-positive pregnant women: impact on depression and quality of life in a resource-poor setting. HIV Medicine, 2007, 8, 203-212.	2.2	36
35	Dating violence among school students in Tanzania and South Africa: Prevalence and socio-demographic variations. Scandinavian Journal of Public Health, 2009, 37, 75-86.	2.3	36
36	Sociocognitive Predictors of Condom Use and Intentions Among Adolescents in Three Sub-Saharan Sites. Archives of Sexual Behavior, 2016, 45, 353-365.	1.9	34

#	Article	IF	CITATIONS
37	Development and test—retest reliability of a research instrument designed to evaluate school-based HIV/AIDS interventions in South Africa and Tanzania. Scandinavian Journal of Public Health, 2009, 37, 7-15.	2.3	31
38	Depression at antiretroviral therapy initiation and clinical outcomes among a cohort of Tanzanian women living with HIV. Aids, 2017, 31, 263-271.	2.2	31
39	Promoting sexual and reproductive health among adolescents in southern and eastern Africa (PREPARE): project design and conceptual framework. BMC Public Health, 2014, 14, 54.	2.9	28
40	"Bend a Fish When the Fish Is Not Yet Dry― Adolescent Boys' Perceptions of Sexual Risk in Tanzania. Archives of Sexual Behavior, 2015, 44, 583-595.	1.9	28
41	The application of Intervention Mapping in developing and implementing school-based sexuality and HIV/AIDS education in a developing country context: The case of Tanzania. Scandinavian Journal of Public Health, 2009, 37, 28-36.	2.3	27
42	Teachers' confidence in teaching HIV/AIDS and sexuality in South African and Tanzanian schools. Scandinavian Journal of Public Health, 2009, 37, 55-64.	2.3	26
43	Boys' and young men's perspectives on violence in Northern Tanzania. Culture, Health and Sexuality, 2013, 15, 695-709.	1.8	26
44	Effect of the PREPARE intervention on sexual initiation and condom use among adolescents aged 12–14: a cluster randomised controlled trial in Dar es Salaam, Tanzania. BMC Public Health, 2017, 17, 322.	2.9	26
45	Acceptance of HIV Testing Among Pregnant Women in Dar-es-Salaam, Tanzania. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 37, 1197-1205.	2.1	25
46	Understanding women's experiences of distress during pregnancy in Dar es Salaam, Tanzania. Tanzania Health Research Bulletin, 2010, 12, 36-46.	0.5	25
47	CLINICAL outcomes and loss to follow-up among people living with HIV participating in the NAMWEZA intervention in Dar es Salaam, Tanzania: a prospective cohort study. AIDS Research and Therapy, 2017, 14, 18.	1.7	25
48	Lifetime economic impact of the burden of childhood stunting attributable to maternal psychosocial risk factors in 137 low/middle-income countries. BMJ Global Health, 2019, 4, e001144.	4.7	25
49	The association between maternal HIV-1 infection and pregnancy outcomes in Dar es Salaam, Tanzania. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 1125-1133.	2.3	24
50	Detecting Depressive Disorder With a 19-Item Local Instrument in Tanzania. International Journal of Social Psychiatry, 2008, 54, 21-33.	3.1	24
51	The prevalence of mental health morbidity and its associated factors among women attending a prenatal clinic in Tanzania. International Journal of Gynecology and Obstetrics, 2015, 130, 261-265.	2.3	24
52	Condom use and sexuality communication with adults: a study among high school students in South Africa and Tanzania. BMC Public Health, 2013, 13, 874.	2.9	23
53	Patient satisfaction with HIV/AIDS care at private clinics in Dar es Salaam, Tanzania. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 1150-1154.	1.2	23
54	Prevalence of Hypertension and Its Associated Risk Factors among 34,111 HAART NaÃ <sup>-</sup> ve HIV-Infected Adults in Dar es Salaam, Tanzania. International Journal of Hypertension, 2016, 2016, 1-9.	1.3	20

#	Article	IF	CITATIONS
55	Harm reduction in Tanzania: An urgent need for multisectoral intervention. International Journal of Drug Policy, 2007, 18, 155-159.	3.3	19
56	Mortality and Treatment Failure among HIV-Infected Adults in Dar Es Salaam, Tanzania. Journal of the International Association of Providers of AIDS Care, 2012, 11, 296-304.	1.2	19
57	Factors Associated with Different Patterns of Nonadherence to HIV Care in Dar es Salaam, Tanzania. Journal of the International Association of Providers of AIDS Care, 2014, 13, 78-84.	1.5	18
58	The influence of alcohol outlet density and advertising on youth drinking in urban Tanzania. Health and Place, 2019, 58, 102141.	3.3	18
59	Agents of change among people living with HIV and their social networks: stepped-wedge randomised controlled trial of the <i>NAMWEZA</i> intervention in Dar es Salaam, Tanzania. BMJ Clobal Health, 2019, 4, e000946.	4.7	18
60	An HIV/AIDS knowledge scale for adolescents: item response theory analyses based on data from a study in South Africa and Tanzania. Health Education Research, 2011, 26, 212-224.	1.9	17
61	Parenting practices and styles associated with adolescent sexual health in Dar es Salaam, Tanzania. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1467-1472.	1.2	16
62	Association of maternal depression and infant nutritional status among women living with <scp>HIV</scp> in <scp>T</scp> anzania. Maternal and Child Nutrition, 2016, 12, 603-613.	3.0	16
63	Comparing patterns of sexual risk among adolescent and young women in a mixed-method study in Tanzania: implications for adolescent participation in HIV prevention trials. Journal of the International AIDS Society, 2014, 17, 19149.	3.0	15
64	Hopefulness Fosters Affective and Cognitive Constructs for Actions to Cope and Enhance Quality of Life among People Living with HIV in Dar Es Salaam, Tanzania. Journal of the International Association of Providers of AIDS Care, 2017, 16, 140-148.	1.5	14
65	Depression and Viral Suppression Among Adults Living with HIV in Tanzania. AIDS and Behavior, 2021, 25, 3097-3105.	2.7	14
66	Adolescents' Communication with Parents, Other Adult Family Members and Teachers on Sexuality: Effects of School-Based Interventions in South Africa and Tanzania. AIDS and Behavior, 2015, 19, 2162-2176.	2.7	13
67	Care for bipolar disorder in LMICs needs evidence from local settings. Lancet Psychiatry,the, 2015, 2, 772-773.	7.4	12
68	Domestic Violence Among Adolescents in HIV Prevention Research in Tanzania: Participant Experiences and Measurement Issues. Maternal and Child Health Journal, 2015, 19, 33-39.	1.5	9
69	Perceived burden and family functioning among informal caregivers of individuals living with schizophrenia in Tanzania: a cross-sectional study. BMC Psychiatry, 2022, 22, 10.	2.6	9
70	Nutritional status among young adolescents attending primary school in Tanzania: contributions of mid-upper arm circumference (MUAC) for adolescent assessment. BMC Public Health, 2019, 19, 1582.	2.9	8
71	How Alcohol, Space, and Time Influence Young People's Sexual Encounters in Tanzania: A Qualitative Analysis. Archives of Sexual Behavior, 2019, 48, 1847-1857.	1.9	7
72	Prevalence and factors associated with intimate partner violence after HIV status disclosure among pregnant women with depression in Tanzania. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 1009-1015.	1.2	7

#	Article	IF	CITATIONS
73	Community perceptions of barriers to management of chronic psychotic disorders and knowledge and attitudes about long-acting injectable antipsychotic medication: qualitative study in Dar es Salaam, Tanzania. BJPsych Open, 2020, 6, e27.	0.7	7
74	From Teenage Unwanted Pregnancy to Induced Abortion: Who Facilitates Links?. International Journal of Adolescence and Youth, 1994, 4, 195-210.	1.8	6
75	Evidence of a substantial decline in prevalence of HIV-1 infection among pregnant women: Data from 1995 to 2003 in Dar es Salaam, Tanzania. Scandinavian Journal of Public Health, 2006, 34, 272-278.	0.6	6
76	Health-care worker engagement in HIV-related quality improvement in Dar es Salaam, Tanzania. International Journal for Quality in Health Care, 2011, 23, 231-238.	1.8	6
77	Improving communication about HIV prevention among people living with HIV and their at-risk social network members in Dar es Salaam, Tanzania. Cogent Medicine, 2019, 6, 1600230.	0.7	6
78	Stress, motivation and professional satisfaction among health care workers in HIV/AIDS care and treatment centers in urban Tanzania: a cross-sectional study. East African Journal of Public Health, 2011, 8, 17-24.	0.3	6
79	Depression and Sexual Trauma Among Adolescent Girls and Young Women in HIV-Prevention Research in Tanzania. Maternal and Child Health Journal, 2020, 24, 620-629.	1.5	5
80	Social and structural determinants of youth alcohol use in Tanzania: The role of gender, social vulnerability and stigma. Global Public Health, 2021, 16, 75-87.	2.0	5
81	Parents, Sons, and Globalization in Tanzania. Boyhood Studies, 2013, 7, 43-63.	0.2	5
82	Correlates of poor medication adherence in chronic psychotic disorders. BJPsych Open, 2021, 7, .	0.7	5
83	Violence and health: implications of the 2030 Agenda for South–North collaboration. International Journal of Public Health, 2016, 61, 861-862.	2.3	4
84	A customized adherence enhancement program combined with long-acting injectable antipsychotic medication (CAE-L) for poorly adherent patients with chronic psychotic disorder in Tanzania: A pilot study methodological report. Heliyon, 2019, 5, e01763.	3.2	4
85	Social Cognition Variables and Victimization as Predictors of Sexual Debut Among Adolescents in South Africa and Tanzania: A Multi-group SEM Analysis. AIDS and Behavior, 2015, 19, 2141-2151.	2.7	3
86	Agents of change: Comparing HIV-related risk behavior of people attending ART clinics in Dar es Salaam with members of their social networks. PLoS ONE, 2020, 15, e0238240.	2.5	3
87	Evaluating spillover of HIV knowledge from study participants to their network members in a stepped-wedge behavioural intervention in Tanzania. BMJ Open, 2020, 10, e033759.	1.9	3
88	Stakeholder acceptability of adolescent participation in clinical trials for biomedical HIV prevention products: considerations from Tanzania and India. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 857-863.	1.2	2
89	HIV Counseling in sub-Saharan Africa. Aids, 1999, 13, 1577-1579.	2.2	2
90	"l didn't know that…―patient perceptions of print information, education, and communication related to HIV/AIDS treatment. Tanzania Health Research Bulletin, 2011, 13, 89-96.	0.5	1

#	Article	IF	CITATIONS
91	Mental health screenings for couples at churches in Nigeria: a strategy for enhancing community-based maternal mental health services in low-resource settings. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 497-499.	3.1	1
92	Alcohol use in Tanzanians with chronic psychotic disorders and poor medication adherence. South African Journal of Psychiatry, 2021, 27, 1570.	0.4	1
93	â€~Most of the Youth Are Drinking Because They Have Nothing to Do': How Idle Time Facilitates Adolescent Alcohol Use in Urban Tanzania. Journal of Child and Adolescent Substance Abuse, 2020, 29, 129-142.	0.5	1
94	An interventional pilot of customized adherence enhancement combined with long-acting injectable antipsychotic medication (CAE-L) for poorly adherent patients with chronic psychotic disorder in Tanzania. BMC Psychiatry, 2022, 22, 62.	2.6	1
95	Getting a Foot in the Door: Adolescent Retention in a Mock HIV Prevention Clinical Trial. AIDS Research and Human Retroviruses, 2014, 30, A136-A136.	1.1	Ο
96	26.3 A CUSTOMIZED ADHERENCE ENHANCEMENT PROGRAM COMBINED WITH LONG-ACTING INJECTABLE ANTIPSYCHOTIC MEDICATION (CAE-L) FOR POORLY ADHERENT PATIENTS WITH CHRONIC PSYCHOTIC DISORDER IN TANZANIA. Schizophrenia Bulletin, 2019, 45, S132-S133.	4.3	0
97	Barriers and Facilitators to Effective Implementation of the NAMWEZA Intervention in Dar es Salaam, Tanzania. Prevention Science, 2021, 22, 940-949.	2.6	0
98	Evaluating spillover of HIV knowledge from study participants to their network members in a stepped-wedge behavioural intervention in Tanzania. BMJ Open, 2020, 10, e033759.	1.9	0