

Pete Driezen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8291725/publications.pdf>

Version: 2024-02-01

75
papers

2,080
citations

257450

24
h-index

265206

42
g-index

75
all docs

75
docs citations

75
times ranked

2159
citing authors

#	ARTICLE	IF	CITATIONS
1	Text and Graphic Warnings on Cigarette Packages. <i>American Journal of Preventive Medicine</i> , 2007, 32, 202-209.	3.0	376
2	Perceived effectiveness of pictorial health warnings among Mexican youth and adults: a population-level intervention with potential to reduce tobacco-related inequities. <i>Cancer Causes and Control</i> , 2012, 23, 57-67.	1.8	130
3	Pictorial Health Warnings on Cigarette Packs in the United States: An Experimental Evaluation of the Proposed FDA Warnings. <i>Nicotine and Tobacco Research</i> , 2013, 15, 93-102.	2.6	107
4	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. <i>Addiction</i> , 2012, 107, 197-205.	3.3	97
5	<i>Web-based Food Behaviour Questionnaire:</i> Validation with Grades Six to Eight Students. <i>Canadian Journal of Dietetic Practice and Research</i> , 2009, 70, 172-178.	0.6	81
6	Changes in Effectiveness of Cigarette Health Warnings Over Time in Canada and the United States, 2002â€“2011. <i>Nicotine and Tobacco Research</i> , 2014, 16, 536-543.	2.6	72
7	Prevalence of awareness, everâ€“use and current use of nicotine vaping products (NVPs) among adult current smokers and exâ€“smokers in 14 countries with differing regulations on sales and marketing of NVPs: crossâ€“sectional findings from the ITC Project. <i>Addiction</i> , 2019, 114, 1060-1073.	3.3	66
8	Prevalence and Patterns of Tobacco Use in Bangladesh from 2009 to 2012: Evidence from International Tobacco Control (ITC) Study. <i>PLoS ONE</i> , 2015, 10, e0141135.	2.5	60
9	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2017, 19, 258-263.	2.6	51
10	Smokersâ€™ cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. <i>PLoS ONE</i> , 2021, 16, e0252427.	2.5	48
11	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. <i>Addiction</i> , 2008, 103, 1696-1703.	3.3	46
12	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. <i>Addictive Behaviors</i> , 2020, 106, 106337.	3.0	43
13	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013â€“14 baseline wave 1 of the path study. <i>Addictive Behaviors</i> , 2019, 91, 180-187.	3.0	40
14	Correlates of exposure to secondhand smoke (SHS) at home among non-smoking adults in Bangladesh: findings from the ITC Bangladesh survey. <i>BMC Pulmonary Medicine</i> , 2014, 14, 117.	2.0	38
15	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. <i>Nicotine and Tobacco Research</i> , 2019, 21, 887-895.	2.6	36
16	Cigarette tax avoidance and evasion: findings from the International Tobacco Control Policy Evaluation (ITC) Project. <i>Tobacco Control</i> , 2014, 23, i13-i22.	3.2	35
17	Evaluating the Effectiveness of Franceâ€™s Indoor Smoke-Free Law 1 Year and 5 Years after Implementation: Findings from the ITC France Survey. <i>PLoS ONE</i> , 2013, 8, e66692.	2.5	32
18	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>International Journal of Drug Policy</i> , 2020, 79, 102754.	3.3	31

#	ARTICLE	IF	CITATIONS
19	Socioeconomic Differences in Exposure to Tobacco Smoke Pollution (TSP) in Bangladeshi Households with Children: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 842-860.	2.6	30
20	The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. <i>Tobacco Control</i> , 2016, 25, tobaccocontrol-2014-051742.	3.2	29
21	Determinants of intentions to quit smoking among adult smokers in Bangladesh: findings from the International Tobacco Control (ITC) Bangladesh wave 2 survey. <i>Global Health Research and Policy</i> , 2016, 1, 11.	3.6	29
22	Using Cognitive Interviewing and Behavioral Coding to Determine Measurement Equivalence across Linguistic and Cultural Groups. <i>Field Methods</i> , 2011, 23, 439-460.	0.8	28
23	Smokers' support for tobacco endgame measures in Canada: findings from the 2016 International Tobacco Control Smoking and Vaping Survey. <i>CMAJ Open</i> , 2018, 6, E412-E422.	2.4	28
24	Determinants of Diet Quality Among Canadian Adolescents. <i>Canadian Journal of Dietetic Practice and Research</i> , 2009, 70, 58-65.	0.6	27
25	Socioeconomic patterns of smoking cessation behavior in low and middle-income countries: Emerging evidence from the Global Adult Tobacco Surveys and International Tobacco Control Surveys. <i>PLoS ONE</i> , 2019, 14, e0220223.	2.5	27
26	Trend in the affordability of tobacco products in Bangladesh: findings from the ITC Bangladesh Surveys. <i>Tobacco Control</i> , 2019, 28, s20-s30.	3.2	26
27	Predictors of smoking cessation behavior among Bangladeshi adults: findings from ITC Bangladesh survey. <i>Tobacco Induced Diseases</i> , 2015, 13, 23.	0.6	25
28	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. <i>European Journal of Public Health</i> , 2016, 26, 693-699.	0.3	25
29	The use of cessation assistance among smokers from China: Findings from the ITC China Survey. <i>BMC Public Health</i> , 2011, 11, 75.	2.9	23
30	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii4-iii9.	0.3	21
31	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	3.3	19
32	Retail availability and legal purchases of dried flower in Canada post-legalization. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108794.	3.2	19
33	The lower effectiveness of text-only health warnings in China compared to pictorial warnings in Malaysia: findings from the ITC project. <i>Tobacco Control</i> , 2015, 24 Suppl 4, tobaccocontrol-2015-052616.	3.2	18
34	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii78-iii83.	0.3	18
35	Increasing Cannabis Use Is Associated With Poorer Cigarette Smoking Cessation Outcomes: Findings From the ITC Four Country Smoking and Vaping Surveys, 2016-2018. <i>Nicotine and Tobacco Research</i> , 2022, 24, 53-59.	2.6	18
36	Patterns and Predictors of Smokeless Tobacco Use among Adults in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>PLoS ONE</i> , 2014, 9, e101934.	2.5	15

#	ARTICLE	IF	CITATIONS
37	Awareness of Tobacco-Related Health Harms among Vulnerable Populations in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 848.	2.6	14
38	The prevalence of brand switching among adult smokers in the USA, 2006–2011: findings from the ITC US surveys. <i>Tobacco Control</i> , 2015, 24, 609-615.	3.2	13
39	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii91-iii97.	0.3	13
40	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>Tobacco Prevention and Cessation</i> , 2019, 5, 49.	0.4	12
41	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.3	11
42	Transitions in frequency of hookah smoking among youth and adults: findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study, 2013–15. <i>Addiction</i> , 2021, 116, 936-948.	3.3	11
43	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6263.	2.6	10
44	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii26-iii33.	0.3	10
45	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii34-iii37.	0.3	10
46	Awareness and Use of E-cigarettes and Vaping Behaviors among Korean Adult Smokers: ITC 2016 Korean Study. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2018, 9, S11-S21.	0.3	10
47	Do provincial policies banning smoking in cars when children are present impact youth exposure to secondhand smoke in cars?. <i>Preventive Medicine</i> , 2015, 78, 59-64.	3.4	9
48	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	2.6	9
49	Differences in self-reported cannabis prices across purchase source and quantity purchased among Canadians. <i>Addiction Research and Theory</i> , 2020, 28, 474-483.	1.9	9
50	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2023, 32, 153-162.	3.2	9
51	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	3.2	8
52	Impact of adding and removing warning label messages from cigarette packages on adult smokers' awareness about the health harms of smoking: findings from the ITC Canada Survey. <i>Tobacco Control</i> , 2019, 28, e56-e63.	3.2	8
53	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A13.	0.6	8
54	Attitudes of Korean smokers towards smoke-free public places: findings from the longitudinal ITC Korea Survey, 2005–2010. <i>BMJ Open</i> , 2019, 9, e025298.	1.9	7

#	ARTICLE	IF	CITATIONS
55	Impact of the Tobacco Products Directive on self-reported exposure to e-cigarette advertising, promotion and sponsorship in smokers' findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii55-iii61.	0.3	7
56	Trends in exposure to and perceptions of e-cigarette marketing among youth in England, Canada and the United States between 2017 and 2019. <i>Health Education Research</i> , 2022, 36, 657-668.	1.9	7
57	Cigarette purchasing behaviour in Thailand and Malaysia: Comparative analysis of a semi-monopolistic and a free-market structure. <i>Global Public Health</i> , 2009, 4, 588-599.	2.0	6
58	Self-Reported Exposure to Secondhand Smoke and Support for Complete Smoking Bans in Multiunit Housing Among Smokers in the United States, Canada, and the United Kingdom. <i>Preventing Chronic Disease</i> , 2020, 17, E147.	3.4	6
59	Beyond the European Union Tobacco Products Directive: smokers'™ and recent quitters'™ support for further tobacco control measures (2016-2018). <i>Tobacco Control</i> , 2022, 31, 765-769.	3.2	6
60	Change of Support for Smoke-Free Area and Perception of Effectiveness of Smoking Ban Policy among Korean Smokers: Findings from the 2010, 2016 International Tobacco Control Policy Evaluation Survey in Korea. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2018, 9, S39-S50.	0.3	6
61	Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016-2018). <i>Tobacco Prevention and Cessation</i> , 2020, 6, 1-10.	0.4	6
62	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii10-iii17.	0.3	5
63	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive' findings from the longitudinal EUREST-PLUS ITC Europe surveys. <i>European Journal of Public Health</i> , 2020, 30, iii84-iii90.	0.3	5
64	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. <i>Nicotine and Tobacco Research</i> , 2022, 24, 85-92.	2.6	5
65	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii18-iii25.	0.3	4
66	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii98-iii107.	0.3	4
67	Who Are More Likely to Have Quit Intentions among Malaysian Adult Smokers? Findings from the 2020 ITC Malaysia Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3035.	2.6	4
68	Contraband Cigarette Purchasing from First Nation reserves in Ontario and Quebec: Findings from the 2002-2014 ITC Canada Survey. <i>International Journal of Drug Policy</i> , 2020, 75, 102612.	3.3	3
69	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii62-iii67.	0.3	3
70	Awareness of Korean Adults Smokers about National Smoking Cessation Program in Korea: Findings from the 2016 International Tobacco Control Policy Evaluation Survey_Korea. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2018, 9, S22-S30.	0.3	3
71	Tobacco Related Knowledge Is Associated with Heaviness of Smoking Index (HSI) and Intention to Quit among Korean Smokers: Findings from 2016 ITC Korea Survey. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2018, 9, S31-S38.	0.3	3
72	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii108-iii112.	0.3	2

#	ARTICLE	IF	CITATIONS
73	Sibship characteristics in a familial sample with genetic susceptibility to schizophrenia. Schizophrenia Research, 2007, 95, 248-249.	2.0	0
74	State-Level Affordability of Factory-Made Cigarettes among Current US Smokers: Findings from the ITC US Survey, 2003â€“2015. International Journal of Environmental Research and Public Health, 2019, 16, 2439.	2.6	0
75	Smokersâ€™ support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe surveys. Open Research Europe, 0, 1, 52.	2.0	0