Gary J. Macfarlane

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8292760/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. Nature, 2008, 452, 633-637.	27.8	1,169
2	EULAR revised recommendations for the management of fibromyalgia. Annals of the Rheumatic Diseases, 2017, 76, 318-328.	0.9	880
3	Outcome of low back pain in general practice: a prospective study. BMJ: British Medical Journal, 1998, 316, 1356-1359.	2.3	590
4	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. Spine, 2008, 33, 95-103.	2.0	537
5	Global prevalence of ankylosing spondylitis. Rheumatology, 2014, 53, 650-657.	1.9	490
6	A meta-analytic investigation of the relationship between the psychological distress of cancer patients and their carers. Social Science and Medicine, 2005, 60, 1-12.	3.8	458
7	Occupational risk factors for shoulder pain: a systematic review. Occupational and Environmental Medicine, 2000, 57, 433-442.	2.8	445
8	Predicting who develops chronic low back pain in primary care: a prospective study. BMJ: British Medical Journal, 1999, 318, 1662-1667.	2.3	413
9	Risk factors for neck pain: a longitudinal study in the general population. Pain, 2001, 93, 317-325.	4.2	366
10	The Prevalence of Fibromyalgia in the General Population: A Comparison of the American College of Rheumatology 1990, 2010, and Modified 2010 Classification Criteria. Arthritis and Rheumatology, 2015, 67, 568-575.	5.6	323
11	Episodes of Low Back Pain. Spine, 2002, 27, 2409-2416.	2.0	301
12	Risk of malignancy among patients with rheumatic conditions. International Journal of Cancer, 2000, 88, 497-502.	5.1	299
13	Features of somatization predict the onset of chronic widespread pain: Results of a large population-based study. Arthritis and Rheumatism, 2001, 44, 940-946.	6.7	297
14	The role of psychosocial factors in predicting the onset of chronic widespread pain: results from a prospective population-based study. Rheumatology, 2006, 46, 666-671.	1.9	296
15	The epidemiology of chronic syndromes that are frequently unexplained: do they have common associated factors?. International Journal of Epidemiology, 2006, 35, 468-476.	1.9	295
16	Low back pain in schoolchildren: occurrence and characteristics. Pain, 2002, 97, 87-92.	4.2	275
17	Patients' preferences within randomised trials: systematic review and patient level meta-analysis. BMJ: British Medical Journal, 2008, 337, a1864-a1864.	2.3	243
18	Predictors of Low Back Pain in British Schoolchildren: A Population-Based Prospective Cohort Study. Pediatrics, 2003, 111, 822-828.	2.1	239

#	Article	IF	CITATIONS
19	Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study. Pain, 2009, 143, 92-96.	4.2	229
20	Epidemiology of low back pain in children and adolescents. Archives of Disease in Childhood, 2005, 90, 312-316.	1.9	222
21	AAPT Diagnostic Criteria for Fibromyalgia. Journal of Pain, 2019, 20, 611-628.	1.4	222
22	Development and validation of a questionnaire to assess disabling foot pain. Pain, 2000, 85, 107-113.	4.2	209
23	Defining chronic pain in epidemiological studies: a systematic review and meta-analysis. Pain, 2017, 158, 2092-2107.	4.2	206
24	Moderation of psychosocial risk factors through dysfunction of the hypothalamic–pituitary–adrenal stress axis in the onset of chronic widespread musculoskeletal pain : Findings of a population-based prospective cohort study. Arthritis and Rheumatism, 2007, 56, 360-371.	6.7	203
25	The association between chronic widespread pain and mental disorder: A population-based study. Arthritis and Rheumatism, 2000, 43, 561.	6.7	197
26	Employment and Physical Work Activities as Predictors of Future Low Back Pain. Spine, 1997, 22, 1143-1149.	2.0	193
27	Role of mechanical and psychosocial factors in the onset of forearm pain: prospective population based. BMJ: British Medical Journal, 2000, 321, 676-676.	2.3	193
28	The Cheshire Foot Pain and Disability Survey: a population survey assessing prevalence and associations. Pain, 2004, 110, 378-384.	4.2	190
29	Low back pain in schoolchildren: the role of mechanical and psychosocial factors. Archives of Disease in Childhood, 2003, 88, 12-17.	1.9	187
30	The Grading of Hallux Valgus. Journal of the American Podiatric Medical Association, 2001, 91, 74-78.	0.3	186
31	Widespread body pain and mortality: prospective population based study Commentary: An interesting finding, but what does it. BMJ: British Medical Journal, 2001, 323, 662-662.	2.3	186
32	The prevalence and associated features of chronic widespread pain in the community using the 'Manchester' definition of chronic widespread pain. British Journal of Rheumatology, 1999, 38, 275-279.	2.3	176
33	The epidemiology of multiple somatic symptoms. Journal of Psychosomatic Research, 2012, 72, 311-317.	2.6	173
34	Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain. Spine, 2007, 32, 1578-1585.	2.0	169
35	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. Nature Genetics, 2016, 48, 1544-1550.	21.4	164
36	Psychosocial Factors in the Workplace-Do They Predict New Episodes of Low Back Pain?. Spine, 1997, 22, 1137-1142.	2.0	163

#	Article	IF	CITATIONS
37	Multiple ADH genes are associated with upper aerodigestive cancers. Nature Genetics, 2008, 40, 707-709.	21.4	161
38	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	3.5	158
39	Life-course influences on health in British adults: effects of socio-economic position in childhood and adulthood. International Journal of Epidemiology, 2007, 36, 532-539.	1.9	157
40	Alcohol, tobacco, diet and the risk of oral cancer: a pooled analysis of three case-control studies. European Journal of Cancer Part B, Oral Oncology, 1995, 31, 181-187.	0.9	155
41	Results of an Epidemiological Survey Using a Modified American Urological Association Symptom Index for Benign Prostatic Hyperplasia in France. Journal of Urology, 1994, 151, 1266-1270.	0.4	153
42	Is musculoskeletal pain more common now than 40 years ago?: two population-based cross-sectional studies. Rheumatology, 2005, 44, 890-895.	1.9	151
43	Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. Arthritis Research and Therapy, 2005, 7, R992.	3.5	149
44	Predictors of early improvement in low back pain amongst consulters to general practice: the influence of pre-morbid and episode-related factors. Pain, 1999, 80, 113-119.	4.2	148
45	Psychosocial risk markers for new onset irritable bowel syndrome – Results of a large prospective population-based study. Pain, 2008, 137, 147-155.	4.2	148
46	Poor sleep and depression are independently associated with a reduced pain threshold. Results of a population based study. Pain, 2005, 115, 316-321.	4.2	147
47	The association between tender points, psychological distress, and adverse childhood experiences: A community-based study. Arthritis and Rheumatism, 1999, 42, 1397-1404.	6.7	145
48	Evaluation of work-related psychosocial factors and regional musculoskeletal pain: results from a EULAR Task Force. Annals of the Rheumatic Diseases, 2009, 68, 885-891.	0.9	145
49	Restorative sleep predicts the resolution of chronic widespread pain: results from the EPIFUND study. Rheumatology, 2008, 47, 1809-1813.	1.9	142
50	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein–Barr Virus Status–Defined Subgroups. Journal of the National Cancer Institute, 2012, 104, 240-253.	6.3	141
51	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. Oral Oncology, 2011, 47, 725-731.	1.5	140
52	Mechanical and psychosocial factors predict new onset shoulder pain: a prospective cohort study of newly employed workers. Occupational and Environmental Medicine, 2003, 60, 850-857.	2.8	139
53	Risk factors for persistent chronic widespread pain: a community-based study. British Journal of Rheumatology, 2001, 40, 95-101.	2.3	136
54	Chronic widespread pain in the population: a seven year follow up study. Annals of the Rheumatic Diseases, 2002, 61, 1071-1074.	0.9	135

#	Article	IF	CITATIONS
55	Rising trends of oral cancer mortality among males worldwide: the return of an old public health problem. Cancer Causes and Control, 1994, 5, 259-265.	1.8	134
56	Risk factors for new-onset low back pain amongst cohorts of newly employed workers. British Journal of Rheumatology, 2003, 42, 959-968.	2.3	133
57	Epidemiology of back pain in older adults: prevalence and risk factors for back pain onset. Rheumatology, 2011, 50, 1645-1653.	1.9	129
58	EULAR recommendations for cardiovascular risk management in rheumatic and musculoskeletal diseases, including systemic lupus erythematosus and antiphospholipid syndrome. Annals of the Rheumatic Diseases, 2022, 81, 768-779.	0.9	128
59	Short-Term Physical Risk Factors for New Episodes of Low Back Pain. Spine, 1999, 24, 1556.	2.0	125
60	Risk factors for onset of chronic oro-facial pain – Results of the North Cheshire oro-facial pain prospective population study. Pain, 2010, 149, 354-359.	4.2	124
61	The prevalence and management of low back pain across adulthood: Results from a population-based cross-sectional study (the MUSICIAN study). Pain, 2012, 153, 27-32.	4.2	122
62	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. Cancer Causes and Control, 2012, 23, 69-88.	1.8	116
63	Current evidence of methotrexate efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach. Rheumatology, 2013, 52, 825-831.	1.9	116
64	Persons with chronic widespread pain experience excess mortality: longitudinal results from UK Biobank and meta-analysis. Annals of the Rheumatic Diseases, 2017, 76, 1815-1822.	0.9	116
65	Musculoskeletal pain is associated with a long-term increased risk of cancer and cardiovascular-related mortality. Rheumatology, 2008, 48, 74-77.	1.9	115
66	Predicting radiographic hip osteoarthritis from range of movement. Rheumatology, 2001, 40, 506-512.	1.9	114
67	Effects of psychosocial and individual psychological factors on the onset of musculoskeletal pain: common and site-specific effects. Annals of the Rheumatic Diseases, 2003, 62, 755-760.	0.9	113
68	The relationship between sexual life and urinary condition in the French community. Journal of Clinical Epidemiology, 1996, 49, 1171-1176.	5.0	112
69	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the Sp15.2 region. Annals of the Rheumatic Diseases, 2013, 72, 427-436.	0.9	112
70	The influence of socioeconomic status on the reporting of regional and widespread musculoskeletal pain: results from the 1958 British Birth Cohort Study. Annals of the Rheumatic Diseases, 2009, 68, 1591-1595.	0.9	111
71	More pain, more tender points: is fibromyalgia just one end of a continuous spectrum?. Annals of the Rheumatic Diseases, 1996, 55, 482-485.	0.9	110
72	Vitamin D and chronic widespread pain in a white middle-aged British population: evidence from a cross-sectional population survey. Annals of the Rheumatic Diseases, 2009, 68, 817-822.	0.9	108

#	Article	IF	CITATIONS
73	Impact of Symptoms of Prostatism on Level of Bother and Quality of Life of Men in the French Community. Journal of Urology, 1995, 153, 669-673.	0.4	106
74	Cerebral emboli as a potential cause of Alzheimer's disease and vascular dementia: casecontrol study. BMJ: British Medical Journal, 2006, 332, 1119-1124.	2.3	106
75	Cognitive Behavior Therapy, Exercise, or Both for Treating Chronic Widespread Pain. Archives of Internal Medicine, 2012, 172, 48.	3.8	106
76	Temporal change in diagnostic criteria as a cause of the increase of malignant melanoma over time is unlikely. International Journal of Cancer, 1991, 47, 483-490.	5.1	104
77	The contribution of psychosocial factors to the development of chronic pain: The key to better outcomes for patients?. Pain, 2007, 129, 8-11.	4.2	104
78	Insecure attachment style is associated with chronic widespread pain. Pain, 2009, 143, 200-205.	4.2	102
79	Oral cancer in Scotland: changing incidence and mortality BMJ: British Medical Journal, 1992, 305, 1121-1123.	2.3	101
80	Risk factors for development of non-specific musculoskeletal pain in preteens and early adolescents: a prospective 1-year follow-up study. BMC Musculoskeletal Disorders, 2007, 8, 46.	1.9	100
81	Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study. Pain, 2008, 138, 681-687.	4.2	100
82	Current Evidence of Anti–Tumor Necrosis Factor α Treatment Efficacy in Childhood Chronic Uveitis: A Systematic Review and Metaâ€Analysis Approach of Individual Drugs. Arthritis Care and Research, 2014, 66, 1073-1084.	3.4	98
83	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study. Oral Oncology, 2014, 50, 616-625.	1.5	98
84	psychological distress and premature mortality in the general Population: a prospective study. Annals of Epidemiology, 2004, 14, 467-472.	1.9	95
85	Epidemiology of pancreas cancer (1988). International Journal of Gastrointestinal Cancer, 1989, 5, 327-46.	0.4	94
86	Mechanical injury and psychosocial factors in the work place predict the onset of widespread body pain: A two-year prospective study among cohorts of newly employed workers. Arthritis and Rheumatism, 2004, 50, 1655-1664.	6.7	94
87	Genetic Associations of 115 Polymorphisms with Cancers of the Upper Aerodigestive Tract across 10 European Countries: The ARCAGE Project. Cancer Research, 2009, 69, 2956-2965.	0.9	94
88	Orofacial pain: just another chronic pain? Results from a population-based survey. Pain, 2002, 99, 453-458.	4.2	91
89	International Comparison of the Community Prevalence of Symptoms of Prostatism in Four Countries. European Urology, 1996, 29, 15-20.	1.9	89
90	Association of widespread body pain with an increased risk of cancer and reduced cancer survival: A prospective, population-based study. Arthritis and Rheumatism, 2003, 48, 1686-1692.	6.7	89

#	Article	IF	CITATIONS
91	Health and exposures of United Kingdom Gulf war veterans. Part II: The relation of health to exposure. Occupational and Environmental Medicine, 2001, 58, 299-306.	2.8	88
92	Genetic variation in the beta2-adrenergic receptor but not catecholamine- O -methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study. Pain, 2010, 149, 143-151.	4.2	88
93	Increasing incidence of oral cancer amongst young persons: what is the aetiology?. Oral Oncology, 2000, 36, 387-389.	1.5	87
94	Evidence for the efficacy of complementary and alternative medicines in the management of rheumatoid arthritis: a systematic review. Rheumatology, 2011, 50, 1672-1683.	1.9	87
95	Premorbid psychosocial factors are associated with poor health-related quality of life in subjects with new onset of chronic widespread pain – Results from the EPIFUND study. Pain, 2009, 141, 119-126.	4.2	86
96	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. Annals of the Rheumatic Diseases, 2010, 69, 1448-1452.	0.9	86
97	Health and exposures of United Kingdom Gulf war veterans. Part I: The pattern and extent of ill health. Occupational and Environmental Medicine, 2001, 58, 291-298.	2.8	82
98	Predictors of persistent neck pain after whiplash injury. Emergency Medicine Journal, 2006, 23, 195-201.	1.0	82
99	Oropharyngeal cancer incidence and mortality in Scotland: are rates still increasing?. Oral Oncology, 2003, 39, 31-36.	1.5	81
100	Does chronic pain predict future psychological distress?. Pain, 2002, 96, 239-245.	4.2	80
101	Modest Association of Joint Hypermobility With Disabling and Limiting Musculoskeletal Pain: Results From a Large‣cale General Population–Based Survey. Arthritis Care and Research, 2013, 65, 1325-1333.	3.4	79
102	Short term influence of mechanical factors on regional musculoskeletal pain: a study of new workers from 12 occupational groups. Occupational and Environmental Medicine, 2001, 58, 374-381.	2.8	78
103	Are common symptoms in childhood associated with chronic widespread body pain in adulthood?: Results from the 1958 british birth cohort study. Arthritis and Rheumatism, 2007, 56, 1669-1675.	6.7	78
104	Occupational factors related to shoulder pain and disability Occupational and Environmental Medicine, 1997, 54, 316-321.	2.8	77
105	Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?. Pain, 2007, 127, 5-10.	4.2	77
106	Physical activity and emotional problems amongst adolescents. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 765-772.	3.1	74
107	The characterisation and determinants of quality of life in ANCA associated vasculitis. Annals of the Rheumatic Diseases, 2014, 73, 207-211.	0.9	74
108	Most patients who reach disease remission following anti-TNF therapy continue to report fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Rheumatology, 2016, 55, 1786-1790.	1.9	74

#	Article	IF	CITATIONS
109	Validity of a self-completed questionnaire measuring the physical demands of work. Scandinavian Journal of Work, Environment and Health, 1998, 24, 376-385.	3.4	74
110	RISING MORTALITY FROM CANCER OF THE TONGUE IN YOUNG SCOTTISH MALES. Lancet, The, 1987, 330, 912.	13.7	72
111	Oesophageal and gastric cancer in Scotland 1960-90. British Journal of Cancer, 1995, 71, 411-415.	6.4	72
112	Predicting the onset of widespread body pain among children. Arthritis and Rheumatism, 2003, 48, 2615-2621.	6.7	72
113	Chronic widespread pain predicts physical inactivity: Results from the prospective EPIFUND study. European Journal of Pain, 2010, 14, 972-979.	2.8	72
114	Evidence for the efficacy of complementary and alternative medicines in the management of osteoarthritis: a systematic review. Rheumatology, 2011, 50, 911-920.	1.9	72
115	Mortality among UK Gulf War veterans. Lancet, The, 2000, 356, 17-21.	13.7	71
116	Analysis of Quantitative Data by Quantiles in Epidemiologic Studies. Epidemiology, 1991, 2, 137-140.	2.7	70
117	The epidemiology of chronic pain. Pain, 2016, 157, 2158-2159.	4.2	70
118	Why is pain more common amongst people living in areas of low socio-economic status? A population-based cross-sectional study. British Dental Journal, 2003, 194, 383-387.	0.6	69
119	Acculturation and the prevalence of pain amongst South Asian minority ethnic groups in the UK. Rheumatology, 2007, 46, 1009-1014.	1.9	69
120	Persistent depressive disorders and social stress in people of Pakistani origin and white Europeans in UK. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 198-207.	3.1	68
121	Socioeconomic factors associated with risk of upper aerodigestive tract cancer in Europe. European Journal of Cancer, 2010, 46, 588-598.	2.8	68
122	International patterns in the occurrence of Hodgkin's disease in children and young adult males. International Journal of Cancer, 1995, 61, 165-169.	5.1	67
123	Genetic and environmental influences on non-specific low back pain in children: a twin study. European Spine Journal, 2008, 17, 502-508.	2.2	67
124	Diet and upper-aerodigestive tract cancer in Europe: The ARCAGE study. International Journal of Cancer, 2009, 124, 2671-2676.	5.1	67
125	Association between pain in the hip region and radiographic changes of osteoarthritis: results from a population-based study. British Journal of Rheumatology, 2005, 44, 337-341.	2.3	66
126	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. British Journal of Cancer, 2020, 123, 1456-1463.	6.4	65

#	Article	IF	CITATIONS
127	Generalized pain, fibromyalgia and regional pain: an epidemiological view. Best Practice and Research in Clinical Rheumatology, 1999, 13, 403-414.	3.3	64
128	Mortality among US and UK veterans of the Persian Gulf War: a review. Occupational and Environmental Medicine, 2002, 59, 794-799.	2.8	64
129	Diet, Lifestyle and Chronic Widespread Pain: Results from the 1958 British Birth Cohort Study. Pain Research and Management, 2011, 16, 87-92.	1.8	63
130	Breast cancer in women with primary biliary cirrhosis BMJ: British Medical Journal, 1985, 291, 1597-1598.	2.3	62
131	Predicting persistent low back pain in schoolchildren: A prospective cohort study. Arthritis and Rheumatism, 2009, 61, 1359-1366.	6.7	62
132	Lifecourse influences on health among British adults: Effects of region of residence in childhood and adulthood. International Journal of Epidemiology, 2007, 36, 522-531.	1.9	61
133	Evidence for the efficacy of complementary and alternative medicines in the management of fibromyalgia: a systematic review. Rheumatology, 2010, 49, 1063-1068.	1.9	61
134	Fatigue: a principal contributor to impaired quality of life in ANCA-associated vasculitis. Rheumatology, 2010, 49, 1383-1390.	1.9	61
135	An excess of widespread pain among South Asians: are low levels of vitamin D implicated?. Annals of the Rheumatic Diseases, 2005, 64, 1217-1219.	0.9	60
136	The association between neighbourhood socioâ€economic status and the onset of chronic widespread pain: Results from the EPIFUND study. European Journal of Pain, 2009, 13, 635-640.	2.8	59
137	Coâ€Occurrence and Characteristics of Patients With Axial Spondyloarthritis Who Meet Criteria for Fibromyalgia. Arthritis and Rheumatology, 2017, 69, 2144-2150.	5.6	59
138	Epidemiology of pain. , 2006, , 1199-1214.		59
139	Genetic variation in the hypothalamic–pituitary–adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. Annals of the Rheumatic Diseases, 2010, 69, 556-560.	0.9	58
140	Patients receiving anti-TNF therapies experience clinically important improvements in RA-related fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Rheumatology, 2015, 54, 964-971.	1.9	58
141	Trends in survival from cancers of the oral cavity and pharynx in Scotland: a clue as to why the disease is becoming more common?. British Journal of Cancer, 1996, 73, 805-808.	6.4	57
142	Psychosocial risk factors for the onset of abdominal pain. Results from a large prospective population-based study. International Journal of Epidemiology, 2002, 31, 1219-1225.	1.9	57
143	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. BMC Musculoskeletal Disorders, 2014, 15, 227.	1.9	56
144	Association of opioid prescribing practices with chronic pain and benzodiazepine co-prescription: a primary care data linkage study. British Journal of Anaesthesia, 2018, 120, 1345-1355.	3.4	56

#	Article	IF	CITATIONS
145	Association Between Measures of Spinal Mobility and Low Back Pain. Spine, 1998, 23, 343-347.	2.0	54
146	Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care. Annals of the Rheumatic Diseases, 2000, 59, 857-863.	0.9	54
147	Development and validation of the Manchester orofacial pain disability scale. Community Dentistry and Oral Epidemiology, 2005, 33, 141-149.	1.9	54
148	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. Arthritis and Rheumatism, 2011, 63, 810-818.	6.7	54
149	Predicting persistent disabling low back pain in general practice: a prospective cohort study. British Journal of General Practice, 2006, 56, 334-41.	1.4	54
150	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. British Journal of Pain, 2015, 9, 203-212.	1.5	53
151	Recent advances in epidemiology of head and neck cancer. Current Opinion in Oncology, 1992, 4, 471-477.	2.4	52
152	Endotoxin: is it an environmental factor in the cause of Parkinson's disease?. Occupational and Environmental Medicine, 2003, 60, 378-378.	2.8	52
153	Is the report of widespread body pain associated with long-term increased mortality? Data from the Mini-Finland Health Survey. Rheumatology, 2007, 46, 805-807.	1.9	52
154	Psychosocial and illness related predictors of consultation rates in primary care – a cohort study. Psychological Medicine, 2004, 34, 719-728.	4.5	51
155	Multiple Somatic Symptoms Predict Impaired Health Status in Functional Somatic Syndromes. International Journal of Behavioral Medicine, 2013, 20, 194-205.	1.7	51
156	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. Pain, 2014, 155, 1605-1612.	4.2	51
157	Sex hormonal factors and chronic widespread pain: a population study among women. British Journal of Rheumatology, 2002, 41, 454-457.	2.3	50
158	The role of workplace low-level mechanical trauma, posture and environment in the onset of chronic widespread pain. British Journal of Rheumatology, 2003, 42, 1486-1494.	2.3	50
159	Active and Involuntary Tobacco Smoking and Upper Aerodigestive Tract Cancer Risks in a Multicenter Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3353-3361.	2.5	50
160	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAGE project: study samples and data collection. European Journal of Cancer Prevention, 2009, 18, 76-84.	1.3	50
161	Genetic variation in neuroendocrine genes associates with somatic symptoms in the general population: Results from the EPIFUND study. Journal of Psychosomatic Research, 2010, 68, 469-474.	2.6	50
162	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: rheumatoid arthritis. Rheumatology, 2012, 51, 1707-1713.	1.9	50

43

#	Article	IF	CITATIONS
163	Predicting OA progression to total hip replacement: can we do better than risk factors alone using active shape modelling as an imaging biomarker?. Rheumatology, 2012, 51, 562-570.	1.9	50
164	Explaining fatigue in ANCA-associated vasculitis. Rheumatology, 2013, 52, 1680-1685.	1.9	50
165	The influence of smoking, age and stage at diagnosis on the survival after larynx, hypopharynx and oral cavity cancers in <scp>E</scp> urope: The <scp>ARCAGE</scp> study. International Journal of Cancer, 2018, 143, 32-44.	5.1	50
166	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. Annals of the Rheumatic Diseases, 2021, 80, 1168-1174.	0.9	49
167	Predicting new onset of widespread pain following a motor vehicle collision. Journal of Rheumatology, 2006, 33, 968-74.	2.0	49
168	Some Statistical Considerations in the Analysis of Case-Control Studies When the Exposure Variables Are Continuous Measurements. Epidemiology, 1994, 5, 164-170.	2.7	48
169	Managing low back pain presenting to primary care: Where do we go from here?. Pain, 2006, 122, 219-222.	4.2	48
170	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a populationâ€based prospective study. Arthritis Care and Research, 2011, 63, 696-701.	3.4	46
171	Determining Pathways to Improvements in Fatigue in Rheumatoid Arthritis: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Arthritis and Rheumatology, 2015, 67, 2303-2310.	5.6	46
172	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. BMC Medicine, 2016, 14, 122.	5.5	46
173	Chronic pelvic pain in women of reproductive and postâ€reproductive age: a populationâ€based study. European Journal of Pain, 2017, 21, 445-455.	2.8	46
174	European school of oncology advisory report to the European Commission for the Europe against cancer programme: Oral carcinogenesis in Europe. European Journal of Cancer Part B, Oral Oncology, 1995, 31, 75-85.	0.9	45
175	Systematic review and meta-analysis of the evidence for flexible sigmoidoscopy as a screening method for the prevention of colorectal cancer. British Journal of Surgery, 2012, 99, 1488-1500.	0.3	45
176	Beliefs about back pain and pain management behaviours, and their associations in the general population: A systematic review. European Journal of Pain, 2019, 23, 15-30.	2.8	45
177	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. Annals of the Rheumatic Diseases, 2016, 75, 847-854.	0.9	44
178	Prognostic factors in thyroid tumours. British Journal of Cancer, 1986, 54, 475-482.	6.4	43
179	No evidence for a role of the <i>catechol-O-methyltransferase</i> pain sensitivity haplotypes in chronic widespread pain. Annals of the Rheumatic Diseases, 2010, 69, 2009-2012.	0.9	43

180 Genomewide Association Study of Acute Anterior Uveitis Identifies New Susceptibility Loci., 2020, 61, 3.

#	Article	IF	CITATIONS
181	Psychosocial risks for low back pain: are these related to work?. Annals of the Rheumatic Diseases, 1998, 57, 500-502.	0.9	42
182	Radiographic change is common in new presenters in primary care with hip pain. Rheumatology, 2000, 39, 772-775.	1.9	42
183	Syndrome of symptomatic adult acetabular dysplasia (SAAD syndrome). Annals of the Rheumatic Diseases, 2003, 62, 356-358.	0.9	42
184	The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAGE study. Cancer Causes and Control, 2010, 21, 2213-2221.	1.8	42
185	Determining factors related to poor quality of life in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS). Annals of the Rheumatic Diseases, 2020, 79, 202-208.	0.9	42
186	Investigating the determinants of international differences in the prevalence of chronic widespread pain: evidence from the European Male Ageing Study. Annals of the Rheumatic Diseases, 2009, 68, 690-695.	0.9	41
187	Chronic Pelvic Pain in Women: An Epidemiological Perspective. Women's Health, 2015, 11, 851-864.	1.5	41
188	Serum IgG antibodies to Helicobacter pylori in patients with recurrent aphthous stomatitis and other oral disorders. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 1997, 83, 325-328.	1.4	40
189	Incidence of cancer among UK Gulf war veterans: cohort study. BMJ: British Medical Journal, 2003, 327, 1373-0.	2.3	40
190	Somatization and Health Anxiety as Predictors of Health Care Use. Psychosomatic Medicine, 2012, 74, 656-664.	2.0	40
191	Occurrence of Raynaud's phenomenon in children ages 12-15 years: Prevalence and association with other common symptoms. Arthritis and Rheumatism, 2003, 48, 3518-3521.	6.7	39
192	Pressure pain thresholds and tender point counts as predictors of new chronic widespread pain in somatising subjects. Annals of the Rheumatic Diseases, 2006, 66, 517-521.	0.9	39
193	The British Society for Rheumatology Biologics Registers in Ankylosing Spondylitis (BSRBR-AS) study: Protocol for a prospective cohort study of the long-term safety and quality of life outcomes of biologic treatment. BMC Musculoskeletal Disorders, 2015, 16, 347.	1.9	39
194	Impact of biological therapy on work outcomes in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS) and meta-analysis. Annals of the Rheumatic Diseases, 2018, 77, 1578-1584.	0.9	39
195	The influence of alcohol consumption on worldwide trends in mortality from upper aerodigestive tract cancers in men Journal of Epidemiology and Community Health, 1996, 50, 636-639.	3.7	38
196	The relationship between body mass index across the life course and knee pain in adulthood: results from the 1958 birth cohort study. Rheumatology, 2011, 50, 2251-2256.	1.9	38
197	Markers for work disability in anti-neutrophil cytoplasmic antibody-associated vasculitis. Rheumatology, 2014, 53, 953-956.	1.9	38
198	Pain amongst ethnic minority groups of South Asian origin in the United Kingdom: a review. Rheumatology, 1999, 38, 1184-1187.	1.9	37

#	Article	IF	CITATIONS
199	Self-Reported Facial Pain in UK Biobank Study: Prevalence and Associated Factors. Journal of Oral & Maxillofacial Research, 2014, 5, e2.	1.0	37
200	Do Genetic Predictors of Pain Sensitivity Associate with Persistent Widespread Pain?. Molecular Pain, 2009, 5, 1744-8069-5-56.	2.1	36
201	Common and unique associated factors for medically unexplained chronic widespread pain and chronic fatigue. Journal of Psychosomatic Research, 2015, 79, 484-491.	2.6	36
202	Physical activity and colon cancer. European Journal of Cancer Prevention, 1994, 3, 393-398.	1.3	35
203	Determining aspects of ethnicity amongst persons of South Asian origin: The use of a surname-classification programme (Nam Pehchan). Public Health, 2007, 121, 231-236.	2.9	35
204	What Characterizes Persons Who Do Not Report Musculoskeletal Pain? Results from a 4-year Population-based Longitudinal Study (The Epifund Study). Journal of Rheumatology, 2009, 36, 1071-1077.	2.0	35
205	The Longitudinal Course of Fatigue in Rheumatoid Arthritis: Results from the Norfolk Arthritis Register. Journal of Rheumatology, 2015, 42, 2059-2065.	2.0	35
206	Evaluating the social determinants of teenage pregnancy: a temporal analysis using a UK obstetric database from 1950 to 2010. Journal of Epidemiology and Community Health, 2015, 69, 49-54.	3.7	35
207	Oral cancer: necessity for prevention strategies. Lancet, The, 1993, 342, 1129.	13.7	34
208	The occurrence of falls among patients with a new episode of hip pain. Annals of the Rheumatic Diseases, 1998, 57, 166-168.	0.9	34
209	Hip pain onset in relation to cumulative workplace and leisure time mechanical load: a population based case-control study. Annals of the Rheumatic Diseases, 2003, 62, 322-326.	0.9	34
210	Maternal and perinatal risk factors for childhood cancer: record linkage study. BMJ Open, 2014, 4, e003656.	1.9	34
211	Interobserver reliability in measuring flexion, internal rotation, and external rotation of the hip using a plurimeter Annals of the Rheumatic Diseases, 1996, 55, 320-323.	0.9	33
212	EULAR recommendations for management of fibromyalgia. Annals of the Rheumatic Diseases, 2017, 76, e54-e54.	0.9	33
213	Targeting rehabilitation to improve outcomes after total knee arthroplasty in patients at risk of poor outcomes: randomised controlled trial. BMJ, The, 2020, 371, m3576.	6.0	33
214	Influence of childhood behaviour on the reporting of chronic widespread pain in adulthood: results from the 1958 British Birth Cohort Study. Rheumatology, 2010, 49, 1882-1888.	1.9	32
215	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: osteoarthritis. Rheumatology, 2012, 51, 2224-2233.	1.9	32
216	Occupation and risk of upper aerodigestive tract cancer: The ARCAGE study. International Journal of Cancer, 2012, 130, 2397-2406.	5.1	32

#	Article	IF	CITATIONS
217	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. International Journal of Epidemiology, 2019, 48, 751-766.	1.9	32
218	The Epidemiology of Oesophageal Cancer in the UK and other European Countries. Journal of the Royal Society of Medicine, 1994, 87, 334-337.	2.0	32
219	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. Annals of the Rheumatic Diseases, 2007, 66, 400-406.	0.9	31
220	Identifying Persons with Axial Spondyloarthritis At Risk of Poor Work Outcome: Results from the British Society for Rheumatology Biologics Register. Journal of Rheumatology, 2019, 46, 145-152.	2.0	31
221	"No one wants to look after the fibro patient― Understanding models, and patient perspectives, of care for fibromyalgia: reviews of current evidence. Pain, 2020, 161, 1716-1725.	4.2	31
222	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. Oral Diseases, 2021, 27, 73-93.	3.0	31
223	Patterns of oral and pharyngeal cancer incidence in New South Wales, Australia. Journal of Oral Pathology and Medicine, 1994, 23, 241-245.	2.7	30
224	Changing trends in incidence of lung cancer by histologic type in Scotland. International Journal of Cancer, 2002, 102, 179-183.	5.1	30
225	Parental pain is not associated with pain in the child: a population based study. Annals of the Rheumatic Diseases, 2004, 63, 1152-1154.	0.9	30
226	THE FREQUENCY OF RESTRICTED RANGE OF MOVEMENT IN INDIVIDUALS WITH SELF-REPORTED SHOULDER PAIN: RESULTS FROM A POPULATION-BASED SURVEY. Rheumatology, 1996, 35, 1137-1141.	1.9	29
227	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Populationâ€Based Study. Arthritis Care and Research, 2015, 67, 1297-1303.	3.4	29
228	Brief Report: Predicting Functional Disability: One‥ear Results From the Scottish Early Rheumatoid Arthritis Inception Cohort. Arthritis and Rheumatology, 2016, 68, 1596-1602.	5.6	29
229	The epidemiology of regular opioid use and its association with mortality: Prospective cohort study of 466 486 UK biobank participants. EClinicalMedicine, 2020, 21, 100321.	7.1	29
230	Oral and pharyngeal cancer incidence in Slovakia 1968–1989. International Journal of Cancer, 1994, 56, 481-486.	5.1	28
231	Second primary cancers following cancers of the kidney and prostate in New South Wales (Australia), 1972?91. Cancer Causes and Control, 1996, 7, 337-344.	1.8	28
232	The prevalence of fibromyalgia in axial spondyloarthritis. Rheumatology International, 2020, 40, 1581-1591.	3.0	28
233	Trends of oral cancer mortality among females worldwide. Cancer Causes and Control, 1994, 5, 255-258.	1.8	27
234	Can one predict the likely specific orofacial pain syndrome from a self-completed questionnaire?. Pain, 2004, 111, 270-277.	4.2	27

#	Article	IF	CITATIONS
235	Do strong opioids have a role in the early management of back pain? Recommendations from a European expert panel. Current Medical Research and Opinion, 2005, 21, 1819-1828.	1.9	27
236	Does switching anti-TNFα biologic agents represent an effective option in childhood chronic uveitis: The evidence from a systematic review and meta-analysis approach. Seminars in Arthritis and Rheumatism, 2014, 44, 39-46.	3.4	27
237	Five Potentially Modifiable Factors Predict Poor Quality of Life in Ankylosing Spondylitis: Results from the Scotland Registry for Ankylosing Spondylitis. Journal of Rheumatology, 2018, 45, 62-69.	2.0	27
238	Recent advances in the etiology and epidemiology of head and neck cancer. Current Opinion in Oncology, 1990, 2, 539-545.	2.4	26
239	Non-anti-TNF biologic modifier drugs in non-infectious refractory chronic uveitis: The current evidence from a systematic review. Seminars in Arthritis and Rheumatism, 2015, 45, 238-250.	3.4	26
240	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. Archives of Osteoporosis, 2016, 11, 1.	2.4	26
241	Disease Severity in Never Smokers, Exâ€Smokers, and Current Smokers With Axial Spondyloarthritis: Results From the Scotland Registry for Ankylosing Spondylitis. Arthritis Care and Research, 2017, 69, 1407-1413.	3.4	26
242	Influence of co-morbid fibromyalgia on disease activity measures and response to tumour necrosis factor inhibitors in axial spondyloarthritis: results from a UK national register. Rheumatology, 2018, 57, 1982-1990.	1.9	26
243	Long-term mortality amongst Gulf War Veterans: is there a relationship with experiences during deployment and subsequent morbidity?. International Journal of Epidemiology, 2005, 34, 1403-1408.	1.9	25
244	Defining hip pain for population studies. Annals of the Rheumatic Diseases, 2005, 64, 95-98.	0.9	25
245	Whether the weather influences pain? Results from the EpiFunD study in North West England. Rheumatology, 2010, 49, 1513-1520.	1.9	25
246	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. RMD Open, 2015, 1, e000026-e000026.	3.8	25
247	Predictors of abdominal pain in schoolchildren: a 4-year population-based prospective study. Archives of Disease in Childhood, 2007, 92, 1094-1098.	1.9	24
248	Unexplained orofacial pain – is an early diagnosis possible?. British Dental Journal, 2008, 205, E6-E6.	0.6	24
249	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. Pain, 2011, 152, 1495-1501.	4.2	24
250	Is there an association between preterm birth or low birthweight and chronic widespread pain? Results from the 1958 <scp>B</scp> irth Cohort Study. European Journal of Pain, 2012, 16, 134-139.	2.8	24
251	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. BMC Musculoskeletal Disorders, 2016, 17, 354.	1.9	24
252	Predicting response to anti-TNFα therapy among patients with axial spondyloarthritis (axSpA): results from BSRBR-AS. Rheumatology, 2020, 59, 2481-2490.	1.9	24

#	Article	IF	CITATIONS
253	The association between change in body mass index and upper aerodigestive tract cancers in the ARCAGE project: Multicenter case–control study. International Journal of Cancer, 2011, 128, 1449-1461.	5.1	23
254	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. Arthritis Care and Research, 2012, 64, 1209-1216.	3.4	23
255	Low back pain among textile workers: a cross-sectional study. Occupational Medicine, 2013, 63, 129-134.	1.4	23
256	Treatment expectations but not preference affect outcome in a trial of CBT and exercise for pain. Canadian Journal of Pain, 2017, 1, 161-170.	1.7	23
257	Relationship between diet and ankylosing spondylitis: A systematic review. European Journal of Rheumatology, 2018, 5, 45-52.	0.6	23
258	Determinants of treatmentâ€seeking behaviour for urinary symptoms in older men. British Journal of Urology, 1995, 76, 714-718.	0.1	21
259	Role of medical history and medication use in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. Annals of Oncology, 2012, 23, 1053-1060.	1.2	21
260	Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis: results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). Rheumatology, 2019, 58, 811-819.	1.9	21
261	Outcomes and treatment responses, including work productivity, among people with axial spondyloarthritis living in urban and rural areas: a mixed-methods study within a national register. Annals of the Rheumatic Diseases, 2020, 79, 1055-1062.	0.9	21
262	Is alcohol consumption related to likelihood of reporting chronic widespread pain in people with stable consumption? Results from UK biobank. Pain, 2016, 157, 2552-2560.	4.2	20
263	Predicting the onset of forearm pain: A prospective study across 12 occupational groups. Arthritis and Rheumatism, 2003, 49, 519-525.	6.7	19
264	Neural correlates of fatigue in granulomatosis with polyangiitis: a functional magnetic resonance imaging study. Rheumatology, 2014, 53, 2080-2087.	1.9	19
265	Are reports of mechanical dysfunction in chronic oroâ€facial pain related to somatisation? A population based study. European Journal of Pain, 2008, 12, 501-507.	2.8	18
266	Differences in the prevalence of ankylosing spondylitis in primary and secondary care: only one-third of patients are managed in rheumatology. Rheumatology, 2016, 55, 1820-1825.	1.9	18
267	The associated features of multiple somatic symptom complexes. Journal of Psychosomatic Research, 2018, 112, 1-8.	2.6	18
268	Retention and response rates in 14 261 PsA patients starting TNF inhibitor treatment—results from 12 countries in EuroSpA. Rheumatology, 2020, 59, 1640-1650.	1.9	18
269	Selfâ€reported pain severity is associated with a history of coronary heart disease. European Journal of Pain, 2015, 19, 167-175.	2.8	17
270	Development and validation of classification criteria for idiopathic orofacial pain for use in population-based studies. Journal of Orofacial Pain, 2007, 21, 203-15.	1.7	17

#	Article	IF	CITATIONS
271	Epidemiological aspects of lip cancer in Scotland. Community Dentistry and Oral Epidemiology, 1993, 21, 279-282.	1.9	16
272	Rheumatoid arthritis and lymphatic cancer. European Journal of Cancer, 1996, 32, 1630-1632.	2.8	16
273	Does physical trauma lead to an increase in the risk of new onset widespread pain?. Annals of the Rheumatic Diseases, 2006, 65, 391-393.	0.9	16
274	Risk of upper aerodigestive tract cancer and type of alcoholic beverage: a European multicenter case–control study. European Journal of Epidemiology, 2012, 27, 499-517.	5.7	16
275	The Non-Synonymous SNP, R1150W, in <i>SCN9A</i> is Not Associated with Chronic Widespread Pain Susceptibility. Molecular Pain, 2012, 8, 1744-8069-8-72.	2.1	16
276	The epidemiology of regional and widespread musculoskeletal pain in rural versus urban settings in those ≥55 years. British Journal of Pain, 2015, 9, 86-95.	1.5	16
277	A possible link between ankylosing spondylitis and periodontitis: a systematic review and meta-analysis. Rheumatology, 2015, 54, 500-510.	1.9	16
278	Development of a clinical risk score for pain and function following total knee arthroplasty: results from the TRIO study. Rheumatology Advances in Practice, 2018, 2, rky021.	0.7	16
279	Life is as much a pain as it ever was. BMJ: British Medical Journal, 2000, 321, 897-897.	2.3	16
280	Predictors of persistent gastrointestinal symptoms among new presenters to primary care. European Journal of Gastroenterology and Hepatology, 2010, 22, 296-305.	1.6	15
281	The relationship between back pain and mortality in older adults varies with disability and gender: <scp>R</scp> esults from the <scp>C</scp> ambridge <scp>C</scp> ity overâ€75s <scp>C</scp> ohort (<scp>CC75C</scp>) study. European Journal of Pain, 2015, 19, 466-472.	2.8	15
282	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure–Effect Analyses Using a Quantitative Job Exposure Matrix. Epidemiology, 2020, 31, 145-154.	2.7	15
283	Changes in the incidence and mortality of testicular cancer in Scotland with particular reference to the outcome of older patients treated for non-seminomatous germ cell tumours. European Journal of Cancer, 1995, 31, 1487-1491.	2.8	14
284	Cross-validation of good versus poor self-reported outcome trajectory types following knee arthroplasty. Osteoarthritis and Cartilage, 2022, 30, 61-68.	1.3	14
285	Life course social mobility and risk of upper aerodigestive tract cancer in men. European Journal of Epidemiology, 2010, 25, 173-182.	5.7	13
286	Epidemiology of chronic pain in children and adolescents: a protocol for a systematic review update. BMJ Open, 2021, 11, e043675.	1.9	13
287	Identification and Validation of Clinically Relevant Clusters of Severe Fatigue in Rheumatoid Arthritis. Psychosomatic Medicine, 2017, 79, 1051-1058.	2.0	13
288	What is the future of epidemiology?. Lancet, The, 2011, 378, 464-465.	13.7	12

#	Article	IF	CITATIONS
289	Targeted rehabilitation to improve outcome after total knee replacement (TRIO): study protocol for a randomised controlled trial. Trials, 2014, 15, 44.	1.6	12
290	Examining Changes in Central and Peripheral Pain as Mediates of Fatigue Improvement: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Arthritis Care and Research, 2016, 68, 922-926.	3.4	12
291	Impact of Moving From a Widespread to Multisite Pain Definition on Other Fibromyalgia Symptoms. Arthritis Care and Research, 2017, 69, 1878-1886.	3.4	12
292	Investigating generalizability of results from a randomized controlled trial of the management of chronic widespread pain: the MUSICIAN study. Pain, 2017, 158, 96-102.	4.2	12
293	Telephone cognitive behavioural therapy to prevent the development of chronic widespread pain: a qualitative study of patient perspectives and treatment acceptability. BMC Musculoskeletal Disorders, 2019, 20, 198.	1.9	12
294	Association between comorbidities and disease activity in axial spondyloarthritis: results from the BSRBR-AS. Rheumatology, 2021, 60, 3189-3198.	1.9	12
295	Identification and prevention of work-related carpal-tunnel syndrome. Lancet, The, 2001, 357, 1146-1147.	13.7	11
296	Childhood experience and health care use in adulthood. British Journal of Psychiatry, 2004, 185, 134-139.	2.8	11
297	Chronic widespread pain and fibromyalgia: Should reports of increased mortality influence management?. Current Rheumatology Reports, 2005, 7, 339-341.	4.7	11
298	Smoking addiction and the risk of upper-aerodigestive-tract cancer in a multicenter case-control study. International Journal of Cancer, 2013, 133, n/a-n/a.	5.1	11
299	Chronic physical illness in early life and risk of chronic widespread and regional pain at age 68: evidence from the 1946 British birth cohort. Pain, 2016, 157, 2382-2389.	4.2	11
300	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. Journal of Pain, 2017, 18, 155-165.	1.4	11
301	Exploring variation in patient access of post-discharge physiotherapy following total hip and knee arthroplasty under a choice based system in the UK: an observational cohort study. BMJ Open, 2019, 9, e021614.	1.9	11
302	Trends in cancer mortality in central European countries. The effect of age, birth cohort and time-period. European Journal of Public Health, 1997, 7, 169-176.	0.3	10
303	Calibration of an item pool for assessing the disability associated with foot pain: an application of item response theory to the Manchester Foot Pain and Disability Index. Physiotherapy, 2007, 93, 89-95.	0.4	10
304	Musculoskeletal healthhow early does it start?. Rheumatology, 2009, 48, 1181-1182.	1.9	10
305	Functioning of the hypothalamic–pituitary–adrenal and growth hormone axes in frequently unexplained disorders: Results of a population study. European Journal of Pain, 2014, 18, 447-454.	2.8	10
306	The Maintaining Musculoskeletal Health (MAmMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. BMC Musculoskeletal Disorders, 2016, 17, 179.	1.9	10

#	Article	IF	CITATIONS
307	AxSpA patients who also meet criteria for fibromyalgia: identifying distinct patient clusters using data from a UK national register (BSRBR-AS). BMC Rheumatology, 2019, 3, 19.	1.6	10
308	What is the effect of alcohol consumption on the risk of chronic widespread pain? A Mendelian randomisation study using UK Biobank. Pain, 2019, 160, 501-507.	4.2	10
309	Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. Annals of the Rheumatic Diseases, 2020, 79, 914-919.	0.9	10
310	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAmMOTH Study). Annals of the Rheumatic Diseases, 2021, 80, 903-911.	0.9	10
311	The effect of COVID-19 public health restrictions on the health of people with musculoskeletal conditions and symptoms: the CONTAIN study. Rheumatology, 2021, 60, SI13-SI24.	1.9	10
312	Epidemiological features of gastric and oesophageal cancers in Slovakia. British Journal of Cancer, 1994, 70, 177-179.	6.4	9
313	Thyroid cancer in Slovakia, 1968–1990. European Journal of Cancer Prevention, 1994, 3, 345-350.	1.3	9
314	Looking back: developments in our understanding of the occurrence, aetiology and prognosis of chronic pain 1954–2004. Rheumatology, 2005, 44, iv23-iv26.	1.9	9
315	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). BMJ Open, 2019, 9, e026793.	1.9	9
316	The descriptive epidemiology of pharyngeal cancer in Scotland. European Journal of Epidemiology, 1993, 9, 587-90.	5.7	8
317	Successful patient recruitment in investigator-led clinical trials. Rheumatology, 2007, 46, 1207-1208.	1.9	8
318	Changing patient perceptions of their illness: Can they contribute to an improved outcome for episodes of musculoskeletal pain?. Pain, 2008, 136, 1-2.	4.2	8
319	Acetylcholinesterase inhibition and Gulf War illnesses: Conclusions are not supported by independent reviews of the same evidence. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, E20.	7.1	8
320	The evidence base for managing older persons with low back pain. British Journal of Pain, 2012, 6, 166-169.	1.5	8
321	Fatigue-related brain white matter changes in granulomatosis with polyangiitis. Rheumatology, 2013, 52, 1429-1434.	1.9	8
322	The effect of an internet option and single-sided printing format to increase the response rate to a population-based study: a randomized controlled trial. BMC Medical Research Methodology, 2014, 14, 104.	3.1	8
323	Comorbidity and response to TNF inhibitors in axial spondyloarthritis: longitudinal analysis of the BSRBR-AS. Rheumatology, 2021, 60, 4158-4165.	1.9	8
324	Onset of neck pain after a motor vehicle accident: a case-control study. Journal of Rheumatology, 2005, 32, 1576-83.	2.0	8

#	Article	IF	CITATIONS
325	Second cancers occurring after cancers of the mouth and pharynx: Data from three population-based registries in Australia, Scotland and Slovenia. European Journal of Cancer Part B, Oral Oncology, 1995, 31, 315-318.	0.9	7
326	DLC1 is unlikely to be a primary target for deletions on chromosome arm 8p22 in head and neck squamous cell carcinoma. Cancer Letters, 2004, 209, 207-213.	7.2	7
327	Pain reporting in older adults: the influence of cognitive impairment – results from the Cambridge City >75 Cohort study. British Journal of Pain, 2014, 8, 119-124.	1.5	7
328	The changing states of fibromyalgia in patients with axial spondyloarthritis: results from the British Society of Rheumatology Biologics Register for Ankylosing Spondylitis. Rheumatology, 2021, 60, 4121-4129.	1.9	7
329	European bio-naÃ⁻ve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. Rheumatology, 2022, 61, 3799-3807.	1.9	7
330	A high tender point count is associated with the presence of multiple idiopathic pain disorders: Results from a population study. European Journal of Pain, 2012, 16, 1195-1203.	2.8	6
331	Maintained physical activity and physiotherapy in the management of distal upper limb pain – a protocol for a randomised controlled trial (the arm pain trial). BMC Musculoskeletal Disorders, 2014, 15, 71.	1.9	6
332	The re-evaluation of the measurement of pain in population-based epidemiological studies: The SHAMA study. British Journal of Pain, 2015, 9, 134-141.	1.5	6
333	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. RMD Open, 2019, 5, e000810.	3.8	6
334	Quantifying and predicting the effect of anti-TNF therapy on axSpA-related fatigue: results from the BSRBR-AS registry and meta-analysis. Rheumatology, 2020, 59, 3408-3414.	1.9	6
335	Association of Rural Setting With Poorer Disease Outcomes for Patients With Rheumatic Diseases: Results From a Systematic Review of the Literature. Arthritis Care and Research, 2021, 73, 666-670.	3.4	6
336	Patients follow three distinct outcome trajectories following total knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 1096-1102.	4.4	6
337	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol. BMJ Open, 2018, 8, e014924.	1.9	6
338	Risk of second malignant neoplasms following female genital tract cancers in New South Wales (Australia), 1972-91. International Journal of Gynecological Cancer, 1996, 6, 362-368.	2.5	5
339	Reproducibility of pain manikins: a comparison of paper versus online questionnaires. British Journal of Pain, 2013, 7, 130-137.	1.5	5
340	Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. Annals of the Rheumatic Diseases, 2019, 78, 1287-1288.	0.9	5
341	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case–control studies within the INHANCE Consortium. Journal of Epidemiology and Community Health, 2021, 75, 779-787.	3.7	5
342	Effects of changes to Data Protection Act. Lancet, The, 2001, 357, 1452.	13.7	4

#	Article	IF	CITATIONS
343	Comment on Hendriks et al.: Prognostic factors for poor recovery in acute whiplash patients. Pain 2005;114:408–416. Pain, 2005, 119, 247-248.	4.2	4
344	World congress of epidemiology. International Journal of Epidemiology, 2011, 40, 3-4.	1.9	4
345	Investigating the role of painâ€modulating pathway genes in musculoskeletal pain. European Journal of Pain, 2013, 17, 28-34.	2.8	4
346	A Novel Method for Generating Continuously Surfable Waves—Comparison of Predictions With Experimental Results. Journal of Offshore Mechanics and Arctic Engineering, 2013, 135, .	1.2	4
347	Illness perceptions and illness behaviours in back pain: A crossâ€sectional cluster analysis. European Journal of Pain, 2021, 25, 1948-1958.	2.8	4
348	What to do about authorship?. British Journal of Pain, 2021, 15, 204946372110230.	1.5	4
349	Distribution of APF gel on tooth surfaces. British Dental Journal, 1985, 159, 82-84.	0.6	4
350	Risk of malignancy among patients with rheumatic conditions. International Journal of Cancer, 2000, 88, 497-502.	5.1	4
351	Research Recommendations Following the Discovery of Pain Sensitizing IgG Autoantibodies in Fibromyalgia Syndrome. Pain Medicine, 2022, 23, 1084-1094.	1.9	4
352	Do Common Symptoms in Childhood Increase the Risk of Chronic Widespread Pain in Adults? Data from the 1958 British Birth Cohort Study. American Journal of Epidemiology, 2006, 163, S14-S14.	3.4	3
353	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. Journal of Rheumatology, 2009, 36, 2523-2530.	2.0	3
354	The prevalence of pain over time: Going up, going down or just staying the same?. Pain, 2010, 151, 11.	4.2	3
355	Alternative population sampling frames produced important differences in estimates of association: a case–control study of vasculitis. Journal of Clinical Epidemiology, 2013, 66, 675-680.	5.0	3
356	Cost-utility of maintained physical activity and physiotherapy in the management of distal arm pain: an economic evaluation of data from a randomized controlled trial. Family Practice, 2019, 36, 179-186.	1.9	3
357	FRI0378â€DOES DRUG EFFECTIVENESS OF 2ND AND 3RD TNF INHIBITORS IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS DEPEND ON THE REASON FROM WITHDRAWAL FROM THE PREVIOUS TREATMENT? – RESULTS FROM THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		3
358	Spontaneous very preterm birth in relation to social class, and smoking: a temporal-spatial analysis of routinely collected data in Aberdeen, Scotland (1985–2010). Journal of Public Health, 2020, 42, 534-541.	1.8	3
359	The role of metrology in axSpA: does it provide unique information in assessing patients and predicting outcome? Results from the BSRBRâ€AS registry. Arthritis Care and Research, 2020, .	3.4	3
360	Perspectives on pain registries. Pain, 2021, Publish Ahead of Print, 2201-2203.	4.2	3

#	Article	IF	CITATIONS
361	Driving difficulties in patients with axial spondyloarthritis: Results from the Scotland Registry for Ankylosing Spondylitis. Arthritis Care and Research, 2021, , .	3.4	3
362	POS0027â€SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES 27189 BIO-NAÃVE AXIAL SPONDYLOARTHRITIS PATIENTS INITIATING TNFI – RESULTS FROM THE EUROSPA COLLABORATION. Annals of the Rheumatic Diseases, 2021, 80, 217-218.	IN 0.9	3
363	Comparing the Impact of Symptoms and Health Care Experiences of People Who Have and Have Not Received a Diagnosis of Fibromyalgia: A <scp>Crossâ€5ectional</scp> Survey Within the <scp>PACFiND</scp> Study. Arthritis Care and Research, 2022, 74, 1894-1902.	3.4	3
364	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol. BMJ Open, 2018, 8, e014924.	1.9	3
365	224. The Natural History of Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. Rheumatology, 2014, 53, i143-i144.	1.9	2
366	Constructs of health belief and disabling distal upper limb pain. Scandinavian Journal of Pain, 2016, 13, 91-97.	1.3	2
367	Differences in longâ€ŧerm physical activity trajectories among individuals with chronic widespread pain: A secondary analysis of a randomized controlled trial. European Journal of Pain, 2019, 23, 1437-1447.	2.8	2
368	Response to Wolfe. Letter to the Editor, "Fibromyalgia Criteria― Journal of Pain, 2019, 20, 741-742.	1.4	2
369	The BSR-PsA: study protocol for the British Society for Rheumatology psoriatic arthritis register. BMC Rheumatology, 2021, 5, 19.	1.6	2
370	Features of somatization predict the onset of chronic widespread pain: Results of a large populationâ€based study. Arthritis and Rheumatism, 2001, 44, 940-946.	6.7	2
371	Somatization and development of chronic widespread pain: Comment on the article by McBeth et al and the editorial by Winfield. Arthritis and Rheumatism, 2002, 46, 1129-1130.	6.7	1
372	Response to Ms. Nielsen's Letter to the Editor of Pain. Pain, 2007, 131, 349.	4.2	1
373	Comment on: Musculoskeletal pain is associated with a long-term increased risk of cancer and cardiovascular-related mortality: reply. Rheumatology, 2008, 48, 595-595.	1.9	1
374	P1-392 The evaluation of a novel general population sampling frame: an online solution for a persisting problem?. Journal of Epidemiology and Community Health, 2011, 65, A175-A176.	3.7	1
375	OP0124â€Contextualising quality of life in ANCA associated vasculitis (AAV). Annals of the Rheumatic Diseases, 2013, 71, 95.1-95.	0.9	1
376	FRIO212â€The relationship between brain white matter changes and fatigue in granulomatosis with polyangiitis (GPA; wegener's). Annals of the Rheumatic Diseases, 2013, 71, 385.3-386.	0.9	1
377	Do genetic factors improve prediction of postherniotomy pain?. Pain, 2015, 156, 1826.	4.2	1
378	OP0262â€FACTORS ASSOCIATED WITH ACUTE ANTERIOR UVEITIS IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS: ANALYSIS OF THE BSRBR-AS REGISTER DATABASE. , 2019, , .		1

#	Article	IF	CITATIONS
379	FRIO4O4â€POOLED 6-MONTH TREATMENT OUTCOMES AND DRUG RETENTION RATES IN 1556 PATIENTS WITH AXIAL SPONDYLOARTHRITIS TREATED WITH SECUKINUMAB IN ROUTINE CLINICAL PRACTICE IN 12 EUROPEAN COUNTRIES IN THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		1
380	OP0109â€CO-MEDICATION WITH A CONVENTIONAL SYNTHETIC DMARD IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS IS ASSOCIATED WITH IMPROVED RETENTION OF TNF INHIBITORS: RESULTS FROM THE EUROSPA COLLABORATION. Annals of the Rheumatic Diseases, 2020, 79, 71-72.	0.9	1
381	Feasibility, acceptability and change in health following a telephone-based cognitive behaviour therapy intervention for patients with axial spondyloarthritis. Rheumatology Advances in Practice, 2021, 5, rkaa063.	0.7	1
382	Generating EQ-5D-5L health utility scores from BASDAI and BASFI: a mapping study in patients with axial spondyloarthritis using longitudinal UK registry data. European Journal of Health Economics, 2022, 23, 1357-1369.	2.8	1
383	Enabling work participation for people with musculoskeletal conditions: lessons from work changes imposed by COVID-19: a mixed-method study. BMJ Open, 2022, 12, e057919.	1.9	1
384	INTERPRETATION AND ANALYSIS OF DIFFERENTIAL EXPOSURE VARIABILITY AND ZERO-EXPOSURE CATEGORIES FOR CONTINUOUS EXPOSURES. Epidemiology, 1995, 6, 335.	2.7	0
385	Risk factors for the onset of abdominal pain in children: A prospective population based study. Gastroenterology, 2003, 124, A18.	1.3	0
386	Generalised estimating equations and low back pain * Authors' reply. Occupational and Environmental Medicine, 2003, 60, 378-a-381.	2.8	0
387	Corrigendum to "Genetic variation in the beta2-adrenergic receptor but not catecholamine- O -methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study― [Pain 149 (2010) 143–151]. Pain, 2010, 150, 210.	4.2	0
388	O4-4.6 Role of medical factors in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. Journal of Epidemiology and Community Health, 2011, 65, A45-A45.	3.7	0
389	Tobacco Addiction and The Risk of Upper Aerodigestive Tract Cancer in A Multicenter Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 560.3-561.	2.5	0
390	Organising a World Congress of Epidemiology (WCE): Reflections and lessons from the XIX WCE, Scotland. Public Health, 2012, 126, 265-270.	2.9	0
391	230. Predictors of Driving Disability in Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. Rheumatology, 2014, 53, i145-i146.	1.9	0
392	OP0122â€Association between Alcohol Consumption and Chronic Widespread Pain: Results from A Population-Based Cross-Sectional Study. Annals of the Rheumatic Diseases, 2014, 73, 107.1-107.	0.9	0
393	PMM.28â€A temporal-spatial assessment of spontaneous very preterm birth in relation to social class from 1950–2010 in Aberdeen, Scotland. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, A132.1-A132.	2.8	0
394	225. Determinants of As-Related Fatigue and the Risks of its Persistence: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. Rheumatology, 2014, 53, i144-i144.	1.9	0
395	FRI0173â€Reduced Hypothalamic-Pituitary-Adrenal Axis Activity in Chronic Widespread Pain: Partly Masked by Depressive and Anxiety Disorders. Annals of the Rheumatic Diseases, 2014, 73, 444.3-444.	0.9	0
396	THU0303â€Biological Stress Systems, Adverse Life Events and the Onset of Chronic Multi-Site Musculoskeletal Pain: A Six-Year Cohort Study: Table 1 Annals of the Rheumatic Diseases, 2015, 74, 305.3-305.	0.9	0

#	Article	IF	CITATIONS
397	THU0311â€Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. Annals of the Rheumatic Diseases, 2015, 74, 308.2-308.	0.9	0
398	Can large but Highly Selected Population Surveys Provide Valid Information on the Descriptive Epidemiology and Associations of Common Health Conditions? An Analysis of UK Biobank Data on Chronic Pain International Journal of Epidemiology, 2015, 44, i144-i144.	1.9	0
399	FRI0450â€Commonalities and differences in data collection across european spondyloarthritis registries. , 2017, , .		0
400	Real-World Health-Related Quality of Life Eq-5d-5l Outcomes In Ankylosing Spondylitis (AS): Analysis of Data From The Uk British Society For Rheumatology Register In Ankylosing Spondylitis (BSRBR-AS) Study. Value in Health, 2017, 20, A538-A539.	0.3	0
401	SPONDYLARTHROPATHIES (INCLUDING PSORIATIC ARTHRITIS)099.â€∱SMOKING EXPOSURE IS ASSOCIATED WITH INCREASED DISEASE SEVERITY IN AXIAL SPONDYLOARTHRITIS: RESULTS FROM THE BRITISH SOCIETY FOR RHEUMATOLOGY BIOLOGICS REGISTER FOR ANKYLOSING SPONDYLITIS. Rheumatology, 2017, 56, .	↓ 1.9	0
402	PO3â€What do people in the general population think about back pain – and does it matter? a systematic review. , 2017, , .		0
403	I85. GAPS IN EVIDENCE AND PRIORITIES FOR RESEARCH IN THE MANAGEMENT OF CHRONIC PAIN CONDITION Rheumatology, 2017, 56, .	S. 1.9	0
404	O01 Do patients with axial spondyloarthritis who meet research criteria for fibromyalgia benefit from biologic therapy?. Rheumatology, 2018, 57, .	1.9	0
405	186â€fQuality of life estimation in economic evaluations and healthcare decision making: different approaches, different results. Results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis (BSRBR-AS). Rheumatology, 2018, 57, .	1.9	0
406	K2 Impact of biologic therapy on work in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis (BSRBR-AS) and meta-analysis. Rheumatology, 2018, 57, .	1.9	0
407	O2O The impact of axial spondyloarthritis on work productivity in individuals living in rural areas: results from the British Society for Rheumatology Biologics Register for Ankylosing Spondylitis (BSRBR-AS). Rheumatology, 2019, 58, .	1.9	0
408	IO49â \in fIdentifying and managing co-morbid fibromyalgia. Rheumatology, 2019, 58, .	1.9	0
409	AB0752â€DRUG RETENTION AND REMISSION RATES IN 14,261 BIOLOGIC-NAÃVE PATIENTS WITH PSORIATIC ARTHRITIS STARTING TNF INHIBITOR TREATMENT IN ROUTINE CARE – RESULTS FROM 12 REGISTRIES IN THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		0
410	OP0233â€THE IMPACT OF EXTRA-ARTICULAR MANIFESTATIONS ON THE CHOICE OF TNF INHIBITOR IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS IN THE BSRBR-AS REGISTER. , 2019, , .	5	0
411	FRI0453â€DOES DISCORDANCE BETWEEN BASELINE PATIENT'S AND EVALUATOR'S GLOBAL ASSESSME DISEASE ACTIVITY IMPACT RETENTION AND REMISSION RATES OF TNF INHIBITORS IN PATIENTS WITH PSORIATIC ARTHRITIS? DATA FROM THE EUROSPA RESEARCH COLLABORATION. , 2019, , .	NT OF	0
412	P244 Determining factors related to poor quality of life in patients with axSpA: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2020, 59, .	1.9	0
413	P246 Predicting non-response to biologic therapy amongst patients with axSpA: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2020, 59, .	1.9	0
414	P257 Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. Rheumatology, 2020, 59, .	1.9	0

#	Article	IF	CITATIONS
415	P201 Therapists' experiences of remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. Rheumatology, 2021, 60, .	1.9	0
416	OO4 Patient engagement with remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. Rheumatology, 2021, 60, .	1.9	0
417	OP0220â€SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES IN 17453 BIONAÃVE PSORIATIC ARTHRITIS PATIENTS INITIATING TNFI – RESULTS FROM THE EUROSPA COLLABORATION. Annals of the Rheumatic Diseases, 2021, 80, 131.2-132.	N 0.9	0
418	Risk factors for the onset of abdominal pain: A prospective population based study. Gastroenterology, 2001, 120, A230-A230.	1.3	0
419	EpidemiologÃa del dolor. , 2007, , 1231-1246.		0
420	AB0044â€Basal Inflammation and Innate Immune Response in Chronic Widespread Pain. Annals of the Rheumatic Diseases, 2014, 73, 818.3-819.	0.9	0
421	THU0317â€Creating a european database of psoriatic arthritis patients treated in routine care – first, preliminary results from the eurospa research network collaboration. , 2018, , .		0
422	OP0085â€THE CHANGING STATES OF FIBROMYALGIA IN A LONGITUDINAL COHORT OF PATIENTS WITH AXIAL SPONDYLOARTHRITIS. Annals of the Rheumatic Diseases, 2020, 79, 56.1-57.	0.9	0
423	OP0284â€AN AGENT-BASED SIMULATION OF THE EFFECTS OF VARYING TIME TO TREATMENT WITH BIOLOGICA AGENTS ON PATIENT HEALTH AND COST IN AXIAL SPONDYLOARTHRITIS USING NATIONAL REGISTER DATA. Annals of the Rheumatic Diseases, 2020, 79, 177.1-177.	۱L 0.9	0
424	Lessons from experiences of accessing healthcare during the pandemic for remobilizing rheumatology services: a national mixed methods study. Rheumatology Advances in Practice, 2022, 6, rkac013.	0.7	0
425	P178 Advising workers with distal arm pain to remain active: a secondary analysis of the ARM trial, a multicentre randomised controlled trial. Rheumatology, 2022, 61, .	1.9	0
426	P262â€∱The occurrence and characteristics of severe pain in patients with axial spondyloarthritis. Rheumatology, 2022, 61, .	1.9	0
427	OA17 The risk of inflammatory bowel disease in patients with axial spondyloarthritis treated with biologic agents: data from the BSR registry in axial spondyloarthritis (BSRBR-AS) and meta-analysis. Rheumatology, 2022, 61, .	1.9	0
428	Remotely delivered cognitive-behavioural and personalized exercise interventions to lessen the impact of fatigue: a qualitative evaluation. Rheumatology Advances in Practice, 2022, 6, .	0.7	0