

Gary J. Macfarlane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8292760/publications.pdf>

Version: 2024-02-01

428
papers

27,137
citations

3933

88
h-index

8866

145
g-index

445
all docs

445
docs citations

445
times ranked

23828
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing the Impact of Symptoms and Health Care Experiences of People Who Have and Have Not Received a Diagnosis of Fibromyalgia: A Cross-Sectional Survey Within the PACFiND Study. Arthritis Care and Research, 2022, 74, 1894-1902.	3.4	3
2	Cross-validation of good versus poor self-reported outcome trajectory types following knee arthroplasty. Osteoarthritis and Cartilage, 2022, 30, 61-68.	1.3	14
3	Research Recommendations Following the Discovery of Pain Sensitizing IgG Autoantibodies in Fibromyalgia Syndrome. Pain Medicine, 2022, 23, 1084-1094.	1.9	4
4	Generating EQ-5D-5L health utility scores from BASDAI and BASFI: a mapping study in patients with axial spondyloarthritis using longitudinal UK registry data. European Journal of Health Economics, 2022, 23, 1357-1369.	2.8	1
5	EULAR recommendations for cardiovascular risk management in rheumatic and musculoskeletal diseases, including systemic lupus erythematosus and antiphospholipid syndrome. Annals of the Rheumatic Diseases, 2022, 81, 768-779.	0.9	128
6	Lessons from experiences of accessing healthcare during the pandemic for remobilizing rheumatology services: a national mixed methods study. Rheumatology Advances in Practice, 2022, 6, rkac013.	0.7	0
7	Enabling work participation for people with musculoskeletal conditions: lessons from work changes imposed by COVID-19: a mixed-method study. BMJ Open, 2022, 12, e057919.	1.9	1
8	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. Rheumatology, 2022, 61, 3799-3807.	1.9	7
9	P178â€fAdvising workers with distal arm pain to remain active: a secondary analysis of the ARM trial, a multicentre randomised controlled trial. Rheumatology, 2022, 61, .	1.9	0
10	P262â€fThe occurrence and characteristics of severe pain in patients with axial spondyloarthritis. Rheumatology, 2022, 61, .	1.9	0
11	OA17â€fThe risk of inflammatory bowel disease in patients with axial spondyloarthritis treated with biologic agents: data from the BSR registry in axial spondyloarthritis (BSRBR-AS) and meta-analysis. Rheumatology, 2022, 61, .	1.9	0
12	Remotely delivered cognitive-behavioural and personalized exercise interventions to lessen the impact of fatigue: a qualitative evaluation. Rheumatology Advances in Practice, 2022, 6, .	0.7	0
13	Association between comorbidities and disease activity in axial spondyloarthritis: results from the BSRBR-AS. Rheumatology, 2021, 60, 3189-3198.	1.9	12
14	Association of Rural Setting With Poorer Disease Outcomes for Patients With Rheumatic Diseases: Results From a Systematic Review of the Literature. Arthritis Care and Research, 2021, 73, 666-670.	3.4	6
15	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. Oral Diseases, 2021, 27, 73-93.	3.0	31
16	The changing states of fibromyalgia in patients with axial spondyloarthritis: results from the British Society of Rheumatology Biologics Register for Ankylosing Spondylitis. Rheumatology, 2021, 60, 4121-4129.	1.9	7
17	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled caseâ€control studies within the INHANCE Consortium. Journal of Epidemiology and Community Health, 2021, 75, 779-787.	3.7	5
18	Perspectives on pain registries. Pain, 2021, Publish Ahead of Print, 2201-2203.	4.2	3

#	ARTICLE	IF	CITATIONS
19	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAMMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 903-911.	0.9	10
20	Epidemiology of chronic pain in children and adolescents: a protocol for a systematic review update. <i>BMJ Open</i> , 2021, 11, e043675.	1.9	13
21	Driving difficulties in patients with axial spondyloarthritis: Results from the Scotland Registry for Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2021, , .	3.4	3
22	P201â€fTherapists' experiences of remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. <i>Rheumatology</i> , 2021, 60, .	1.9	0
23	O04â€fPatient engagement with remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. <i>Rheumatology</i> , 2021, 60, .	1.9	0
24	The effect of COVID-19 public health restrictions on the health of people with musculoskeletal conditions and symptoms: the CONTAIN study. <i>Rheumatology</i> , 2021, 60, SI13-SI24.	1.9	10
25	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1168-1174.	0.9	49
26	OP0220â€...SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES IN 17453 BIONAÂVE PSORIATIC ARTHRITIS PATIENTS INITIATING TNFI â€ RESULTS FROM THE EUROSPA COLLABORATION. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 131.2-132.	0.9	0
27	POS0027â€...SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES IN 27189 BIO-NAÂVE AXIAL SPONDYLOARTHRITIS PATIENTS INITIATING TNFI â€ RESULTS FROM THE EUROSPA COLLABORATION. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 217-218.	0.9	3
28	The BSR-PsA: study protocol for the British Society for Rheumatology psoriatic arthritis register. <i>BMC Rheumatology</i> , 2021, 5, 19.	1.6	2
29	Illness perceptions and illness behaviours in back pain: A crossâ€sectional cluster analysis. <i>European Journal of Pain</i> , 2021, 25, 1948-1958.	2.8	4
30	What to do about . . . authorship?. <i>British Journal of Pain</i> , 2021, 15, 204946372110230.	1.5	4
31	Patients follow three distinct outcome trajectories following total knee arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1096-1102.	4.4	6
32	Comorbidity and response to TNF inhibitors in axial spondyloarthritis: longitudinal analysis of the BSRBR-AS. <i>Rheumatology</i> , 2021, 60, 4158-4165.	1.9	8
33	Feasibility, acceptability and change in health following a telephone-based cognitive behaviour therapy intervention for patients with axial spondyloarthritis. <i>Rheumatology Advances in Practice</i> , 2021, 5, rkaa063.	0.7	1
34	Spontaneous very preterm birth in relation to social class, and smoking: a temporal-spatial analysis of routinely collected data in Aberdeen, Scotland (1985â€2010). <i>Journal of Public Health</i> , 2020, 42, 534-541.	1.8	3
35	Determining factors related to poor quality of life in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS). <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 202-208.	0.9	42
36	Retention and response rates in 14 261 PsA patients starting TNF inhibitor treatmentâ€results from 12 countries in EuroSpA. <i>Rheumatology</i> , 2020, 59, 1640-1650.	1.9	18

#	ARTICLE	IF	CITATIONS
37	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure-Effect Analyses Using a Quantitative Job Exposure Matrix. <i>Epidemiology</i> , 2020, 31, 145-154.	2.7	15
38	P244- Determining factors related to poor quality of life in patients with axSpA: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2020, 59, .	1.9	0
39	P246- Predicting non-response to biologic therapy amongst patients with axSpA: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2020, 59, .	1.9	0
40	Targeting rehabilitation to improve outcomes after total knee arthroplasty in patients at risk of poor outcomes: randomised controlled trial. <i>BMJ</i> , The, 2020, 371, m3576.	6.0	33
41	P257- Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. <i>Rheumatology</i> , 2020, 59, .	1.9	0
42	- No one wants to look after the fibro patient- Understanding models, and patient perspectives, of care for fibromyalgia: reviews of current evidence. <i>Pain</i> , 2020, 161, 1716-1725.	4.2	31
43	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020, 123, 1456-1463.	6.4	65
44	The role of metrology in axSpA: does it provide unique information in assessing patients and predicting outcome? Results from the BSRBR-AS registry. <i>Arthritis Care and Research</i> , 2020, , .	3.4	3
45	Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 914-919.	0.9	10
46	Outcomes and treatment responses, including work productivity, among people with axial spondyloarthritis living in urban and rural areas: a mixed-methods study within a national register. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1055-1062.	0.9	21
47	The prevalence of fibromyalgia in axial spondyloarthritis. <i>Rheumatology International</i> , 2020, 40, 1581-1591.	3.0	28
48	Genomewide Association Study of Acute Anterior Uveitis Identifies New Susceptibility Loci. , 2020, 61, 3.		43
49	The epidemiology of regular opioid use and its association with mortality: Prospective cohort study of 466 486 UK biobank participants. <i>EClinicalMedicine</i> , 2020, 21, 100321.	7.1	29
50	Quantifying and predicting the effect of anti-TNF therapy on axSpA-related fatigue: results from the BSRBR-AS registry and meta-analysis. <i>Rheumatology</i> , 2020, 59, 3408-3414.	1.9	6
51	Predicting response to anti-TNF± therapy among patients with axial spondyloarthritis (axSpA): results from BSRBR-AS. <i>Rheumatology</i> , 2020, 59, 2481-2490.	1.9	24
52	OP0109- CO-MEDICATION WITH A CONVENTIONAL SYNTHETIC DMARD IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS IS ASSOCIATED WITH IMPROVED RETENTION OF TNF INHIBITORS: RESULTS FROM THE EUROSPA COLLABORATION. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 71-72.	0.9	1
53	OP0085- THE CHANGING STATES OF FIBROMYALGIA IN A LONGITUDINAL COHORT OF PATIENTS WITH AXIAL SPONDYLOARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 56.1-57.	0.9	0
54	OP0284- AN AGENT-BASED SIMULATION OF THE EFFECTS OF VARYING TIME TO TREATMENT WITH BIOLOGICAL AGENTS ON PATIENT HEALTH AND COST IN AXIAL SPONDYLOARTHRITIS USING NATIONAL REGISTER DATA. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 177.1-177.	0.9	0

#	ARTICLE	IF	CITATIONS
55	Cost-utility of maintained physical activity and physiotherapy in the management of distal arm pain: an economic evaluation of data from a randomized controlled trial. <i>Family Practice</i> , 2019, 36, 179-186.	1.9	3
56	Beliefs about back pain and pain management behaviours, and their associations in the general population: A systematic review. <i>European Journal of Pain</i> , 2019, 23, 15-30.	2.8	45
57	O20â€fThe impact of axial spondyloarthritis on work productivity in individuals living in rural areas: results from the British Society for Rheumatology Biologics Register for Ankylosing Spondylitis (BSRBR-AS). <i>Rheumatology</i> , 2019, 58, .	1.9	0
58	AxSpA patients who also meet criteria for fibromyalgia: identifying distinct patient clusters using data from a UK national register (BSRBR-AS). <i>BMC Rheumatology</i> , 2019, 3, 19.	1.6	10
59	I049â€fIdentifying and managing co-morbid fibromyalgia. <i>Rheumatology</i> , 2019, 58, .	1.9	0
60	Telephone cognitive behavioural therapy to prevent the development of chronic widespread pain: a qualitative study of patient perspectives and treatment acceptability. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 198.	1.9	12
61	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. <i>RMD Open</i> , 2019, 5, e000810.	3.8	6
62	Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1287-1288.	0.9	5
63	Differences in longâ€term physical activity trajectories among individuals with chronic widespread pain: A secondary analysis of a randomized controlled trial. <i>European Journal of Pain</i> , 2019, 23, 1437-1447.	2.8	2
64	Exploring variation in patient access of post-discharge physiotherapy following total hip and knee arthroplasty under a choice based system in the UK: an observational cohort study. <i>BMJ Open</i> , 2019, 9, e021614.	1.9	11
65	Response to Wolfe. Letter to the Editor, â€œFibromyalgia Criteriaâ€ Journal of Pain, 2019, 20, 741-742.	1.4	2
66	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). <i>BMJ Open</i> , 2019, 9, e026793.	1.9	9
67	OP0262â€...FACTORS ASSOCIATED WITH ACUTE ANTERIOR UVEITIS IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS: ANALYSIS OF THE BSRBR-AS REGISTER DATABASE. , 2019, , .		1
68	FRI0404â€...POOLED 6-MONTH TREATMENT OUTCOMES AND DRUG RETENTION RATES IN 1556 PATIENTS WITH AXIAL SPONDYLOARTHRITIS TREATED WITH SECUKINUMAB IN ROUTINE CLINICAL PRACTICE IN 12 EUROPEAN COUNTRIES IN THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		1
69	AB0752â€...DRUG RETENTION AND REMISSION RATES IN 14,261 BIOLOGIC-NAÏVE PATIENTS WITH PSORIATIC ARTHRITIS STARTING TNF INHIBITOR TREATMENT IN ROUTINE CARE â€ RESULTS FROM 12 REGISTRIES IN THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		0
70	OP0233â€...THE IMPACT OF EXTRA-ARTICULAR MANIFESTATIONS ON THE CHOICE OF TNF INHIBITOR IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS IN THE BSRBR-AS REGISTER. , 2019, , .		0
71	FRI0378â€...DOES DRUG EFFECTIVENESS OF 2ND AND 3RD TNF INHIBITORS IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS DEPEND ON THE REASON FROM WITHDRAWAL FROM THE PREVIOUS TREATMENT? â€ RESULTS FROM THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		3
72	FRI0453â€...DOES DISCORDANCE BETWEEN BASELINE PATIENTâ€™S AND EVALUATORâ€™S GLOBAL ASSESSMENT OF DISEASE ACTIVITY IMPACT RETENTION AND REMISSION RATES OF TNF INHIBITORS IN PATIENTS WITH PSORIATIC ARTHRITIS? DATA FROM THE EUROSPA RESEARCH COLLABORATION. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
73	What is the effect of alcohol consumption on the risk of chronic widespread pain? A Mendelian randomisation study using UK Biobank. <i>Pain</i> , 2019, 160, 501-507.	4.2	10
74	Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis: results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). <i>Rheumatology</i> , 2019, 58, 811-819.	1.9	21
75	AAPT Diagnostic Criteria for Fibromyalgia. <i>Journal of Pain</i> , 2019, 20, 611-628.	1.4	222
76	Identifying Persons with Axial Spondyloarthritis At Risk of Poor Work Outcome: Results from the British Society for Rheumatology Biologics Register. <i>Journal of Rheumatology</i> , 2019, 46, 145-152.	2.0	31
77	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. <i>International Journal of Epidemiology</i> , 2019, 48, 751-766.	1.9	32
78	The influence of smoking, age and stage at diagnosis on the survival after larynx, hypopharynx and oral cavity cancers in Europe: The ARCA study. <i>International Journal of Cancer</i> , 2018, 143, 32-44.	5.1	50
79	Association of opioid prescribing practices with chronic pain and benzodiazepine co-prescription: a primary care data linkage study. <i>British Journal of Anaesthesia</i> , 2018, 120, 1345-1355.	3.4	56
80	Five Potentially Modifiable Factors Predict Poor Quality of Life in Ankylosing Spondylitis: Results from the Scotland Registry for Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2018, 45, 62-69.	2.0	27
81	Do patients with axial spondyloarthritis who meet research criteria for fibromyalgia benefit from biologic therapy?. <i>Rheumatology</i> , 2018, 57, .	1.9	0
82	Relationship between diet and ankylosing spondylitis: A systematic review. <i>European Journal of Rheumatology</i> , 2018, 5, 45-52.	0.6	23
83	Quality of life estimation in economic evaluations and healthcare decision making: different approaches, different results. Results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis (BSRBR-AS). <i>Rheumatology</i> , 2018, 57, .	1.9	0
84	Development of a clinical risk score for pain and function following total knee arthroplasty: results from the TRIO study. <i>Rheumatology Advances in Practice</i> , 2018, 2, rky021.	0.7	16
85	Influence of co-morbid fibromyalgia on disease activity measures and response to tumour necrosis factor inhibitors in axial spondyloarthritis: results from a UK national register. <i>Rheumatology</i> , 2018, 57, 1982-1990.	1.9	26
86	Impact of biological therapy on work outcomes in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS) and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1578-1584.	0.9	39
87	Impact of biologic therapy on work in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis (BSRBR-AS) and meta-analysis. <i>Rheumatology</i> , 2018, 57, .	1.9	0
88	The associated features of multiple somatic symptom complexes. <i>Journal of Psychosomatic Research</i> , 2018, 112, 1-8.	2.6	18
89	Creating a european database of psoriatic arthritis patients treated in routine care – first, preliminary results from the eurospsa research network collaboration. , 2018, , .		0
90	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol. <i>BMJ Open</i> , 2018, 8, e014924.	1.9	3

#	ARTICLE	IF	CITATIONS
91	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol. <i>BMJ Open</i> , 2018, 8, e014924.	1.9	6
92	EULAR revised recommendations for the management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 318-328.	0.9	880
93	Impact of Moving From a Widespread to Multisite Pain Definition on Other Fibromyalgia Symptoms. <i>Arthritis Care and Research</i> , 2017, 69, 1878-1886.	3.4	12
94	EULAR recommendations for management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, e54-e54.	0.9	33
95	Disease Severity in Never Smokers, Ex-Smokers, and Current Smokers With Axial Spondyloarthritis: Results From the Scotland Registry for Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2017, 69, 1407-1413.	3.4	26
96	Co-Occurrence and Characteristics of Patients With Axial Spondyloarthritis Who Meet Criteria for Fibromyalgia. <i>Arthritis and Rheumatology</i> , 2017, 69, 2144-2150.	5.6	59
97	Investigating generalizability of results from a randomized controlled trial of the management of chronic widespread pain: the MUSICIAN study. <i>Pain</i> , 2017, 158, 96-102.	4.2	12
98	FRI0450...Commonalities and differences in data collection across european spondyloarthritis registries. , 2017, , .		0
99	Persons with chronic widespread pain experience excess mortality: longitudinal results from UK Biobank and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1815-1822.	0.9	116
100	Defining chronic pain in epidemiological studies: a systematic review and meta-analysis. <i>Pain</i> , 2017, 158, 2092-2107.	4.2	206
101	Treatment expectations but not preference affect outcome in a trial of CBT and exercise for pain. <i>Canadian Journal of Pain</i> , 2017, 1, 161-170.	1.7	23
102	Real-World Health-Related Quality of Life Eq-5d-5l Outcomes In Ankylosing Spondylitis (AS): Analysis of Data From The Uk British Society For Rheumatology Register In Ankylosing Spondylitis (BSRBR-AS) Study. <i>Value in Health</i> , 2017, 20, A538-A539.	0.3	0
103	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017, 18, 155-165.	1.4	11
104	Chronic pelvic pain in women of reproductive and post-reproductive age: a population-based study. <i>European Journal of Pain</i> , 2017, 21, 445-455.	2.8	46
105	SPONDYLARTHROPATHIES (INCLUDING PSORIATIC ARTHRITIS)099. SMOKING EXPOSURE IS ASSOCIATED WITH INCREASED DISEASE SEVERITY IN AXIAL SPONDYLOARTHRITIS: RESULTS FROM THE BRITISH SOCIETY FOR RHEUMATOLOGY BIOLOGICS REGISTER FOR ANKYLOSING SPONDYLITIS. <i>Rheumatology</i> , 2017, 56, .	1.9	0
106	P03...What do people in the general population think about back pain “ and does it matter? a systematic review. , 2017, , .		0
107	I85. GAPS IN EVIDENCE AND PRIORITIES FOR RESEARCH IN THE MANAGEMENT OF CHRONIC PAIN CONDITIONS. <i>Rheumatology</i> , 2017, 56, .	1.9	0
108	Identification and Validation of Clinically Relevant Clusters of Severe Fatigue in Rheumatoid Arthritis. <i>Psychosomatic Medicine</i> , 2017, 79, 1051-1058.	2.0	13

#	ARTICLE	IF	CITATIONS
109	Differences in the prevalence of ankylosing spondylitis in primary and secondary care: only one-third of patients are managed in rheumatology. <i>Rheumatology</i> , 2016, 55, 1820-1825.	1.9	18
110	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 354.	1.9	24
111	The epidemiology of chronic pain. <i>Pain</i> , 2016, 157, 2158-2159.	4.2	70
112	Constructs of health belief and disabling distal upper limb pain. <i>Scandinavian Journal of Pain</i> , 2016, 13, 91-97.	1.3	2
113	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. <i>Nature Genetics</i> , 2016, 48, 1544-1550.	21.4	164
114	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 122.	5.5	46
115	Chronic physical illness in early life and risk of chronic widespread and regional pain at age 68: evidence from the 1946 British birth cohort. <i>Pain</i> , 2016, 157, 2382-2389.	4.2	11
116	Is alcohol consumption related to likelihood of reporting chronic widespread pain in people with stable consumption? Results from UK biobank. <i>Pain</i> , 2016, 157, 2552-2560.	4.2	20
117	The Maintaining Musculoskeletal Health (MAMMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 179.	1.9	10
118	Most patients who reach disease remission following anti-TNF therapy continue to report fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2016, 55, 1786-1790.	1.9	74
119	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016, 11, 1.	2.4	26
120	Examining Changes in Central and Peripheral Pain as Mediates of Fatigue Improvement: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016, 68, 922-926.	3.4	12
121	Brief Report: Predicting Functional Disability: One-Year Results From the Scottish Early Rheumatoid Arthritis Inception Cohort. <i>Arthritis and Rheumatology</i> , 2016, 68, 1596-1602.	5.6	29
122	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 847-854.	0.9	44
123	Common and unique associated factors for medically unexplained chronic widespread pain and chronic fatigue. <i>Journal of Psychosomatic Research</i> , 2015, 79, 484-491.	2.6	36
124	The British Society for Rheumatology Biologics Registers in Ankylosing Spondylitis (BSRBR-AS) study: Protocol for a prospective cohort study of the long-term safety and quality of life outcomes of biologic treatment. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 347.	1.9	39
125	Self-reported pain severity is associated with a history of coronary heart disease. <i>European Journal of Pain</i> , 2015, 19, 167-175.	2.8	17
126	The epidemiology of regional and widespread musculoskeletal pain in rural versus urban settings in those ≥55 years. <i>British Journal of Pain</i> , 2015, 9, 86-95.	1.5	16

#	ARTICLE	IF	CITATIONS
127	THU0303â€¦Biological Stress Systems, Adverse Life Events and the Onset of Chronic Multi-Site Musculoskeletal Pain: A Six-Year Cohort Study: Table 1.. Annals of the Rheumatic Diseases, 2015, 74, 305.3-305.	0.9	0
128	THU0311â€¦Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. Annals of the Rheumatic Diseases, 2015, 74, 308.2-308.	0.9	0
129	Determining Pathways to Improvements in Fatigue in Rheumatoid Arthritis: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Arthritis and Rheumatology, 2015, 67, 2303-2310.	5.6	46
130	The relationship between back pain and mortality in older adults varies with disability and gender: <scp>R</scp>results from the <scp>C</scp>ambridge <scp>C</scp>ity overâ€¢75s <scp>C</scp>ohort (<scp>CC75C</scp>) study. European Journal of Pain, 2015, 19, 466-472.	2.8	15
131	Do genetic factors improve prediction of postherniotomy pain?. Pain, 2015, 156, 1826.	4.2	1
132	Can large but Highly Selected Population Surveys Provide Valid Information on the Descriptive Epidemiology and Associations of Common Health Conditions? An Analysis of UK Biobank Data on Chronic Pain.. International Journal of Epidemiology, 2015, 44, i144-i144.	1.9	0
133	Patients receiving anti-TNF therapies experience clinically important improvements in RA-related fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. Rheumatology, 2015, 54, 964-971.	1.9	58
134	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Populationâ€¢Based Study. Arthritis Care and Research, 2015, 67, 1297-1303.	3.4	29
135	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. RMD Open, 2015, 1, e000026-e000026.	3.8	25
136	A possible link between ankylosing spondylitis and periodontitis: a systematic review and meta-analysis. Rheumatology, 2015, 54, 500-510.	1.9	16
137	Non-anti-TNF biologic modifier drugs in non-infectious refractory chronic uveitis: The current evidence from a systematic review. Seminars in Arthritis and Rheumatism, 2015, 45, 238-250.	3.4	26
138	The Longitudinal Course of Fatigue in Rheumatoid Arthritis: Results from the Norfolk Arthritis Register. Journal of Rheumatology, 2015, 42, 2059-2065.	2.0	35
139	The re-evaluation of the measurement of pain in population-based epidemiological studies: The SHAMA study. British Journal of Pain, 2015, 9, 134-141.	1.5	6
140	Chronic Pelvic Pain in Women: An Epidemiological Perspective. Women's Health, 2015, 11, 851-864.	1.5	41
141	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. British Journal of Pain, 2015, 9, 203-212.	1.5	53
142	The Prevalence of Fibromyalgia in the General Population: A Comparison of the American College of Rheumatology 1990, 2010, and Modified 2010 Classification Criteria. Arthritis and Rheumatology, 2015, 67, 568-575.	5.6	323
143	Evaluating the social determinants of teenage pregnancy: a temporal analysis using a UK obstetric database from 1950 to 2010. Journal of Epidemiology and Community Health, 2015, 69, 49-54.	3.7	35
144	230.â€¢Predictors of Driving Disability in Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. Rheumatology, 2014, 53, i145-i146.	1.9	0

#	ARTICLE	IF	CITATIONS
145	OP0122...Association between Alcohol Consumption and Chronic Widespread Pain: Results from A Population-Based Cross-Sectional Study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 107.1-107.	0.9	0
146	PMM.28...A temporal-spatial assessment of spontaneous very preterm birth in relation to social class from 1950-2010 in Aberdeen, Scotland. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, A132.1-A132.	2.8	0
147	Self-Reported Facial Pain in UK Biobank Study: Prevalence and Associated Factors. <i>Journal of Oral & Maxillofacial Research</i> , 2014, 5, e2.	1.0	37
148	225.â€fDeterminants of As-Related Fatigue and the Risks of its Persistence: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. <i>Rheumatology</i> , 2014, 53, i144-i144.	1.9	0
149	Neural correlates of fatigue in granulomatosis with polyangiitis: a functional magnetic resonance imaging study. <i>Rheumatology</i> , 2014, 53, 2080-2087.	1.9	19
150	Maternal and perinatal risk factors for childhood cancer: record linkage study. <i>BMJ Open</i> , 2014, 4, e003656.	1.9	34
151	Functioning of the hypothalamicâ€“pituitaryâ€“adrenal and growth hormone axes in frequently unexplained disorders: Results of a population study. <i>European Journal of Pain</i> , 2014, 18, 447-454.	2.8	10
152	Current Evidence of Antiâ€“Tumor Necrosis Factor Î± Treatment Efficacy in Childhood Chronic Uveitis: A Systematic Review and Metaâ€“Analysis Approach of Individual Drugs. <i>Arthritis Care and Research</i> , 2014, 66, 1073-1084.	3.4	98
153	The effect of an internet option and single-sided printing format to increase the response rate to a population-based study: a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2014, 14, 104.	3.1	8
154	Targeted rehabilitation to improve outcome after total knee replacement (TRIO): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 44.	1.6	12
155	The characterisation and determinants of quality of life in ANCA associated vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 207-211.	0.9	74
156	Does switching anti-TNFÎ± biologic agents represent an effective option in childhood chronic uveitis: The evidence from a systematic review and meta-analysis approach. <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 39-46.	3.4	27
157	Global prevalence of ankylosing spondylitis. <i>Rheumatology</i> , 2014, 53, 650-657.	1.9	490
158	Markers for work disability in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology</i> , 2014, 53, 953-956.	1.9	38
159	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 227.	1.9	56
160	Maintained physical activity and physiotherapy in the management of distal upper limb pain â€“ a protocol for a randomised controlled trial (the arm pain trial). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 71.	1.9	6
161	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014, 155, 1605-1612.	4.2	51
162	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study. <i>Oral Oncology</i> , 2014, 50, 616-625.	1.5	98

#	ARTICLE	IF	CITATIONS
163	FRI0173â€¦Reduced Hypothalamic-Pituitary-Adrenal Axis Activity in Chronic Widespread Pain: Partly Masked by Depressive and Anxiety Disorders. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 444.3-444.	0.9	0
164	224.â€¦The Natural History of Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. <i>Rheumatology</i> , 2014, 53, i143-i144.	1.9	2
165	Pain reporting in older adults: the influence of cognitive impairment â€” results from the Cambridge City & 75 Cohort study. <i>British Journal of Pain</i> , 2014, 8, 119-124.	1.5	7
166	AB0044â€¦Basal Inflammation and Innate Immune Response in Chronic Widespread Pain. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 818.3-819.	0.9	0
167	Multiple Somatic Symptoms Predict Impaired Health Status in Functional Somatic Syndromes. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 194-205.	1.7	51
168	Fatigue-related brain white matter changes in granulomatosis with polyangiitis. <i>Rheumatology</i> , 2013, 52, 1429-1434.	1.9	8
169	Smoking addiction and the risk of upper-aerodigestive-tract cancer in a multicenter case-control study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	5.1	11
170	Explaining fatigue in ANCA-associated vasculitis. <i>Rheumatology</i> , 2013, 52, 1680-1685.	1.9	50
171	Current evidence of methotrexate efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach. <i>Rheumatology</i> , 2013, 52, 825-831.	1.9	116
172	Alternative population sampling frames produced important differences in estimates of association: a caseâ€”control study of vasculitis. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 675-680.	5.0	3
173	Investigating the role of painâ€”modulating pathway genes in musculoskeletal pain. <i>European Journal of Pain</i> , 2013, 17, 28-34.	2.8	4
174	A Novel Method for Generating Continuously Surfable Wavesâ€”Comparison of Predictions With Experimental Results. <i>Journal of Offshore Mechanics and Arctic Engineering</i> , 2013, 135, .	1.2	4
175	Low back pain among textile workers: a cross-sectional study. <i>Occupational Medicine</i> , 2013, 63, 129-134.	1.4	23
176	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 427-436.	0.9	112
177	Modest Association of Joint Hypermobility With Disabling and Limiting Musculoskeletal Pain: Results From a Largeâ€”Scale General Populationâ€”Based Survey. <i>Arthritis Care and Research</i> , 2013, 65, 1325-1333.	3.4	79
178	Reproducibility of pain manikins: a comparison of paper versus online questionnaires. <i>British Journal of Pain</i> , 2013, 7, 130-137.	1.5	5
179	OP0124â€¦Contextualising quality of life in ANCA associated vasculitis (AAV). <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 95.1-95.	0.9	1
180	FRI0212â€¦The relationship between brain white matter changes and fatigue in granulomatosis with polyangiitis (GPA; wegenerâ€™s). <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 385.3-386.	0.9	1

#	ARTICLE	IF	CITATIONS
181	Cognitive Behavior Therapy, Exercise, or Both for Treating Chronic Widespread Pain. Archives of Internal Medicine, 2012, 172, 48.	3.8	106
182	Role of medical history and medication use in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. Annals of Oncology, 2012, 23, 1053-1060.	1.2	21
183	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: osteoarthritis. Rheumatology, 2012, 51, 2224-2233.	1.9	32
184	The evidence base for managing older persons with low back pain. British Journal of Pain, 2012, 6, 166-169.	1.5	8
185	Tobacco Addiction and The Risk of Upper Aerodigestive Tract Cancer in A Multicenter Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 560.3-561.	2.5	0
186	Somatization and Health Anxiety as Predictors of Health Care Use. Psychosomatic Medicine, 2012, 74, 656-664.	2.0	40
187	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: rheumatoid arthritis. Rheumatology, 2012, 51, 1707-1713.	1.9	50
188	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. Journal of the National Cancer Institute, 2012, 104, 240-253.	6.3	141
189	Predicting OA progression to total hip replacement: can we do better than risk factors alone using active shape modelling as an imaging biomarker?. Rheumatology, 2012, 51, 562-570.	1.9	50
190	Risk of upper aerodigestive tract cancer and type of alcoholic beverage: a European multicenter case-control study. European Journal of Epidemiology, 2012, 27, 499-517.	5.7	16
191	Organising a World Congress of Epidemiology (WCE): Reflections and lessons from the XIX WCE, Scotland. Public Health, 2012, 126, 265-270.	2.9	0
192	The epidemiology of multiple somatic symptoms. Journal of Psychosomatic Research, 2012, 72, 311-317.	2.6	173
193	Is there an association between preterm birth or low birthweight and chronic widespread pain? Results from the 1958 Birth Cohort Study. European Journal of Pain, 2012, 16, 134-139.	2.8	24
194	Systematic review and meta-analysis of the evidence for flexible sigmoidoscopy as a screening method for the prevention of colorectal cancer. British Journal of Surgery, 2012, 99, 1488-1500.	0.3	45
195	A high tender point count is associated with the presence of multiple idiopathic pain disorders: Results from a population study. European Journal of Pain, 2012, 16, 1195-1203.	2.8	6
196	The Non-Synonymous SNP, R1150W, in SCN9A is Not Associated with Chronic Widespread Pain Susceptibility. Molecular Pain, 2012, 8, 1744-8069-8-72.	2.1	16
197	Occupation and risk of upper aerodigestive tract cancer: The ARCAGE study. International Journal of Cancer, 2012, 130, 2397-2406.	5.1	32
198	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. Arthritis Care and Research, 2012, 64, 1209-1216.	3.4	23

#	ARTICLE	IF	CITATIONS
199	The prevalence and management of low back pain across adulthood: Results from a population-based cross-sectional study (the MUSICIAN study). <i>Pain</i> , 2012, 153, 27-32.	4.2	122
200	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012, 23, 69-88.	1.8	116
201	What is the future of epidemiology?. <i>Lancet, The</i> , 2011, 378, 464-465.	13.7	12
202	Diet, Lifestyle and Chronic Widespread Pain: Results from the 1958 British Birth Cohort Study. <i>Pain Research and Management</i> , 2011, 16, 87-92.	1.8	63
203	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	3.5	158
204	O4-4.6 Role of medical factors in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A45-A45.	3.7	0
205	P1-392 The evaluation of a novel general population sampling frame: an online solution for a persisting problem?. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A175-A176.	3.7	1
206	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. <i>Oral Oncology</i> , 2011, 47, 725-731.	1.5	140
207	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011, 152, 1495-1501.	4.2	24
208	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a population-based prospective study. <i>Arthritis Care and Research</i> , 2011, 63, 696-701.	3.4	46
209	The association between change in body mass index and upper aerodigestive tract cancers in the ARCAGE project: Multicenter case-control study. <i>International Journal of Cancer</i> , 2011, 128, 1449-1461.	5.1	23
210	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 810-818.	6.7	54
211	Evidence for the efficacy of complementary and alternative medicines in the management of rheumatoid arthritis: a systematic review. <i>Rheumatology</i> , 2011, 50, 1672-1683.	1.9	87
212	World congress of epidemiology. <i>International Journal of Epidemiology</i> , 2011, 40, 3-4.	1.9	4
213	Evidence for the efficacy of complementary and alternative medicines in the management of osteoarthritis: a systematic review. <i>Rheumatology</i> , 2011, 50, 911-920.	1.9	72
214	Epidemiology of back pain in older adults: prevalence and risk factors for back pain onset. <i>Rheumatology</i> , 2011, 50, 1645-1653.	1.9	129
215	The relationship between body mass index across the life course and knee pain in adulthood: results from the 1958 birth cohort study. <i>Rheumatology</i> , 2011, 50, 2251-2256.	1.9	38
216	Predictors of persistent gastrointestinal symptoms among new presenters to primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 296-305.	1.6	15

#	ARTICLE	IF	CITATIONS
217	The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAGE study. <i>Cancer Causes and Control</i> , 2010, 21, 2213-2221.	1.8	42
218	Life course social mobility and risk of upper aerodigestive tract cancer in men. <i>European Journal of Epidemiology</i> , 2010, 25, 173-182.	5.7	13
219	Genetic variation in the beta2-adrenergic receptor but not catecholamine- O -methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010, 149, 143-151.	4.2	88
220	The prevalence of pain over time: Going up, going down or just staying the same?. <i>Pain</i> , 2010, 151, 11.	4.2	3
221	Risk factors for onset of chronic oro-facial pain – Results of the North Cheshire oro-facial pain prospective population study. <i>Pain</i> , 2010, 149, 354-359.	4.2	124
222	Corrigendum to “Genetic variation in the beta2-adrenergic receptor but not catecholamine- O -methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study” [Pain 149 (2010) 143–151]. <i>Pain</i> , 2010, 150, 210.	4.2	0
223	Chronic widespread pain predicts physical inactivity: Results from the prospective EPIFUND study. <i>European Journal of Pain</i> , 2010, 14, 972-979.	2.8	72
224	Whether the weather influences pain? Results from the EpiFunD study in North West England. <i>Rheumatology</i> , 2010, 49, 1513-1520.	1.9	25
225	Evidence for the efficacy of complementary and alternative medicines in the management of fibromyalgia: a systematic review. <i>Rheumatology</i> , 2010, 49, 1063-1068.	1.9	61
226	Influence of childhood behaviour on the reporting of chronic widespread pain in adulthood: results from the 1958 British Birth Cohort Study. <i>Rheumatology</i> , 2010, 49, 1882-1888.	1.9	32
227	No evidence for a role of the <i>catechol-O-methyltransferase</i> pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2009-2012.	0.9	43
228	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1448-1452.	0.9	86
229	Genetic variation in the hypothalamic–pituitary–adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 556-560.	0.9	58
230	Fatigue: a principal contributor to impaired quality of life in ANCA-associated vasculitis. <i>Rheumatology</i> , 2010, 49, 1383-1390.	1.9	61
231	Genetic variation in neuroendocrine genes associates with somatic symptoms in the general population: Results from the EPIFUND study. <i>Journal of Psychosomatic Research</i> , 2010, 68, 469-474.	2.6	50
232	Socioeconomic factors associated with risk of upper aerodigestive tract cancer in Europe. <i>European Journal of Cancer</i> , 2010, 46, 588-598.	2.8	68
233	Genetic Associations of 115 Polymorphisms with Cancers of the Upper Aerodigestive Tract across 10 European Countries: The ARCAGE Project. <i>Cancer Research</i> , 2009, 69, 2956-2965.	0.9	94
234	Musculoskeletal health–how early does it start?. <i>Rheumatology</i> , 2009, 48, 1181-1182.	1.9	10

#	ARTICLE	IF	CITATIONS
235	Investigating the determinants of international differences in the prevalence of chronic widespread pain: evidence from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 690-695.	0.9	41
236	What Characterizes Persons Who Do Not Report Musculoskeletal Pain? Results from a 4-year Population-based Longitudinal Study (The Epifund Study). <i>Journal of Rheumatology</i> , 2009, 36, 1071-1077.	2.0	35
237	The influence of socioeconomic status on the reporting of regional and widespread musculoskeletal pain: results from the 1958 British Birth Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1591-1595.	0.9	111
238	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009, 36, 2523-2530.	2.0	3
239	Vitamin D and chronic widespread pain in a white middle-aged British population: evidence from a cross-sectional population survey. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 817-822.	0.9	108
240	Active and Involuntary Tobacco Smoking and Upper Aerodigestive Tract Cancer Risks in a Multicenter Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3353-3361.	2.5	50
241	Diet and upper-aerodigestive tract cancer in Europe: The ARCAGE study. <i>International Journal of Cancer</i> , 2009, 124, 2671-2676.	5.1	67
242	Predicting persistent low back pain in schoolchildren: A prospective cohort study. <i>Arthritis and Rheumatism</i> , 2009, 61, 1359-1366.	6.7	62
243	Persistent depressive disorders and social stress in people of Pakistani origin and white Europeans in UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 198-207.	3.1	68
244	The association between neighbourhood socioeconomic status and the onset of chronic widespread pain: Results from the EPIFUND study. <i>European Journal of Pain</i> , 2009, 13, 635-640.	2.8	59
245	Premorbid psychosocial factors are associated with poor health-related quality of life in subjects with new onset of chronic widespread pain – Results from the EPIFUND study. <i>Pain</i> , 2009, 141, 119-126.	4.2	86
246	Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2009, 143, 92-96.	4.2	229
247	Insecure attachment style is associated with chronic widespread pain. <i>Pain</i> , 2009, 143, 200-205.	4.2	102
248	Do Genetic Predictors of Pain Sensitivity Associate with Persistent Widespread Pain?. <i>Molecular Pain</i> , 2009, 5, 1744-8069-5-56.	2.1	36
249	Evaluation of work-related psychosocial factors and regional musculoskeletal pain: results from a EULAR Task Force. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 885-891.	0.9	145
250	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAGE project: study samples and data collection. <i>European Journal of Cancer Prevention</i> , 2009, 18, 76-84.	1.3	50
251	Physical activity and emotional problems amongst adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 765-772.	3.1	74
252	Genetic and environmental influences on non-specific low back pain in children: a twin study. <i>European Spine Journal</i> , 2008, 17, 502-508.	2.2	67

#	ARTICLE	IF	CITATIONS
253	Are reports of mechanical dysfunction in chronic orofacial pain related to somatisation? A population based study. <i>European Journal of Pain</i> , 2008, 12, 501-507.	2.8	18
254	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008, 452, 633-637.	27.8	1,169
255	Multiple ADH genes are associated with upper aerodigestive cancers. <i>Nature Genetics</i> , 2008, 40, 707-709.	21.4	161
256	Psychosocial risk markers for new onset irritable bowel syndrome – Results of a large prospective population-based study. <i>Pain</i> , 2008, 137, 147-155.	4.2	148
257	Changing patient perceptions of their illness: Can they contribute to an improved outcome for episodes of musculoskeletal pain?. <i>Pain</i> , 2008, 136, 1-2.	4.2	8
258	Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study. <i>Pain</i> , 2008, 138, 681-687.	4.2	100
259	Unexplained orofacial pain – is an early diagnosis possible?. <i>British Dental Journal</i> , 2008, 205, E6-E6.	0.6	24
260	Acetylcholinesterase inhibition and Gulf War illnesses: Conclusions are not supported by independent reviews of the same evidence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, E20.	7.1	8
261	Musculoskeletal pain is associated with a long-term increased risk of cancer and cardiovascular-related mortality. <i>Rheumatology</i> , 2008, 48, 74-77.	1.9	115
262	Restorative sleep predicts the resolution of chronic widespread pain: results from the EPIFUND study. <i>Rheumatology</i> , 2008, 47, 1809-1813.	1.9	142
263	Comment on: Musculoskeletal pain is associated with a long-term increased risk of cancer and cardiovascular-related mortality: reply. <i>Rheumatology</i> , 2008, 48, 595-595.	1.9	1
264	Patients' preferences within randomised trials: systematic review and patient level meta-analysis. <i>BMJ: British Medical Journal</i> , 2008, 337, a1864-a1864.	2.3	243
265	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. <i>Spine</i> , 2008, 33, 95-103.	2.0	537
266	Lifecourse influences on health among British adults: Effects of region of residence in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007, 36, 522-531.	1.9	61
267	Is the report of widespread body pain associated with long-term increased mortality? Data from the Mini-Finland Health Survey. <i>Rheumatology</i> , 2007, 46, 805-807.	1.9	52
268	Life-course influences on health in British adults: effects of socio-economic position in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007, 36, 532-539.	1.9	157
269	Successful patient recruitment in investigator-led clinical trials. <i>Rheumatology</i> , 2007, 46, 1207-1208.	1.9	8
270	Predictors of abdominal pain in schoolchildren: a 4-year population-based prospective study. <i>Archives of Disease in Childhood</i> , 2007, 92, 1094-1098.	1.9	24

#	ARTICLE	IF	CITATIONS
271	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 400-406.	0.9	31
272	Acculturation and the prevalence of pain amongst South Asian minority ethnic groups in the UK. <i>Rheumatology</i> , 2007, 46, 1009-1014.	1.9	69
273	Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain. <i>Spine</i> , 2007, 32, 1578-1585.	2.0	169
274	Determining aspects of ethnicity amongst persons of South Asian origin: The use of a surname-classification programme (Nam Pehchan). <i>Public Health</i> , 2007, 121, 231-236.	2.9	35
275	Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?. <i>Pain</i> , 2007, 127, 5-10.	4.2	77
276	The contribution of psychosocial factors to the development of chronic pain: The key to better outcomes for patients?. <i>Pain</i> , 2007, 129, 8-11.	4.2	104
277	Response to Ms. Nielsen's Letter to the Editor of <i>Pain</i> . <i>Pain</i> , 2007, 131, 349.	4.2	1
278	Moderation of psychosocial risk factors through dysfunction of the hypothalamic-pituitary-adrenal stress axis in the onset of chronic widespread musculoskeletal pain : Findings of a population-based prospective cohort study. <i>Arthritis and Rheumatism</i> , 2007, 56, 360-371.	6.7	203
279	Are common symptoms in childhood associated with chronic widespread body pain in adulthood?: Results from the 1958 british birth cohort study. <i>Arthritis and Rheumatism</i> , 2007, 56, 1669-1675.	6.7	78
280	Risk factors for development of non-specific musculoskeletal pain in preteens and early adolescents: a prospective 1-year follow-up study. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 46.	1.9	100
281	Calibration of an item pool for assessing the disability associated with foot pain: an application of item response theory to the Manchester Foot Pain and Disability Index. <i>Physiotherapy</i> , 2007, 93, 89-95.	0.4	10
282	<i>Epidemiología del dolor.</i> , 2007, , 1231-1246.		0
283	Development and validation of classification criteria for idiopathic orofacial pain for use in population-based studies. <i>Journal of Orofacial Pain</i> , 2007, 21, 203-15.	1.7	17
284	Pressure pain thresholds and tender point counts as predictors of new chronic widespread pain in somatising subjects. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 517-521.	0.9	39
285	Managing low back pain presenting to primary care: Where do we go from here?. <i>Pain</i> , 2006, 122, 219-222.	4.2	48
286	Do Common Symptoms in Childhood Increase the Risk of Chronic Widespread Pain in Adults? Data from the 1958 British Birth Cohort Study. <i>American Journal of Epidemiology</i> , 2006, 163, S14-S14.	3.4	3
287	Cerebral emboli as a potential cause of Alzheimer's disease and vascular dementia: casecontrol study. <i>BMJ: British Medical Journal</i> , 2006, 332, 1119-1124.	2.3	106
288	The role of psychosocial factors in predicting the onset of chronic widespread pain: results from a prospective population-based study. <i>Rheumatology</i> , 2006, 46, 666-671.	1.9	296

#	ARTICLE	IF	CITATIONS
289	Does physical trauma lead to an increase in the risk of new onset widespread pain?. Annals of the Rheumatic Diseases, 2006, 65, 391-393.	0.9	16
290	Predictors of persistent neck pain after whiplash injury. Emergency Medicine Journal, 2006, 23, 195-201.	1.0	82
291	The epidemiology of chronic syndromes that are frequently unexplained: do they have common associated factors?. International Journal of Epidemiology, 2006, 35, 468-476.	1.9	295
292	Epidemiology of pain. , 2006, , 1199-1214.		59
293	Predicting persistent disabling low back pain in general practice: a prospective cohort study. British Journal of General Practice, 2006, 56, 334-41.	1.4	54
294	Predicting new onset of widespread pain following a motor vehicle collision. Journal of Rheumatology, 2006, 33, 968-74.	2.0	49
295	Development and validation of the Manchester orofacial pain disability scale. Community Dentistry and Oral Epidemiology, 2005, 33, 141-149.	1.9	54
296	A meta-analytic investigation of the relationship between the psychological distress of cancer patients and their carers. Social Science and Medicine, 2005, 60, 1-12.	3.8	458
297	Chronic widespread pain and fibromyalgia: Should reports of increased mortality influence management?. Current Rheumatology Reports, 2005, 7, 339-341.	4.7	11
298	Long-term mortality amongst Gulf War Veterans: is there a relationship with experiences during deployment and subsequent morbidity?. International Journal of Epidemiology, 2005, 34, 1403-1408.	1.9	25
299	Association between pain in the hip region and radiographic changes of osteoarthritis: results from a population-based study. British Journal of Rheumatology, 2005, 44, 337-341.	2.3	66
300	An excess of widespread pain among South Asians: are low levels of vitamin D implicated?. Annals of the Rheumatic Diseases, 2005, 64, 1217-1219.	0.9	60
301	Epidemiology of low back pain in children and adolescents. Archives of Disease in Childhood, 2005, 90, 312-316.	1.9	222
302	Do strong opioids have a role in the early management of back pain? Recommendations from a European expert panel. Current Medical Research and Opinion, 2005, 21, 1819-1828.	1.9	27
303	Defining hip pain for population studies. Annals of the Rheumatic Diseases, 2005, 64, 95-98.	0.9	25
304	Looking back: developments in our understanding of the occurrence, aetiology and prognosis of chronic pain 1954-2004. Rheumatology, 2005, 44, iv23-iv26.	1.9	9
305	Is musculoskeletal pain more common now than 40 years ago?: two population-based cross-sectional studies. Rheumatology, 2005, 44, 890-895.	1.9	151
306	Poor sleep and depression are independently associated with a reduced pain threshold. Results of a population based study. Pain, 2005, 115, 316-321.	4.2	147

#	ARTICLE	IF	CITATIONS
307	Comment on Hendriks et al.: Prognostic factors for poor recovery in acute whiplash patients. Pain 2005;114:408-416. Pain, 2005, 119, 247-248.	4.2	4
308	Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. Arthritis Research and Therapy, 2005, 7, R992.	3.5	149
309	Onset of neck pain after a motor vehicle accident: a case-control study. Journal of Rheumatology, 2005, 32, 1576-83.	2.0	8
310	Childhood experience and health care use in adulthood. British Journal of Psychiatry, 2004, 185, 134-139.	2.8	11
311	Parental pain is not associated with pain in the child: a population based study. Annals of the Rheumatic Diseases, 2004, 63, 1152-1154.	0.9	30
312	Mechanical injury and psychosocial factors in the work place predict the onset of widespread body pain: A two-year prospective study among cohorts of newly employed workers. Arthritis and Rheumatism, 2004, 50, 1655-1664.	6.7	94
313	DLC1 is unlikely to be a primary target for deletions on chromosome arm 8p22 in head and neck squamous cell carcinoma. Cancer Letters, 2004, 209, 207-213.	7.2	7
314	The Cheshire Foot Pain and Disability Survey: a population survey assessing prevalence and associations. Pain, 2004, 110, 378-384.	4.2	190
315	Can one predict the likely specific orofacial pain syndrome from a self-completed questionnaire?. Pain, 2004, 111, 270-277.	4.2	27
316	psychological distress and premature mortality in the general Population: a prospective study. Annals of Epidemiology, 2004, 14, 467-472.	1.9	95
317	Psychosocial and illness related predictors of consultation rates in primary care - a cohort study. Psychological Medicine, 2004, 34, 719-728.	4.5	51
318	Oropharyngeal cancer incidence and mortality in Scotland: are rates still increasing?. Oral Oncology, 2003, 39, 31-36.	1.5	81
319	Association of widespread body pain with an increased risk of cancer and reduced cancer survival: A prospective, population-based study. Arthritis and Rheumatism, 2003, 48, 1686-1692.	6.7	89
320	Predicting the onset of forearm pain: A prospective study across 12 occupational groups. Arthritis and Rheumatism, 2003, 49, 519-525.	6.7	19
321	Predicting the onset of widespread body pain among children. Arthritis and Rheumatism, 2003, 48, 2615-2621.	6.7	72
322	Occurrence of Raynaud's phenomenon in children ages 12-15 years: Prevalence and association with other common symptoms. Arthritis and Rheumatism, 2003, 48, 3518-3521.	6.7	39
323	Risk factors for the onset of abdominal pain in children: A prospective population based study. Gastroenterology, 2003, 124, A18.	1.3	0
324	Syndrome of symptomatic adult acetabular dysplasia (SAAD syndrome). Annals of the Rheumatic Diseases, 2003, 62, 356-358.	0.9	42

#	ARTICLE	IF	CITATIONS
325	Generalised estimating equations and low back pain * Authors' reply. Occupational and Environmental Medicine, 2003, 60, 378-a-381.	2.8	0
326	Hip pain onset in relation to cumulative workplace and leisure time mechanical load: a population based case-control study. Annals of the Rheumatic Diseases, 2003, 62, 322-326.	0.9	34
327	Mechanical and psychosocial factors predict new onset shoulder pain: a prospective cohort study of newly employed workers. Occupational and Environmental Medicine, 2003, 60, 850-857.	2.8	139
328	The role of workplace low-level mechanical trauma, posture and environment in the onset of chronic widespread pain. British Journal of Rheumatology, 2003, 42, 1486-1494.	2.3	50
329	Endotoxin: is it an environmental factor in the cause of Parkinson's disease?. Occupational and Environmental Medicine, 2003, 60, 378-378.	2.8	52
330	Why is pain more common amongst people living in areas of low socio-economic status? A population-based cross-sectional study. British Dental Journal, 2003, 194, 383-387.	0.6	69
331	Low back pain in schoolchildren: the role of mechanical and psychosocial factors. Archives of Disease in Childhood, 2003, 88, 12-17.	1.9	187
332	Effects of psychosocial and individual psychological factors on the onset of musculoskeletal pain: common and site-specific effects. Annals of the Rheumatic Diseases, 2003, 62, 755-760.	0.9	113
333	Risk factors for new-onset low back pain amongst cohorts of newly employed workers. British Journal of Rheumatology, 2003, 42, 959-968.	2.3	133
334	Incidence of cancer among UK Gulf war veterans: cohort study. BMJ: British Medical Journal, 2003, 327, 1373-0.	2.3	40
335	Predictors of Low Back Pain in British Schoolchildren: A Population-Based Prospective Cohort Study. Pediatrics, 2003, 111, 822-828.	2.1	239
336	Episodes of Low Back Pain. Spine, 2002, 27, 2409-2416.	2.0	301
337	Psychosocial risk factors for the onset of abdominal pain. Results from a large prospective population-based study. International Journal of Epidemiology, 2002, 31, 1219-1225.	1.9	57
338	Mortality among US and UK veterans of the Persian Gulf War: a review. Occupational and Environmental Medicine, 2002, 59, 794-799.	2.8	64
339	Sex hormonal factors and chronic widespread pain: a population study among women. British Journal of Rheumatology, 2002, 41, 454-457.	2.3	50
340	Chronic widespread pain in the population: a seven year follow up study. Annals of the Rheumatic Diseases, 2002, 61, 1071-1074.	0.9	135
341	Does chronic pain predict future psychological distress?. Pain, 2002, 96, 239-245.	4.2	80
342	Low back pain in schoolchildren: occurrence and characteristics. Pain, 2002, 97, 87-92.	4.2	275

#	ARTICLE	IF	CITATIONS
343	Orofacial pain: just another chronic pain? Results from a population-based survey. <i>Pain</i> , 2002, 99, 453-458.	4.2	91
344	Somatization and development of chronic widespread pain: Comment on the article by McBeth et al and the editorial by Winfield. <i>Arthritis and Rheumatism</i> , 2002, 46, 1129-1130.	6.7	1
345	Changing trends in incidence of lung cancer by histologic type in Scotland. <i>International Journal of Cancer</i> , 2002, 102, 179-183.	5.1	30
346	Risk factors for neck pain: a longitudinal study in the general population. <i>Pain</i> , 2001, 93, 317-325.	4.2	366
347	Identification and prevention of work-related carpal-tunnel syndrome. <i>Lancet, The</i> , 2001, 357, 1146-1147.	13.7	11
348	Effects of changes to Data Protection Act. <i>Lancet, The</i> , 2001, 357, 1452.	13.7	4
349	The Grading of Hallux Valgus. <i>Journal of the American Podiatric Medical Association</i> , 2001, 91, 74-78.	0.3	186
350	Widespread body pain and mortality: prospective population based study Commentary: An interesting finding, but what does it. <i>BMJ: British Medical Journal</i> , 2001, 323, 662-662.	2.3	186
351	Features of somatization predict the onset of chronic widespread pain: Results of a large population-based study. <i>Arthritis and Rheumatism</i> , 2001, 44, 940-946.	6.7	297
352	Predicting radiographic hip osteoarthritis from range of movement. <i>Rheumatology</i> , 2001, 40, 506-512.	1.9	114
353	Health and exposures of United Kingdom Gulf war veterans. Part I: The pattern and extent of ill health. <i>Occupational and Environmental Medicine</i> , 2001, 58, 291-298.	2.8	82
354	Risk factors for persistent chronic widespread pain: a community-based study. <i>British Journal of Rheumatology</i> , 2001, 40, 95-101.	2.3	136
355	Health and exposures of United Kingdom Gulf war veterans. Part II: The relation of health to exposure. <i>Occupational and Environmental Medicine</i> , 2001, 58, 299-306.	2.8	88
356	Short term influence of mechanical factors on regional musculoskeletal pain: a study of new workers from 12 occupational groups. <i>Occupational and Environmental Medicine</i> , 2001, 58, 374-381.	2.8	78
357	Risk factors for the onset of abdominal pain: A prospective population based study. <i>Gastroenterology</i> , 2001, 120, A230-A230.	1.3	0
358	Features of somatization predict the onset of chronic widespread pain: Results of a large population-based study. <i>Arthritis and Rheumatism</i> , 2001, 44, 940-946.	6.7	2
359	Risk of malignancy among patients with rheumatic conditions. <i>International Journal of Cancer</i> , 2000, 88, 497-502.	5.1	299
360	The association between chronic widespread pain and mental disorder: A population-based study. <i>Arthritis and Rheumatism</i> , 2000, 43, 561.	6.7	197

#	ARTICLE	IF	CITATIONS
361	Increasing incidence of oral cancer amongst young persons: what is the aetiology?. Oral Oncology, 2000, 36, 387-389.	1.5	87
362	Radiographic change is common in new presenters in primary care with hip pain. Rheumatology, 2000, 39, 772-775.	1.9	42
363	Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care. Annals of the Rheumatic Diseases, 2000, 59, 857-863.	0.9	54
364	Development and validation of a questionnaire to assess disabling foot pain. Pain, 2000, 85, 107-113.	4.2	209
365	Role of mechanical and psychosocial factors in the onset of forearm pain: prospective population based. BMJ: British Medical Journal, 2000, 321, 676-676.	2.3	193
366	Mortality among UK Gulf War veterans. Lancet, The, 2000, 356, 17-21.	13.7	71
367	Occupational risk factors for shoulder pain: a systematic review. Occupational and Environmental Medicine, 2000, 57, 433-442.	2.8	445
368	Life is as much a pain as it ever was. BMJ: British Medical Journal, 2000, 321, 897-897.	2.3	16
369	Risk of malignancy among patients with rheumatic conditions. International Journal of Cancer, 2000, 88, 497-502.	5.1	4
370	Pain amongst ethnic minority groups of South Asian origin in the United Kingdom: a review. Rheumatology, 1999, 38, 1184-1187.	1.9	37
371	Predicting who develops chronic low back pain in primary care: a prospective study. BMJ: British Medical Journal, 1999, 318, 1662-1667.	2.3	413
372	The prevalence and associated features of chronic widespread pain in the community using the 'Manchester' definition of chronic widespread pain. British Journal of Rheumatology, 1999, 38, 275-279.	2.3	176
373	Generalized pain, fibromyalgia and regional pain: an epidemiological view. Best Practice and Research in Clinical Rheumatology, 1999, 13, 403-414.	3.3	64
374	The association between tender points, psychological distress, and adverse childhood experiences: A community-based study. Arthritis and Rheumatism, 1999, 42, 1397-1404.	6.7	145
375	Predictors of early improvement in low back pain amongst consulters to general practice: the influence of pre-morbid and episode-related factors. Pain, 1999, 80, 113-119.	4.2	148
376	Short-Term Physical Risk Factors for New Episodes of Low Back Pain. Spine, 1999, 24, 1556.	2.0	125
377	Psychosocial risks for low back pain: are these related to work?. Annals of the Rheumatic Diseases, 1998, 57, 500-502.	0.9	42
378	Outcome of low back pain in general practice: a prospective study. BMJ: British Medical Journal, 1998, 316, 1356-1359.	2.3	590

#	ARTICLE	IF	CITATIONS
379	The occurrence of falls among patients with a new episode of hip pain. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 166-168.	0.9	34
380	Association Between Measures of Spinal Mobility and Low Back Pain. <i>Spine</i> , 1998, 23, 343-347.	2.0	54
381	Validity of a self-completed questionnaire measuring the physical demands of work. <i>Scandinavian Journal of Work, Environment and Health</i> , 1998, 24, 376-385.	3.4	74
382	Occupational factors related to shoulder pain and disability.. <i>Occupational and Environmental Medicine</i> , 1997, 54, 316-321.	2.8	77
383	Trends in cancer mortality in central European countries. The effect of age, birth cohort and time-period. <i>European Journal of Public Health</i> , 1997, 7, 169-176.	0.3	10
384	Employment and Physical Work Activities as Predictors of Future Low Back Pain. <i>Spine</i> , 1997, 22, 1143-1149.	2.0	193
385	Serum IgG antibodies to <i>Helicobacter pylori</i> in patients with recurrent aphthous stomatitis and other oral disorders. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 1997, 83, 325-328.	1.4	40
386	Psychosocial Factors in the Workplace-Do They Predict New Episodes of Low Back Pain?. <i>Spine</i> , 1997, 22, 1137-1142.	2.0	163
387	The relationship between sexual life and urinary condition in the French community. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 1171-1176.	5.0	112
388	Rheumatoid arthritis and lymphatic cancer. <i>European Journal of Cancer</i> , 1996, 32, 1630-1632.	2.8	16
389	International Comparison of the Community Prevalence of Symptoms of Prostatism in Four Countries. <i>European Urology</i> , 1996, 29, 15-20.	1.9	89
390	Trends in survival from cancers of the oral cavity and pharynx in Scotland: a clue as to why the disease is becoming more common?. <i>British Journal of Cancer</i> , 1996, 73, 805-808.	6.4	57
391	Risk of second malignant neoplasms following female genital tract cancers in New South Wales (Australia), 1972-91. <i>International Journal of Gynecological Cancer</i> , 1996, 6, 362-368.	2.5	5
392	Second primary cancers following cancers of the kidney and prostate in New South Wales (Australia), 1972-91. <i>Cancer Causes and Control</i> , 1996, 7, 337-344.	1.8	28
393	The influence of alcohol consumption on worldwide trends in mortality from upper aerodigestive tract cancers in men.. <i>Journal of Epidemiology and Community Health</i> , 1996, 50, 636-639.	3.7	38
394	Interobserver reliability in measuring flexion, internal rotation, and external rotation of the hip using a pluriometer.. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 320-323.	0.9	33
395	More pain, more tender points: is fibromyalgia just one end of a continuous spectrum?. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 482-485.	0.9	110
396	THE FREQUENCY OF RESTRICTED RANGE OF MOVEMENT IN INDIVIDUALS WITH SELF-REPORTED SHOULDER PAIN: RESULTS FROM A POPULATION-BASED SURVEY. <i>Rheumatology</i> , 1996, 35, 1137-1141.	1.9	29

#	ARTICLE	IF	CITATIONS
397	INTERPRETATION AND ANALYSIS OF DIFFERENTIAL EXPOSURE VARIABILITY AND ZERO-EXPOSURE CATEGORIES FOR CONTINUOUS EXPOSURES. <i>Epidemiology</i> , 1995, 6, 335.	2.7	0
398	Oesophageal and gastric cancer in Scotland 1960-90. <i>British Journal of Cancer</i> , 1995, 71, 411-415.	6.4	72
399	International patterns in the occurrence of Hodgkin's disease in children and young adult males. <i>International Journal of Cancer</i> , 1995, 61, 165-169.	5.1	67
400	Determinants of treatment-seeking behaviour for urinary symptoms in older men. <i>British Journal of Urology</i> , 1995, 76, 714-718.	0.1	21
401	Changes in the incidence and mortality of testicular cancer in Scotland with particular reference to the outcome of older patients treated for non-seminomatous germ cell tumours. <i>European Journal of Cancer</i> , 1995, 31, 1487-1491.	2.8	14
402	Alcohol, tobacco, diet and the risk of oral cancer: a pooled analysis of three case-control studies. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995, 31, 181-187.	0.9	155
403	European school of oncology advisory report to the European Commission for the Europe against cancer programme: Oral carcinogenesis in Europe. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995, 31, 75-85.	0.9	45
404	Second cancers occurring after cancers of the mouth and pharynx: Data from three population-based registries in Australia, Scotland and Slovenia. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995, 31, 315-318.	0.9	7
405	Impact of Symptoms of Prostatism on Level of Bother and Quality of Life of Men in the French Community. <i>Journal of Urology</i> , 1995, 153, 669-673.	0.4	106
406	Some Statistical Considerations in the Analysis of Case-Control Studies When the Exposure Variables Are Continuous Measurements. <i>Epidemiology</i> , 1994, 5, 164-170.	2.7	48
407	Trends of oral cancer mortality among females worldwide. <i>Cancer Causes and Control</i> , 1994, 5, 255-258.	1.8	27
408	Rising trends of oral cancer mortality among males worldwide: the return of an old public health problem. <i>Cancer Causes and Control</i> , 1994, 5, 259-265.	1.8	134
409	Oral and pharyngeal cancer incidence in Slovakia 1968-1989. <i>International Journal of Cancer</i> , 1994, 56, 481-486.	5.1	28
410	Patterns of oral and pharyngeal cancer incidence in New South Wales, Australia. <i>Journal of Oral Pathology and Medicine</i> , 1994, 23, 241-245.	2.7	30
411	Epidemiological features of gastric and oesophageal cancers in Slovakia. <i>British Journal of Cancer</i> , 1994, 70, 177-179.	6.4	9
412	Results of an Epidemiological Survey Using a Modified American Urological Association Symptom Index for Benign Prostatic Hyperplasia in France. <i>Journal of Urology</i> , 1994, 151, 1266-1270.	0.4	153
413	Thyroid cancer in Slovakia, 1968-1990. <i>European Journal of Cancer Prevention</i> , 1994, 3, 345-350.	1.3	9
414	Physical activity and colon cancer. <i>European Journal of Cancer Prevention</i> , 1994, 3, 393-398.	1.3	35

#	ARTICLE	IF	CITATIONS
415	The Epidemiology of Oesophageal Cancer in the UK and other European Countries. Journal of the Royal Society of Medicine, 1994, 87, 334-337.	2.0	32
416	The descriptive epidemiology of pharyngeal cancer in Scotland. European Journal of Epidemiology, 1993, 9, 587-90.	5.7	8
417	Epidemiological aspects of lip cancer in Scotland. Community Dentistry and Oral Epidemiology, 1993, 21, 279-282.	1.9	16
418	Oral cancer: necessity for prevention strategies. Lancet, The, 1993, 342, 1129.	13.7	34
419	Recent advances in epidemiology of head and neck cancer. Current Opinion in Oncology, 1992, 4, 471-477.	2.4	52
420	Oral cancer in Scotland: changing incidence and mortality.. BMJ: British Medical Journal, 1992, 305, 1121-1123.	2.3	101
421	Analysis of Quantitative Data by Quantiles in Epidemiologic Studies. Epidemiology, 1991, 2, 137-140.	2.7	70
422	Temporal change in diagnostic criteria as a cause of the increase of malignant melanoma over time is unlikely. International Journal of Cancer, 1991, 47, 483-490.	5.1	104
423	Recent advances in the etiology and epidemiology of head and neck cancer. Current Opinion in Oncology, 1990, 2, 539-545.	2.4	26
424	Epidemiology of pancreas cancer (1988). International Journal of Gastrointestinal Cancer, 1989, 5, 327-46.	0.4	94
425	RISING MORTALITY FROM CANCER OF THE TONGUE IN YOUNG SCOTTISH MALES. Lancet, The, 1987, 330, 912.	13.7	72
426	Prognostic factors in thyroid tumours. British Journal of Cancer, 1986, 54, 475-482.	6.4	43
427	Breast cancer in women with primary biliary cirrhosis.. BMJ: British Medical Journal, 1985, 291, 1597-1598.	2.3	62
428	Distribution of APF gel on tooth surfaces. British Dental Journal, 1985, 159, 82-84.	0.6	4