## Tamas Masszi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8293072/publications.pdf

Version: 2024-02-01

		147801	128289
58	8,652	31	60
papers	citations	h-index	g-index
60	60	60	7683
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Daratumumab, Bortezomib, and Dexamethasone for Multiple Myeloma. New England Journal of Medicine, 2016, 375, 754-766.	27.0	1,246
2	Carfilzomib, Lenalidomide, and Dexamethasone for Relapsed Multiple Myeloma. New England Journal of Medicine, 2015, 372, 142-152.	27.0	1,144
3	Oral Ixazomib, Lenalidomide, and Dexamethasone for Multiple Myeloma. New England Journal of Medicine, 2016, 374, 1621-1634.	27.0	861
4	Carfilzomib and dexamethasone versus bortezomib and dexamethasone for patients with relapsed or refractory multiple myeloma (ENDEAVOR): a randomised, phase 3, open-label, multicentre study. Lancet Oncology, The, 2016, 17, 27-38.	10.7	723
5	Ruxolitinib versus Standard Therapy for the Treatment of Polycythemia Vera. New England Journal of Medicine, 2015, 372, 426-435.	27.0	720
6	Brentuximab vedotin as consolidation therapy after autologous stem-cell transplantation in patients with Hodgkin's lymphoma at risk of relapse or progression (AETHERA): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet, The, 2015, 385, 1853-1862.	13.7	633
7	Belinostat in Patients With Relapsed or Refractory Peripheral T-Cell Lymphoma: Results of the Pivotal Phase II BELIEF (CLN-19) Study. Journal of Clinical Oncology, 2015, 33, 2492-2499.	1.6	394
8	Safety and Efficacy of Fedratinib in Patients With Primary or Secondary Myelofibrosis. JAMA Oncology, 2015, 1, 643.	7.1	362
9	Daratumumab plus bortezomib and dexamethasone <i>versus</i> bortezomib and dexamethasone in relapsed or refractory multiple myeloma: updated analysis of CASTOR. Haematologica, 2018, 103, 2079-2087.	3 <b>.</b> 5	225
10	Superiority of the Triple Combination of Bortezomib-Thalidomide-Dexamethasone Over the Dual Combination of Thalidomide-Dexamethasone in Patients With Multiple Myeloma Progressing or Relapsing After Autologous Transplantation: The MMVAR/IFM 2005-04 Randomized Phase III Trial From the Chronic Leukemia Working Party of the European Group for Blood and Marrow Transplantation.  Journal of Clinical Oncology, 2012, 30, 2475-2482.	1.6	185
11	Isatuximab, carfilzomib, and dexamethasone in relapsed multiple myeloma (IKEMA): a multicentre, open-label, randomised phase 3 trial. Lancet, The, 2021, 397, 2361-2371.	13.7	177
12	Five-year PFS from the AETHERA trial of brentuximab vedotin for Hodgkin lymphoma at high risk of progression or relapse. Blood, 2018, 132, 2639-2642.	1.4	172
13	Ruxolitinib versus best available therapy in patients with polycythemia vera: 80-week follow-up from the RESPONSE trial. Haematologica, 2016, 101, 821-829.	3 <b>.</b> 5	140
14	Durable treatment-free remission in patients with chronic myeloid leukemia in chronic phase following frontline nilotinib: 96-week update of the ENESTfreedom study. Journal of Cancer Research and Clinical Oncology, 2018, 144, 945-954.	2.5	124
15	Carfilzomib significantly improves the progression-free survival of high-risk patients in multiple myeloma. Blood, 2016, 128, 1174-1180.	1.4	110
16	Long-term efficacy and safety of ruxolitinib versus best available therapy in polycythaemia vera (RESPONSE): 5-year follow up of a phase 3 study. Lancet Haematology,the, 2020, 7, e226-e237.	4.6	93
17	lxazomib significantly prolongs progression-free survival in high-risk relapsed/refractory myeloma patients. Blood, 2017, 130, 2610-2618.	1.4	90
18	Complement Overactivation and Consumption Predicts In-Hospital Mortality in SARS-CoV-2 Infection. Frontiers in Immunology, 2021, 12, 663187.	4.8	87

#	Article	lF	Citations
19	Distinct clinical characteristics of myeloproliferative neoplasms with calreticulin mutations. Haematologica, 2014, 99, 1184-1190.	3.5	83
20	Health-Related Quality-of-Life Results From the Open-Label, Randomized, Phase III ASPIRE Trial Evaluating Carfilzomib, Lenalidomide, and Dexamethasone Versus Lenalidomide and Dexamethasone in Patients With Relapsed Multiple Myeloma. Journal of Clinical Oncology, 2016, 34, 3921-3930.	1.6	70
21	Randomized Phase II Study of Bortezomib, Thalidomide, and Dexamethasone With or Without Cyclophosphamide As Induction Therapy in Previously Untreated Multiple Myeloma. Journal of Clinical Oncology, 2013, 31, 247-255.	1.6	69
22	Carfilzomib, lenalidomide, and dexamethasone in patients with relapsed multiple myeloma categorised by age: secondary analysis from the phase 3 ASPIRE study. British Journal of Haematology, 2017, 177, 404-413.	2.5	58
23	Phase III Open-Label Randomized Study of Cytarabine in Combination With Amonafide L-Malate or Daunorubicin As Induction Therapy for Patients With Secondary Acute Myeloid Leukemia. Journal of Clinical Oncology, 2015, 33, 1252-1257.	1.6	57
24	Final Overall Survival Analysis of the TOURMALINE-MM1 Phase III Trial of Ixazomib, Lenalidomide, and Dexamethasone in Patients With Relapsed or Refractory Multiple Myeloma. Journal of Clinical Oncology, 2021, 39, 2430-2442.	1.6	53
25	Impact of prior therapy on the efficacy and safety of oral ixazomib-lenalidomide-dexamethasone <i>vs</i> . placebo-lenalidomide-dexamethasone in patients with relapsed/refractory multiple myeloma in TOURMALINE-MM1. Haematologica, 2017, 102, 1767-1775.	3.5	48
26	Changes in quality of life and diseaseâ€related symptoms in patients with polycythemia vera receiving ruxolitinib or standard therapy. European Journal of Haematology, 2016, 97, 192-200.	2.2	46
27	Management of adverse events associated with ixazomib plus lenalidomide/dexamethasone in relapsed/refractory multiple myeloma. British Journal of Haematology, 2017, 178, 571-582.	2.5	45
28	Treatment-free remission following frontline nilotinib in patients with chronic phase chronic myeloid leukemia: 5-year update of the ENESTfreedom trial. Leukemia, 2021, 35, 1344-1355.	7.2	43
29	Patientâ€reported healthâ€related quality of life from the phase III TOURMALINEâ€MM1 study of ixazomibâ€enalidomideâ€dexamethasone versus placeboâ€lenalidomideâ€dexamethasone in relapsed/refractory multiple myeloma. American Journal of Hematology, 2018, 93, 985-993.	4.1	41
30	Updated results of the placeboâ€controlled, phase III JAKARTA trial of fedratinib in patients with intermediateâ€⊋ or highâ€risk myelofibrosis. British Journal of Haematology, 2021, 195, 244-248.	2.5	37
31	Insights on Multiple Myeloma Treatment Strategies. HemaSphere, 2019, 3, e163.	2.7	33
32	Daratumumab, bortezomib, and dexamethasone in relapsed or refractory multiple myeloma: subgroup analysis of CASTOR based on cytogenetic risk. Journal of Hematology and Oncology, 2020, 13, 115.	17.0	32
33	Expanding Nilotinib Access in Clinical Trials (ENACT), an open-label multicenter study of oral nilotinib in adult patients with imatinib-resistant or -intolerant chronic myeloid leukemia in accelerated phase or blast crisis. Leukemia and Lymphoma, 2012, 53, 907-914.	1.3	30
34	Type and location of isocitrate dehydrogenase mutations influence clinical characteristics and disease outcome of acute myeloid leukemia. Leukemia and Lymphoma, 2013, 54, 1028-1035.	1.3	30
35	Quality of life results from a phase 3 study of brentuximab vedotin consolidation following autologous haematopoietic stem cell transplant for persons with Hodgkin lymphoma. British Journal of Haematology, 2016, 175, 860-867.	2.5	30
36	Omacetaxine mepesuccinate in patients with advanced chronic myeloid leukemia with resistance or intolerance to tyrosine kinase inhibitors. Leukemia and Lymphoma, 2015, 56, 120-127.	1.3	28

#	Article	IF	CITATIONS
37	Additional Chromosome Abnormalities, BCR-ABL Tyrosine Kinase Domain Mutations and Clinical Outcome in Hungarian Tyrosine Kinase Inhibitor-Resistant Chronic Myelogenous Leukemia Patients. Acta Haematologica, 2012, 127, 34-42.	1.4	27
38	Bortezomib, thalidomide and dexamethasone, with or without cyclophosphamide, for patients with previously untreated multiple myeloma: 5â€year followâ€up. British Journal of Haematology, 2015, 171, 344-354.	2.5	26
39	Real-world data on the efficacy and safety of daratumumab treatment in Hungarian relapsed/refractory multiple myeloma patients. International Journal of Hematology, 2019, 110, 559-565.	1.6	25
40	Efficacy and safety of ruxolitinib after and versus interferon use in the RESPONSE studies. Annals of Hematology, 2018, 97, 617-627.	1.8	23
41	Addition of elotuzumab to lenalidomide and dexamethasone for patients with newly diagnosed, transplantation ineligible multiple myeloma (ELOQUENT-1): an open-label, multicentre, randomised, phase 3 trial. Lancet Haematology,the, 2022, 9, e403-e414.	4.6	23
42	Co-occurrence of Myeloproliferative Neoplasms and Solid Tumors Is Attributed to a Synergism Between Cytoreductive Therapy and the Common <i>TERT</i> Polymorphism rs2736100. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 98-104.	2.5	21
43	Updated Efficacy and Safety Data from the AETHERA Trial of Consolidation with Brentuximab Vedotin after Autologous Stem Cell Transplant (ASCT) in Hodgkin Lymphoma Patients at High Risk of Relapse. Blood, 2015, 126, 3172-3172.	1.4	20
44	Quantitative assessment of JAK2 V617F and CALR mutations in Philadelphia negative myeloproliferative neoplasms. Leukemia Research, 2018, 65, 42-48.	0.8	19
45	Medium-sized i>FLT3 / i internal tandem duplications confer worse prognosis than short and long duplications in a non-elderly acute myeloid leukemia cohort. Leukemia and Lymphoma, 2014, 55, 1510-1517.	1.3	18
46	The prognostic impact of germline 46/1 haplotype of Janus kinase 2 in cytogenetically normal acute myeloid leukemia. Haematologica, 2011, 96, 1613-1618.	3.5	17
47	Attitudes and Perceptions of Patients (pts) with Chronic Myeloid Leukemia in Chronic Phase (CML-CP) Toward Treatment-Free Remission (TFR). Blood, 2014, 124, 4547-4547.	1.4	17
48	Remarkably Reduced Transplant-Related Complications by Dibromomannitol Non-Myeloablative Conditioning before Allogeneic Bone Marrow Transplantation in Chronic Myeloid Leukemia. Acta Haematologica, 2001, 105, 64-70.	1.4	14
49	Decreased circulating dipeptidyl peptidase-4 enzyme activity is prognostic for severe outcomes in COVID-19 inpatients. Biomarkers in Medicine, 2022, 16, 317-330.	1.4	13
50	<i>HFE</i> C282Y Mutation as a Genetic Modifier Influencing Disease Susceptibility for Chronic Myeloproliferative Disease. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 929-934.	2.5	11
51	Healthâ€related quality of life maintained over time in patients with relapsed or refractory multiple myeloma treated with daratumumab in combination with bortezomib and dexamethasone: results from the phase III CASTOR trial. British Journal of Haematology, 2021, 193, 561-569.	2.5	10
52	Targeted Venetoclax Therapy in $t(11;14)$ Multiple Myeloma: Real World Data From Seven Hungarian Centers. Pathology and Oncology Research, 2022, 28, 1610276.	1.9	9
53	câ€MYC expression and maturity phenotypes are associated with outcome benefit from addition of ixazomib to lenalidomideâ€dexamethasone in myeloma. European Journal of Haematology, 2020, 105, 35-46.	2.2	8
54	Recipient and donor JAK2 46/1 haplotypes are associated with acute graft-versus-host disease following allogeneic hematopoietic stem cell transplantation. Leukemia and Lymphoma, 2017, 58, 391-398.	1.3	7

#	Article	IF	CITATION
55	Calreticulin mutation specific CAL2 immunohistochemistry accurately identifies rare calreticulin mutations in myeloproliferative neoplasms. Pathology, 2019, 51, 301-307.	0.6	7
56	Comprehensive haematological control with ruxolitinib in patients with polycythaemia vera resistant to or intolerant of hydroxycarbamide. British Journal of Haematology, 2018, 182, 279-284.	2.5	3
57	Beneficial Effect of Lenalidomide-Dexamethason Treatment in Relapsed/Refractory Multiple Myeloma Patients: Results of Real-Life Data From 11 Hungarian Centers. Pathology and Oncology Research, 2021, 27, 613264.	1.9	2
58	Investigation of TGFB1 â^1347C>T variant as a biomarker after allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2020, 55, 215-223.	2.4	1