

Francisco J GarcÃ-a De LeÃ³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8293196/publications.pdf>

Version: 2024-02-01

119
papers

3,430
citations

186265

28
h-index

168389

53
g-index

122
all docs

122
docs citations

122
times ranked

3770
citing authors

#	ARTICLE	IF	CITATIONS
1	Aspects of the life history of the Tamesá-molly, <i>Poecilia latipunctata</i> , from two populations in the R�o Tames�-drainage in northeastern Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2021, 92, 923107.	0.4	0
2	Genetic structure and historical and contemporary gene flow of <i>Astyanax mexicanus</i> in the Gulf of Mexico slope: a microsatellite-based analysis. <i>PeerJ</i> , 2021, 9, e10784.	2.0	5
3	Proteomic comparison of adult and juvenile Santa Catalina rattlesnake (<i>Crotalus catalinensis</i>) venom. <i>Toxicon</i> , 2021, 193, 55-62.	1.6	3
4	The queen conch mitogenome: intra- and interspecific mitogenomic variability in Strombidae and phylogenetic considerations within the Hypsogastropoda. <i>Scientific Reports</i> , 2021, 11, 11972.	3.3	6
5	Population genetics and species distribution modeling highlight conservation needs of the endemic trout from the Northern Sierra Madre Occidental. <i>Conservation Genetics</i> , 2021, 22, 629-643.	1.5	2
6	Evidence of hybridization between Yaqui catfish <i>Ictalurus pricei</i> (Rutter, 1896) and channel catfish <i>Ictalurus punctatus</i> (Rafinesque, 1818) in northwestern Mexico revealed by analysis of mitochondrial and nuclear genes. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 3334-3341.	2.0	3
7	Diversity and longitudinal distribution of fishes in the Soto La Marina River basin, Mexico, and relationship with environmental variables. <i>Environmental Biology of Fishes</i> , 2021, 104, 1321.	1.0	0
8	Genotyping-by-sequencing reveals the effects of riverscape, climate and interspecific introgression on the genetic diversity and local adaptation of the endangered Mexican golden trout (<i>Oncorhynchus tshawytscha</i>). <i>Environmental Biology of Fishes</i> , 2021, 104, 1321.	1.0	0
9	First steps towards the identification of evolutionarily significant units in Mexican native trout: An assessment of microsatellite variation. <i>Environmental Biology of Fishes</i> , 2020, 103, 733-756.	1.0	7
10	Phylogeography and genetic structure of an iconic tree of the Sonoran Desert, the Cirio (<i>Fouquieria columnaris</i>), based on chloroplast DNA. <i>Biological Journal of the Linnean Society</i> , 2020, 130, 433-446.	1.6	7
11	Genetic diversity and structure of circumtropical almaco jack, <i>Seriola rivoliana</i> : tool for conservation and management. <i>Journal of Fish Biology</i> , 2020, 97, 882-894.	1.6	7
12	Nuevas caracter�sticas en distribuci�n espacial, edad y crecimiento de la especie protegida <i>Totoaba macdonaldi</i> en el Golfo de California. <i>Biotecnia</i> , 2020, 22, 61-72.	0.3	2
13	High genetic differentiation in the edible cannonball jellyfish (cnidaria: Scyphozoa: <i>Stomolophus</i> spp.) from the Gulf of California, Mexico. <i>Fisheries Research</i> , 2019, 219, 105328.	1.7	15
14	Red Queen revisited: Immune gene diversity and parasite load in the asexual <i>Poecilia formosa</i> versus its sexual host species <i>P. mexicana</i> . <i>PLoS ONE</i> , 2019, 14, e0219000.	2.5	7
15	Population genetic divergence as consequence of past range expansion of the smooth hammerhead shark <i>Sphyrna zygaena</i> . <i>Hydrobiologia</i> , 2019, 837, 31-46.	2.0	6
16	Adapterama I: universal stubs and primers for 384 unique dual-indexed or 147,456 combinatorially-indexed Illumina libraries (iTru & iNext). <i>PeerJ</i> , 2019, 7, e7755.	2.0	243
17	Phylogenetic relationships and origin of the rattlesnakes of the Gulf of California islands (Viperidae:). <i>Journal of Herpetology</i> , 2019, 53, 1-11.	0.6	3
18	Distribution of fishes in the R�o Guayalejo-R�o Tames�-system and relationships with environmental factors in northeastern Mexico. <i>Environmental Biology of Fishes</i> , 2018, 101, 167-180.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Variation in chromosome number and breeding systems: implications for diversification in <i>Pachycereus pringlei</i> (Cactaceae). <i>Comparative Cytogenetics</i> , 2018, 12, 61-82.	0.8	9
20	Microsatellite loci obtained by next generation sequencing on the sablefish (<i>Anoplopoma fimbria</i>). <i>Molecular Biology Reports</i> , 2018, 45, 1523-1526.	2.3	2
21	Role of oceanography in shaping the genetic structure in the North Pacific hake <i>Merluccius productus</i> . <i>PLoS ONE</i> , 2018, 13, e0194646.	2.5	20
22	The interplay of riverscape features and exotic introgression on the genetic structure of the Mexican golden trout (<i>Oncorhynchus chrysogaster</i>), a simulation approach. <i>Journal of Biogeography</i> , 2018, 45, 1500-1514.	3.0	7
23	Variación fenotípica infraespecífica de la codorniz de California (<i>Callipepla californica</i> , Aves). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 0.1</i>	0.1	1
24	Connectivity and genetic structure of the queen conch on the Mesoamerican Reef. <i>Coral Reefs</i> , 2017, 36, 535-548.	2.2	16
25	Isolation and characterization of 14 tetranucleotide microsatellite loci for the cannonball jellyfish (<i>Stomolophus</i> sp.) by next generation sequencing. <i>Molecular Biology Reports</i> , 2017, 44, 257-260.	2.3	4
26	Disparity in floral traits and breeding systems in the iconic columnar cactus <i>Pachycereus pringlei</i> (Cactaceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2017, 235, 18-28.	1.2	9
27	Phylogeography and Ecological Niche Modeling of the Desert Iguana (<i>Dipsosaurus dorsalis</i> , Baird). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 2.4</i>	2.4	8
28	The complete mitogenome of the live-bearing fish <i>Xenotoca variata</i> (Bean, 1887) (Actinopterygii). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 0.4</i>	0.4	1
29	Assessing population-level morphometric variation of the Mountain Mullet <i>Agonostomus monticola</i> (Teleostei: Mugilidae) across its Middle American distribution. <i>Neotropical Ichthyology</i> , 2017, 15, .	1.0	3
30	Potential distribution of endangered Mexican golden trout (<i>Oncorhynchus chrysogaster</i>) in the Rio Sinaloa and Rio Culiacan basins (Sierra Madre Occidental) based on landscape characterization and species distribution models. <i>Environmental Biology of Fishes</i> , 2017, 100, 981-993.	1.0	7
31	The complete mitochondrial DNA of white shark (<i>Carcharodon carcharias</i>) from Isla Guadalupe, Mexico. <i>Mitochondrial DNA</i> , 2016, 27, 1281-1282.	0.6	3
32	The complete mitochondrial DNA of the bull shark (<i>Carcharhinus leucas</i>). <i>Mitochondrial DNA</i> , 2016, 27, 717-718.	0.6	1
33	The complete mitochondrial DNA of the silky shark (<i>Carcharhinus falciformis</i>). <i>Mitochondrial DNA</i> , 2016, 27, 157-158.	0.6	5
34	Conservation of Native Pacific Trout Diversity in Western North America. <i>Fisheries</i> , 2016, 41, 286-300.	0.8	39
35	Do relaxed selection and habitat temperature facilitate biased mitogenomic introgression in a narrowly endemic fish?. <i>Ecology and Evolution</i> , 2016, 6, 3684-3698.	1.9	13
36	Microsatellite genetic diversity and mating systems in the columnar cactus <i>Pachycereus pringlei</i> (Cactaceae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2016, 22, 1-10.	2.7	28

#	ARTICLE	IF	CITATIONS
37	Phylogeography of endemic Xantusâ€™ hummingbird (<i>Hylocharis xantusii</i>) shows a different history of vicariance in the Baja California Peninsula. <i>Molecular Phylogenetics and Evolution</i> , 2016, 102, 265-277.	2.7	10
38	Panmixia in a Critically Endangered Fish: The Totoaba (<i>Totoaba macdonaldi</i>) in the Gulf of California. <i>Journal of Heredity</i> , 2016, 107, 496-503.	2.4	9
39	Pleistocene refugia and their effects on the phylogeography and genetic structure of the wolf spider <i>Pardosa sierra</i> (Araneae: Lycosidae) on the Baja California Peninsula. <i>Journal of Arachnology</i> , 2016, 44, 367-379.	0.5	9
40	Variation in the whole mitogenome of reef-building <i>Porites</i> corals. <i>Conservation Genetics Resources</i> , 2016, 8, 123-127.	0.8	4
41	The complete mitochondrial DNA of the bay snook, <i>Petenia splendida</i> , a native Mexican cichlid.. <i>Mitochondrial DNA</i> , 2016, 27, 1381-1382.	0.6	2
42	The complete mitochondrial DNA of the endemic shortfin silverside, <i>Chiostoma humboldtianum</i> (Valenciennes, 1835). <i>Mitochondrial DNA</i> , 2016, 27, 1545-1546.	0.6	2
43	Entire mitochondrion genome sequence of the Desert Pupfish, <i>Cyprinodon macularius</i> Baird & Girard, 1853. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 3893-3894.	0.7	0
44	The complete mitochondrial DNA of the tropical gar (<i>Atractosteus tropicus</i>). <i>Mitochondrial DNA</i> , 2016, 27, 557-558.	0.6	1
45	The complete mitochondrial DNA of endemic Eastern Pacific coral (<i>Porites panamensis</i>). <i>Mitochondrial DNA</i> , 2016, 27, 738-739.	0.6	5
46	Genetic variability between complete mitochondrion genomes of the sablefish, <i>Anoplopoma fimbria</i> (Pallas, 1814). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 2429-2430.	0.7	1
47	Lionfish, <i>Pterois volitans</i> Linnaeus 1758, the complete mitochondrial DNA of an invasive species. <i>Mitochondrial DNA</i> , 2016, 27, 1423-1424.	0.6	3
48	Sexual dimorphism in a trophically polymorphic cichlid fish?. <i>Journal of Morphology</i> , 2015, 276, 1448-1454.	1.2	9
49	Microsatellite DNA analysis of Pacific hake <i>Merluccius productus</i> population structure in the Salish Sea. <i>ICES Journal of Marine Science</i> , 2015, 72, 2720-2731.	2.5	11
50	Morphological variation and different branch modularity across contrasting flow conditions in dominant <i>Pocillopora</i> reef-building corals. <i>Oecologia</i> , 2015, 178, 207-218.	2.0	37
51	Convergent changes in the trophic ecology of extremophile fish along replicated environmental gradients. <i>Freshwater Biology</i> , 2015, 60, 768-780.	2.4	19
52	Switch between Morphospecies of <i>Pocillopora</i> Corals. <i>American Naturalist</i> , 2015, 186, 434-440.	2.1	52
53	Genetic Structure of Pacific Trout at the Extreme Southern End of Their Native Range. <i>PLoS ONE</i> , 2015, 10, e0141775.	2.5	20
54	Critically Endangered totoaba <i>Totoaba macdonaldi</i> : signs of recovery and potential threats after a population collapse. <i>Endangered Species Research</i> , 2015, 29, 1-11.	2.4	23

#	ARTICLE	IF	CITATIONS
55	New Interpretations about Clonal Architecture for the Sour Pitaya (&i>Stenocereus) Isolation and Characterization. Open Journal of Genetics, 2015, 05, 1-11.	0.1	5
56	Development and Characterization of 10 Microsatellite Loci in the Giant Cardon Cactus, <i>Pachycereus pringlei</i> (Cactaceae). Applications in Plant Sciences, 2014, 2, 1300066.	2.1	1
57	Close Genetic Relationships between Two American Octopuses: <i>Octopus hubbsorum</i> Berry, 1953, and <i>Octopus mimus</i> Gould, 1852. Journal of Shellfish Research, 2014, 33, 293-303.	0.9	20
58	Genetic introgression of cultured rainbow trout in the Mexican native trout complex. Conservation Genetics, 2014, 15, 1063-1071.	1.5	22
59	Next generation phylogeography of cave and surface <i>Astyanax mexicanus</i> . Molecular Phylogenetics and Evolution, 2014, 79, 368-374.	2.7	66
60	Inferring past demographic changes in a critically endangered marine fish after fishery collapse. ICES Journal of Marine Science, 2014, 71, 1619-1628.	2.5	15
61	Phylogenetic relationships of North American western chubs of the genus <i>Gila</i> (Cyprinidae, Teleostei), with emphasis on southern species. Molecular Phylogenetics and Evolution, 2014, 70, 210-230.	2.7	23
62	Isolation and characterization of microsatellite loci in the Charal de Xochimilco <i>Chirostoma humboldtianum</i> . Revista Mexicana De Biodiversidad, 2014, 85, 1282-1284.	0.4	3
63	Isolation and characterization of 17 tetranucleotide microsatellite loci in the Mexican golden trout (<i>Oncorhynchus chrysogaster</i> , Needham & Gard 1964) derived from 454 pyrosequencing. Conservation Genetics Resources, 2013, 5, 1009-1012.	0.8	0
64	Isolation and characterization of 15 tetranucleotide microsatellite loci in the desert iguana (<i>Dipsosaurus dorsalis</i> , Baird and Girard) by 454 pyrosequencing. Conservation Genetics Resources, 2013, 5, 719-721.	0.8	1
65	Development and characterization of 14 microsatellite loci in the beach wolf spider (<i>Arctosa</i>)	0.8	3
66	From the mountains to the sea: phylogeography and cryptic diversity within the mountain mullet, <i>Aegonostomus monticola</i> (Teleostei: Mugilidae). Journal of Biogeography, 2013, 40, 894-904.	3.0	30
67	Historical demography and genetic differentiation inferred from the mitochondrial DNA of the silky shark (<i>Carcharhinus falciformis</i>) in the Pacific Ocean. Fisheries Research, 2013, 147, 36-46.	1.7	24
68	Evolution of a Genetic Incompatibility in the Genus <i>Xiphophorus</i> . Molecular Biology and Evolution, 2013, 30, 2302-2310.	8.9	21
69	Introgressive hybridization in a trophically polymorphic cichlid. Ecology and Evolution, 2013, 3, 4536-4547.	1.9	15
70	Phylogeography and Conservation Genetics of a Distinct Lineage of Sunfish in the Cuatro Ciénegas Valley of Mexico. PLoS ONE, 2013, 8, e77013.	2.5	9
71	Genetic diversity and structure among subspecies of white-tailed deer in Mexico. Journal of Mammalogy, 2012, 93, 1158-1168.	1.3	16
72	Systematics of the grey mullets (Teleostei: Mugiliformes: Mugilidae): Molecular phylogenetic evidence challenges two centuries of morphology-based taxonomy. Molecular Phylogenetics and Evolution, 2012, 64, 73-92.	2.7	134

#	ARTICLE	IF	CITATIONS
73	The Effect of Aquatic Plant Abundance on Shell Crushing Resistance in a Freshwater Snail. PLoS ONE, 2012, 7, e44374.	2.5	6
74	La pesquería del langostino argentino <i>Pleoticus muelleri</i> (Crustacea: Penaeidae) en Patagonia, ¿un único stock?. Anales Del Instituto De La Patagonia, 2012, 40, 103-112.	0.1	5
75	Gene flow and population structure in the Mexican blind cavefish complex (<i>Astyanax mexicanus</i>). BMC Evolutionary Biology, 2012, 12, 9.	3.2	174
76	Population structure of sablefish <i>Anoplopoma fimbria</i> using genetic variability and geometric morphometric analysis. Journal of Applied Ichthyology, 2012, 28, 516-523.	0.7	17
77	EVOLUTION IN EXTREME ENVIRONMENTS: REPLICATED PHENOTYPIC DIFFERENTIATION IN LIVEBEARING FISH INHABITING SULFIDIC SPRINGS. Evolution; International Journal of Organic Evolution, 2011, 65, 2213-2228.	2.3	123
78	Effects of extreme habitat conditions on otolith morphology – a case study on extremophile livebearing fishes (<i>Poecilia mexicana</i> , <i>P. sulphuraria</i>). Zoology, 2011, 114, 321-334.	1.2	15
79	Phylogeography, genetic structure, and gene flow in the endemic freshwater shrimp <i>Palaemonetes suttkusi</i> from Cuatro Ciénegas, Mexico. Conservation Genetics, 2011, 12, 557-567.	1.5	19
80	Clarifying the taxonomic status of <i>Merluccius</i> spp. in the northeastern Pacific: a combined morphological and molecular approach. Reviews in Fish Biology and Fisheries, 2011, 21, 259-282.	4.9	14
81	Convergent life-history shifts: toxic environments result in big babies in two clades of poeciliids. Die Naturwissenschaften, 2010, 97, 133-141.	1.6	48
82	Characterization of fourteen microsatellite loci in the endemic and threatened totoaba (<i>Totoaba</i>) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 3	0.8	10
83	Locally adapted fish populations maintain small-scale genetic differentiation despite perturbation by a catastrophic flood event. BMC Evolutionary Biology, 2010, 10, 256.	3.2	48
84	Global phylogeography of the dolphinfish (<i>Coryphaena hippurus</i>): The influence of large effective population size and recent dispersal on the divergence of a marine pelagic cosmopolitan species. Molecular Phylogenetics and Evolution, 2010, 57, 1209-1218.	2.7	54
85	Population genetic structure of dolphinfish (<i>Coryphaena hippurus</i>) in the Gulf of California, using microsatellite loci. Fisheries Research, 2010, 105, 172-177.	1.7	21
86	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 August 2009–30 September 2009. Molecular Ecology Resources, 2010, 10, 232-236.	4.8	71
87	Testing species boundaries in <i>Pardosa sierra</i> (Araneae: Lycosidae) using female morphology and COI mtDNA. Journal of Arachnology, 2010, 38, 538-554.	0.5	20
88	Mitochondrial haplotype variation in wild trout populations (Teleostei: Salmonidae) from northwestern Mexico. Reviews in Fish Biology and Fisheries, 2008, 18, 33-45.	4.9	17
89	A new and morphologically distinct population of cavernicolous <i>Poecilia mexicana</i> (Poeciliidae: Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 3	1.0	27
90	Sperm production in an extremophile fish, the cave molly (<i>Poecilia mexicana</i> , Poeciliidae, Teleostei). Aquatic Ecology, 2008, 42, 685-692.	1.5	13

#	ARTICLE	IF	CITATIONS
91	TOXIC HYDROGEN SULFIDE AND DARK CAVES: PHENOTYPIC AND GENETIC DIVERGENCE ACROSS TWO ABIOTIC ENVIRONMENTAL GRADIENTS IN <i>POECILIA MEXICANA</i> . Evolution; International Journal of Organic Evolution, 2008, 62, 2643-2659.	2.3	122
92	Two endemic and endangered fishes, <i>Poecilia sulphuraria</i> (Alvarez, 1948) and <i>Gambusia eurystoma</i> Miller, 1975 (Poeciliidae, Teleostei) as only survivors in a small sulphidic habitat. Journal of Fish Biology, 2008, 72, 523-533.	1.6	38
93	Extreme habitats as refuge from parasite infections? Evidence from an extremophile fish. Acta Oecologica, 2007, 31, 270-275.	1.1	30
94	Microsatellite variability analysis in farmed catfish (<i>Ictalurus punctatus</i>) from Tamaulipas, Mexico. Genetics and Molecular Biology, 2007, 30, 570-574.	1.3	7
95	Evidence for recent gene flow between north-eastern and south-eastern Madagascan poison frogs from a phylogeography of the <i>Mantella cowani</i> group. Frontiers in Zoology, 2007, 4, 1.	2.0	112
96	Analysis of a possible independent origin of triploid <i>P. formosa</i> outside of the Purificación river system. Frontiers in Zoology, 2007, 4, 13.	2.0	29
97	Isolation and characterization of eight polymorphic microsatellite markers from pink conch (<i>Strombus gigas</i>). Molecular Ecology Notes, 2007, 7, 597-599.	1.7	7
98	Spatial mosaic evolution of snail defensive traits. BMC Evolutionary Biology, 2007, 7, 50.	3.2	19
99	Survival in an extreme habitat: the roles of behaviour and energy limitation. Die Naturwissenschaften, 2007, 94, 991-996.	1.6	77
100	MICRO- AND MACROEVOLUTIONARY DECOUPLING OF CICHLID JAWS: A TEST OF LIEM'S KEY INNOVATION HYPOTHESIS. Evolution; International Journal of Organic Evolution, 2006, 60, 2096-2109.	2.3	95
101	Local adaptation and pronounced genetic differentiation in an extremophile fish, <i>Poecilia mexicana</i> , inhabiting a Mexican cave with toxic hydrogen sulphide. Molecular Ecology, 2006, 16, 967-976.	3.9	68
102	Life on the edge: hydrogen sulfide and the fish communities of a Mexican cave and surrounding waters. Extremophiles, 2006, 10, 577-585.	2.3	116
103	Microsatellites for the gynogenetic Amazon molly, <i>Poecilia formosa</i> : useful tools for detection of mutation rate, ploidy determination and overall genetic diversity. Journal of Genetics, 2006, 85, 67-71.	0.7	15
104	Is UV Ornamentation an Amplifier in Swordtails?. Zebrafish, 2006, 3, 91-100.	1.1	16
105	Sexual Behavior, Genes, and Evolution in <i>Xiphophorus</i> . Zebrafish, 2006, 3, 85-90.	1.1	15
106	Cichlid jaw mechanics: linking morphology to feeding specialization. Functional Ecology, 2005, 19, 487-494.	3.6	107
107	Cave molly females (<i>Poecilia mexicana</i> , Poeciliidae, Teleostei) like well-fed males. Behavioral Ecology and Sociobiology, 2005, 58, 144-151.	1.4	60
108	Temporal diversification of Mesoamerican cichlid fishes across a major biogeographic boundary. Molecular Phylogenetics and Evolution, 2004, 31, 754-764.	2.7	104

#	ARTICLE	IF	CITATIONS
109	Convergence among cave catfishes: long-branch attraction and a Bayesian relative rates test. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 1101-1113.	2.7	64
110	Studies in conservation genetics of tarpon (<i>Megalops atlanticus</i>). Isolation and characterization of microsatellite loci. <i>Molecular Ecology Notes</i> , 2003, 3, 632-634.	1.7	4
111	Dissolution of Sexual Signal Complexes in a Hybrid Zone between the Swordtails <i>Xiphophorus birchmanni</i> and <i>Xiphophorus malinche</i> (Poeciliidae). <i>Copeia</i> , 2003, 2003, 299-307.	1.3	54
112	Phylogenetic relationships of <i>Moxostoma</i> and <i>Scartomyzon</i> (Catostomidae) based on mitochondrial cytochrome b sequence data. <i>Journal of Fish Biology</i> , 2002, 61, 1433-1452.	1.6	23
113	Mexican native trouts: a review of their history and current systematic and conservation status. <i>Reviews in Fish Biology and Fisheries</i> , 2002, 12, 273-316.	4.9	29
114	Ecology of the Alligator Gar, <i>Atractosteus spatula</i> , in the Vicente Guerrero Reservoir, Tamaulipas, Mexico. <i>Southwestern Naturalist</i> , 2001, 46, 151.	0.1	30
115	Shared Preferences by Predators and Females for Male Ornaments in Swordtails. <i>American Naturalist</i> , 2001, 158, 146-154.	2.1	118
116	Shared Preferences by Predators and Females for Male Ornaments in Swordtails. <i>American Naturalist</i> , 2001, 158, 146.	2.1	9
117	The application of microsatellite markers to breeding programmes in the sea bass, <i>Dicentrarchus labrax</i> . <i>Aquaculture</i> , 1998, 159, 303-316.	3.5	83
118	Microsatellite polymorphism and population subdivision in natural populations of European sea bass <i>Dicentrarchus labrax</i> (Linnaeus, 1758). <i>Molecular Ecology</i> , 1997, 6, 51-62.	3.9	123
119	Natural history and trophic ecology of three populations of the Mexican cavefish, <i>Astyanax mexicanus</i> . <i>Environmental Biology of Fishes</i> , 0, , 1.	1.0	4