

# Richard W Wozniak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8295522/publications.pdf>

Version: 2024-02-01

59  
papers

3,946  
citations

117571

34  
h-index

138417

58  
g-index

64  
all docs

64  
docs citations

64  
times ranked

4214  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nsp1 protein of SARS-CoV-2 disrupts the mRNA export machinery to inhibit host gene expression. <i>Science Advances</i> , 2021, 7, .	4.7	154
2	Nodosome Inhibition as a Novel Broad-Spectrum Antiviral Strategy against Arboviruses, Enteroviruses, and SARS-CoV-2. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, e0049121.	1.4	9
3	Phosphorylation-dependent mitotic SUMOylation drives nuclear envelope-chromatin interactions. <i>Journal of Cell Biology</i> , 2021, 220, .	2.3	13
4	Mutant huntingtin interacts with the sterol regulatory element-binding proteins and impairs their nuclear import. <i>Human Molecular Genetics</i> , 2020, 29, 418-431.	1.4	13
5	SARS-CoV-2 Orf6 hijacks Nup98 to block STAT nuclear import and antagonize interferon signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 28344-28354.	3.3	421
6	Recruitment of an Activated Gene to the Yeast Nuclear Pore Complex Requires Sumoylation. <i>Frontiers in Genetics</i> , 2020, 11, 174.	1.1	7
7	The Canadian Rare Diseases Models and Mechanisms (RDMM) Network: Connecting Understudied Genes to Model Organisms. <i>American Journal of Human Genetics</i> , 2020, 106, 143-152.	2.6	30
8	Passive diffusion through nuclear pore complexes regulates levels of the yeast SAGA and SLIK coactivators complexes. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	6
9	Nucleoplasmic Nup98 controls gene expression by regulating a DExH/D-box protein. <i>Nucleus</i> , 2018, 9, 1-8.	0.6	13
10	SUMO and Nucleocytoplasmic Transport. <i>Advances in Experimental Medicine and Biology</i> , 2017, 963, 111-126.	0.8	31
11	Yeast silencing factor Sir4 and a subset of nucleoporins form a complex distinct from nuclear pore complexes. <i>Journal of Cell Biology</i> , 2017, 216, 3145-3159.	2.3	40
12	Human Nup98 regulates the localization and activity of DExH/D-box helicase DHX9. <i>ELife</i> , 2017, 6, .	2.8	33
13	The Nuclear Transport Factor Kap121 Is Required for Stability of the Dam1 Complex and Mitotic Kinetochore Bi-orientation. <i>Cell Reports</i> , 2016, 14, 2440-2450.	2.9	4
14	Nucleoporins and chromatin metabolism. <i>Current Opinion in Cell Biology</i> , 2016, 40, 153-160.	2.6	44
15	The Hepatitis C Virus-Induced Membranous Web and Associated Nuclear Transport Machinery Limit Access of Pattern Recognition Receptors to Viral Replication Sites. <i>PLoS Pathogens</i> , 2016, 12, e1005428.	2.1	90
16	Functional Characterization of Nuclear Localization and Export Signals in Hepatitis C Virus Proteins and Their Role in the Membranous Web. <i>PLoS ONE</i> , 2014, 9, e114629.	1.1	26
17	Assessing Regulated Nuclear Transport in <i>Saccharomyces cerevisiae</i> . <i>Methods in Cell Biology</i> , 2014, 122, 311-330.	0.5	3
18	The multifunctional nuclear pore complex: a platform for controlling gene expression. <i>Current Opinion in Cell Biology</i> , 2014, 28, 46-53.	2.6	82

#	ARTICLE	IF	CITATIONS
19	Sculpting the chromatin landscape: a role for nuclear pore complexes in gene silencing (238.2). <i>FASEB Journal</i> , 2014, 28, 238.2.	0.2	0
20	Mitosis-Specific Regulation of Nuclear Transport by the Spindle Assembly Checkpoint Protein Mad1p. <i>Molecular Cell</i> , 2013, 49, 109-120.	4.5	43
21	A Role for the Nucleoporin Nup170p in Chromatin Structure and Gene Silencing. <i>Cell</i> , 2013, 152, 969-983.	13.5	141
22	Inheritance of yeast nuclear pore complexes requires the Nsp1p subcomplex. <i>Journal of Cell Biology</i> , 2013, 203, 187-196.	2.3	43
23	Hepatitis C Virus-Induced Cytoplasmic Organelles Use the Nuclear Transport Machinery to Establish an Environment Conducive to Virus Replication. <i>PLoS Pathogens</i> , 2013, 9, e1003744.	2.1	56
24	Dual personality of Mad1. <i>Nucleus</i> , 2013, 4, 367-373.	0.6	6
25	Structural evolution of the membrane-coating module of the nuclear pore complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16498-16503.	3.3	24
26	Role of the nuclear envelope in genome organization and gene expression. <i>Wiley Interdisciplinary Reviews: Systems Biology and Medicine</i> , 2011, 3, 147-166.	6.6	67
27	Nuclear transport and the mitotic apparatus: an evolving relationship. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2215-2230.	2.4	85
28	Pom121 links two essential subcomplexes of the nuclear pore complex core to the membrane. <i>Journal of Cell Biology</i> , 2010, 191, 505-521.	2.3	99
29	The nucleoporins Nup170p and Nup157p are essential for nuclear pore complex assembly. <i>Journal of Cell Biology</i> , 2009, 185, 459-473.	2.3	78
30	The nuclear export factor Xpo1p targets Mad1p to kinetochores in yeast. <i>Journal of Cell Biology</i> , 2009, 184, 21-29.	2.3	22
31	A Role for the Karyopherin Kap123p in Microtubule Stability. <i>Traffic</i> , 2009, 10, 1619-1634.	1.3	8
32	Cyclin-like Oscillations in Levels of the Nucleoporin Nup96 Control G1/S Progression. <i>Developmental Cell</i> , 2008, 15, 643-644.	3.1	6
33	Nup53 Is Required for Nuclear Envelope and Nuclear Pore Complex Assembly. <i>Molecular Biology of the Cell</i> , 2008, 19, 1753-1762.	0.9	67
34	The role of karyopherins in the regulated sumoylation of septins. <i>Journal of Cell Biology</i> , 2007, 177, 39-49.	2.3	71
35	Pore puzzle. <i>Nature</i> , 2007, 450, 621-622.	13.7	5
36	Nup53p is a Target of Two Mitotic Kinases, Cdk1p and Hrr25p. <i>Traffic</i> , 2007, 8, 647-660.	1.3	37

#	ARTICLE	IF	CITATIONS
37	The Conserved Transmembrane Nucleoporin NDC1 Is Required for Nuclear Pore Complex Assembly in Vertebrate Cells. <i>Molecular Cell</i> , 2006, 22, 93-103.	4.5	210
38	Interactions between Mad1p and the Nuclear Transport Machinery in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 4362-4374.	0.9	72
39	Vertebrate Nup53 Interacts with the Nuclear Lamina and Is Required for the Assembly of a Nup93-containing Complex. <i>Molecular Biology of the Cell</i> , 2005, 16, 2382-2394.	0.9	124
40	The mobile nucleoporin Nup2p and chromatin-bound Prp20p function in endogenous NPC-mediated transcriptional control. <i>Journal of Cell Biology</i> , 2005, 171, 955-965.	2.3	114
41	Problems with Co-Funding in Canada. <i>Science</i> , 2005, 308, 1867b-1867b.	6.0	6
42	Characterization of Karyopherin Cargoes Reveals Unique Mechanisms of Kap121p-Mediated Nuclear Import. <i>Molecular and Cellular Biology</i> , 2004, 24, 8487-8503.	1.1	46
43	New ways to skin a kap: mechanisms for controlling nuclear transport. <i>Biochemistry and Cell Biology</i> , 2004, 82, 618-625.	0.9	9
44	Nuclear pore complexes. <i>Current Biology</i> , 2003, 13, R169.	1.8	7
45	Nuclear Pores: Sowing the Seeds of Assembly on the Chromatin Landscape. <i>Current Biology</i> , 2003, 13, R970-R972.	1.8	11
46	Cell Cycle Regulated Transport Controlled by Alterations in the Nuclear Pore Complex. <i>Cell</i> , 2003, 115, 813-823.	13.5	140
47	Kap121p-Mediated Nuclear Import Is Required for Mating and Cellular Differentiation in Yeast. <i>Molecular and Cellular Biology</i> , 2002, 22, 2544-2555.	1.1	43
48	The yeast nuclear pore complex functionally interacts with components of the spindle assembly checkpoint. <i>Journal of Cell Biology</i> , 2002, 159, 807-819.	2.3	147
49	Karyopherins in nuclear pore biogenesis. <i>Journal of Cell Biology</i> , 2002, 159, 267-278.	2.3	76
50	Rrb1p, a Yeast Nuclear WD-Repeat Protein Involved in the Regulation of Ribosome Biosynthesis. <i>Molecular and Cellular Biology</i> , 2001, 21, 1260-1271.	1.1	69
51	A Link between the Synthesis of Nucleoporins and the Biogenesis of the Nuclear Envelope. <i>Journal of Cell Biology</i> , 2001, 153, 709-724.	2.3	133
52	Nup2p Dynamically Associates with the Distal Regions of the Yeast Nuclear Pore Complex. <i>Journal of Cell Biology</i> , 2001, 153, 1465-1478.	2.3	149
53	The dynamics of karyopherin-mediated nuclear transport. <i>Biochemistry and Cell Biology</i> , 2001, 79, 603-612.	0.9	27
54	Proteomics for the pore. <i>Nature</i> , 2000, 403, 835-836.	13.7	34

#	ARTICLE	IF	CITATIONS
55	Yeast Nucleoporins Involved in Passive Nuclear Envelope Permeability. <i>Journal of Cell Biology</i> , 2000, 149, 1027-1038.	2.3	104
56	Topology and Functional Domains of the Yeast Pore Membrane Protein Pom152p. <i>Journal of Biological Chemistry</i> , 1999, 274, 5252-5258.	1.6	36
57	Karyopherins and kissing cousins. <i>Trends in Cell Biology</i> , 1998, 8, 184-188.	3.6	212
58	Specific Binding of the Karyopherin Kap121p to a Subunit of the Nuclear Pore Complex Containing Nup53p, Nup59p, and Nup170p. <i>Journal of Cell Biology</i> , 1998, 143, 1813-1830.	2.3	152
59	Cell Cycle-Dependent Phosphorylation of Nucleoporins and Nuclear Pore Membrane Protein Gp210. <i>Biochemistry</i> , 1996, 35, 8035-8044.	1.2	147