

# Hironori Nakajima

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8299051/publications.pdf>

Version: 2024-02-01

103  
papers

1,242  
citations

361413

20  
h-index

395702

33  
g-index

103  
all docs

103  
docs citations

103  
times ranked

970  
citing authors

#	ARTICLE	IF	CITATIONS
1	Water Transport Analysis in a Polymer Electrolyte Electrolysis Cell Comprised of Gas/Liquid Separating Interdigitated Flow Fields. <i>Electrochemistry</i> , 2022, 90, 017002-017002.	1.4	3
2	Three-Dimensional Numerical Modeling of a Low-Temperature Sabatier Reactor for a Tandem System of CO <sub>2</sub> Methanation and Polymer Electrolyte Membrane Water Electrolysis. <i>Electrochemistry</i> , 2022, 90, 067008-067008.	1.4	2
3	Investigation of in-situ catalytic combustion in polymer-electrolyte-membrane fuel cell during combined chemical and mechanical stress test. <i>Journal of Power Sources</i> , 2022, 542, 231803.	7.8	6
4	Evaluation of Three-Dimensional Placement of Built-in Catalytic Partial Oxidation Catalyst in an Anode-Supported Honeycomb SOFC. <i>ECS Transactions</i> , 2021, 103, 1991-1996.	0.5	0
5	Spatial Current and Temperature Variations in a Microtubular Solid Oxide Electrolysis Cell In-Situ Analyzed with Electrode-Segmentation Method. <i>ECS Transactions</i> , 2021, 103, 643-651.	0.5	1
6	Evaluation of Three-Dimensional Placement of Built-in Catalytic Partial Oxidation Catalyst in an Anode-Supported Honeycomb SOFC. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 252-252.	0.0	0
7	Spatial Current and Temperature Variations in a Microtubular Solid Oxide Electrolysis Cell In-Situ Analyzed with Electrode-Segmentation Method. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 234-234.	0.0	0
8	Mass Transfer in Microporous Layers for Polymer Electrolyte Fuel Cells Analyzed with Pore Network Modeling. <i>ECS Transactions</i> , 2021, 104, 129-135.	0.5	2
9	Pore Network Modeling of Hydrophilic / Hydrophobic Composite Microporous Layers for Polymer Electrolyte Fuel Cells. <i>ECS Transactions</i> , 2021, 104, 157-160.	0.5	0
10	Hydrophilic and Hydrophobic Microporous Layer Coated Gas Diffusion Layer for Enhancing PEFC Performance. <i>ECS Transactions</i> , 2021, 104, 117-127.	0.5	1
11	Pore Network Modeling of Hydrophilic / Hydrophobic Composite Microporous Layers for Polymer Electrolyte Fuel Cells. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 1044-1044.	0.0	0
12	Hydrophilic and Hydrophobic Microporous Layer Coated Gas Diffusion Layer for Enhancing PEFC Performance. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 1034-1034.	0.0	0
13	Mass Transfer in Microporous Layers for Polymer Electrolyte Fuel Cells Analyzed with Pore Network Modeling. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 1033-1033.	0.0	0
14	Visualization and mechanical strength of glass seal in planar type solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 21754-21766.	7.1	4
15	Pore Network Modeling of Microporous Layers for Polymer Electrolyte Fuel Cells. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3841-3841.	0.0	1
16	Analysis of Influence of Cathode Current Collector Wettability on Current Loss By Crossover Evaluation Both at Cathode and Anode Side. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 2473-2473.	0.0	0
17	Experimental and Numerical Analyses of Mass Transfer in Solid Oxide Cells. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 2515-2515.	0.0	0
18	Fabrication and Evaluation of an Anode-Supported Honeycomb SOFC with Built-in Catalytic Partial Oxidation Micro-Reformer. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 3842-3842.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Influence of Carbon Deposition on the Current Distribution in an Anode-Supported Planar Solid Oxide Fuel Cell In-Situ Assessed by Segmented Electrodes. ECS Transactions, 2019, 91, 549-554.	0.5	0
20	Fuel Production with a Cathode-Supported Honeycomb Solid Oxide Electrolysis Cell. ECS Transactions, 2019, 91, 2707-2712.	0.5	0
21	Effect of Temperature on the Performance of Polymer Electrolyte Membrane Water Electrolysis: Numerical Analysis of Electrolysis Voltage Considering Gas/Liquid Two-Phase Flow. Journal of the Electrochemical Society, 2019, 166, F246-F254.	2.9	34
22	Electrochemical Impedance Diagnosis of Abnormal Operational Conditions for Reliability of Polymer Electrolyte Fuel Cells in Marine Power Application -Sea Salt Contamination-. ECS Transactions, 2019, 92, 341-349.	0.5	3
23	Electrochemical Impedance Diagnosis of Abnormal Operational Conditions for Reliability of Polymer Electrolyte Fuel Cells in Marine Power Application -Sea Salt Contamination-. ECS Meeting Abstracts, 2019, , .	0.0	0
24	Electrochemical Impedance Spectroscopy Analysis of Carbon Deposition in an Anode-Supported Planar Solid Oxide Fuel Cell By Segmented Electrodes. ECS Meeting Abstracts, 2019, , .	0.0	0
25	Electrolytic Performance of a Cathode-Supported Honeycomb Solid Oxide Electrolysis Cell. ECS Meeting Abstracts, 2019, , .	0.0	0
26	Concentration Gradient of Reactants Extending from Reaction Sites Inward Inlet Periphery of Fuel Cells. Journal of the Electrochemical Society, 2018, 165, F365-F374.	2.9	10
27	Effect of flow-field pattern and flow configuration on the performance of a polymer-electrolyte-membrane water electrolyzer at high temperature. International Journal of Hydrogen Energy, 2018, 43, 8600-8610.	7.1	33
28	Three-dimensional flow channel arrangements in an anode-supported honeycomb solid oxide fuel cell. Heat and Mass Transfer, 2018, 54, 2545-2550.	2.1	7
29	Real-time electrochemical impedance spectroscopy diagnosis of the solid oxide fuel cell for marine power applications. Heat and Mass Transfer, 2018, 54, 2551-2558.	2.1	9
30	Gas Diffusion Media and NaCl Contamination of Polymer Electrolyte Fuel Cells for Marine Applications. ECS Transactions, 2018, 86, 271-279.	0.5	2
31	Mass transport limitation in inlet periphery of fuel cells: Studied on a planar Solid Oxide Fuel Cell. International Journal of Hydrogen Energy, 2018, 43, 17420-17430.	7.1	15
32	Gas Diffusion Media and NaCl Contamination of Polymer Electrolyte Fuel Cells for Marine Applications. ECS Meeting Abstracts, 2018, , .	0.0	0
33	Impedance Spectra Associated with Metal Deposition at the Negative Electrode from Contaminating Metal Particles at the Positive Electrode in a Lithium Ion Battery. ECS Transactions, 2017, 75, 27-36.	0.5	3
34	Glass Shape Change during Firing for Improving the Seal of Planar SOFCs. ECS Transactions, 2017, 78, 1731-1737.	0.5	2
35	Segmented Electrode Analysis of an Anode-Supported Planar Solid Oxide Fuel Cell for the Diagnosis of Marine Power Applications. ECS Transactions, 2017, 78, 2109-2113.	0.5	3
36	In Situ Measured Spatial Temperature Variations for Improving Reliability of Numerical SOFC Tools. ECS Transactions, 2017, 78, 2191-2201.	0.5	1

#	ARTICLE	IF	CITATIONS
37	In-Situ Analysis of the in-Plane Current Distribution Difference between Electrolyte-Supported and Anode-Supported Planar Solid Oxide Fuel Cells by Segmented Electrodes. ECS Transactions, 2017, 78, 2203-2209.	0.5	2
38	Challenging of Reducing Electrolysis Voltage by Superimposing Boiling on PEMWEâ€“A Thermodynamic Couplingâ€“. ECS Transactions, 2017, 80, 1117-1125.	0.5	2
39	In-Situ Analysis of the in-Plane Current Distributions in an Electrolyte-Supported Planar Solid Oxide Fuel Cell by Segmented Electrodes. ECS Transactions, 2017, 75, 91-98.	0.5	4
40	In-Situ Analysis of the in-Plane Current Distribution Difference between Electrolyte-Supported and Anode-Supported Planar Solid Oxide Fuel Cells by Segmented Electrodes. ECS Meeting Abstracts, 2017, , .	0.0	0
41	In Situ Measured Spatial Temperature Variations for Improving Reliability of Numerical SOFC Tools. ECS Meeting Abstracts, 2017, , .	0.0	0
42	Challenging of Reducing Electrolysis Voltage by Superimposing Boiling on PEMWEâ€“A Thermodynamic Couplingâ€“. ECS Meeting Abstracts, 2017, , .	0.0	0
43	Segmented Electrode Analysis of an Anode-Supported Planar Solid Oxide Fuel Cell for the Diagnosis of Marine Power Applications. ECS Meeting Abstracts, 2017, , .	0.0	0
44	Glass Shape Change during Firing for Improving the Seal of Planar SOFCs. ECS Meeting Abstracts, 2017, , .	0.0	0
45	Microporous layer-coated gas diffusion layer to reduce oxygen transport resistance in a polymer electrolyte fuel cell under high humidity conditions. International Journal of Hydrogen Energy, 2016, 41, 9547-9555.	7.1	29
46	Optimum structural properties for an anode current collector used in a polymer electrolyte membrane water electrolyzer operated at the boiling point of water. Journal of Power Sources, 2016, 332, 16-23.	7.8	26
47	Hydrogen production with CuO/ZnO nanowire catalyst for a nanocatalytic solar thermal steam-methanol reformer. International Journal of Hydrogen Energy, 2016, 41, 16927-16931.	7.1	11
48	Reliability of the numerical SOFC models for estimating the spatial current and temperature variations. International Journal of Hydrogen Energy, 2016, 41, 15311-15324.	7.1	28
49	Microporous Layer-Coated Gas Diffusion Layer for Performance Enhancement of Polymer Electrolyte Fuel Cells without Humidification Using Anode Gas Recirculation. Journal of the Electrochemical Society, 2016, 163, F1366-F1372.	2.9	4
50	Characterization of an electrochemical hydrogen pump with internal humidifier and dead-end anode channel. International Journal of Hydrogen Energy, 2016, 41, 13879-13887.	7.1	31
51	In-Situ Analysis of the in-Plane Current Distributions in an Electrolyte-Supported Planar Solid Oxide Fuel Cell By Segmented Electrodes. ECS Meeting Abstracts, 2016, , .	0.0	0
52	Separation and Characterization of Overpotentials in Electrochemical Hydrogen Pump with a Reference Electrode. ECS Meeting Abstracts, 2016, , .	0.0	0
53	Impedance Spectra Associated with Metal Deposition at the Negative Electrode from Contaminated Metal Particles at the Positive Electrode in a Lithium Ion Battery. ECS Meeting Abstracts, 2016, , .	0.0	0
54	Optimization of Annealing Catalyst Powder for High Temperature PEMWE. ECS Meeting Abstracts, 2016, , .	0.0	0

#	ARTICLE	IF	CITATIONS
55	Gas Crossover Suppression by Controlling Wettability of Cathode Current Collector. ECS Meeting Abstracts, 2016, , .	0.0	0
56	Gas Diffusion Layer Coated with a Microporous Layer Containing Hydrophilic CNTs to Enhance PEFC Performance without Humidification Using Anode Gas Recirculation. ECS Meeting Abstracts, 2016, , .	0.0	0
57	Influence of Hydrophilic and Hydrophobic Triple MPL Coated GDL on the Oxygen Transport Resistance in a PEFC under High Humidity Conditions. ECS Transactions, 2015, 69, 1313-1322.	0.5	8
58	Gas diffusion layers coated with a microporous layer containing hydrophilic carbon nanotubes for performance enhancement of polymer electrolyte fuel cells under both low and high humidity conditions. Journal of Power Sources, 2015, 283, 115-124.	7.8	72
59	Effect of Electrode Mixing Conditions on the Performance of Lithium-Ion Batteries Analyzed by Fast Fourier Transform Electrochemical Impedance Spectroscopy. ECS Transactions, 2015, 64, 87-95.	0.5	14
60	In-situ diagnosis and assessment of longitudinal current variation by electrode-segmentation method in anode-supported microtubular solid oxide fuel cells. Journal of Power Sources, 2015, 279, 218-223.	7.8	21
61	Current and temperature distributions in-situ acquired by electrode-segmentation along a microtubular solid oxide fuel cell operating with syngas. Journal of Power Sources, 2015, 293, 1053-1061.	7.8	20
62	Mass Transfer in an Anode-Supported Honeycomb Solid Oxide Fuel Cell. ECS Transactions, 2015, 64, 135-142.	0.5	5
63	Analysis and visualization of water flow impact on hydrogen production efficiency in solid polymer water electrolyzer under high-pressure condition. International Journal of Hydrogen Energy, 2015, 40, 5995-6003.	7.1	19
64	Direct Current Distribution Measurement of an Electrolyte-Supported Planar Solid Oxide Fuel Cell under the Rib and Channel by Segmented Electrodes. ECS Transactions, 2015, 68, 2217-2226.	0.5	10
65	Influence of Convective Heat Transfer by Air Flow on Local Current/Temperatures along Microtubular Solid Oxide Fuel Cells In-situ Identified by Electrodesegmentation Method for Co- and Counter-flow Configurations. ECS Transactions, 2015, 68, 2141-2150.	0.5	2
66	Impact of Water Flow Rate on Current Efficiency in Solid Polymer Water Electrolyzer Under 2 MPa Condition. ECS Transactions, 2014, 64, 1019-1028.	0.5	0
67	Influence of GDL Coated with MPL Containing CNTs on PEFC Performance Under Low and High Humidity Conditions. ECS Transactions, 2014, 64, 477-483.	0.5	4
68	Triple microporous layer coated gas diffusion layer for performance enhancement of polymer electrolyte fuel cells under both low and high humidity conditions. Journal of Power Sources, 2014, 248, 1256-1263.	7.8	74
69	Comparison of humidified hydrogen and partly pre-reformed natural gas as fuel for solid oxide fuel cells applying computational fluid dynamics. International Journal of Heat and Mass Transfer, 2014, 77, 1008-1022.	4.8	37
70	Effect of through-plane distribution of polytetrafluoroethylene in carbon paper on in-plane gas permeability. Journal of Power Sources, 2014, 248, 822-830.	7.8	44
71	Study on paper-structured catalyst for direct internal reforming SOFC fueled by the mixture of CH <sub>4</sub> and CO <sub>2</sub> . International Journal of Hydrogen Energy, 2013, 38, 10542-10551.	7.1	32
72	Development of Direct Internal Reforming SOFC Integrated with Paper-Structured Catalyst Fuelled by Biofuels. ECS Transactions, 2013, 57, 2997-3004.	0.5	0

#	ARTICLE	IF	CITATIONS
73	Current Distribution Measurement of a Microtubular Solid Oxide Fuel Cell. ECS Transactions, 2013, 57, 727-732.	0.5	9
74	Flow Channel Configurations of an Anode-Supported Honeycomb Solid Oxide Fuel Cell. ECS Transactions, 2013, 57, 815-822.	0.5	4
75	Novel hydrophilic and hydrophobic double microporous layer coated gas diffusion layer to enhance performance of polymer electrolyte fuel cells under both low and high humidity. Journal of Power Sources, 2013, 234, 129-138.	7.8	81
76	Water Vapor Exchange Flow Channels to Enhance the Performance of Polymer Electrolyte Fuel Cells without Cathode Humidification. ECS Transactions, 2013, 58, 1799-1805.	0.5	0
77	In-Plane Liquid Water Distribution at the Interface between the Gas Diffusion Layer and Catalyst Layer in the Cathode of a Polymer Electrolyte Fuel Cell with a Hybrid Pattern Flow Field. ECS Transactions, 2013, 50, 291-299.	0.5	1
78	Influence of Triple MPL Coated GDL on the PEFC Performance under Low and High Humidity. ECS Transactions, 2013, 58, 1401-1408.	0.5	3
79	Electrochemical Characterization of Hydrogen Pump with Internal Humidifier and Dead-End Anode Channel. ECS Transactions, 2013, 58, 681-691.	0.5	3
80	Water vapor exchange system using a hydrophilic microporous layer coated gas diffusion layer to enhance performance of polymer electrolyte fuel cells without cathode humidification. Journal of Power Sources, 2012, 214, 100-106.	7.8	18
81	Hydrophilic and hydrophobic double microporous layer coated gas diffusion layer for enhancing performance of polymer electrolyte fuel cells under no-humidification at the cathode. Journal of Power Sources, 2012, 199, 29-36.	7.8	102
82	Hydrophilic and Hydrophobic Double MPL Coated GDL to Enhance PEFC Performance under Low and High Humidity Conditions. ECS Transactions, 2011, 41, 593-601.	0.5	4
83	Current Distribution Analysis of a Microtubular Solid Oxide Fuel Cell with Surface Temperature Measurements. ECS Transactions, 2011, 35, 1087-1096.	0.5	4
84	Microporous layer coated gas diffusion layers for enhanced performance of polymer electrolyte fuel cells. Journal of Power Sources, 2010, 195, 2202-2211.	7.8	134
85	Effect of Flow Field Pattern and Microporous Layer on Gas Purge of a Polymer Electrolyte Fuel Cell. ECS Transactions, 2010, 33, 937-944.	0.5	0
86	Electrochemical Impedance Spectroscopy Analysis of an Anode-Supported Microtubular Solid Oxide Fuel Cell. Journal of the Electrochemical Society, 2010, 157, B1686.	2.9	29
87	Influence of Hydrophilic and Hydrophobic Double MPL Coated GDL on PEFC Performance without Cathode Humidification. ECS Transactions, 2010, 33, 1089-1097.	0.5	5
88	Development of a PEFC with Serpentine-Interdigitated Hybrid Pattern Gas Channels. ECS Transactions, 2010, 33, 927-935.	0.5	0
89	Thermal Analysis of a Microtubular Solid Oxide Fuel Cell Using Electrochemical Impedance Spectroscopy. ECS Transactions, 2009, 25, 359-368.	0.5	11
90	Influence of Gas Diffusion Layers with Microporous Layer on the Performance of Polymer Electrolyte Fuel Cells. ECS Transactions, 2009, 25, 1735-1744.	0.5	4

#	ARTICLE	IF	CITATIONS
91	Effects of Design Parameters in Paper Type Gas Diffusion Layer on the Performance of Polymer Electrolyte Fuel Cells (Measures to Prevent Flooding and Drying-Up). <i>Journal of Environment and Engineering</i> , 2009, 4, 338-345.	0.2	6
92	Analysis of tungsten film electrodeposited from a ZnCl <sub>2</sub> -NaCl-KCl melt. <i>Electrochimica Acta</i> , 2007, 53, 20-23.	5.2	23
93	Electrodeposition of metallic tungsten films in ZnCl <sub>2</sub> -NaCl-KF-WO <sub>3</sub> melt at 250°C. <i>Electrochimica Acta</i> , 2007, 53, 24-27.	5.2	23
94	Direct water balance analysis on a polymer electrolyte fuel cell (PEFC): Effects of hydrophobic treatment and micro-porous layer addition to the gas diffusion layer of a PEFC on its performance during a simulated start-up operation. <i>Journal of Power Sources</i> , 2007, 171, 457-463.	7.8	43
95	Electrodeposition of metallic molybdenum films in ZnCl <sub>2</sub> -NaCl-KCl-MoCl <sub>3</sub> systems at 250°C. <i>Electrochimica Acta</i> , 2006, 51, 3776-3780.	5.2	22
96	Electrodeposition of Metallic Tungsten in ZnCl <sub>2</sub> -NaCl-KCl-WCl <sub>4</sub> Melt at 250°C. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, C91.	2.2	29
97	Thermodynamic Investigations of Nitrogen Electrode Reaction in a LiCl-KCl-CsCl Melt. <i>Journal of the Electrochemical Society</i> , 2005, 152, E207.	2.9	5
98	Electrochemical Impedance Spectroscopy Study of a Hydrogen Electrode Reaction at a Zn Electrode in a Molten LiCl-KCl-LiH System. <i>Journal of Physical Chemistry B</i> , 2005, 109, 9645-9650.	2.6	6
99	Thermodynamics of the N <sub>2</sub> /N <sub>3</sub> -Redox Couple in a LiBr-KBr-CsBr Melt. <i>Journal of Physical Chemistry B</i> , 2005, 109, 23972-23975.	2.6	4
100	Infrared Spectroscopy of Molten LiCl-KCl-LiH. <i>Electrochemical and Solid-State Letters</i> , 2004, 7, E27.	2.2	3
101	The single electrode Peltier heats of Li <sup>+</sup> /Li, H <sub>2</sub> /H <sup>+</sup> and Li <sup>+</sup> /Pd-Li couples in molten LiCl-KCl systems. <i>Electrochimica Acta</i> , 2004, 49, 4987-4991.	5.2	10
102	Infrared Spectroscopy of Molten LiCl-KCl under Hydrogen Gas Atmosphere. <i>Journal of Physical Chemistry A</i> , 2004, 108, 4567-4569.	2.5	1
103	Thermodynamic Investigations of a Hydrogen Electrode Reaction in a Molten LiCl-KCl-LiH System. <i>Electrochemical and Solid-State Letters</i> , 2002, 5, E17.	2.2	14