Michael N Diringer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8300107/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Recombinant Activated Factor VII for Acute Intracerebral Hemorrhage. New England Journal of Medicine, 2005, 352, 777-785.	27.0	1,742
2	Definition of Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage as an Outcome Event in Clinical Trials and Observational Studies. Stroke, 2010, 41, 2391-2395.	2.0	1,729
3	Guidelines for the Management of Aneurysmal Subarachnoid Hemorrhage. Stroke, 2009, 40, 994-1025.	2.0	1,195
4	Efficacy and Safety of Recombinant Activated Factor VII for Acute Intracerebral Hemorrhage. New England Journal of Medicine, 2008, 358, 2127-2137.	27.0	1,142
5	Hematoma growth is a determinant of mortality and poor outcome after intracerebral hemorrhage. Neurology, 2006, 66, 1175-1181.	1.1	992
6	Critical Care Management of Patients Following Aneurysmal Subarachnoid Hemorrhage: Recommendations from the Neurocritical Care Society's Multidisciplinary Consensus Conference. Neurocritical Care, 2011, 15, 211-40.	2.4	886
7	Admission to a neurologic/neurosurgical intensive care unit is associated with reduced mortality rate after intracerebral hemorrhage. Critical Care Medicine, 2001, 29, 635-640.	0.9	557
8	Efficacy and safety of minimally invasive surgery with thrombolysis in intracerebral haemorrhage evacuation (MISTIE III): a randomised, controlled, open-label, blinded endpoint phase 3 trial. Lancet, The, 2019, 393, 1021-1032.	13.7	534
9	Progression of Mass Effect After Intracerebral Hemorrhage. Stroke, 1999, 30, 1167-1173.	2.0	371
10	Hypoperfusion without Ischemia Surrounding Acute Intracerebral Hemorrhage. Journal of Cerebral Blood Flow and Metabolism, 2001, 21, 804-810.	4.3	355
11	Elevated body temperature independently contributes to increased length of stay in neurologic intensive care unit patients*. Critical Care Medicine, 2004, 32, 1489-1495.	0.9	342
12	Consensus Summary Statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care. Neurocritical Care, 2014, 21, 1-26.	2.4	339
13	Hydrocephalus: A Previously Unrecognized Predictor of Poor Outcome From Supratentorial Intracerebral Hemorrhage. Stroke, 1998, 29, 1352-1357.	2.0	312
14	Determinants of Intracerebral Hemorrhage Growth. Stroke, 2007, 38, 1072-1075.	2.0	294
15	A management algorithm for patients with intracranial pressure monitoring: the Seattle International Severe Traumatic Brain Injury Consensus Conference (SIBICC). Intensive Care Medicine, 2019, 45, 1783-1794.	8.2	292
16	Intracerebral Hemorrhage Associated With Oral Anticoagulant Therapy. Stroke, 2006, 37, 256-262.	2.0	286
17	Safety and Feasibility of Recombinant Factor VIIa for Acute Intracerebral Hemorrhage. Stroke, 2005, 36, 74-79.	2.0	261
18	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care. Intensive Care Medicine, 2014, 40, 1189-1209.	8.2	258

#	Article	IF	CITATIONS
19	Dynamics of Intraventricular Hemorrhage in Patients with Spontaneous Intracerebral Hemorrhage: Risk Factors, Clinical Impact, and Effect of Hemostatic Therapy with Recombinant Activated Factor VII. Neurosurgery, 2006, 59, 767-774.	1.1	234
20	Absolute risk and predictors of the growth of acute spontaneous intracerebral haemorrhage: a systematic review and meta-analysis of individual patient data. Lancet Neurology, The, 2018, 17, 885-894.	10.2	229
21	Treatment of fever in the neurologic intensive care unit with a catheter-based heat exchange system. Critical Care Medicine, 2004, 32, 559-564.	0.9	227
22	Density and Shape as CT Predictors of Intracerebral Hemorrhage Growth. Stroke, 2009, 40, 1325-1331.	2.0	223
23	A management algorithm for adult patients with both brain oxygen and intracranial pressure monitoring: the Seattle International Severe Traumatic Brain Injury Consensus Conference (SIBICC). Intensive Care Medicine, 2020, 46, 919-929.	8.2	207
24	Regional cerebrovascular and metabolic effects of hyperventilation after severe traumatic brain injury. Journal of Neurosurgery, 2002, 96, 103-108.	1.6	206
25	Predictors of Acute Hospital Costs for Treatment of Ischemic Stroke in an Academic Center. Stroke, 1999, 30, 724-728.	2.0	189
26	No reduction in cerebral metabolism as a result of early moderate hyperventilation following severe traumatic brain injury. Journal of Neurosurgery, 2000, 92, 7-13.	1.6	186
27	Hypothermia for Refractory Status Epilepticus. Neurocritical Care, 2008, 9, 189-197.	2.4	184
28	Autoregulatory Vasodilation of Parenchymal Vessels is Impaired during Cerebral Vasospasm. Journal of Cerebral Blood Flow and Metabolism, 1998, 18, 419-424.	4.3	181
29	Sensitivity to changes in disability after stroke: A comparison of four scales useful in clinical trials. Journal of Rehabilitation Research and Development, 2003, 40, 1.	1.6	181
30	Clinical review: Prevention and therapy of vasospasm in subarachnoid hemorrhage. Critical Care, 2007, 11, 220.	5.8	179
31	Hypernatremia in the neurologic intensive care unit: how high is too high?. Journal of Critical Care, 2006, 21, 163-172.	2.2	158
32	The Burden of the Systemic Inflammatory Response Predicts Vasospasm and Outcome after Subarachnoid Hemorrhage. Neurocritical Care, 2008, 8, 404-412.	2.4	155
33	Osmotic Therapy: Fact and Fiction. Neurocritical Care, 2004, 1, 219-234.	2.4	150
34	Intracerebral hemorrhage. Critical Care Medicine, 1993, 21, 1591-1603.	0.9	149
35	Can a Subset of Intracerebral Hemorrhage Patients Benefit From Hemostatic Therapy With Recombinant Activated Factor VII?. Stroke, 2009, 40, 833-840.	2.0	148
36	Factors associated with withdrawal of mechanical ventilation in a neurology/neurosurgery intensive care unit. Critical Care Medicine, 2001, 29, 1792-1797.	0.9	132

#	Article	IF	CITATIONS
37	Results of the ICTuS 2 Trial (Intravascular Cooling in the Treatment of Stroke 2). Stroke, 2016, 47, 2888-2895.	2.0	131
38	Middle Cerebral Artery Territory Infarction and Early Brain Swelling: Progression and Effect of Age on Outcome. Mayo Clinic Proceedings, 1998, 73, 829-836.	3.0	130
39	Use of Recombinant Factor VIIa in Patients With Warfarin-Associated Intracranial Hemorrhage. Neurocritical Care, 2005, 2, 263-267.	2.4	129
40	Perihematomal Mitochondrial Dysfunction After Intracerebral Hemorrhage. Stroke, 2006, 37, 2457-2462.	2.0	129
41	Red Blood Cell Transfusion Increases Cerebral Oxygen Delivery in Anemic Patients With Subarachnoid Hemorrhage. Stroke, 2009, 40, 3039-3044.	2.0	117
42	Clinical significance of elevated troponin I levels in patients with nontraumatic subarachnoid hemorrhage. Journal of Neurosurgery, 2003, 98, 741-746.	1.6	115
43	Management of aneurysmal subarachnoid hemorrhage. Critical Care Medicine, 2009, 37, 432-440.	0.9	115
44	Thromboembolic Events With Recombinant Activated Factor VII in Spontaneous Intracerebral Hemorrhage. Stroke, 2010, 41, 48-53.	2.0	114
45	Effect of hyperoxia on cerebral metabolic rate for oxygen measured using positron emission tomography in patients with acute severe head injury. Journal of Neurosurgery, 2007, 106, 526-529.	1.6	111
46	Postprocedure ischemic events after treatment of intracranial aneurysms with Guglielmi detachable coils. Journal of Neurosurgery, 2002, 96, 837-843.	1.6	110
47	A Consensus-Based Interpretation of the Benchmark Evidence from South American Trials: Treatment of Intracranial Pressure Trial. Journal of Neurotrauma, 2015, 32, 1722-1724.	3.4	94
48	Safety of Hypertensive Hypervolemic Therapy With Phenylephrine in the Treatment of Delayed Ischemic Deficits After Subarachnoid Hemorrhage. Stroke, 1995, 26, 2260-2266.	2.0	94
49	Surgical Performance Determines Functional Outcome Benefit in the Minimally Invasive Surgery Plus Recombinant Tissue Plasminogen Activator for Intracerebral Hemorrhage Evacuation (MISTIE) Procedure. Neurosurgery, 2019, 84, 1157-1168.	1.1	93
50	Elevated troponin levels are associated with higher mortality following intracerebral hemorrhage. Neurology, 2006, 66, 1330-1334.	1.1	91
51	Increase in diameters of vasospastic intracranial arteries by intraarterial papaverine administration. Journal of Neurosurgery, 1998, 88, 38-42.	1.6	89
52	Relationship Between Angiographic Vasospasm and Regional Hypoperfusion in Aneurysmal Subarachnoid Hemorrhage. Stroke, 2012, 43, 1788-1794.	2.0	89
53	Temperature Management in Acute Neurologic Disorders. Neurologic Clinics, 2008, 26, 585-603.	1.8	88
54	Effects of Induced Hypertension on Transcranial Doppler Ultrasound Velocities in Patients After Subarachnoid Hemorrhage. Stroke, 1998, 29, 422-428.	2.0	87

#	Article	IF	CITATIONS
55	Conivaptan Bolus Dosing for the Correction of Hyponatremia in the Neurointensive Care Unit. Neurocritical Care, 2009, 11, 14-19.	2.4	87
56	The Relationship Between Delayed Infarcts and Angiographic Vasospasm After Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 2013, 72, 702-708.	1.1	87
57	Osmole gap in neurologic-neurosurgical intensive care unit: Its normal value, calculation, and relationship with mannitol serum concentrations. Critical Care Medicine, 2004, 32, 986-991.	0.9	86
58	Hyperoxia: good or bad for the injured brain?. Current Opinion in Critical Care, 2008, 14, 167-171.	3.2	83
59	THE USE OF HYPERVENTILATION AND ITS IMPACT ON CEREBRAL ISCHEMIA IN THE TREATMENT OF TRAUMATIC BRAIN INJURY. Critical Care Clinics, 1997, 13, 163-184.	2.6	82
60	Multiple-Dose Mannitol Reduces Brain Water Content in a Rat Model of Cortical Infarction. Stroke, 1997, 28, 1437-1444.	2.0	81
61	The International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: Evidentiary Tables. Neurocritical Care, 2014, 21, 297-361.	2.4	80
62	Hypervolemic therapy prevents volume contraction but not hyponatremia following subarachnoid hemorrhage. Annals of Neurology, 1992, 31, 543-550.	5.3	75
63	Recombinant Activated Factor VII for Acute Intracerebral Hemorrhage: US Phase IIA Trial. Neurocritical Care, 2006, 4, 206-214.	2.4	75
64	The International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care: A List of Recommendations and Additional Conclusions. Neurocritical Care, 2014, 21, 282-296.	2.4	71
65	Risk of Thromboembolic Events in Controlled Trials of rFVIIa in Spontaneous Intracerebral Hemorrhage. Stroke, 2008, 39, 850-856.	2.0	68
66	Factors predicting prognosis after decompressive hemicraniectomy for hemispheric infarction. Neurology, 2006, 67, 891-893.	1.1	65
67	Diagnostic Yield of Repeat Catheter Angiography in Patients With Catheter and Computed Tomography Angiography Negative Subarachnoid Hemorrhage. Neurosurgery, 2012, 70, 1135-1142.	1.1	64
68	Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage. Journal of Neurosurgery, 2005, 103, 25-30.	1.6	63
69	Hyponatremia in Neurologic Patients: Consequences and Approaches to Treatment. Neurologist, 2006, 12, 117-126.	0.7	63
70	Safety and technical efficacy of over-the-wire balloons for the treatment of subarachnoid hemorrhage–induced cerebral vasospasm. Neurosurgical Focus, 2006, 21, 1-7.	2.3	57
71	Sodium and Water Regulation in a Patient With Cerebral Salt Wasting. Archives of Neurology, 1989, 46, 928-930.	4.5	56
72	Randomized, Open-Label, Phase 1/2a Study to Determine the Maximum Tolerated Dose of Intraventricular Sustained Release Nimodipine for Subarachnoid Hemorrhage (NEWTON [Nimodipine) Tj ETQq0 C	0.rgBT /C	verlock 10 T

Stroke, 2017, 48, 145-151.

#	Article	IF	CITATIONS
73	Factors Associated with the Development of Anemia After Subarachnoid Hemorrhage. Neurocritical Care, 2010, 12, 4-9.	2.4	54
74	Fever control and its impact on outcomes: What is the evidence?. Journal of the Neurological Sciences, 2007, 261, 39-46.	0.6	53
75	New trends in hyperosmolar therapy?. Current Opinion in Critical Care, 2013, 19, 77-82.	3.2	53
76	Red blood cell transfusion in patients with subarachnoid hemorrhage: a multidisciplinary North American survey. Critical Care, 2011, 15, R30.	5.8	51
77	Comparison of induced hypertension, fluid bolus, and blood transfusion to augment cerebral oxygen delivery after subarachnoid hemorrhage. Journal of Neurosurgery, 2012, 116, 648-656.	1.6	50
78	Defining the Ischemic Penumbra Using Magnetic Resonance Oxygen Metabolic Index. Stroke, 2015, 46, 982-988.	2.0	49
79	Hospital resource utilization in the treatment of cerebral aneurysms. Journal of Neurosurgery, 1996, 85, 403-409.	1.6	48
80	NEWTON: Nimodipine Microparticles to Enhance Recovery While Reducing Toxicity After Subarachnoid Hemorrhage. Neurocritical Care, 2015, 23, 274-284.	2.4	48
81	Cerebral Hemodynamic and Metabolic Changes Caused by Brain Retraction after Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 1997, 40, 442-451.	1.1	46
82	Autoregulation after ischaemic stroke. Journal of Hypertension, 2009, 27, 2218-2222.	0.5	45
83	Suprasellar and intraventricular blood predict elevated plasma atrial natriuretic factor in subarachnoid hemorrhage Stroke, 1991, 22, 577-581.	2.0	44
84	Preoperative lumbar epidural morphine improves postoperative analgesia and ventilatory function after transsternal thymectomy in patients with myasthenia gravis. Critical Care Medicine, 1991, 19, 1474-1479.	0.9	43
85	Severe thrombocytopenia following intraarterial papaverine administration for the treatment of vasospasm. Journal of Neurosurgery, 1995, 83, 435-437.	1.6	43
86	Osmolality not predictive of mannitol-induced acute renal insufficiency. Journal of Neurosurgery, 2005, 103, 444-447.	1.6	43
87	Correction for Partial Volume Effects in Regional Blood Flow Measurements Adjacent to Hematomas in Humans with Intracerebral Hemorrhage: Implementation and Validation. Journal of Computer Assisted Tomography, 1999, 23, 248-256.	0.9	43
88	Effects of Fluid Management on Edema Volume and Midline Shift in a Rat Model of Ischemic Stroke. Stroke, 2000, 31, 1702-1708.	2.0	42
89	Cerebral Hemodynamic and Metabolic Effects of Equi-Osmolar Doses Mannitol and 23.4% Saline in Patients with Edema Following Large Ischemic Stroke. Neurocritical Care, 2011, 14, 11-17.	2.4	42
90	High-Volume Centers. Neurocritical Care, 2011, 15, 369-372.	2.4	41

6

#	Article	IF	CITATIONS
91	Comparison of Short-Duration Levetiracetam with Extended-Course Phenytoin for Seizure Prophylaxis After Subarachnoid Hemorrhage. World Neurosurgery, 2011, 75, 269-274.	1.3	40
92	RBC Transfusion Improves Cerebral Oxygen Delivery in Subarachnoid Hemorrhage. Critical Care Medicine, 2017, 45, 653-659.	0.9	40
93	A Precision Medicine Framework for Classifying Patients with Disorders of Consciousness: Advanced Classification of Consciousness Endotypes (ACCESS). Neurocritical Care, 2021, 35, 27-36.	2.4	39
94	Single-Dose Intraventricular Nimodipine Microparticles Versus Oral Nimodipine for Aneurysmal Subarachnoid Hemorrhage. Stroke, 2020, 51, 1142-1149.	2.0	38
95	Mechanisms Underlying Disorders of Consciousness: Bridging Gaps to Move Toward an Integrated Translational Science. Neurocritical Care, 2021, 35, 37-54.	2.4	38
96	Preoperative Risks Predict Neurological Outcome of Carotid Endarterectomy Related Stroke. Neurosurgery, 1992, 30, 847-854.	1.1	38
97	Effect of osmotic agents on regional cerebral blood flow in traumatic brain injury. Journal of Critical Care, 2012, 27, 526.e7-526.e12.	2.2	36
98	Treatment of Subarachnoid Hemorrhage. Critical Care Clinics, 2014, 30, 719-733.	2.6	36
99	Effect of High-Dose Simvastatin on Cerebral Blood Flow and Static Autoregulation in Subarachnoid Hemorrhage. Neurocritical Care, 2016, 25, 56-63.	2.4	36
100	Unified Neurological Stroke Scale Is Valid in Ischemic and Hemorrhagic Stroke. Stroke, 1995, 26, 1852-1858.	2.0	36
101	Hemodynamic manipulation in the neuro–intensive care unit: cerebral perfusion pressure therapy in head injury and hemodynamic augmentation for cerebral vasospasm. Current Opinion in Critical Care, 2007, 13, 156-162.	3.2	34
102	Guidelines for the definition of an intensivist and the practice of critical care medicine GUIDELINES COMMITTEE*; SOCIETY OF CRITICAL CARE MEDICINE. Critical Care Medicine, 1992, 20, 540-542.	0.9	32
103	Subarachnoid hemorrhage: A multiple-organ system disease *. Critical Care Medicine, 2003, 31, 1884-1885.	0.9	32
104	Effect of Mannitol on Cerebral Blood Volume in Patients With Head Injury. Neurosurgery, 2012, 70, 1215-1219.	1.1	32
105	Early vs Delayed Cerebral Infarction After Aneurysm Repair After Subarachnoid Hemorrhage. Neurosurgery, 2013, 73, 617-623.	1.1	32
106	Research Needs for Prognostic Modeling and Trajectory Analysis in Patients with Disorders of Consciousness. Neurocritical Care, 2021, 35, 55-67.	2.4	31
107	Reducing the Incidence of Intraventricular Catheter–Related Ventriculitis in the Neurology-Neurosurgical Intensive Care Unit at a Tertiary Care Center in St Louis, Missouri: An 8-Year Follow-Up Study. Infection Control and Hospital Epidemiology, 2010, 31, 1078-1081.	1.8	28
108	Aneurysmal Subarachnoid Hemorrhage: Strategies for Preventing Vasospasm in the Intensive Care Unit. Seminars in Respiratory and Critical Care Medicine, 2017, 38, 760-767.	2.1	28

#	Article	IF	CITATIONS
109	Does Modification of the Innsbruck and the Glasgow Coma Scales Improve Their Ability to Predict Functional Outcome?. Archives of Neurology, 1997, 54, 606-611.	4.5	27
110	Diagnostic yield of computed tomography angiography and magnetic resonance angiography in patients with catheter angiography–negative subarachnoid hemorrhage. Journal of Neurosurgery, 2012, 117, 309-315.	1.6	27
111	Understanding the disease: aneurysmal subarachnoid hemorrhage. Intensive Care Medicine, 2014, 40, 1940-1943.	8.2	27
112	Core Curriculum and Competencies for Advanced Training in Neurological Intensive Care: United Council for Neurologic Subspecialties Guidelines. Neurocritical Care, 2006, 5, 159-165.	2.4	26
113	Clinical Trial Protocol: Phase 3, Multicenter, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group, Efficacy, and Safety Study Comparing EG-1962 to Standard of Care Oral Nimodipine in Adults with Aneurysmal Subarachnoid Hemorrhage [NEWTON-2 (Nimodipine Microparticles to) Tj ETQq1 1 0.78	43 ⊉ 44rgBT	/Ozverlock 10
114	Zonor 30, 30, 30, 30, 50, 50, 50, 50, 50, 50, 50, 50, 50, 5	1.8	25
115	Electrocardiographic activity after terminal cardiac arrest in neurocatastrophes. Neurology, 2004, 62, 673-674.	1.1	25
116	Temperature Management in Acute Neurologic Disorders. Critical Care Clinics, 2006, 22, 767-785.	2.6	25
117	Regional Brain Monitoring in the Neurocritical Care Unit. Neurocritical Care, 2015, 22, 348-359.	2.4	25
118	Pattern Not Volume of Bleeding Predicts Angiographic Vasospasm in Nonaneurysmal Subarachnoid Hemorrhage. Stroke, 2014, 45, 265-267.	2.0	24
119	A Randomized Trial of Brief Versus Extended Seizure Prophylaxis After Aneurysmal Subarachnoid Hemorrhage. Neurocritical Care, 2018, 28, 169-174.	2.4	24
120	Management of Sodium Abnormalities in Patients with CNS Disease. Clinical Neuropharmacology, 1992, 15, 427-447.	0.7	23
121	Treatment of severe coagulopathy after gunshot injury to the head using recombinant activated factor VII. Journal of Critical Care, 2005, 20, 176-179.	2.2	23
122	Neurologic manifestations of major electrolyte abnormalities. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2017, 141, 705-713.	1.8	23
123	Cerebral Hemodynamic and Metabolic Changes Caused by Brain Retraction after Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 1997, 40, 442-451.	1.1	23
124	Intensive Management of Severe Head Injury. Chest, 1990, 98, 180-189.	0.8	22
125	Cerebrovascular CO2 reactivity during delayed vasospasm in a canine model of subarachnoid hemorrhage Stroke, 1991, 22, 367-372.	2.0	21
126	Safety of Hemodynamic Augmentation in Patients Treated With Guglielmi Detachable Coils After Acute Aneurysmal Subarachnoid Hemorrhage. Stroke, 2001, 32, 1994-1997.	2.0	21

#	Article	IF	CITATIONS
127	Untreated subarachnoid hemorrhage: who, why, and when?. Journal of Neurosurgery, 2004, 100, 244-249.	1.6	20
128	A Prospective Randomized Study to Evaluate the Antipyretic Effect of the Combination of Acetaminophen and Ibuprofen in Neurological ICU Patients. Neurocritical Care, 2011, 15, 375-378.	2.4	20
129	Evidence-based medicine: What do you do when there's no evidence? *. Critical Care Medicine, 2003, 31, 659-660.	0.9	20
130	Altered cerebrovascular CO2 reactivity following subarachnoid hemorrhage in cats. Journal of Neurosurgery, 1993, 78, 915-921.	1.6	19
131	Program Requirements for Fellowship Training in Neurological Intensive Care: United Council for Neurologic Subspecialties Guidelines. Neurocritical Care, 2006, 5, 166-171.	2.4	19
132	Racial differences in withdrawal of mechanical ventilation do not alter mortality in neurologically injured patients. Journal of Critical Care, 2014, 29, 49-53.	2.2	19
133	SANGUINATEâ"¢ (PEGylated Carboxyhemoglobin Bovine) Improves Cerebral Blood Flow to Vulnerable Brain Regions at Risk of Delayed Cerebral Ischemia After Subarachnoid Hemorrhage. Neurocritical Care, 2017, 27, 341-349.	2.4	19
134	Variation in Osmotic Response to Sustained Mannitol Administration. Neurocritical Care, 2008, 9, 204-209.	2.4	17
135	Early Withdrawal Decision-Making in Patients with Coma After Cardiac Arrest: A Qualitative Study of Intensive Care Clinicians. Neurocritical Care, 2016, 25, 258-265.	2.4	17
136	Relationship Between Angiographic Vasospasm, Cerebral Blood Flow, and Cerebral Infarction After Subarachnoid Hemorrhage. Acta Neurochirurgica Supplementum, 2015, 120, 161-165.	1.0	17
137	Cerebrospinal fluid atrial natriuretic factor in intracranial disease Stroke, 1990, 21, 1550-1554.	2.0	16
138	To clip or to coil acutely ruptured intracranial aneurysms: update on the debate. Current Opinion in Critical Care, 2005, 11, 121-125.	3.2	16
139	Withholding care in intracerebral hemorrhage: Realistic compassion or self-fulfilling prophecy?. Neurology, 2007, 68, 1647-1648.	1.1	16
140	Response to a bolus of conivaptan in patients with acute hyponatremia after brain injury. Journal of Critical Care, 2012, 27, 745.e1-745.e5.	2.2	16
141	Does Ischemia Contribute to Energy Failure in Severe TBI?. Translational Stroke Research, 2011, 2, 517-523.	4.2	15
142	Reduced Cerebral Blood Flow but Intact Reactivity to Hypercarbia and Hypoxia following Subarachnoid Hemorrhage in Rabbits. Journal of Cerebral Blood Flow and Metabolism, 1994, 14, 59-63.	4.3	14
143	Improved outcome with aggressive treatment of hyperglycemia. Neurology, 2005, 64, 1330-1331.	1.1	14
144	Poor Correlation Between Perihematomal MRI Hyperintensity and Brain Swelling After Intracerebral Hemorrhage. Neurocritical Care, 2011, 15, 436-441.	2.4	14

#	Article	IF	CITATIONS
145	Effect of fusaric acid on aggression, motor activity, and brain monoamines in mice. Pharmacology Biochemistry and Behavior, 1982, 16, 73-79.	2.9	13
146	Is Neurointensive Care Really Optional for Comprehensive Stroke Care?. Stroke, 2005, 36, 2344-2345.	2.0	13
147	Statins and Anti-Inflammatory Therapies for Subarachnoid Hemorrhage. Current Treatment Options in Neurology, 2012, 14, 164-174.	1.8	13
148	Guidelines for resident physician training in critical care medicine. Critical Care Medicine, 1995, 23, 1920-1923.	0.9	13
149	Hourly Blood Pressure Monitoring After Intravenous Tissue Plasminogen Activator for Ischemic Stroke. Stroke, 2004, 35, 2326-2330.	2.0	12
150	Acute Effect of Intravenous Sildenafil on Cerebral Blood Flow in Patients with Vasospasm After Subarachnoid Hemorrhage. Neurocritical Care, 2016, 25, 201-204.	2.4	12
151	Hyperventilation in head injury: What have we learned in 43 years? *. Critical Care Medicine, 2002, 30, 2142-2143.	0.9	12
152	Management of Large Hemispheric Strokes in the Neurological Intensive Care Unit. Neurologist, 2002, 8, 152-162.	0.7	11
153	Clinical Trial Design in the Neurocritical Care Unit. Neurocritical Care, 2012, 16, 6-19.	2.4	11
154	Controversy: Does Prevention of Vasospasm in Subarachnoid Hemorrhage Improve Clinical Outcome?. Stroke, 2013, 44, S29-30.	2.0	11
155	The Role of Osmotic Therapy in Hemispheric Stroke. Neurocritical Care, 2015, 23, 285-291.	2.4	11
156	Is aggressive treatment of hyperglycemia for everyone?*. Critical Care Medicine, 2006, 34, 930-931.	0.9	10
157	Effect of intraarterial papaverine and/or angioplasty on the cerebral veins in patients with vasospasm after subarachnoid hemorrhage due to ruptured intracranial aneurysms. Neurosurgical Focus, 2006, 21, 1-9.	2.3	10
158	Impact of Recombinant Activated Factor VII on Health-Related Quality of Life after Intracerebral Hemorrhage. Cerebrovascular Diseases, 2007, 24, 219-225.	1.7	10
159	Neuroendocrine Regulation of Sodium and Volume Following Subarachnoid Hemorrhage. Clinical Neuropharmacology, 1995, 18, 114-126.	0.7	9
160	The Evolution of the Clinical Use of Osmotic Therapy in the Treatment of Cerebral Edema. Acta Neurochirurgica Supplementum, 2016, 121, 3-6.	1.0	9
161	Near-complete resolution of angiographic cerebral vasospasm after extreme elevation of mean arterial pressure: case report. World Neurosurgery, 2009, 72, 347-353.	1.3	8
162	Early Endovascular Coiling of Posterior Communicating Artery Saccular Aneurysm in the Setting of Staphylococcus Bacteremia. Neurosurgery, 2010, 66, E847.	1.1	8

#	Article	IF	CITATIONS
163	NEWTON-2 Cisternal (Nimodipine Microparticles to Enhance Recovery While Reducing Toxicity After) Tj ETQq1 1 Intracisternal EG-1962 in Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 2021, 88, E13-E26.	0.784314 1.1	rgBT /Overlo 8
164	Use of gastric fistula rats for the study of sedative, hypnotic and antianxiety drugs. Drug and Alcohol Dependence, 1981, 7, 221-231.	3.2	7
165	Experimental therapies to improve delivery of oxygen and substrate in acute stroke. Current Opinion in Neurology, 1995, 8, 6-14.	3.6	7
166	Neurointensivists' Opinions About Death by Neurological Criteria and Organ Donation. Neurocritical Care, 2005, 3, 115-121.	2.4	7
167	Hypothermia for Patients Requiring Evacuation of Subdural Hematoma: A Multicenter Randomized Clinical Trial. Neurocritical Care, 2022, 36, 560-572.	2.4	7
168	Factor VIIa for ICH: Behind the Scenes of an Academic–Industry Collaborative Trial. International Journal of Stroke, 2007, 2, 164-168.	5.9	6
169	THE INTENSIVE CARE MANAGEMENT OF ACUTE ISCHEMIC STROKE. Neurologist, 1999, 5, 313-325.	0.7	5
170	Phase 1b Study to Evaluate Safety, Tolerability, and Maximum Tolerated Dose of PF-05230907 for Intracerebral Hemorrhage. Stroke, 2021, 52, 294-298.	2.0	5
171	Cerebral Aneurysms: Mechanisms of Injury and Critical Care Interventions. Critical Care Clinics, 1989, 5, 755-772.	2.6	4
172	CoolGard/Cool Lineâ"¢ Catheter System. Neurocritical Care, 2004, 1, 209-212.	2.4	4
173	Bringing order to chaos*. Critical Care Medicine, 2004, 32, 2346.	0.9	4
174	Neurointensivists: Part of the problem or part of the solution?. Critical Care Medicine, 2008, 36, 2963-2964.	0.9	4
175	Sodium Disturbances Commonly Encountered in the Neurologic Intensive Care Unit. Journal of Pharmacy Practice, 2010, 23, 470-482.	1.0	4
176	Nimodipine pharmacokinetics after intraventricular injection of sustained-release nimodipine for subarachnoid hemorrhage. Journal of Neurosurgery, 2021, 134, 95-101.	1.6	4
177	Coma Science: The Territory and the Map. Neurocritical Care, 2021, 35, 24-26.	2.4	4
178	Intensive care treatment of aneurysmal subarachnoid hemorrhage. Critical Care Medicine, 2009, 37, 2143.	0.9	3
179	UPDATE ON INTRACEREBRAL HEMORRHAGE. CONTINUUM Lifelong Learning in Neurology, 2009, 15, 121-137.	0.8	3
180	Year in review 2010: Critical Care - neurocritical care. Critical Care, 2011, 15, 237.	5.8	3

#	Article	IF	CITATIONS
181	Hemostatic Therapy Should Be Used for Acute Treatment of Anticoagulation-Related Intracerebral Hemorrhage. Stroke, 2012, 43, 2535-2536.	2.0	3
182	Year in review 2011: Critical Care - neurocritical care. Critical Care, 2012, 16, 245.	5.8	3
183	Burden of cerebral hypoperfusion in patients with delayed cerebral ischemia after subarachnoid hemorrhage. Journal of Neurosurgery, 2020, 132, 1872-1879.	1.6	3
184	Effects of Recombinant Activated Factor VII on Perilesional Edema in Patients with Acute Intracerebral Hemorrhage. Neurosurgery, 2005, 57, 395-395.	1.1	2
185	OPL093 Determinants of hemorrhage growth in a randomized trial of recombinant activated factor VII. Journal of the Neurological Sciences, 2005, 238, S69-S70.	0.6	2
186	Decompressive Hemicraniectomy in the Age of Personalized Medicine. Neurocritical Care, 2016, 25, 1-2.	2.4	2
187	Greetings from the New Editor. Neurocritical Care, 2018, 28, 1-1.	2.4	2
188	Resuscitation of sudden cardiac death. Neurology, 2002, 59, 484-484.	1.1	1
189	Timing Is Everything in Intracerebral Hemorrhage. Stroke, 2008, 39, e117-8; author reply e119-20.	2.0	1
190	Editorial: Ischemia. Journal of Neurosurgery, 2012, 116, 643-647.	1.6	1
191	The Risks of Blood Transfusion in Patients with Subarachnoid Hemorrhage: Response to Dr. Paul E. Marik. Neurocritical Care, 2012, 16, 346-349.	2.4	1
192	Can We Boost Our Ability to Monitor Severe Brain Trauma?*. Critical Care Medicine, 2017, 45, 1961-1962.	0.9	1
193	Traumatic brain injury and hyperventilation. Journal of Neurosurgery, 2002, 96, 155-7.	1.6	1
194	Intensive Management of Severe Head Injury. Chest, 1991, 99, 1552.	0.8	0
195	Relationship between functional outcome and resource allocation in a neurological intensive care unit. Archives of Physical Medicine and Rehabilitation, 1994, 75, 728.	0.9	Ο
196	Definition and prognosis of the vegetative state. Current Opinion in Critical Care, 1995, 1, 116-120.	3.2	0
197	Testing the Utility of an Intervention. Critical Care Medicine, 2003, 31, 2413.	0.9	0
198	Evidence-Based Medicine. Critical Care Medicine, 2003, 31, 2566-2567.	0.9	0

#	Article	IF	CITATIONS
199	Heads-up on hemicraniectomy. Neurology, 2004, 63, 1997-1998.	1.1	0
200	What Do We Really Understand About Head Injury?. Neurocritical Care, 2005, 2, 003-004.	2.4	0
201	Critical Care Neurology and Neurosurgery. Critical Care Medicine, 2006, 34, 3070.	0.9	0
202	Response to discussion by Dr Philip Hébert. Journal of Critical Care, 2006, 21, 115-116.	2.2	0
203	Suprapetrosal Craniotomy. Journal of Neurosurgery, 2007, 107, 899-900.	1.6	0
204	Neurology Emergencies. Critical Care, 2012, 16, .	5.8	0
205	Temperature Management in Neurological and Neurosurgical Intensive Care Units. Therapeutic Hypothermia and Temperature Management, 2013, 3, 41-45.	0.9	0
206	Acute Stroke Care. Critical Care, 2013, 17, 301.	5.8	0
207	Cognition and Quality-of-Life Outcomes in the Targeted Temperature Management Trial for Cardiac Arrest. JAMA Neurology, 2015, 72, 628.	9.0	0
208	Are We Fortune Tellers or Healers?*. Critical Care Medicine, 2017, 45, 751-752.	0.9	0
209	The authors reply. Critical Care Medicine, 2017, 45, e987-e988.	0.9	0
210	Hemodynamic Therapy for Delayed Cerebral Ischemia in SAH. Neurocritical Care, 2018, 28, 152-153.	2.4	0
211	The Interictal Continuum: Look Before You Leap. Neurocritical Care, 2018, 29, 1-2.	2.4	0
212	Will the Real Blood Pressure Please Stand Up?. Neurocritical Care, 2018, 28, 263-264.	2.4	0
213	Cerebral Blood Flow Physiology and Metabolism in the Neurocritical Care Unit. , 2019, , 11-18.		Ο
214	Cerebral Blood Flow and Metabolism. , 2022, , 24-41.e8.		0
215	Neurocritical Care. , 2012, , 321-344.		0
216	TROPONIN I IS A MORE SENSITIVE MARKER THAN CREATININE KINASE MB ISOENZYME OF LEFT VENTRICULAR DYSFUNCTION IN PATIENTS WITH ACUTE SUBARACHNOID HEMORRHAGE. Critical Care Medicine, 1999, 27, A59.	0.9	0

#	Article	IF	CITATIONS
217	ADMISSION TO A NEURO ICU IS ASSOCIATED WITH REDUCED MORTALTIY FOLLOWING INTRACEREBRAL HEMORRHAGE. Critical Care Medicine, 1999, 27, A73.	0.9	0