Grigory Safronov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8303991/publications.pdf

Version: 2024-02-01

419 papers 19,334 citations

68 h-index 22166 113 g-index

439 all docs

439 docs citations

439 times ranked

9536 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $q=0.76$ mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
5	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
6	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
7	Observation of a new boson with mass near 125 GeV in pp collisions at $q=1$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
8	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
9	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
10	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
11	Suppression of non-prompt J/lˆ, prompt J/lˆ, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
12	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
13	Measurement of the differential cross section for top quark pair production in pp collisions at $$$ sqrt s = 8,ext T eV s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
14	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $sqrt{s_{NN}}= 2.76$ mbox{TeV}. European Physical Journal C, 2012, 72, 1.	3.9	181
15	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179

#	Article	IF	Citations
19	Search for dark matter and large extra dimensions in monojet events in pp collisions at sqrt 5 = 7 5 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	168
20	Measurement of the inclusive W and Z production cross sections in pp collisions at $\$$ sqrt $\{s\} = 7$ $\$$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
21	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	154
22	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	3.9	147
23	Strange particle production in pp collisions at sqrt s= 0.9 3 and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	139
24	Prompt and non-prompt J/ $\hat{\Gamma}$ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	135
25	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$. European Physical Journal C, 2012, 72, 1.	3.9	129
26	Measurement of differential top-quark-pair production cross sections in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	125
27	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï" leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
28	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
29	Measurements of inclusive W and Z cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
30	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
31	Searches for long-lived charged particles in pp collisions at $\$ sqrt{s} $\$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
32	Search for a light charged Higgs boson in top quark decays in pp collisions at sqrt s = 7;TeV Sournal of High Energy Physics, 2012, 2012, 1.	4.7	117
33	Charged particle multiplicities in pp interactions at	4.7	106
34	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
35	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
36	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100

#	Article	IF	Citations
37	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\frac{1}{5}$ sqrt $\frac{1}{5}$ = 2.76 $\frac{1}{5}$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
38	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
39	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7 \$ TeV and comparison with $\$ sqrt $\{s\} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
40	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=0$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
41	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
42	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
43	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
44	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
45	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ $qt=\{s_{mathrm{NN}}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
46	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
47	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
48	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$\$qrt\{s_{NN}\} = \$$ s N N = 5.02 $\$\$$, ext {TeV}\\$\\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
49	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
50	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{W\}^{pm}+X$ p p → W ± + X production at $\{q\}^{pm} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
51	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
52	Suppression and azimuthal anisotropy of prompt and nonprompt $\$ (mathrm{J}}/psi \$\$ J / $\ddot{\Gamma}$ production in PbPb collisions at \$\$sqrt{{s_{_{ext {NN}}}}} =2.76\$\$ s NN = 2.76 \$\$, mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	3.9	82
53	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
54	J/i^ and i^(2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81

#	Article	IF	Citations
55	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
56	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
57	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
58	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q = 2.76$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
59	Study of exclusive two-photon production of W+W \hat{a} in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
60	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{\infty}}{1.02}$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
61	Measurement of the $\{\{mathrm\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\ W + W - cross section in pp collisions at $\{s\}$ = 8\\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
62	Measurement of the X(3872) production cross section via decays to JſſʿÏ€ + Ï€ − in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
63	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
64	Search for additional neutral MSSM Higgs bosons in the $\ddot{\parallel}$, $\ddot{\parallel}$, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
65	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
66	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ q^{t} FeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
67	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
68	Search for anomalous production of multilepton events in pp collisions at sqrt s} = 7,TeV S. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
69	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
70	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
71	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
72	Measurement of the f^- (mathrm f^-) overline (mathrm f^-) f^- production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68

#	Article	IF	CITATIONS
7 3	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{s_{ext{NN}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
74	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	3.9	64
7 5	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
76	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
77	Measurement of the W+W \hat{a} cross section in pp collisions at $q=7mbox{TeV}$ and limits on anomalous WW \hat{a} and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
78	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
79	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
80	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
81	Measurement of prompt J/ $\ddot{\Gamma}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
82	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $q=7 + 7 = 7$ mathrm{TeV}\$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
83	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\$$ sqrt $\$$ = 7; $\{$ ext $\{$ TeV $\}\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
84	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
85	Jet production rates in association with W and Z bosons in pp collisions at sqrt s = 7 extTeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
86	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
87	Measurement of the weak mixing angle using the forwardâ€"backward asymmetry of Drellâ€"Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58

#	Article	IF	CITATIONS
91	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
92	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
93	Charged particle transverse momentum spectra in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	56
94	Exclusive $\hat{1}^3\hat{1}^3$ $\hat{1}^4$, $\hat{1}^4$, $\hat{1}^4$, $\hat{1}^4$, $\hat{1}^6$ production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	56
95	Event activity dependence of \$ Y \$ (nS) production in \$ $qrt{\{s_{NN}\}}$ \$ = 5.02 TeV pPb and \$ $qrt{s}$ \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
96	Measurement of masses in the $mathrm{t}$ overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at $q=0$ 013, 73, 2494.	3.9	55
97	Measurement of associated W + charm production in pp collisions at	4.7	55
98	Measurement of the double-differential inclusive jet cross section in proton $\hat{a}\in \text{``proton collisions at $\$sqrt\{s\} = 13,ext \{TeV\} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.}$	3.9	55
99	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$ s = 7 \$\$,ext $\{TeV\}$ \$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
100	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$\$ sqrt{ s }= $8 $ \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
101	Search for charged Higgs bosons in the H± â†' τ±Î $\frac{1}{2}$ Ï" decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
102	Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt} \{s\} = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
103	Measurement of prompt and nonprompt $\frac{5}{p}$ production in $\frac{p}{mathrm \{p\}}$ production in $\frac{p}{mathrm \{p\}}$ =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
104	Measurement of the $\$ toverline $\{t\}$ $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt $\{s\}$ $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
105	Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt{s} = 8\$\$, s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
106	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p → Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{sol} \{Z\}$ a," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
107	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+eâ^ production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
108	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51

#	Article	IF	CITATIONS
109	First measurement of the underlying event activity atÂtheÂLHCÂwith $sqrt{s} = 0.9$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
110	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
111	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2019, 79, 564.	3.9	50
112	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
113	Search for leptonic decays of $W\hat{a}\in \mathbb{Z}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
114	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
115	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
116	Observation of Y(1S) pair production in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
117	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
118	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $q=7 \text{TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
119	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
120	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
121	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
122	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ $"$, lepton at $\$$ qrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
123	Search for heavy bottom-like quarks in 4.9 fbâ^'1 of pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
124	Search for microscopic black holes in pp collisions at $\$ \sqrt{s}=8 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
125	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
126	Search for decays of stopped long-lived particles produced in protonâ \in "proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44

#	Article	IF	CITATIONS
127	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in proton collisions at s qrt s = 13,ext TeV \$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
128	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
129	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
130	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in "proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
131	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
132	Measurement of the top-quark mass in $mathrm{t}$ overline{mathrm{t}}\$ events with dilepton final states in pp collisions at $q=0.01$,	3.9	42
133	Evidence for exclusive $\hat{1}^3\hat{1}^3$ $\hat{1}^4$ W + W $\hat{1}^4$ production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
134	Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
135	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
136	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\ \sqrt{s}=7 \ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
137	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
138	Measurement of the $\frac{t}{\text{overline}}{\text{mathrm}\{t\}}$ tt \hat{A}^- production cross section in the all-jets final state in pp collisions at $\frac{s}{\text{overline}}$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
139	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
140	Search for same-sign top-quark pair production at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
141	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I}^4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
142	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
143	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
144	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40

#	Article	IF	CITATIONS
145	Search for resonances in the dilepton mass distribution in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
146	Inclusive b-jet production in pp collisions at $sqrt \{s\} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
147	Measurement of the ZſĴ³* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
148	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
149	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,,"2â,,"′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
150	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt $\{s\}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
151	Measurement of differential cross sections for $\{Z\}$ boson production in association with jets in proton-proton collisions at $\{S\}$ = 13,ext $\{TeV\}$ \$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
152	Search for heavy stable charged particles in pp collisions at sqrt s = 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38
153	Measurement of the top-quark mass in \$ mathrm{t}overline{mathrm $\{t\}$ } \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
154	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
155	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
156	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \ddot{l} , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
157	Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
158	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
159	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$$ TeV and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
160	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
161	Measurement of the Drell-Yan cross section in pp collisions at sqrt sqrt FeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
162	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " $\hat{1}/2\hat{a}$, " $\hat{1}/2\hat{a}$," " $\hat{1}/$	4.7	36

#	Article	IF	Citations
163	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ where $\frac{1}{2}$ has a surface of the top-quark mass in all-jets $\frac{1}{2}$ h	3.9	35
164	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + jets$ and $e\hat{A}\pm \hat{I}\sqrt{4}$ $\hat{A}\pm + jets$ events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
165	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt $\{s\}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
166	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
167	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
168	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
169	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
170	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
171	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or \hat{a} % ± 3 b-quark jets in 7 TeV pp collisions using the variable \hat{l} \pm T. Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
172	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
173	Measurement of $\$ mathrm {t}overline{mathrm {t}}\$\$ t t production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
174	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 $\mbox{$\hat{A}$}$ \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
175	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{\text{l}}_{\text{n}}$ leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
176	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	3.9	34
177	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
178	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ \in proton collisions at $\$$ qrt $\{s\}$ = 13 ,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
179	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
180	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33

#	Article	IF	CITATIONS
181	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
182	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ $q^{13} = 13 $ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
183	$\label{lem:measurement} Measurement of exclusive $$\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\} ^{0}$$ $$\hat{p}hotoproduction in ultraperipheral pPb collisions at $$sqrt\{smash [b]\{s_{\{mathrm \{NN\}\}\}}\} = 5.02,ext {Te}ext {V} $$. European Physical Journal C, 2019, 79, 702.}$	3.9	33
184	Measurement of $\ \{ext\{B\}\}\$ angular correlations based on secondary vertex reconstruction at $\$ sqrt $\$ = 7, $\$ ext $\$ = 0. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
185	Search for supersymmetry in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
186	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
187	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
188	Measurements of the \frac{Z} $2 $ mathrm Z production cross sections in the $2 $ production cross sections in the $2 $ production collisions at $2 $ production cross sections in the $2 $ production collisions at $2 $ production in the European Physical Journal C, 2015, 75, 511.	3.9	32
189	Searches for pair production of third-generation squarks in $\frac{13}{s}=13$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
190	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
191	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
192	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
193	Search for top squark pair production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
194	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
195	Measurement of Bose-Einstein correlations in pp collisions at sqrt s} = 0.9 s and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
196	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\$ sqrt $\$ = 7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
197	Search for a Higgs boson in the decay channel H → ZZ(*) → q\$ overline {ext{q}} \$ â,," â^' â,," + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
198	Measurement of the W-boson helicity in top-quark decays from $\$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30

#	Article	IF	Citations
199	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
200	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," \hat{l} ½ b b \hat{A} final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
201	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{sqrt\{s\}\} = 8$, ext TeV $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
202	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
203	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$$ sqrt s_{mathrm} =5.02,mathrm TeV \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
204	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
205	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ $\$$ \$ \hat{I} ± T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
206	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
207	Search for lepton flavour violating decays of the Higgs boson to νI, and eÏ, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
208	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
209	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
210	Measurements of $\$$ mathrm{t}overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
211	Search for $\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1	4.7	28
212	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt $\{s_{NN}\}$ = $2.76 \$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
213	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
214	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
215	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ \in "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
216	Search for resonant $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26

#	Article	IF	Citations
217	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonâ \in "proton collisions at $q=7 \text{ mathrm} = 7 \text{ mathrm}$. European Physical Journal C, 2012, 72, 1.	3.9	26
218	Search for the standard model Higgs boson in the H â†' ZZ â†' 2â,,"2ν channel in pp collision = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	s at \$ sqrt 4.7	{ext{s}}
219	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7;TeV \\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
220	Search for $W\hat{a}\in 2$ \hat{a} [†] to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
221	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
222	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
223	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
224	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
225	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
226	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
227	Measurement of the $mathrm{t}$ ar{mathrm{t}}\$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=1$ mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	24
228	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
229	Search for third-generation scalar leptoquarks in the $t\ddot{l}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 1.	4.7	24
230	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
231	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
232	Inclusive b-hadron production cross section with muons in pp collisions at $\$$ sqrt $\{s\}$ = 7; $\{ext\{TeV\}\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
233	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
234	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23

#	Article	IF	CITATIONS
235	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ we have $f(t)=0$ where $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ is a sum of the jet mass i	3.9	23
236	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
237	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
238	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are	3.9	23
239	Measurement of the triple-differential dijet cross section in proton-proton collisions at s =8,ext {TeV} s =8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
240	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
241	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
242	Search for resonant $\$ mathrm{t}-overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
243	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
244	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
245	Search for physics beyond the standard model in events with \ddot{l} , leptons, jets, and large transverse momentum imbalance in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
246	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
247	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
248	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
249	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l}_n , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
250	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$ sqrt $s = 8 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
251	Search for supersymmetry in events with a \ddot{l} , lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
252	Search for beyond the standard model Higgs bosons decaying into a \$\$ mathrm $\{b\}$ overline $\{mathrm\{b\}\}$ \$\$ pair in pp collisions at \$\$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21

#	Article	IF	CITATIONS
253	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
254	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=1$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
255	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
256	Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $qt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
257	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
258	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
259	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
260	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
261	Search for rare decays of $\$$ mathrm {Z}\$\$ Z and Higgs bosons to $\$$ {mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at $\$$ sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
262	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
263	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
264	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
265	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
266	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
267	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
268	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
269	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
270	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18

#	Article	IF	CITATIONS
271	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
272	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
273	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
274	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} 5. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
275	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
276	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
277	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ±  → J Ïi	3.9 € ±	17
278	and B± â†' J ſrK ± and â,,¬ B c ± â†' J / Ir Ï€ ± Ï€ ± Ï€ â*" / â,,¬ B c ± â†' J / Ir Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm}{pm} Tj ETQq0 0 0		rlock 10 Tf 50
279	2015, 1. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
280	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
281	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
282	Measurement of electroweak-induced production of $\hat{Wl^3}$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
283	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
284	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
285	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
286	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
287	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
288	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," \hat{a} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	Article	IF	Citations
289	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$\$qrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
290	Electroweak production of two jets in association with a Z boson in protonâ \in proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
291	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
292	An electroluminescence emission detector to search for double-beta positron decays of /sup 124/Xe and /sup 78/Kr. IEEE Transactions on Nuclear Science, 1997, 44, 1046-1051.	2.0	16
293	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	4.7	16
294	Measurement of the $\mbox{mathrm}\{t\}$ overline{mathrm} $\{t\}$ } production cross section in the all-jet final state in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
295	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
296	Measurement of jet multiplicity distributions in $\frac{t}{\text{TeV}} $ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
297	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$ mathrm $\{e\}$ mu \$\$ e $1\frac{1}{4}$ pair in protonâ \in "proton collisions at \$\$ qrt $\{s\}=8$ ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
298	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
299	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
300	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
301	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$, mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
302	Measurement of associated Z + charm production in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
303	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
304	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	3.9	16
305	Search for a fermiophobic Higgs boson in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
306	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15

#	Article	IF	Citations
307	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
308	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016 , 2016 , 1 .	4.7	15
309	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
310	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
311	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
312	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
313	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{l} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
314	Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ s = 8 \$\$,ext $\{Te\}$ ext $\{V\}$ \$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
315	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
316	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\frac{1}{5}=7$; TeV $\frac{1}$	4.7	14
317	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ^{\hat{1}3}$ and $Z^{\hat{1}3}$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	14
318	Search for s channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
319	Search for supersymmetry in pp collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
320	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
321	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
322	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
323	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
324	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14

#	Article	lF	CITATIONS
325	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
343	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
344	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{NN}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
345	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
346	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 , \hat{I}_3 , \hat{I}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
347	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
348	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019 , 2019 , 1 .	4.7	12
349	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
350	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $q=7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	11
351	Search for the standard model Higgs boson in the H → ZZ → â,"+â,"â^'Ï,,+Ï,,â^' decay channel in pp collisions at \$ { s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	S şart	11
352	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
353	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
354	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
355	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
356	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
357	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
358	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
359	Search for nonresonant Higgs boson pair production in the $\$$ mathrm{b}overline{mathrm{b}} mathrm{b}overline{mathrm{b}} \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
360	Study of the underlying event in top quark pair production in $\$$ mathrm $\{p\}$ mathrm $\{p\}$ \$\$ p p collisions at 13 $\$$ ext $\{V\}$ \$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11

#	Article	IF	Citations
361	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt sqrt FeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
362	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
363	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{3}\hat{3}}$ and pp \hat{a} †' $\hat{Z}^{\hat{3}\hat{3}}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	S 4.7	10
364	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ sqrt $\{s\}=13 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
365	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
366	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$sqrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
367	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ $Z / \hat{I}^3 \hat{a} - \hat{a}^{\dagger} \hat{I}_n \hat{I}_n$, cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
368	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
369	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
370	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e $\hat{1}$ /4 final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
371	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
372	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ qrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
373	Search for a low-mass \ddot{l} , \hat{a} , \hat{l} , + resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
374	Searches for Wâ \in 2 bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
375	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{NN}}}= $5.02 \$\$$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
376	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$, "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
377	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
378	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	3.9	8

#	Article	IF	CITATIONS
379	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
380	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7$ TeV . Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
381	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 $ \$ sqrt{ s }= $8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
382	Search for high-mass $Z\hat{l}^3$ resonances in e+eâ ⁻ ' \hat{l}^3 and $\hat{l}^1/4 + \hat{l}^1/4$ â ⁻ ' \hat{l}^3 final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	§ 4.7	7
383	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
384	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
385	Comparison of the Z/\hat{I}^3 \hat{a}^- + jets to \hat{I}^3 + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
386	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
387	Measurement of the mass of the top quark in decays with a J/l meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
388	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
389	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
390	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
391	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt{ s }= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
392	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
393	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
394	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
395	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
396	Search for a $W\hat{a}\in^2$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5

#	Article	IF	Citations
397	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{1}/4\hat{a}^{**}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
398	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
399	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
400	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
401	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
402	Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
403	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
404	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
405	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
406	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
407	Search for $W\hat{a}\in \hat{a}$ \hat{a} th in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
408	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ $sqrt{s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
409	Inclusive search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
410	Search for excited leptons in \hat{a} , \hat{a} , \hat{a} final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
411	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV., 2014, 2014, 1.		3
412	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
413	An electroluminescence emission detector to search for positron double-beta decays of /sup 124/Xe and of /sup 78/Kr. , 0, , .		2
414	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2

#	Article	IF	CITATIONS
415	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1.		2
416	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
417	Measurement of b hadron lifetimes in pp collisions at ($sqrt{s} = 8$) (,ext {Te}ext {V})., 2018, 78, 1.		1
418	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
419	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0