

Xin Shelley Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8305522/publications.pdf>

Version: 2024-02-01

55
papers

3,952
citations

218381

26
h-index

155451

55
g-index

56
all docs

56
docs citations

56
times ranked

4697
citing authors

#	ARTICLE	IF	CITATIONS
1	Utility of a Patient-Reported Symptom and Functioning Assessment Tool for Geriatric Oncology Care in China. <i>Value in Health Regional Issues</i> , 2022, 29, 28-35.	0.5	1
2	Patient-Reported Outcome-Based Symptom Management Versus Usual Care After Lung Cancer Surgery: A Multicenter Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 988-996.	0.8	31
3	Shortness of Breath on Day 1 After Surgery Alerting the Presence of Early Respiratory Complications After Surgery in Lung Cancer Patients. <i>Patient Preference and Adherence</i> , 2022, Volume 16, 709-722.	0.8	3
4	Symptom burden and its functional impact in patients with "asymptomatic" relapsed or refractory multiple myeloma. <i>Supportive Care in Cancer</i> , 2021, 29, 467-475.	1.0	15
5	Assessment of physical function by subjective and objective methods in patients undergoing open gynecologic surgery. <i>Gynecologic Oncology</i> , 2021, 161, 83-88.	0.6	7
6	Minocycline for symptom reduction in patients with multiple myeloma during maintenance therapy: a phase II placebo-controlled randomized trial. <i>Supportive Care in Cancer</i> , 2021, 29, 6099-6107.	1.0	3
7	Impact of a tiered discharge opioid algorithm on prescriptions and patient-reported outcomes after open gynecologic surgery. <i>International Journal of Gynecological Cancer</i> , 2021, 31, ijgc-2021-002674.	1.2	4
8	Development of a patient-reported outcome tool for assessing symptom burden during perioperative care in liver surgery: The MDASI-PeriOp-Hep. <i>European Journal of Oncology Nursing</i> , 2021, 52, 101959.	0.9	5
9	Patient-Reported Symptom and Functioning Status during the First 12 Months after Chimeric Antigen Receptor T Cell Therapy for Hematologic Malignancies. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 930.e1-930.e10.	0.6	24
10	Translation and validation of the Chinese version of the MD Anderson symptom inventory for measuring perioperative symptom burden in patients with gynecologic cancer. <i>BMC Women's Health</i> , 2021, 21, 276.	0.8	5
11	Patient-reported outcomes: Is this the missing link in patient-centered perioperative care?. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2021, 35, 565-573.	1.7	5
12	Longitudinal patient-reported outcomes and restrictive opioid prescribing after minimally invasive gynecologic surgery. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 114-121.	1.2	11
13	Minocycline for symptom reduction during radiation therapy for head and neck cancer: a randomized clinical trial. <i>Supportive Care in Cancer</i> , 2020, 28, 261-269.	1.0	12
14	Patient-reported Symptom Outcomes and Microsatellite Instability in Patients With Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2020, 19, 48-56.e2.	1.0	2
15	Minocycline Reduces Chemoradiation-Related Symptom Burden in Patients with Non-Small Cell Lung Cancer: A Phase 2 Randomized Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 100-107.	0.4	15
16	Testing Symptom Severity Thresholds and Potential Alerts for Clinical Intervention in Patients With Cancer Undergoing Chemotherapy. <i>JCO Oncology Practice</i> , 2020, 16, e893-e901.	1.4	5
17	A Randomized, Placebo-Controlled, Double-Blind Study of Minocycline for Reducing the Symptom Burden Experienced by Patients With Advanced Pancreatic Cancer. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 1052-1058.e1.	0.6	5
18	The Treatment-induced Neuropathy Assessment Scale (TNAS): a psychometric update following qualitative enrichment. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 15.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Minocycline for Symptom Reduction During Oxaliplatin-Based Chemotherapy for Colorectal Cancer: A Phase II Randomized Clinical Trial. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 662-671.	0.6	17
20	Validation and application of a module of the MD Anderson Symptom Inventory for measuring perioperative symptom burden in patients with gynecologic cancer (the MDASI-PeriOp-GYN). <i>Gynecologic Oncology</i> , 2019, 152, 492-500.	0.6	12
21	Comparison of patient reported symptom burden on an enhanced recovery after surgery (ERAS) care pathway in patients with ovarian cancer undergoing primary vs. interval tumor reductive surgery. <i>Gynecologic Oncology</i> , 2019, 152, 501-508.	0.6	16
22	Patient-Reported Outcomes Are Associated With Enhanced Recovery Status in Patients With Bladder Cancer Undergoing Radical Cystectomy. <i>Surgical Innovation</i> , 2018, 25, 242-250.	0.4	26
23	Patient-reported lung symptoms as an early signal of impending radiation pneumonitis in patients with non-small cell lung cancer treated with chemoradiation: an observational study. <i>Quality of Life Research</i> , 2018, 27, 1563-1570.	1.5	12
24	Effect of an Enhanced Recovery After Surgery Program on Opioid Use and Patient-Reported Outcomes. <i>Obstetrics and Gynecology</i> , 2018, 132, 281-290.	1.2	108
25	Association of lung fluorodeoxyglucose uptake with radiation pneumonitis after concurrent chemoradiation for non-small cell lung cancer. <i>Clinical and Translational Radiation Oncology</i> , 2017, 4, 1-7.	0.9	10
26	The utility of patient-reported outcome measures among patients with myalgic encephalomyelitis/chronic fatigue syndrome. <i>Quality of Life Research</i> , 2017, 26, 913-921.	1.5	54
27	Prospective Study of Patient-Reported Symptom Burden in Patients With Non-Small-Cell Lung Cancer Undergoing Proton or Photon Chemoradiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 832-838.	0.6	27
28	Patient-Reported Symptom Interference as a Measure of Postsurgery Functional Recovery in Lung Cancer. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 822-831.	0.6	36
29	Using a symptom-specific instrument to measure patient-reported daily functioning in patients with cancer. <i>European Journal of Cancer</i> , 2016, 67, 83-90.	1.3	16
30	Measuring Therapy-Induced Peripheral Neuropathy: Preliminary Development and Validation of the Treatment-Induced Neuropathy Assessment Scale. <i>Journal of Pain</i> , 2015, 16, 1032-1043.	0.7	23
31	Perioperative trajectory of patient reported symptoms: A pilot study in gynecologic oncology patients. <i>Gynecologic Oncology</i> , 2015, 136, 440-445.	0.6	22
32	Cancer-related and treatment-related fatigue. <i>Gynecologic Oncology</i> , 2015, 136, 446-452.	0.6	126
33	Longitudinal analysis of patient-reported symptoms post-autologous stem cell transplant and their relationship to inflammation in patients with multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015, 56, 1335-1341.	0.6	29
34	Symptom recovery after thoracic surgery: Measuring patient-reported outcomes with the MD Anderson Symptom Inventory. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 150, 613-619.e2.	0.4	92
35	Racial/ethnic disparities in inflammatory gene single nucleotide polymorphisms as predictors of a high risk for symptom burden in patients with multiple myeloma 1 year after diagnosis. <i>Cancer</i> , 2015, 121, 1138-1146.	2.0	23
36	Prevalence and characteristics of moderate to severe fatigue: A multicenter study in cancer patients and survivors. <i>Cancer</i> , 2014, 120, 425-432.	2.0	259

#	ARTICLE	IF	CITATIONS
37	Using group-based trajectory modeling to examine heterogeneity of symptom burden in patients with head and neck cancer undergoing aggressive non-surgical therapy. <i>Quality of Life Research</i> , 2013, 22, 2331-2339.	1.5	38
38	Recommendations for including multiple symptoms as endpoints in cancer clinical trials. <i>Cancer</i> , 2013, 119, 411-420.	2.0	46
39	Stereotactic body radiation therapy for management of spinal metastases in patients without spinal cord compression: a phase 1â€² trial. <i>Lancet Oncology</i> , The, 2012, 13, 395-402.	5.1	289
40	Serum sTNF-R1, IL-6, and the development of fatigue in patients with gastrointestinal cancer undergoing chemoradiation therapy. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 699-705.	2.0	94
41	Levels of Symptom Burden During Chemotherapy for Advanced Lung Cancer: Differences Between Public Hospitals and a Tertiary Cancer Center. <i>Journal of Clinical Oncology</i> , 2011, 29, 2859-2865.	0.8	37
42	Measuring the Symptom Burden of Lung Cancer: The Validity and Utility of the Lung Cancer Module of the M. D. Anderson Symptom Inventory. <i>Oncologist</i> , 2011, 16, 217-227.	1.9	99
43	Automated Symptom Alerts Reduce Postoperative Symptom Severity After Cancer Surgery: A Randomized Controlled Clinical Trial. <i>Journal of Clinical Oncology</i> , 2011, 29, 994-1000.	0.8	280
44	Prognostic value of symptom burden for overall survival in patients receiving chemotherapy for advanced nonsmall cell lung cancer. <i>Cancer</i> , 2010, 116, 137-145.	2.0	61
45	Validation and application of a module of the M. D. Anderson Symptom Inventory for measuring multiple symptoms in patients with gastrointestinal cancer (the MDASIâ€“GI). <i>Cancer</i> , 2010, 116, 2053-2063.	2.0	79
46	Impact of Cultural and Linguistic Factors on Symptom Reporting by Patients With Cancer. <i>Journal of the National Cancer Institute</i> , 2010, 102, 732-738.	3.0	44
47	Inflammatory cytokines are associated with the development of symptom burden in patients with NSCLC undergoing concurrent chemoradiation therapy. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 968-974.	2.0	150
48	Serum interleukinâ€“6 predicts the development of multiple symptoms at nadir of allogeneic hematopoietic stem cell transplantation. <i>Cancer</i> , 2008, 113, 2102-2109.	2.0	71
49	Pathophysiology of Cancer-Related Fatigue. <i>Clinical Journal of Oncology Nursing</i> , 2008, 12, 11-20.	0.3	97
50	Cliniciansâ€™ practice and attitudes toward cancer pain management in Korea. <i>Supportive Care in Cancer</i> , 2007, 15, 463-469.	1.0	37
51	Longitudinal Study of the Relationship Between Chemoradiation Therapy for Nonâ€“Small-Cell Lung Cancer and Patient Symptoms. <i>Journal of Clinical Oncology</i> , 2006, 24, 4485-4491.	0.8	108
52	Validation study of the Chinese version of the Brief Fatigue Inventory (BFI-C). <i>Journal of Pain and Symptom Management</i> , 2004, 27, 322-332.	0.6	84
53	Pediatric Cancer Pain Management Practices and Attitudes in China. <i>Journal of Pain and Symptom Management</i> , 2003, 26, 748-759.	0.6	22
54	Clinical Factors Associated With Cancer-Related Fatigue in Patients Being Treated for Leukemia and Non-Hodgkinâ€™s Lymphoma. <i>Journal of Clinical Oncology</i> , 2002, 20, 1319-1328.	0.8	94

#	ARTICLE	IF	CITATIONS
55	Assessing symptom distress in cancer patients. <i>Cancer</i> , 2000, 89, 1634-1646.	2.0	1,156