Jean-Pierre Quenot

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8306880/publications.pdf

Version: 2024-02-01

75 papers 3,290 citations

257450 24 h-index 56 g-index

77 all docs

77 docs citations

times ranked

77

3864 citing authors

#	Article	IF	CITATIONS
1	Renal Replacement Therapy for Acute Kidney Injury in French Intensive Care Units: A Nationwide Survey of Practices. Blood Purification, 2022, 51, 698-707.	1.8	2
2	Impact of a Postintensive Care Unit Multidisciplinary Follow-up on the Quality of Life (SUIVI-REA): Protocol for a Multicenter Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e30496.	1.0	1
3	Risk and protective factors for the possible development of post-traumatic stress disorder among intensive care professionals in France during the first peak of the COVID-19 epidemic. Högre Utbildning, 2022, 13, 2011603.	3.0	16
4	Multicentre observational status-epilepticus registry: protocol for ICTAL. BMJ Open, 2022, 12, e059675.	1.9	2
5	Impact of the COVID-19 pandemic on the mental health of professionals in 77 hospitals in France. PLoS ONE, 2022, 17, e0263666.	2.5	26
6	Factors associated with acute mesenteric ischemia among critically ill ventilated patients with shock: a post hoc analysis of the NUTRIREA2 trial. Intensive Care Medicine, 2022, 48, 458-466.	8.2	28
7	A qualitative study of reinforcement workers' perceptions and experiences of working in intensive care during the COVID-19 pandemic: A PsyCOVID-ICU substudy. PLoS ONE, 2022, 17, e0264287.	2.5	11
8	Association of COVID-19 Acute Respiratory Distress Syndrome With Symptoms of Posttraumatic Stress Disorder in Family Members After ICU Discharge. JAMA - Journal of the American Medical Association, 2022, 327, 1042.	7.4	49
9	Personalization of renal replacement therapy initiation: a secondary analysis of the AKIKI and IDEAL-ICU trials. Critical Care, 2022, 26, 64.	5.8	6
10	Influence of socioeconomic status on functional recovery after ARDS caused by SARS-CoV-2: a multicentre, observational study. BMJ Open, 2022, 12, e057368.	1.9	5
11	Criteria deemed important by ICU patients when designating a reference person. Journal of Intensive Medicine, 2022, , .	2.1	O
12	Mental Health Support for Hospital Staff during the COVID-19 Pandemic: Characteristics of the Services and Feedback from the Providers. Healthcare (Switzerland), 2022, 10, 1337.	2.0	3
13	Non-readmission decisions in the intensive care unit: A qualitative study of physicians' experience in a multicentre French study. PLoS ONE, 2021, 16, e0244919.	2.5	5
14	An international tool to measure perceived stressors in intensive care units: the PS-ICU scale. Annals of Intensive Care, 2021, 11, 57.	4.6	6
15	Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. Lancet, The, 2021, 397, 1293-1300.	13.7	106
16	Mental health and stress among ICU healthcare professionals in France according to intensity of the COVID-19 epidemic. Annals of Intensive Care, 2021, 11, 90.	4.6	29
17	Comparison of a preventive or curative strategy of fluid removal on the weaning of mechanical ventilation: a study protocol for a multicentre randomised open-label parallel-group trial. BMJ Open, 2021, 11, e048286.	1.9	2
18	Inhaled amikacin versus placebo to prevent ventilator-associated pneumonia: the AMIKINHAL double-blind multicentre randomised controlled trial protocol. BMJ Open, 2021, 11, e048591.	1.9	4

#	Article	IF	CITATIONS
19	Early ve r sus differed arterial catheterisation in critically ill patients with acute circulatory failure: a multicentre, open-label, pragmatic, randomised, non-inferiority controlled trial: the EVERDAC protocol. BMJ Open, 2021, 11, e044719.	1.9	3
20	The AKIKI 2 trial: a case for strategy of initiation instead of timing – Authors' reply. Lancet, The, 2021, 398, 1215-1216.	13.7	2
21	Impact on antimicrobial consumption of procalcitonin-guided antibiotic therapy for pneumonia/pneumonitis associated with aspiration in comatose mechanically ventilated patients: a multicenter, randomized controlled study. Annals of Intensive Care, 2021, 11, 145.	4.6	3
22	Family perceptions of clinical research and the informed consent process in the ICU. Journal of Critical Care, 2020, , .	2.2	0
23	Criteria deemed important by the relatives for designating a reference person for patients hospitalized in ICU. Journal of Critical Care, 2020, 57, 191-196.	2.2	2
24	LDL apheresis as an alternate method for plasma LPS purification in healthy volunteers and dyslipidemic and septic patients. Journal of Lipid Research, 2020, 61, 1776-1783.	4.2	4
25	Renal replacement therapy in acute kidney injury – Authors' reply. Lancet, The, 2020, 396, 1975-1976.	13.7	1
26	Preemptive renal replacement therapy in post-cardiotomy cardiogenic shock patients: a new concept?. Annals of Translational Medicine, 2020, 8, 613-613.	1.7	1
27	Evaluation of anti-Xa activity after injection of a heparin lock for dialysis catheters in intensive care: A prospective observational study. Thrombosis Research, 2020, 188, 82-84.	1.7	7
28	Stress ulcer prophylaxis in ICU patients: Answers and questions from the PEPTIC trial. Anaesthesia, Critical Care & Department of the Peptic trial of trial of the Peptic trial of trial of trial of trial of	1.4	1
29	Delayed versus early initiation of renal replacement therapy for severe acute kidney injury: a systematic review and individual patient data meta-analysis of randomised clinical trials. Lancet, The, 2020, 395, 1506-1515.	13.7	148
30	Influence of deprivation on initial severity and prognosis of patients admitted to the ICU: the prospective, multicentre, observational IVOIRE cohort study. Annals of Intensive Care, 2020, 10, 20.	4.6	16
31	Personalised mechanical ventilation tailored to lung morphology versus low positive end-expiratory pressure for patients with acute respiratory distress syndrome in France (the LIVE study): a multicentre, single-blind, randomised controlled trial. Lancet Respiratory Medicine,the, 2019, 7, 870-880.	10.7	202
32	Trisodium citrate 4% versus heparin as a catheter lock for non-tunneled hemodialysis catheters in critically ill patients: a multicenter, randomized clinical trial. Annals of Intensive Care, 2019, 9, 75.	4.6	17
33	What are the characteristics that lead physicians to perceive an ICU stay as non-beneficial for the patient?. PLoS ONE, 2019, 14, e0222039.	2.5	12
34	Disagreement Between Clinicians and Score in Decision-Making Capacity of Critically Ill Patients*. Critical Care Medicine, 2019, 47, 337-344.	0.9	13
35	Prophylaxis for stress related gastrointestinal bleeding in the ICU: Should we adjust to each patient's individual risk?. Anaesthesia, Critical Care & Decime 101, 38, 99-101.	1.4	1
36	Timing of Renal Replacement Therapy for Severe Acute Kidney Injury in Critically Ill Patients. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 1066-1075.	5.6	26

#	Article	IF	CITATIONS
37	Treatment of sepsis-induced acute kidney injury in the ICU: the therapeutic targets do not seem to be established yet. Annals of Translational Medicine, 2019, 7, S181-S181.	1.7	7
38	How can we best organise communication with patients' families?. Anaesthesia, Critical Care & Dain Medicine, 2018, 37, 187-189.	1.4	2
39	Impact of a stay in the intensive care unit on the preparation of Advance Directives: Descriptive, exploratory, qualitative study. Anaesthesia, Critical Care & Descriptive, Pain Medicine, 2018, 37, 113-119.	1.4	16
40	Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). Lancet, The, 2018, 391, 133-143.	13.7	371
41	Renal replacement therapy: Time to give up on early initiation? Yes. Anaesthesia, Critical Care & Description (2018, 37, 501-503).	1.4	3
42	End-of-life situations in cardiology: a qualitative study of physicians' and nurses' experience in a large university hospital. BMC Palliative Care, 2018, 17, 112.	1.8	18
43	Non-readmission decisions in the intensive care unit under French rules: A nationwide survey of practices. PLoS ONE, 2018, 13, e0205689.	2.5	7
44	New-onset atrial fibrillation in ICU: A FROG in the throat. International Journal of Cardiology, 2018, 270, 189.	1.7	1
45	Epinephrine Versus Norepinephrine forÂCardiogenic Shock After AcuteÂMyocardial Infarction. Journal of the American College of Cardiology, 2018, 72, 173-182.	2.8	282
46	Effect of Systematic Intensive Care Unit Triage on Long-term Mortality Among Critically Ill Elderly Patients in France. JAMA - Journal of the American Medical Association, 2017, 318, 1450.	7.4	160
47	Can qualitative research play a role in answering ethical questions in intensive care?. Annals of Translational Medicine, 2017, 5, S45-S45.	1.7	10
48	What are the ethical aspects surrounding the collegial decisional process in limiting and withdrawing treatment in intensive care?. Annals of Translational Medicine, 2017, 5, S43-S43.	1.7	15
49	Ethical challenges involved in obtaining consent for research from patients hospitalized in the intensive care unit. Annals of Translational Medicine, 2017, 5, S41-S41.	1.7	27
50	What are the ethical issues in relation to the role of the family in intensive care?. Annals of Translational Medicine, 2017, 5, S40-S40.	1.7	20
51	Ethical aspects of admission or non-admission to the intensive care unit. Annals of Translational Medicine, 2017, 5, S38-S38.	1.7	14
52	What are the ethical questions raised by the integration of intensive care into advance care planning?. Annals of Translational Medicine, 2017, 5, S46-S46.	1.7	18
53	What are the ethical dimensions in the profession of intensive care specialist?. Annals of Translational Medicine, 2017, 5, S47-S47.	1.7	10
54	What are the ethical aspects surrounding intensive care unit admission in patients with cancer?. Annals of Translational Medicine, 2017, 5, S42-S42.	1.7	12

#	Article	IF	CITATIONS
55	ICU physicians' and nurses' perceptions of terminal extubation and terminal weaning: a self-questionnaire study. Intensive Care Medicine, 2016, 42, 1248-1257.	8.2	22
56	How patient families are provided with information during intensive care: A survey of practices. Anaesthesia, Critical Care & amp; Pain Medicine, 2016, 35, 185-189.	1.4	7
57	The concept of a surrogate is ill adapted to intensive care: Criteria for recognizing a reference person. Journal of Critical Care, 2016, 32, 89-92.	2.2	11
58	Intensive care unit strain should not rush physicians into making inappropriate decisions, but merely reduce the time to the right decisions being made. Annals of Translational Medicine, 2016, 4, 316-316.	1.7	8
59	Incidence and Predictors of New-Onset Atrial Fibrillation in Septic Shock Patients in a Medical ICU: Data from 7-Day Holter ECG Monitoring. PLoS ONE, 2015, 10, e0127168.	2.5	56
60	Pulse Wave Transit Time Measurements of Cardiac Output in Septic Shock Patients: A Comparison of the Estimated Continuous Cardiac Output System with Transthoracic Echocardiography. PLoS ONE, 2015, 10, e0130489.	2.5	11
61	Stress-related mucosal disease in the critically ill patient. Nature Reviews Gastroenterology and Hepatology, 2015, 12, 98-107.	17.8	76
62	Psychological experience of patients 3 months after a stay in the intensive care unit: A descriptive and qualitative study. Journal of Critical Care, 2015, 30, 599-605.	2.2	97
63	Very high volume hemofiltration with the Cascade system in septic shock patients. Intensive Care Medicine, 2015, 41, 2111-2120.	8.2	45
64	Comparison of heparin to citrate as a catheter locking solution for non-tunneled central venous hemodialysis catheters in patients requiring renal replacement therapy for acute renal failure (VERROU-REA study): study protocol for a randomized controlled trial. Trials, 2014, 15, 449.	1.6	9
65	Impact of early enteral versus parenteral nutrition on mortality in patients requiring mechanical ventilation and catecholamines: study protocol for a randomized controlled trial (NUTRIREA-2). Trials, 2014, 15, 507.	1.6	14
66	The epidemiology of septic shock in French intensive care units: the prospective multicenter cohort EPISS study. Critical Care, 2013, 17, R65.	5.8	156
67	Effect of Not Monitoring Residual Gastric Volume on Risk of Ventilator-Associated Pneumonia in Adults Receiving Mechanical Ventilation and Early Enteral Feeding. JAMA - Journal of the American Medical Association, 2013, 309, 249.	7.4	417
68	Plethysmographic variation index predicts fluid responsiveness in ventilated patients in the early phase of septic shock in the emergency department: A pilot study. Journal of Critical Care, 2013, 28, 634-639.	2.2	22
69	Intrahospital transport of critically ill patients (excluding newborns) recommendations of the Société de Réanimation de Langue Française (SRLF), the Société Française d'Anesthésie et de Réanimation (SFAR), and the Société Française de Médecine d'Urgence (SFMU). Annals of Intensive Ca 2012. 2. 1.	4.6 are,	76
70	Sodium citrate versus saline catheter locks for non-tunneled hemodialysis central venous catheters in critically ill adults: a randomized controlled trial. Intensive Care Medicine, 2012, 38, 279-285.	8.2	37
71	Bedside adherence to clinical practice guidelines for enteral nutrition in critically ill patients receiving mechanical ventilation: a prospective, multi-centre, observational study. Critical Care, 2010, 14, R37.	5.8	39
72	When should stress ulcer prophylaxis be used in the ICU?. Current Opinion in Critical Care, 2009, 15, 139-143.	3.2	71

#	Article	IF	CITATIONS
73	Bedside adherence to clinical practice guidelines in the intensive care unit: the TECLA study. Intensive Care Medicine, 2008, 34, 1393-1400.	8.2	25
74	Effect of a nurse-implemented sedation protocol on the incidence of ventilator-associated pneumonia*. Critical Care Medicine, 2007, 35, 2031-2036.	0.9	255
75	Myocardial Injury in Critically Ill Patients. Chest, 2005, 128, 2758-2764.	0.8	83