

# Maria A Rocca

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8310135/publications.pdf>

Version: 2024-02-01

589  
papers

33,276  
citations

3668

92  
h-index

9605

147  
g-index

602  
all docs

602  
docs citations

602  
times ranked

20396  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiple sclerosis. Nature Reviews Disease Primers, 2018, 4, 43.	18.1	767
2	MRI criteria for the diagnosis of multiple sclerosis: MAGNIMS consensus guidelines. Lancet Neurology, The, 2016, 15, 292-303.	4.9	679
3	Effect of glatiramer acetate on conversion to clinically definite multiple sclerosis in patients with clinically isolated syndrome (PreCISe study): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2009, 374, 1503-1511.	6.3	551
4	Clinical and imaging assessment of cognitive dysfunction in multiple sclerosis. Lancet Neurology, The, 2015, 14, 302-317.	4.9	437
5	MAGNIMS consensus guidelines on the use of MRI in multiple sclerosis—establishing disease prognosis and monitoring patients. Nature Reviews Neurology, 2015, 11, 597-606.	4.9	422
6	Cognition in multiple sclerosis. Neurology, 2018, 90, 278-288.	1.5	384
7	Magnetization transfer changes in the normal appearing white matter precede the appearance of enhancing lesions in patients with multiple sclerosis. Annals of Neurology, 1998, 43, 809-814.	2.8	356
8	Association between pathological and MRI findings in multiple sclerosis. Lancet Neurology, The, 2012, 11, 349-360.	4.9	356
9	MAGNIMS consensus guidelines on the use of MRI in multiple sclerosis—clinical implementation in the diagnostic process. Nature Reviews Neurology, 2015, 11, 471-482.	4.9	354
10	Functional Magnetic Resonance Imaging Correlates of Fatigue in Multiple Sclerosis. NeuroImage, 2002, 15, 559-567.	2.1	349
11	Placebo-Controlled Trial of Oral Laquinimod for Multiple Sclerosis. New England Journal of Medicine, 2012, 366, 1000-1009.	13.9	329
12	Assessment of lesions on magnetic resonance imaging in multiple sclerosis: practical guidelines. Brain, 2019, 142, 1858-1875.	3.7	303
13	2021 MAGNIMS—CMSC—NAIMS consensus recommendations on the use of MRI in patients with multiple sclerosis. Lancet Neurology, The, 2021, 20, 653-670.	4.9	302
14	MRI in multiple sclerosis: current status and future prospects. Lancet Neurology, The, 2008, 7, 615-625.	4.9	295
15	Deep gray matter volume loss drives disability worsening in multiple sclerosis. Annals of Neurology, 2018, 83, 210-222.	2.8	295
16	Default-mode network dysfunction and cognitive impairment in progressive MS. Neurology, 2010, 74, 1252-1259.	1.5	292
17	Brain Gray Matter Changes in Migraine Patients With T2-Visible Lesions. Stroke, 2006, 37, 1765-1770.	1.0	291
18	Myeloid microvesicles are a marker and therapeutic target for neuroinflammation. Annals of Neurology, 2012, 72, 610-624.	2.8	277

#	ARTICLE	IF	CITATIONS
19	Glatiramer acetate reduces the proportion of new MS lesions evolving into "black holes". Neurology, 2001, 57, 731-733.	1.5	274
20	Progression of regional grey matter atrophy in multiple sclerosis. Brain, 2018, 141, 1665-1677.	3.7	269
21	Brain atrophy and lesion load predict long term disability in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 1082-1091.	0.9	267
22	Effect of laquinimod on MRI-monitored disease activity in patients with relapsing-remitting multiple sclerosis: a multicentre, randomised, double-blind, placebo-controlled phase IIb study. Lancet, The, 2008, 371, 2085-2092.	6.3	265
23	Consensus recommendations for MS cortical lesion scoring using double inversion recovery MRI. Neurology, 2011, 76, 418-424.	1.5	259
24	Evidence of thalamic gray matter loss in pediatric multiple sclerosis. Neurology, 2008, 70, 1107-1112.	1.5	258
25	Relation between MR abnormalities and patterns of cognitive impairment in multiple sclerosis. Neurology, 1998, 50, 1601-1608.	1.5	253
26	A randomised, double blind, placebo controlled trial with vitamin D <sub>3</sub> as an add on treatment to interferon β-1b in patients with multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 565-571.	0.9	242
27	MR Imaging of Multiple Sclerosis. Radiology, 2011, 259, 659-681.	3.6	238
28	Cortical adaptation in patients with MS: a cross-sectional functional MRI study of disease phenotypes. Lancet Neurology, The, 2005, 4, 618-626.	4.9	235
29	Rapid semi-automatic segmentation of the spinal cord from magnetic resonance images: Application in multiple sclerosis. NeuroImage, 2010, 50, 446-455.	2.1	234
30	Adaptive functional changes in the cerebral cortex of patients with nondisabling multiple sclerosis correlate with the extent of brain structural damage. Annals of Neurology, 2002, 51, 330-339.	2.8	224
31	A Quantitative Study of Water Diffusion in Multiple Sclerosis Lesions and Normal-Appearing White Matter Using Echo-Planar Imaging. Archives of Neurology, 2000, 57, 1017.	4.9	203
32	Pathologic damage in MS assessed by diffusion-weighted and magnetization transfer MRI. Neurology, 2000, 54, 1139-1144.	1.5	193
33	A voxel-based morphometry study of grey matter loss in MS patients with different clinical phenotypes. NeuroImage, 2008, 42, 315-322.	2.1	189
34	Brain MRI atrophy quantification in MS. Neurology, 2017, 88, 403-413.	1.5	188
35	Consensus statement: evaluation of new and existing therapeutics for pediatric multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 116-127.	1.4	186
36	Assessment of system dysfunction in the brain through MRI-based connectomics. Lancet Neurology, The, 2013, 12, 1189-1199.	4.9	184

#	ARTICLE	IF	CITATIONS
37	A method for obtaining tract-specific diffusion tensor MRI measurements in the presence of disease: application to patients with clinically isolated syndromes suggestive of multiple sclerosis. <i>NeuroImage</i> , 2005, 26, 258-265.	2.1	182
38	Multiple Sclerosis: Effects of Cognitive Rehabilitation on Structural and Functional MR Imaging Measures—An Explorative Study. <i>Radiology</i> , 2012, 262, 932-940.	3.6	176
39	Gray matter damage predicts the accumulation of disability 13 years later in MS. <i>Neurology</i> , 2013, 81, 1759-1767.	1.5	174
40	Correlations between Structural CNS Damage and Functional MRI Changes in Primary Progressive MS. <i>NeuroImage</i> , 2002, 15, 537-546.	2.1	173
41	MRI and magnetization transfer imaging changes in the brain and cervical cord of patients with Devic's neuromyelitis optica. <i>Neurology</i> , 1999, 53, 1705-1705.	1.5	172
42	The contribution of MRI in assessing cognitive impairment in multiple sclerosis. <i>Neurology</i> , 2010, 75, 2121-2128.	1.5	166
43	Large-scale neuronal network dysfunction in relapsing-remitting multiple sclerosis. <i>Neurology</i> , 2012, 79, 1449-1457.	1.5	164
44	Association between pathological and MRI findings in multiple sclerosis. <i>Lancet Neurology</i> , The, 2019, 18, 198-210.	4.9	163
45	Automatic segmentation of the spinal cord and intramedullary multiple sclerosis lesions with convolutional neural networks. <i>NeuroImage</i> , 2019, 184, 901-915.	2.1	163
46	Intracortical lesions. <i>Neurology</i> , 2010, 75, 1988-1994.	1.5	159
47	Brain reserve and cognitive reserve protect against cognitive decline over 4.5 years in MS. <i>Neurology</i> , 2014, 82, 1776-1783.	1.5	156
48	A 3-year magnetic resonance imaging study of cortical lesions in relapse-onset multiple sclerosis. <i>Annals of Neurology</i> , 2010, 67, 376-383.	2.8	153
49	Voxel-based morphometry study of brain volumetry and diffusivity in amyotrophic lateral sclerosis patients with mild disability. <i>Human Brain Mapping</i> , 2007, 28, 1430-1438.	1.9	152
50	Correlations between monthly enhanced MRI Lesion rate and changes in T2 Lesion volume in multiple sclerosis. <i>Annals of Neurology</i> , 1998, 43, 332-339.	2.8	150
51	MAGNIMS consensus recommendations on the use of brain and spinal cord atrophy measures in clinical practice. <i>Nature Reviews Neurology</i> , 2020, 16, 171-182.	4.9	150
52	Brain reserve and cognitive reserve in multiple sclerosis. <i>Neurology</i> , 2013, 80, 2186-2193.	1.5	149
53	Evidence for widespread movement-associated functional MRI changes in patients with PPMS. <i>Neurology</i> , 2002, 58, 866-872.	1.5	147
54	Optimizing parameter choice for FSL-Brain Extraction Tool (BET) on 3D T1 images in multiple sclerosis. <i>NeuroImage</i> , 2012, 61, 1484-1494.	2.1	145

#	ARTICLE	IF	CITATIONS
55	The organization of intrinsic brain activity differs between genders: A resting-state fMRI study in a large cohort of young healthy subjects. <i>Human Brain Mapping</i> , 2013, 34, 1330-1343.	1.9	144
56	Short-term brain volume change in relapsing-remitting multiple sclerosis: Effect of glatiramer acetate and implications. <i>Brain</i> , 2001, 124, 1803-1812.	3.7	143
57	Thalamic Damage and Long-term Progression of Disability in Multiple Sclerosis. <i>Radiology</i> , 2010, 257, 463-469.	3.6	143
58	Evidence for axonal pathology and adaptive cortical reorganization in patients at presentation with clinically isolated syndromes suggestive of multiple sclerosis. <i>NeuroImage</i> , 2003, 18, 847-855.	2.1	138
59	A conventional and magnetization transfer MRI study of the cervical cord in patients with MS. <i>Neurology</i> , 2000, 54, 207-207.	1.5	130
60	Weekly diffusion-weighted imaging of normal-appearing white matter in MS. <i>Neurology</i> , 2000, 55, 882-884.	1.5	129
61	A multicenter assessment of cervical cord atrophy among MS clinical phenotypes. <i>Neurology</i> , 2011, 76, 2096-2102.	1.5	129
62	Neuroplasticity and functional recovery in multiple sclerosis. <i>Nature Reviews Neurology</i> , 2012, 8, 635-646.	4.9	128
63	Cortical lesions in primary progressive multiple sclerosis. <i>Neurology</i> , 2009, 72, 1330-1336.	1.5	124
64	The Present and the Future of Neuroimaging in Amyotrophic Lateral Sclerosis. <i>American Journal of Neuroradiology</i> , 2010, 31, 1769-1777.	1.2	124
65	Mean diffusivity and fractional anisotropy histogram analysis of the cervical cord in MS patients. <i>NeuroImage</i> , 2005, 26, 822-828.	2.1	123
66	Tract-specific white matter structural disruption in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2011, 13, 414-424.	1.1	122
67	Impaired functional integration in multiple sclerosis: a graph theory study. <i>Brain Structure and Function</i> , 2016, 221, 115-131.	1.2	122
68	High prevalence of restless legs syndrome in multiple sclerosis. <i>European Journal of Neurology</i> , 2007, 14, 534-539.	1.7	121
69	Validation of diagnostic magnetic resonance imaging criteria for multiple sclerosis and response to interferon $\beta$ 1a. <i>Annals of Neurology</i> , 2003, 53, 718-724.	2.8	120
70	MRI evidence for multiple sclerosis as a diffuse disease of the central nervous system. <i>Journal of Neurology</i> , 2005, 252, v16-v24.	1.8	120
71	Magnetic Resonance Techniques in Multiple Sclerosis. <i>Archives of Neurology</i> , 2011, 68, 1514.	4.9	120
72	Magnetization transfer and diffusion tensor MRI show gray matter damage in neuromyelitis optica. <i>Neurology</i> , 2004, 62, 476-478.	1.5	118

#	ARTICLE	IF	CITATIONS
73	Restless legs syndrome is a common finding in multiple sclerosis and correlates with cervical cord damage. <i>Multiple Sclerosis Journal</i> , 2008, 14, 86-93.	1.4	117
74	A longitudinal diffusion tensor MRI study of the cervical cord and brain in amyotrophic lateral sclerosis patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 53-55.	0.9	117
75	Structural and functional MRI correlates of Stroop control in benign MS. <i>Human Brain Mapping</i> , 2009, 30, 276-290.	1.9	117
76	Altered functional and structural connectivities in patients with MS. <i>Neurology</i> , 2007, 69, 2136-2145.	1.5	116
77	Voxel-based analysis derived from fractional anisotropy images of white matter volume changes with aging. <i>NeuroImage</i> , 2008, 41, 657-667.	2.1	113
78	Regional brain atrophy evolves differently in patients with multiple sclerosis according to clinical phenotype. <i>American Journal of Neuroradiology</i> , 2005, 26, 341-6.	1.2	113
79	MRI criteria for dissemination in space in patients with clinically isolated syndromes: a multicentre follow-up study. <i>Lancet Neurology</i> , The, 2006, 5, 221-227.	4.9	112
80	Multi-branch convolutional neural network for multiple sclerosis lesion segmentation. <i>NeuroImage</i> , 2019, 196, 1-15.	2.1	111
81	Spinal cord involvement in multiple sclerosis and neuromyelitis optica spectrum disorders. <i>Lancet Neurology</i> , The, 2019, 18, 185-197.	4.9	110
82	Diffusion tensor MRI tractography and cognitive impairment in multiple sclerosis. <i>Neurology</i> , 2012, 78, 969-975.	1.5	109
83	Nonconventional MRI and microstructural cerebral changes in multiple sclerosis. <i>Nature Reviews Neurology</i> , 2015, 11, 676-686.	4.9	109
84	Cortical Abnormalities in Patients with Migraine: A Surface-based Analysis. <i>Radiology</i> , 2013, 268, 170-180.	3.6	105
85	MRI monitoring of pathological changes in the spinal cord in patients with multiple sclerosis. <i>Lancet Neurology</i> , The, 2015, 14, 443-454.	4.9	105
86	Functional network connectivity abnormalities in multiple sclerosis: Correlations with disability and cognitive impairment. <i>Multiple Sclerosis Journal</i> , 2018, 24, 459-471.	1.4	105
87	Selective decreased grey matter volume of the pain-matrix network in cluster headache. <i>Cephalalgia</i> , 2012, 32, 109-115.	1.8	101
88	Placebo-controlled trial of oral laquinimod in multiple sclerosis: MRI evidence of an effect on brain tissue damage. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 851-858.	0.9	101
89	Quantification of cervical cord pathology in primary progressive MS using diffusion tensor MRI. <i>Neurology</i> , 2005, 64, 631-635.	1.5	99
90	Corpus callosum damage and cognitive dysfunction in benign MS. <i>Human Brain Mapping</i> , 2009, 30, 2656-2666.	1.9	99

#	ARTICLE	IF	CITATIONS
91	Structural <scp>MRI</scp> correlates of cognitive impairment in patients with multiple sclerosis. <i>Human Brain Mapping</i> , 2016, 37, 1627-1644.	1.9	99
92	Assessing response to interferon- $\beta$ in a multicenter dataset of patients with MS. <i>Neurology</i> , 2016, 87, 134-140.	1.5	98
93	Prediction of a multiple sclerosis diagnosis in patients with clinically isolated syndrome using the 2016 MAGNIMS and 2010 McDonald criteria: a retrospective study. <i>Lancet Neurology</i> , The, 2018, 17, 133-142.	4.9	98
94	Influence of the topography of brain damage on depression and fatigue in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 192-201.	1.4	97
95	Simple and complex movement-associated functional MRI changes in patients at presentation with clinically isolated syndromes suggestive of multiple sclerosis. <i>Human Brain Mapping</i> , 2004, 21, 108-117.	1.9	96
96	Recommendations to improve imaging and analysis of brain lesion load and atrophy in longitudinal studies of multiple sclerosis. <i>Journal of Neurology</i> , 2013, 260, 2458-2471.	1.8	96
97	Functional MRI in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2007, 17, 36S-41S.	1.0	95
98	Magnetic resonance imaging correlates of physical disability in relapse onset multiple sclerosis of long disease duration. <i>Multiple Sclerosis Journal</i> , 2014, 20, 72-80.	1.4	95
99	Sensorimotor network rewiring in mild cognitive impairment and Alzheimer's disease. <i>Human Brain Mapping</i> , 2010, 31, 515-525.	1.9	93
100	Cognitive impairment in multiple sclerosis is associated to different patterns of gray matter atrophy according to clinical phenotype. <i>Human Brain Mapping</i> , 2011, 32, 1535-1543.	1.9	92
101	Meeting Review: The management of multiple sclerosis in children: a European view. <i>Multiple Sclerosis Journal</i> , 2010, 16, 1258-1267.	1.4	91
102	The hippocampus in multiple sclerosis. <i>Lancet Neurology</i> , The, 2018, 17, 918-926.	4.9	90
103	The use of quantitative magnetic-resonance-based techniques to monitor the evolution of multiple sclerosis. <i>Lancet Neurology</i> , The, 2003, 2, 337-346.	4.9	88
104	A functional magnetic resonance imaging study of patients with secondary progressive multiple sclerosis. <i>NeuroImage</i> , 2003, 19, 1770-1777.	2.1	88
105	Unraveling treatment response in multiple sclerosis. <i>Neurology</i> , 2019, 92, 180-192.	1.5	88
106	Safety and efficacy of natalizumab in children with multiple sclerosis. <i>Neurology</i> , 2010, 75, 912-917.	1.5	87
107	Effects of early treatment with glatiramer acetate in patients with clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1074-1083.	1.4	87
108	Regional but Not Global Brain Damage Contributes to Fatigue in Multiple Sclerosis. <i>Radiology</i> , 2014, 273, 511-520.	3.6	87

#	ARTICLE	IF	CITATIONS
109	Identifying the Distinct Cognitive Phenotypes in Multiple Sclerosis. <i>JAMA Neurology</i> , 2021, 78, 414.	4.5	86
110	MRI assessment of iron deposition in multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 34, 13-21.	1.9	84
111	fMRI changes in relapsing-remitting multiple sclerosis patients complaining of fatigue after IFN $\beta$ -1a injection. <i>Human Brain Mapping</i> , 2007, 28, 373-382.	1.9	83
112	Magnetization transfer ratios in multiple sclerosis lesions enhancing after different doses of gadolinium. <i>Neurology</i> , 1998, 50, 1289-1293.	1.5	81
113	Functional cortical changes of the sensorimotor network are associated with clinical recovery in multiple sclerosis. <i>Human Brain Mapping</i> , 2008, 29, 562-573.	1.9	81
114	Quantitative magnetic resonance imaging towards clinical application in multiple sclerosis. <i>Brain</i> , 2021, 144, 1296-1311.	3.7	81
115	Mitoxantrone prior to interferon beta-1b in aggressive relapsing multiple sclerosis: a 3-year randomised trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1344-1350.	0.9	80
116	Hippocampal and Deep Gray Matter Nuclei Atrophy Is Relevant for Explaining Cognitive Impairment in MS: A Multicenter Study. <i>American Journal of Neuroradiology</i> , 2017, 38, 18-24.	1.2	80
117	Longitudinal Assessment of Multiple Sclerosis with the Brain $\times$ Age Paradigm. <i>Annals of Neurology</i> , 2020, 88, 93-105.	2.8	79
118	Serum MMP-9/TIMP-1 and MMP-2/TIMP-2 ratios in multiple sclerosis: relationships with different magnetic resonance imaging measures of disease activity during IFN-beta-1a treatment. <i>Multiple Sclerosis Journal</i> , 2005, 11, 441-446.	1.4	78
119	Magnetization transfer magnetic resonance imaging of the brain, spinal cord, and optic nerve. <i>Neurotherapeutics</i> , 2007, 4, 401-413.	2.1	78
120	Cardiovascular disease and brain health: Focus on white matter hyperintensities. <i>IJC Heart and Vasculature</i> , 2018, 19, 63-69.	0.6	78
121	Glymphatic system impairment in multiple sclerosis: relation with brain damage and disability. <i>Brain</i> , 2022, 145, 2785-2795.	3.7	78
122	Interscanner variation in brain MRI lesion load measurements in MS: Implications for clinical trials. <i>Neurology</i> , 1997, 49, 371-377.	1.5	77
123	Radiologically isolated syndrome or subclinical multiple sclerosis: MAGNIMS consensus recommendations. <i>Multiple Sclerosis Journal</i> , 2018, 24, 214-221.	1.4	77
124	Voxelwise Assessment of the Regional Distribution of Damage in the Brains of Patients with Multiple Sclerosis and Fatigue. <i>American Journal of Neuroradiology</i> , 2011, 32, 874-879.	1.2	76
125	Structural brain MRI abnormalities in pediatric patients with migraine. <i>Journal of Neurology</i> , 2014, 261, 350-357.	1.8	76
126	Relating functional changes during hand movement to clinical parameters in patients with multiple sclerosis in a multi-centre fMRI study. <i>European Journal of Neurology</i> , 2008, 15, 113-122.	1.7	75



#	ARTICLE	IF	CITATIONS
127	Spatial distribution of multiple sclerosis lesions in the cervical spinal cord. <i>Brain</i> , 2019, 142, 633-646.	3.7	75
128	The Brain Functional Networks Associated to Human and Animal Suffering Differ among Omnivores, Vegetarians and Vegans. <i>PLoS ONE</i> , 2010, 5, e10847.	1.1	75
129	A short-term randomized MRI study of high-dose oral vs intravenous methylprednisolone in MS. <i>Neurology</i> , 2009, 73, 1842-1848.	1.5	74
130	Deficits in memory and visuospatial learning correlate with regional hippocampal atrophy in MS. <i>Brain Structure and Function</i> , 2015, 220, 435-444.	1.2	74
131	Brain tissue loss occurs after suppression of enhancement in patients with multiple sclerosis treated with autologous haematopoietic stem cell transplantation. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 643-4.	0.9	74
132	Magnetization Transfer Magnetic Resonance Imaging in the Assessment of Neurological Diseases. <i>Journal of Neuroimaging</i> , 2004, 14, 303-313.	1.0	73
133	Normal-appearing white and grey matter damage in MS. <i>Journal of Neurology</i> , 2007, 254, 513-518.	1.8	73
134	Functional correlates of cognitive dysfunction in multiple sclerosis: A multicenter fMRI Study. <i>Human Brain Mapping</i> , 2014, 35, 5799-5814.	1.9	73
135	Cognitive rehabilitation correlates with the functional connectivity of the anterior cingulate cortex in patients with multiple sclerosis. <i>Brain Imaging and Behavior</i> , 2014, 8, 387-393.	1.1	73
136	Functional and Structural Connectivity of the Motor Network in Pediatric and Adult-Onset Relapsing-Remitting Multiple Sclerosis. <i>Radiology</i> , 2010, 254, 541-550.	3.6	72
137	Natalizumab in the pediatric MS population: results of the Italian registry. <i>BMC Neurology</i> , 2015, 15, 174.	0.8	72
138	Method for intracellular magnetic labeling of human mononuclear cells using approved iron contrast agents. <i>Magnetic Resonance Imaging</i> , 1999, 17, 1521-1523.	1.0	69
139	Selective Diffusion Changes of The Visual Pathways in Patients with Migraine: A 3-T Tractography Study. <i>Cephalalgia</i> , 2008, 28, 1061-1068.	1.8	69
140	Connectivity-based parcellation of the thalamus in multiple sclerosis and its implications for cognitive impairment: A multicenter study. <i>Human Brain Mapping</i> , 2015, 36, 2809-2825.	1.9	69
141	Motor Learning in Healthy Humans Is Associated to Gray Matter Changes: A Tensor-Based Morphometry Study. <i>PLoS ONE</i> , 2010, 5, e10198.	1.1	68
142	Long-term changes of magnetization transfer-derived measures from patients with relapsing-remitting and secondary progressive multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1999, 20, 821-7.	1.2	68
143	Functional cortical changes in patients with multiple sclerosis and nonspecific findings on conventional magnetic resonance imaging scans of the brain. <i>NeuroImage</i> , 2003, 19, 826-836.	2.1	67
144	Assessment of MRI abnormalities of the brainstem from patients with migraine and multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2006, 244, 137-141.	0.3	67

#	ARTICLE	IF	CITATIONS
145	Identifying Progression in Multiple Sclerosis: New Perspectives. <i>Annals of Neurology</i> , 2020, 88, 438-452.	2.8	67
146	Changes of brain resting state functional connectivity predict the persistence of cognitive rehabilitation effects in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 686-694.	1.4	66
147	Brain and cord imaging features in neuromyelitis optica spectrum disorders. <i>Annals of Neurology</i> , 2019, 85, 371-384.	2.8	66
148	A three-year, multi-parametric MRI study in patients at presentation with CIS. <i>Journal of Neurology</i> , 2008, 255, 683-691.	1.8	65
149	Phase III dose-comparison study of glatiramer acetate for multiple sclerosis. <i>Annals of Neurology</i> , 2011, 69, 75-82.	2.8	65
150	Intrinsic Damage to the Major White Matter Tracts in Patients with Different Clinical Phenotypes of Multiple Sclerosis: A Voxelwise Diffusion-Tensor MR Study. <i>Radiology</i> , 2011, 260, 541-550.	3.6	65
151	Mind the gap: The mismatch between clinical and imaging metrics in ALS. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2015, 16, 524-529.	1.1	65
152	Is a preserved functional reserve a mechanism limiting clinical impairment in pediatric MS patients?. <i>Human Brain Mapping</i> , 2009, 30, 2844-2851.	1.9	64
153	Thalamic Damage Predicts the Evolution of Primary-Progressive Multiple Sclerosis at 5 Years. <i>American Journal of Neuroradiology</i> , 2011, 32, 1016-1020.	1.2	64
154	Atypical idiopathic inflammatory demyelinating lesions: prognostic implications and relation to multiple sclerosis. <i>Journal of Neurology</i> , 2013, 260, 2016-2022.	1.8	63
155	Imaging resting state brain function in multiple sclerosis. <i>Journal of Neurology</i> , 2013, 260, 1709-1713.	1.8	62
156	Comparison of three MR sequences for the detection of cervical cord lesions in patients with multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1999, 20, 1710-6.	1.2	62
157	Peripheral levels of caspase-1 mRNA correlate with disease activity in patients with multiple sclerosis; a preliminary study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 785-788.	0.9	61
158	EFNS guidelines on the use of neuroimaging in the management of multiple sclerosis. <i>European Journal of Neurology</i> , 2006, 13, 313-325.	1.7	61
159	Cerebral grey matter pathology and fatigue in patients with multiple sclerosis: a preliminary study. <i>Journal of the Neurological Sciences</i> , 2002, 194, 71-74.	0.3	60
160	European Study on Intravenous Immunoglobulin in Multiple Sclerosis. <i>Archives of Neurology</i> , 2004, 61, 1409.	4.9	60
161	Conventional MRI in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2007, 17, 3S-9S.	1.0	60
162	Quantitative volumetric analysis of brain magnetic resonance imaging from patients with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 1998, 158, 148-153.	0.3	59

#	ARTICLE	IF	CITATIONS
163	Cortical reorganisation in patients with MS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1087-1089.	0.9	59
164	A functional MRI study of movement-associated cortical changes in patients with Devic's neuromyelitis optica. <i>NeuroImage</i> , 2004, 21, 1061-1068.	2.1	59
165	A functional MRI study of cortical activations associated with object manipulation in patients with MS. <i>NeuroImage</i> , 2004, 21, 1147-1154.	2.1	59
166	Cognitive learning is associated with gray matter changes in healthy human individuals: A tensor-based morphometry study. <i>NeuroImage</i> , 2009, 48, 585-589.	2.1	59
167	Abnormalities of Resting State Functional Connectivity Are Related to Sustained Attention Deficits in MS. <i>PLoS ONE</i> , 2012, 7, e42862.	1.1	59
168	Forceps minor damage and co-occurrence of depression and fatigue in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1633-1640.	1.4	59
169	Magnetization transfer imaging of patients with definite MS and negative conventional MRI. <i>Neurology</i> , 1999, 52, 845-845.	1.5	59
170	MRI quantification of gray and white matter damage in patients with early-onset multiple sclerosis. <i>Journal of Neurology</i> , 2006, 253, 903-907.	1.8	58
171	Magnetic resonance outcome measures in multiple sclerosis trials. <i>Current Opinion in Neurology</i> , 2014, 27, 290-299.	1.8	58
172	Hippocampal-DMN disconnectivity in MS is related to WM lesions and depression. <i>Human Brain Mapping</i> , 2015, 36, 5051-5063.	1.9	58
173	MRI in Leber's hereditary optic neuropathy: the relationship to multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 537-542.	0.9	58
174	Carotid atherosclerosis, silent ischemic brain damage and brain atrophy: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2016, 223, 681-687.	0.8	58
175	The Role of T1-Weighted Derived Measures of Neurodegeneration for Assessing Disability Progression in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2017, 8, 433.	1.1	58
176	Deep gray matter T2 hypointensity is present in patients with clinically isolated syndromes suggestive of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 39-44.	1.4	57
177	A preliminary study of magnetization transfer and diffusion tensor MRI of multiple sclerosis patients with fatigue. <i>Journal of Neurology</i> , 2002, 249, 535-537.	1.8	56
178	Occult tissue damage in patients with primary progressive multiple sclerosis is independent of T2-visible lesions. <i>Journal of Neurology</i> , 2003, 250, 456-460.	1.8	56
179	Natalizumab in pediatric multiple sclerosis: results of a cohort of 55 cases. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1106-1112.	1.4	56
180	Posterior brain damage and cognitive impairment in pediatric multiple sclerosis. <i>Neurology</i> , 2014, 82, 1314-1321.	1.5	56

#	ARTICLE	IF	CITATIONS
181	T2 hypointensity in the deep gray matter of patients with benign multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 678-686.	1.4	55
182	Central nervous system dysregulation extends beyond the pain-matrix network in cluster headache. <i>Cephalalgia</i> , 2010, 30, 1383-1391.	1.8	55
183	Wallerian and trans-synaptic degeneration contribute to optic radiation damage in multiple sclerosis: a diffusion tensor MRI study. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1610-1617.	1.4	55
184	Abnormal adaptation over time of motor network recruitment in multiple sclerosis patients with fatigue. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1144-1153.	1.4	55
185	Pyramidal tract lesions and movement-associated cortical recruitment in patients with MS. <i>NeuroImage</i> , 2004, 23, 141-147.	2.1	54
186	Patients with migraine do not have MRI-visible cortical lesions. <i>Journal of Neurology</i> , 2012, 259, 2695-2698.	1.8	54
187	Abnormal functional connectivity of thalamic sub-regions contributes to fatigue in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2018, 24, 1183-1195.	1.4	54
188	Reduced dynamics of functional connectivity and cognitive impairment in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2020, 26, 476-488.	1.4	54
189	A magnetization transfer imaging study of the brain in patients with migraine. <i>Neurology</i> , 2000, 54, 507-507.	1.5	53
190	Evidence for Cortical Functional Changes in Patients With Migraine and White Matter Abnormalities on Conventional and Diffusion Tensor Magnetic Resonance Imaging. <i>Stroke</i> , 2003, 34, 665-670.	1.0	53
191	The long-term effect of AHSCT on MRI measures of MS evolution: a five-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2007, 13, 1068-1070.	1.4	53
192	Long-term follow-up of patients treated with glatiramer acetate: a multicentre, multinational extension of the European/Canadian double-blind, placebo-controlled, MRI-monitored trial. <i>Multiple Sclerosis Journal</i> , 2007, 13, 502-508.	1.4	53
193	Evidence for retrochiasmatic tissue loss in Leber's hereditary optic neuropathy. <i>Human Brain Mapping</i> , 2010, 31, 1900-1906.	1.9	53
194	Location of brain lesions predicts conversion of clinically isolated syndromes to multiple sclerosis. <i>Neurology</i> , 2013, 80, 234-241.	1.5	53
195	Cerebellar contribution to motor and cognitive performance in multiple sclerosis: An MRI sub-regional volumetric analysis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1194-1203.	1.4	53
196	A Preliminary Diffusion Tensor and Magnetization Transfer Magnetic Resonance Imaging Study of Early-Onset Multiple Sclerosis. <i>Archives of Neurology</i> , 2004, 61, 366.	4.9	52
197	Impairment of movement-associated brain deactivation in multiple sclerosis: further evidence for a functional pathology of interhemispheric neuronal inhibition. <i>Experimental Brain Research</i> , 2008, 187, 25-31.	0.7	52
198	MR Imaging of Gray Matter Involvement in Multiple Sclerosis: Implications for Understanding Disease Pathophysiology and Monitoring Treatment Efficacy. <i>American Journal of Neuroradiology</i> , 2010, 31, 1171-1177.	1.2	52

#	ARTICLE	IF	CITATIONS
199	Mapping regional grey and white matter atrophy in relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1027-1037.	1.4	52
200	A diffusion tensor magnetic resonance imaging study of brain tissue from patients with migraine. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 501-503.	0.9	51
201	Abnormal connectivity of the sensorimotor network in patients with MS: A multicenter fMRI study. <i>Human Brain Mapping</i> , 2009, 30, 2412-2425.	1.9	51
202	Evidence for acute neurotoxicity after chemotherapy. <i>Annals of Neurology</i> , 2010, 68, 806-815.	2.8	51
203	Preserved brain adaptive properties in patients with benign multiple sclerosis. <i>Neurology</i> , 2010, 74, 142-149.	1.5	51
204	Long-term disability progression in primary progressive multiple sclerosis: a 15-year study. <i>Brain</i> , 2017, 140, 2814-2819.	3.7	51
205	Brain mapping in multiple sclerosis: Lessons learned about the human brain. <i>NeuroImage</i> , 2019, 190, 32-45.	2.1	51
206	Magnetization transfer ratios of multiple sclerosis lesions with variable durations of enhancement. <i>Journal of the Neurological Sciences</i> , 1998, 159, 162-165.	0.3	50
207	Evidence for enhanced functional activity of cervical cord in relapsing multiple sclerosis. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 1035-1042.	1.9	50
208	The topographical distribution of tissue injury in benign MS: A 3T multiparametric MRI study. <i>NeuroImage</i> , 2008, 39, 1499-1509.	2.1	49
209	Reproducibility of fMRI in the clinical setting: Implications for trial designs. <i>NeuroImage</i> , 2008, 42, 603-610.	2.1	49
210	Gray matter volume modifications in migraine. <i>Neurology</i> , 2018, 91, e280-e292.	1.5	49
211	The emotional impact of the COVID-19 pandemic on individuals with progressive multiple sclerosis. <i>Journal of Neurology</i> , 2021, 268, 1598-1607.	1.8	49
212	A multiparametric MRI study of frontal lobe dementia in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 1999, 171, 135-144.	0.3	48
213	MRI features of benign multiple sclerosis. <i>Neurology</i> , 2009, 72, 1693-1701.	1.5	48
214	Functional MR Imaging in Multiple Sclerosis. <i>Neuroimaging Clinics of North America</i> , 2009, 19, 59-70.	0.5	48
215	Gray matter trophism, cognitive impairment, and depression in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1864-1874.	1.4	48
216	The role of the cerebellum in multiple sclerosis—150 years after Charcot. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 85-98.	2.9	48

#	ARTICLE	IF	CITATIONS
217	Whole-brain atrophy in multiple sclerosis measured by two segmentation processes from various MRI sequences. <i>Journal of the Neurological Sciences</i> , 2003, 216, 169-177.	0.3	47
218	Cortical lesions in children with multiple sclerosis. <i>Neurology</i> , 2011, 76, 910-913.	1.5	47
219	Determinants of iron accumulation in deep grey matter of multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1692-1698.	1.4	47
220	Ultra-high-field MR imaging in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 60-66.	0.9	47
221	Relationship between Damage to the Cerebellar Peduncles and Clinical Disability in Multiple Sclerosis. <i>Radiology</i> , 2014, 271, 822-830.	3.6	47
222	The effect of action observation/execution on mirror neuron system recruitment: an fMRI study in healthy individuals. <i>Brain Imaging and Behavior</i> , 2017, 11, 565-576.	1.1	47
223	Measurement of Whole-Brain and Gray Matter Atrophy in Multiple Sclerosis: Assessment with MR Imaging. <i>Radiology</i> , 2018, 288, 554-564.	3.6	47
224	Urgent challenges in quantification and interpretation of brain grey matter atrophy in individual MS patients using MRI. <i>NeuroImage: Clinical</i> , 2018, 19, 466-475.	1.4	47
225	Disease-modifying therapies and SARS-CoV-2 vaccination in multiple sclerosis: an expert consensus. <i>Journal of Neurology</i> , 2021, 268, 3961-3968.	1.8	47
226	Guidelines from The Italian Neurological and Neuroradiological Societies for the use of magnetic resonance imaging in daily life clinical practice of multiple sclerosis patients. <i>Neurological Sciences</i> , 2013, 34, 2085-2093.	0.9	46
227	Mind the gap: from neurons to networks to outcomes in multiple sclerosis. <i>Nature Reviews Neurology</i> , 2021, 17, 173-184.	4.9	46
228	Anti-CD20 therapies for multiple sclerosis: current status and future perspectives. <i>Journal of Neurology</i> , 2022, 269, 1316-1334.	1.8	46
229	Randomized, double-blind, dose-comparison study of glatiramer acetate in relapsing&#x2013;remitting MS. <i>Neurology</i> , 2007, 68, 939-944.	1.5	45
230	MRI and cognition in multiple sclerosis. <i>Neurological Sciences</i> , 2010, 31, 231-234.	0.9	45
231	Functional magnetic resonance imaging correlates of cognitive performance in patients with a clinically isolated syndrome suggestive of multiple sclerosis at presentation: an activation and connectivity study. <i>Multiple Sclerosis Journal</i> , 2012, 18, 153-163.	1.4	45
232	Disturbed function and plasticity in multiple sclerosis as gleaned from functional magnetic resonance imaging. <i>Current Opinion in Neurology</i> , 2003, 16, 275-282.	1.8	44
233	Efficacy of fingolimod and interferon beta-1b on cognitive, MRI, and clinical outcomes in relapsing&#x2013;remitting multiple sclerosis: an 18-month, open-label, rater-blinded, randomised, multicentre study (the GOLDEN study). <i>Journal of Neurology</i> , 2017, 264, 2436-2449.	1.8	44
234	The effect of imprecise repositioning on lesion volume measurements in patients with multiple sclerosis. <i>Neurology</i> , 1997, 49, 274-276.	1.5	43

#	ARTICLE	IF	CITATIONS
235	A multiparametric evaluation of regional brain damage in patients with primary progressive multiple sclerosis. <i>Human Brain Mapping</i> , 2009, 30, 3009-3019.	1.9	43
236	Neuropsychological rehabilitation in adult multiple sclerosis. <i>Neurological Sciences</i> , 2010, 31, 271-274.	0.9	43
237	Interferon $\beta$ -1b and glatiramer acetate effects on permanent black hole evolution. <i>Neurology</i> , 2011, 76, 1222-1228.	1.5	43
238	Cord damage elicits brain functional reorganization after a single episode of myelitis. <i>Neurology</i> , 2003, 61, 1078-1085.	1.5	42
239	Voxel-wise mapping of cervical cord damage in multiple sclerosis patients with different clinical phenotypes. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 35-41.	0.9	42
240	Regional Cervical Cord Atrophy and Disability in Multiple Sclerosis: A Voxel-based Analysis. <i>Radiology</i> , 2013, 266, 853-861.	3.6	42
241	White matter microstructure abnormalities in pediatric migraine patients. <i>Cephalalgia</i> , 2015, 35, 1278-1286.	1.8	42
242	MRI in the evaluation of pediatric multiple sclerosis. <i>Neurology</i> , 2016, 87, S88-96.	1.5	42
243	Structural brain abnormalities in patients with vestibular migraine. <i>Journal of Neurology</i> , 2017, 264, 295-303.	1.8	42
244	SVM recursive feature elimination analyses of structural brain MRI predicts near-term relapses in patients with clinically isolated syndromes suggestive of multiple sclerosis. <i>NeuroImage: Clinical</i> , 2019, 24, 102011.	1.4	42
245	MR imaging of Devic's neuromyelitis optica. <i>Neurological Sciences</i> , 2004, 25, s371-s373.	0.9	41
246	Hyperconnectivity of the dorsolateral prefrontal cortex following mental effort in multiple sclerosis patients with cognitive fatigue. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1665-1675.	1.4	41
247	Slowly Expanding Lesions Predict 9-Year Multiple Sclerosis Disease Progression. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2022, 9, .	3.1	41
248	Diffusion tensor magnetic resonance imaging at 3.0 tesla shows subtle cerebral grey matter abnormalities in patients with migraine. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 686-689.	0.9	40
249	Present and future of fMRI in multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 27-31.	1.4	40
250	Intranetwork and internetwork functional connectivity abnormalities in pediatric multiple sclerosis. <i>Human Brain Mapping</i> , 2014, 35, 4180-4192.	1.9	40
251	Regional cortical thinning in multiple sclerosis and its relation with cognitive impairment: A multicenter study. <i>Multiple Sclerosis Journal</i> , 2016, 22, 901-909.	1.4	40
252	Structural connectivity-defined thalamic subregions have different functional connectivity abnormalities in multiple sclerosis patients: Implications for clinical correlations. <i>Human Brain Mapping</i> , 2017, 38, 6005-6018.	1.9	40

#	ARTICLE	IF	CITATIONS
253	Cervical Cord T1-weighted Hypointense Lesions at MR Imaging in Multiple Sclerosis: Relationship to Cord Atrophy and Disability. <i>Radiology</i> , 2018, 288, 234-244.	3.6	40
254	Lifespan normative data on rates of brain volume changes. <i>Neurobiology of Aging</i> , 2019, 81, 30-37.	1.5	40
255	Cognitive reserve, cognition, and regional brain damage in MS: A 2%-year longitudinal study. <i>Multiple Sclerosis Journal</i> , 2019, 25, 372-381.	1.4	40
256	MR imaging assessment of brain and cervical cord damage in patients with neuroborreliosis. <i>American Journal of Neuroradiology</i> , 2006, 27, 892-4.	1.2	39
257	Short-term adaptation to a simple motor task: A physiological process preserved in multiple sclerosis. <i>NeuroImage</i> , 2009, 45, 500-511.	2.1	38
258	Structural and functional magnetic resonance imaging correlates of motor network dysfunction in primary progressive multiple sclerosis. <i>European Journal of Neuroscience</i> , 2010, 31, 1273-1280.	1.2	38
259	A diffusion tensor MRI study of cervical cord damage in benign and secondary progressive multiple sclerosis patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 26-30.	0.9	38
260	Microstructural magnetic resonance imaging of cortical lesions in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2013, 19, 418-426.	1.4	38
261	Clinically Isolated Syndrome Suggestive of Multiple Sclerosis: Dynamic Patterns of Gray and White Matter Changes—A 2-year MR Imaging Study. <i>Radiology</i> , 2016, 278, 841-853.	3.6	38
262	Axonal degeneration as substrate of fractional anisotropy abnormalities in multiple sclerosis cortex. <i>Brain</i> , 2019, 142, 1921-1937.	3.7	38
263	Magnetization-transfer histogram analysis of the cervical cord in patients with multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1999, 20, 1803-8.	1.2	38
264	Disease activity in multiple sclerosis studied by weekly triple-dose magnetic resonance imaging. <i>Journal of Neurology</i> , 1999, 246, 689-692.	1.8	37
265	An fMRI study of the motor system in patients with neuropsychiatric systemic lupus erythematosus. <i>NeuroImage</i> , 2006, 30, 478-484.	2.1	37
266	Spatial Normalization and Regional Assessment of Cord Atrophy: Voxel-Based Analysis of Cervical Cord 3D T1-Weighted Images. <i>American Journal of Neuroradiology</i> , 2012, 33, 2195-2200.	1.2	37
267	Resting-state fMRI functional connectivity: a new perspective to evaluate pain modulation in migraine?. <i>Neurological Sciences</i> , 2015, 36, 41-45.	0.9	37
268	Longitudinal fMRI studies: Exploring brain plasticity and repair in MS. <i>Multiple Sclerosis Journal</i> , 2016, 22, 269-278.	1.4	37
269	Progression of regional atrophy in the left hemisphere contributes to clinical and cognitive deterioration in multiple sclerosis: A 5-year study. <i>Human Brain Mapping</i> , 2017, 38, 5648-5665.	1.9	37
270	Clinically relevant cranio-caudal patterns of cervical cord atrophy evolution in MS. <i>Neurology</i> , 2019, 93, e1852-e1866.	1.5	37



#	ARTICLE	IF	CITATIONS
271	Magnetization transfer magnetic resonance imaging in the assessment of neurological diseases. , 2004, 14, 303-13.		37
272	Disease reactivation after fingolimod discontinuation in two multiple sclerosis patients. Journal of Neurology, 2013, 260, 327-329.	1.8	36
273	Power estimation for non-standardized multisite studies. NeuroImage, 2016, 134, 281-294.	2.1	36
274	An MR study of tissue damage in the cervical cord of patients with migraine. Journal of the Neurological Sciences, 2001, 183, 43-46.	0.3	34
275	Imaging the optic nerve in multiple sclerosis. Multiple Sclerosis Journal, 2005, 11, 537-541.	1.4	34
276	Combining Functional and Structural Brain Magnetic Resonance Imaging in Huntington Disease. Journal of Computer Assisted Tomography, 2007, 31, 574-580.	0.5	34
277	Functional MR Imaging Correlates of Neuropsychological Impairment in Primary-Progressive Multiple Sclerosis. American Journal of Neuroradiology, 2010, 31, 1240-1246.	1.2	34
278	Multiple sclerosis lesions in motor tracts from brain to cervical cord: spatial distribution and correlation with disability. Brain, 2020, 143, 2089-2105.	3.7	34
279	Imaging primary progressive multiple sclerosis: the contribution of structural, metabolic, and functional MRI techniques. Multiple Sclerosis Journal, 2004, 10, S36-S45.	1.4	33
280	Functional MRI to study brain plasticity in clinical neurology. Neurological Sciences, 2006, 27, s24-s26.	0.9	33
281	A Three-Year Study of Brain Atrophy after Autologous Hematopoietic Stem Cell Transplantation in Rapidly Evolving Secondary Progressive Multiple Sclerosis. American Journal of Neuroradiology, 2007, 28, 1659-1661.	1.2	33
282	Abnormal cervical cord function contributes to fatigue in multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 1552-1559.	1.4	33
283	Searching for the neural basis of reserve against memory decline: intellectual enrichment linked to larger hippocampal volume in multiple sclerosis. European Journal of Neurology, 2016, 23, 39-44.	1.7	33
284	Imaging patterns of gray and white matter abnormalities associated with PASAT and SDMT performance in relapsing-remitting multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 204-216.	1.4	33
285	Relevance of hypointense lesions on fast fluid-attenuated inversion recovery MR images as a marker of disease severity in cases of multiple sclerosis. American Journal of Neuroradiology, 1999, 20, 813-20.	1.2	33
286	Disturbed function and plasticity in multiple sclerosis as gleaned from functional magnetic resonance imaging. Current Opinion in Neurology, 2003, 16, 275-282.	1.8	32
287	The "mirror-neuron system" in MS. Neurology, 2008, 70, 255-262.	1.5	32
288	Microstructural MR Imaging Techniques in Multiple Sclerosis. Neuroimaging Clinics of North America, 2017, 27, 313-333.	0.5	32

#	ARTICLE	IF	CITATIONS
289	Longitudinal spinal cord atrophy in multiple sclerosis using the generalized boundary shift integral. <i>Annals of Neurology</i> , 2019, 86, 704-713.	2.8	32
290	Intraobserver and interobserver variability in schemes for estimating volume of brain lesions on MR images in multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1998, 19, 239-44.	1.2	32
291	Differential Cerebellar Functional Interactions during an Interference Task across Multiple Sclerosis Phenotypes. <i>Radiology</i> , 2012, 265, 864-873.	3.6	31
292	Brain reserve against physical disability progression over 5 years in multiple sclerosis. <i>Neurology</i> , 2016, 86, 2006-2009.	1.5	31
293	Performance of the 2017 and 2010 Revised McDonald Criteria in Predicting MS Diagnosis After a Clinically Isolated Syndrome. <i>Neurology</i> , 2022, 98, .	1.5	31
294	A widespread pattern of cortical activations in patients at presentation with clinically isolated symptoms is associated with evolution to definite multiple sclerosis. <i>American Journal of Neuroradiology</i> , 2005, 26, 1136-9.	1.2	31
295	A magnetic resonance imaging study of the cervical cord of patients with CADASIL. <i>Neurology</i> , 2001, 56, 1392-1394.	1.5	30
296	Evidence of Subtle Gray-Matter Pathologic Changes in Healthy Elderly Individuals With Nonspecific White-Matter Hyperintensities. <i>Archives of Neurology</i> , 2003, 60, 1109.	4.9	30
297	Influence of task complexity during coordinated hand and foot movements in MS patients with and without fatigue. <i>Journal of Neurology</i> , 2009, 256, 470-482.	1.8	30
298	Characterizing Rapid Fluctuations of Resting State Functional Connectivity in Demyelinating, Neurodegenerative, and Psychiatric Conditions: From Static to Time-Varying Analysis. <i>Frontiers in Neuroscience</i> , 2019, 13, 618.	1.4	30
299	Fatigue in multiple sclerosis patients with different clinical phenotypes: a clinical and magnetic resonance imaging study. <i>European Journal of Neurology</i> , 2020, 27, 2549-2560.	1.7	30
300	Diagnosis of Progressive Multiple Sclerosis From the Imaging Perspective. <i>JAMA Neurology</i> , 2021, 78, 351.	4.5	30
301	Study protocol: improving cognition in people with progressive multiple sclerosis: a multi-arm, randomized, blinded, sham-controlled trial of cognitive rehabilitation and aerobic exercise (COGEx). <i>BMC Neurology</i> , 2020, 20, 204.	0.8	30
302	Clinical and conventional MRI predictors of disability and brain atrophy accumulation in RRMS. <i>Journal of Neurology</i> , 2008, 255, 1378-1383.	1.8	29
303	MRI and neurophysiological measures to predict course, disability and treatment response in multiple sclerosis. <i>Current Opinion in Neurology</i> , 2016, 29, 243-253.	1.8	29
304	Abnormalities of the executive control network in multiple sclerosis phenotypes: An fMRI effective connectivity study. <i>Human Brain Mapping</i> , 2016, 37, 2293-2304.	1.9	29
305	Correlates of Executive Functions in Multiple Sclerosis Based on Structural and Functional MR Imaging: Insights from a Multicenter Study. <i>Radiology</i> , 2016, 280, 869-879.	3.6	29
306	Short-term evolution of individual enhancing MS lesions studied with magnetization transfer imaging. <i>Magnetic Resonance Imaging</i> , 1999, 17, 979-984.	1.0	28

#	ARTICLE	IF	CITATIONS
307	Subcortical Damage and Cortical Functional Changes in Men and Women with Fabry Disease: A Multifaceted MR Study. <i>Radiology</i> , 2006, 241, 492-500.	3.6	28
308	Regional hippocampal involvement and cognitive impairment in pediatric multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 628-640.	1.4	28
309	MRI in multiple sclerosis: what is changing?. <i>Current Opinion in Neurology</i> , 2018, 31, 386-395.	1.8	28
310	Structural connectivity in multiple sclerosis and modeling of disconnection. <i>Multiple Sclerosis Journal</i> , 2020, 26, 220-232.	1.4	28
311	Effects of Natalizumab and Fingolimod on Clinical, Cognitive, and Magnetic Resonance Imaging Measures in Multiple Sclerosis. <i>Neurotherapeutics</i> , 2020, 17, 208-217.	2.1	28
312	Association of Gray Matter Atrophy Patterns With Clinical Phenotype and Progression in Multiple Sclerosis. <i>Neurology</i> , 2021, 96, e1561-e1573.	1.5	28
313	Reproducibility of magnetization transfer ratio histogram-derived measures of the brain in healthy volunteers. <i>American Journal of Neuroradiology</i> , 2000, 21, 133-6.	1.2	28
314	Assessing atrophy of the major white matter fiber bundles of the brain from diffusion tensor MRI data. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 527-534.	1.9	27
315	Patterns of white matter diffusivity abnormalities in Leber's hereditary optic neuropathy: a tract-based spatial statistics study. <i>Journal of Neurology</i> , 2012, 259, 1801-1807.	1.8	27
316	Cervical cord fMRI abnormalities differ between the progressive forms of multiple sclerosis. <i>Human Brain Mapping</i> , 2012, 33, 2072-2080.	1.9	27
317	The role of advanced magnetic resonance imaging techniques in primary progressive MS. <i>Journal of Neurology</i> , 2012, 259, 611-621.	1.8	27
318	Imaging Cortical Damage and Dysfunction in Multiple Sclerosis. <i>JAMA Neurology</i> , 2013, 70, 556.	4.5	27
319	Functional MRI in investigating cognitive impairment in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2016, 134, 39-46.	1.0	27
320	A review of recent literature on functional MRI and personal experience in two cases of definite vestibular migraine. <i>Neurological Sciences</i> , 2016, 37, 1399-1402.	0.9	27
321	Performance of five research-domain automated WM lesion segmentation methods in a multi-center MS study. <i>NeuroImage</i> , 2017, 163, 106-114.	2.1	27
322	Dynamic gray matter volume changes in pediatric multiple sclerosis. <i>Neurology</i> , 2019, 92, e1709-e1723.	1.5	27
323	Sensitivity of delayed gadolinium-enhanced MRI in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 1997, 95, 331-334.	1.0	26
324	Comparative study of mitoxantrone efficacy profile in patients with relapsing and secondary progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 1490-1499.	1.4	26

#	ARTICLE	IF	CITATIONS
325	FMRI correlates of execution and observation of foot movements in left-handers. <i>Journal of the Neurological Sciences</i> , 2010, 288, 34-41.	0.3	26
326	Working memory network dysfunction in relapse-onset multiple sclerosis phenotypes: A clinical-imaging evaluation. <i>Multiple Sclerosis Journal</i> , 2017, 23, 577-587.	1.4	26
327	Functional and structural plasticity following action observation training in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1472-1487.	1.4	26
328	Regional changes in thalamic shape and volume are related to cognitive performance in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 134-138.	1.4	26
329	A one year study of new lesions in multiple sclerosis using monthly gadolinium enhanced MRI: Correlations with changes of T2 and magnetization transfer lesion loads. <i>Journal of the Neurological Sciences</i> , 1998, 158, 203-208.	0.3	25
330	A multicentre study of motor functional connectivity changes in patients with multiple sclerosis. <i>European Journal of Neuroscience</i> , 2011, 33, 1256-1263.	1.2	25
331	Future MRI tools in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2013, 331, 14-18.	0.3	25
332	Diagnostic value of brain chronic black holes on T1-weighted MR images in clinically isolated syndromes. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1471-1477.	1.4	25
333	Clinical Relevance of Multiparametric MRI Assessment of Cervical Cord Damage in Multiple Sclerosis. <i>Radiology</i> , 2020, 296, 605-615.	3.6	25
334	Multiparametric MRI in a patient with adult-onset leukoencephalopathy with vanishing white matter. <i>Neurology</i> , 2004, 62, 323-326.	1.5	24
335	Extra-Visual Functional and Structural Connection Abnormalities in Leber's Hereditary Optic Neuropathy. <i>PLoS ONE</i> , 2011, 6, e17081.	1.1	24
336	Deep grey matter T2 hypo-intensity in patients with paediatric multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2011, 17, 702-707.	1.4	24
337	In vivo evidence of hippocampal dentate gyrus expansion in multiple sclerosis. <i>Human Brain Mapping</i> , 2015, 36, 4702-4713.	1.9	24
338	Two-year dynamic functional network connectivity in clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , 2020, 26, 645-658.	1.4	24
339	Neurite density explains cortical T1-weighted/T2-weighted ratio in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 790-792.	0.9	24
340	The level of spinal cord involvement influences the pattern of movement-associated cortical recruitment in patients with isolated myelitis. <i>NeuroImage</i> , 2006, 30, 879-884.	2.1	23
341	Tactile-associated fMRI recruitment of the cervical cord in healthy subjects. <i>Human Brain Mapping</i> , 2009, 30, 340-345.	1.9	23
342	Brain macro- and microscopic damage in patients with paediatric MS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 1357-1362.	0.9	23

#	ARTICLE	IF	CITATIONS
343	MRI Predicts Efficacy of Constraint-Induced Movement Therapy in Children With Brain Injury. <i>Neurotherapeutics</i> , 2013, 10, 511-519.	2.1	23
344	Role of artificial intelligence in MS clinical practice. <i>NeuroImage: Clinical</i> , 2022, 35, 103065.	1.4	23
345	In-vivo evidence for stable neuroaxonal damage in the brain of patients with benign multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 789-794.	1.4	22
346	Multiple sclerosis imaging: recent advances. <i>Journal of Neurology</i> , 2013, 260, 929-935.	1.8	22
347	Elevated body temperature is linked to fatigue in an Italian sample of relapsing&acirc;remitting multiple sclerosis patients. <i>Journal of Neurology</i> , 2015, 262, 2440-2442.	1.8	22
348	Reading, writing, and reserve: Literacy activities are linked to hippocampal volume and memory in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1621-1625.	1.4	22
349	Cognitive impairment in paediatric multiple sclerosis patients is not related to cortical lesions. <i>Multiple Sclerosis Journal</i> , 2015, 21, 956-959.	1.4	21
350	Relation between characteristics of carotid atherosclerotic plaques and brain white matter hyperintensities in asymptomatic patients. <i>Scientific Reports</i> , 2017, 7, 10559.	1.6	21
351	Interscanner variation in brain MR lesion load measurements in multiple sclerosis using conventional spin-echo, rapid relaxation-enhanced, and fast-FLAIR sequences. <i>American Journal of Neuroradiology</i> , 1999, 20, 133-7.	1.2	21
352	MRI aspects of the ?inflammatory phase? of multiple sclerosis. <i>Neurological Sciences</i> , 2003, 24, s275-s278.	0.9	20
353	A diffusion tensor MRI study of basal ganglia from patients with ADEM. <i>Journal of the Neurological Sciences</i> , 2003, 206, 27-30.	0.3	20
354	A longitudinal conventional and magnetization transfer magnetic resonance imaging study of optic neuritis. <i>Multiple Sclerosis Journal</i> , 2007, 13, 265-268.	1.4	20
355	Incorporating Domain Knowledge Into the Fuzzy Connectedness Framework: Application to Brain Lesion Volume Estimation in Multiple Sclerosis. <i>IEEE Transactions on Medical Imaging</i> , 2007, 26, 1670-1680.	5.4	20
356	Influence of body segment position during in-phase and antiphase hand and foot movements: A kinematic and functional MRI study. <i>Human Brain Mapping</i> , 2007, 28, 218-227.	1.9	20
357	The mirror&acirc;neuron system and handedness: A &acirc;right&acirc;world?. <i>Human Brain Mapping</i> , 2008, 29, 1243-1254.	1.9	20
358	Mapping white matter damage distribution in neuromyelitis optica spectrum disorders with a multimodal MRI approach. <i>Multiple Sclerosis Journal</i> , 2021, 27, 841-854.	1.4	20
359	Manual and automated tissue segmentation confirm the impact of thalamus atrophy on cognition in multiple sclerosis: A multicenter study. <i>NeuroImage: Clinical</i> , 2021, 29, 102549.	1.4	20
360	Deep Learning on Conventional Magnetic Resonance Imaging Improves the Diagnosis of Multiple Sclerosis Mimics. <i>Investigative Radiology</i> , 2021, 56, 252-260.	3.5	20

#	ARTICLE	IF	CITATIONS
361	Agreement between different input image types in brain atrophy measurement in multiple sclerosis using SIENAX and SIENA. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 559-565.	1.9	19
362	Insights from magnetic resonance imaging. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 122, 115-149.	1.0	19
363	A longitudinal MRI study of cervical cord atrophy in multiple sclerosis. <i>Journal of Neurology</i> , 2015, 262, 1622-1628.	1.8	19
364	Diffusion tensor magnetic resonance imaging in very early onset pediatric multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 620-627.	1.4	19
365	Mesial temporal lobe and subcortical grey matter volumes differentially predict memory across stages of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2018, 24, 675-678.	1.4	19
366	Imaging correlates of hand motor performance in multiple sclerosis: A multiparametric structural and functional MRI study. <i>Multiple Sclerosis Journal</i> , 2020, 26, 233-244.	1.4	19
367	Contribution of magnetic resonance imaging to the diagnosis and monitoring of multiple sclerosis. <i>Radiologia Medica</i> , 2013, 118, 251-264.	4.7	18
368	Diagnosis of multiple sclerosis: a multicentre study to compare revised McDonald-2010 and Filippi-2010 criteria. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 316-318.	0.9	18
369	Structural and functional brain connectomes in patients with systemic lupus erythematosus. <i>European Journal of Neurology</i> , 2020, 27, 113.	1.7	18
370	A Deep Learning Approach to Predicting Disease Progression in Multiple Sclerosis Using Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2022, 57, 423-432.	3.5	18
371	Magnetic Resonance Imaging Evaluation of Perivascular Space Abnormalities in Neuromyelitis Optica. <i>Annals of Neurology</i> , 2022, 92, 173-183.	2.8	18
372	Novel MRI approaches to assess patients with multiple sclerosis. <i>Current Opinion in Neurology</i> , 2010, 23, 212-217.	1.8	17
373	Motor area localization using fMRI-constrained cortical current density reconstruction of movement-related cortical potentials, a comparison with fMRI and TMS mapping. <i>Brain Research</i> , 2010, 1308, 68-78.	1.1	17
374	Overcoming the Clinical "MR Imaging Paradox of Multiple Sclerosis: MR Imaging Data Assessed with a Random Forest Approach. <i>American Journal of Neuroradiology</i> , 2011, 32, 2098-2102.	1.2	17
375	Analysis of "task-positive" and "task-negative" functional networks during the performance of the Symbol Digit Modalities Test in patients at presentation with clinically isolated syndrome suggestive of multiple sclerosis. <i>Experimental Brain Research</i> , 2013, 225, 399-407.	0.7	17
376	Multicenter mapping in the healthy brain. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1103-1107.	1.9	17
377	Application of advanced MRI techniques to monitor pharmacologic and rehabilitative treatment in multiple sclerosis: current status and future perspectives. <i>Expert Review of Neurotherapeutics</i> , 2019, 19, 835-866.	1.4	17
378	Hippocampal-related memory network in multiple sclerosis: A structural connectivity analysis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 801-810.	1.4	17

#	ARTICLE	IF	CITATIONS
379	<i>In vivo</i> gradients of thalamic damage in paediatric multiple sclerosis: a window into pathology. <i>Brain</i> , 2021, 144, 186-197.	3.7	17
380	Effect of cognitive reserve on structural and functional MRI measures in healthy subjects: a multiparametric assessment. <i>Journal of Neurology</i> , 2021, 268, 1780-1791.	1.8	17
381	Lesion load quantification on fast-FLAIR, rapid acquisition relaxation-enhanced, and gradient spin echo brain MRI scans from multiple sclerosis patients. <i>Magnetic Resonance Imaging</i> , 1999, 17, 1105-1110.	1.0	16
382	Validation of 1-year predictive score of long-term response to interferon- $\beta$ in everyday clinical practice multiple sclerosis patients. <i>European Journal of Neurology</i> , 2015, 22, 973-980.	1.7	16
383	Multiple sclerosis. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2016, 135, 399-423.	1.0	16
384	Abnormal cerebellar functional MRI connectivity in patients with paediatric multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 292-301.	1.4	16
385	MRI quality control for the Italian Neuroimaging Network Initiative: moving towards big data in multiple sclerosis. <i>Journal of Neurology</i> , 2019, 266, 2848-2858.	1.8	16
386	Occurrence and microstructural features of slowly expanding lesions on fingolimod or natalizumab treatment in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1520-1532.	1.4	16
387	Network Damage Predicts Clinical Worsening in Multiple Sclerosis. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2021, 8, .	3.1	16
388	Contribution of cervical cord MRI and brain magnetization transfer imaging to the assessment of individual patients with multiple sclerosis: a preliminary study. <i>Multiple Sclerosis Journal</i> , 2002, 8, 52-58.	1.4	15
389	Imaging primary progressive multiple sclerosis: the contribution of structural, metabolic, and functional MRI techniques. <i>Multiple Sclerosis Journal</i> , 2004, 10, S36-S45.	1.4	15
390	Can rate of brain atrophy in multiple sclerosis be explained by clinical and MRI characteristics?. <i>Multiple Sclerosis Journal</i> , 2009, 15, 465-471.	1.4	15
391	Brain connectivity abnormalities extend beyond the sensorimotor network in peripheral neuropathy. <i>Human Brain Mapping</i> , 2014, 35, 513-526.	1.9	15
392	Functional reorganization is a maladaptive response to injury â€œ YES. <i>Multiple Sclerosis Journal</i> , 2017, 23, 191-193.	1.4	15
393	Cognitive impairment in benign multiple sclerosis: a multiparametric structural and functional MRI study. <i>Journal of Neurology</i> , 2020, 267, 3508-3517.	1.8	15
394	Bimonthly assessment of magnetization transfer magnetic resonance imaging parameters in multiple sclerosis: a 14-month, multicentre, follow-up study. <i>Multiple Sclerosis Journal</i> , 2010, 16, 325-331.	1.4	14
395	Altered neural mechanisms of cognitive control in patients with primary progressive multiple sclerosis: An effective connectivity study. <i>Human Brain Mapping</i> , 2017, 38, 2580-2588.	1.9	14
396	The Italian Neuroimaging Network Initiative (INNI): enabling the use of advanced MRI techniques in patients with MS. <i>Neurological Sciences</i> , 2017, 38, 1029-1038.	0.9	14

#	ARTICLE	IF	CITATIONS
397	Progression of brain white matter hyperintensities in asymptomatic patients with carotid atherosclerotic plaques and no indication for revascularization. <i>Atherosclerosis</i> , 2019, 287, 171-178.	0.4	14
398	Functional brain connectivity abnormalities and cognitive deficits in neuromyelitis optica spectrum disorder. <i>Multiple Sclerosis Journal</i> , 2020, 26, 795-805.	1.4	14
399	Resting state network functional connectivity abnormalities in systemic lupus erythematosus: correlations with neuropsychiatric impairment. <i>Molecular Psychiatry</i> , 2021, 26, 3634-3645.	4.1	14
400	COVID-19 in cladribine-treated relapsing-remitting multiple sclerosis patients: a monocentric experience. <i>Journal of Neurology</i> , 2020, 268, 2697-2699.	1.8	14
401	What role should spinal cord MRI take in the future of multiple sclerosis surveillance?. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 783-797.	1.4	14
402	Current state-of-art of the application of serum neurofilaments in multiple sclerosis diagnosis and monitoring. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 747-769.	1.4	14
403	Measurement of white matter fiber-bundle cross-section in multiple sclerosis using diffusion-weighted imaging. <i>Multiple Sclerosis Journal</i> , 2021, 27, 818-826.	1.4	14
404	Dynamic Functional Connectivity in the Main Clinical Phenotypes of Multiple Sclerosis. <i>Brain Connectivity</i> , 2021, 11, 678-690.	0.8	14
405	Clinical correlates of hypothalamic functional changes in migraine patients. <i>Cephalalgia</i> , 2022, 42, 279-290.	1.8	14
406	Imaging Spinal Cord Damage in Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 2005, 15, 297-304.	1.0	13
407	Antonâ€™s Syndrome following Callosal Disconnection. <i>Behavioural Neurology</i> , 2007, 18, 183-186.	1.1	13
408	Multiple Sclerosis and Chronic Cerebrospinal Venous Insufficiency: The Neuroimaging Perspective. <i>American Journal of Neuroradiology</i> , 2011, 32, 424-427.	1.2	13
409	DT MRI microstructural cortical lesion damage does not explain cognitive impairment in MS. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1918-1928.	1.4	13
410	A diffusion tensor magnetic resonance imaging study of paediatric patients with severe nonâ€™traumatic brain injury. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 199-206.	1.1	13
411	MRI substrates of sustained attention system and cognitive impairment in pediatric MS patients. <i>Neurology</i> , 2017, 89, 1265-1273.	1.5	13
412	Spinal Cord Atrophy in Neuromyelitis Optica Spectrum Disorders Is Spatially Related to Cord Lesions and Disability. <i>Radiology</i> , 2020, 297, 154-163.	3.6	13
413	Cortical axonal loss is associated with both gray matter demyelination and white matter tract pathology in progressive multiple sclerosis: Evidence from a combined MRI-histopathology study. <i>Multiple Sclerosis Journal</i> , 2021, 27, 380-390.	1.4	13
414	Early Predictors of 9â€™Year Disability in Pediatric Multiple Sclerosis. <i>Annals of Neurology</i> , 2021, 89, 1011-1022.	2.8	13



#	ARTICLE	IF	CITATIONS
415	Unraveling the substrates of cognitive impairment in multiple sclerosis: A multiparametric structural and functional magnetic resonance imaging study. <i>European Journal of Neurology</i> , 2021, 28, 3749-3759.	1.7	13
416	CONCERTO: A randomized, placebo-controlled trial of oral laquinimod in relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 608-619.	1.4	13
417	Imaging spinal cord damage in multiple sclerosis. , 2005, 15, 297-304.		13
418	A comparison of MR imaging with fast-FLAIR, HASTE-FLAIR, and EPI-FLAIR sequences in the assessment of patients with multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1999, 20, 1931-8.	1.2	13
419	MR outcome parameters in multiple sclerosis: comparison of surface-based thresholding segmentation and magnetization transfer ratio histographic analysis in relation to disability (a Tj ETQq1 1 0.7843 142rgBT /Overlock 10		13
420	The role of magnetic resonance imaging in the study of multiple sclerosis: diagnosis, prognosis and understanding disease pathophysiology. <i>Acta Neurologica Belgica</i> , 2011, 111, 89-98.	0.5	13
421	Exploring in vivo multiple sclerosis brain microstructural damage through T1w/T2w ratio: a multicentre study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 741-752.	0.9	13
422	Reproducibility of Brain MRI Lesion Volume Measurements in Multiple Sclerosis Using a Local Thresholding Technique: Effects of Formal Operator Training. <i>European Neurology</i> , 1999, 41, 226-230.	0.6	12
423	Magnetic resonance-based techniques for the study and management of multiple sclerosis. <i>British Medical Bulletin</i> , 2003, 65, 133-144.	2.7	12
424	Toward a definition of structural and functional MRI substrates of fatigue in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2007, 263, 1-2.	0.3	12
425	Dirty-Appearing White Matter: A Disregarded Entity in Multiple Sclerosis. <i>American Journal of Neuroradiology</i> , 2010, 31, 390-391.	1.2	12
426	Magnetic Resonance Imaging in Alzheimer's Disease: from Diagnosis to Monitoring Treatment Effect. <i>Current Alzheimer Research</i> , 2012, 9, 1198-1209.	0.7	12
427	Action observation training modifies brain gray matter structure in healthy adult individuals. <i>Brain Imaging and Behavior</i> , 2017, 11, 1343-1352.	1.1	12
428	Effectiveness and baseline factors associated to fingolimod response in a real-world study on multiple sclerosis patients. <i>Journal of Neurology</i> , 2018, 265, 896-905.	1.8	12
429	Cross-modal plasticity among sensory networks in neuromyelitis optica spectrum disorders. <i>Multiple Sclerosis Journal</i> , 2019, 25, 968-979.	1.4	12
430	Fronto-temporal vulnerability to disconnection in paediatric moderate and severe traumatic brain injury. <i>European Journal of Neurology</i> , 2019, 26, 1183-1190.	1.7	12
431	Dysregulation of multisensory processing stands out from an early stage of migraine: a study in pediatric patients. <i>Journal of Neurology</i> , 2020, 267, 760-769.	1.8	12
432	MRI correlates of clinical disability and hand-motor performance in multiple sclerosis phenotypes. <i>Multiple Sclerosis Journal</i> , 2021, 27, 1205-1221.	1.4	12

#	ARTICLE	IF	CITATIONS
433	Are machine learning approaches the future to study patients with migraine?. <i>Neurology</i> , 2020, 94, 291-292.	1.5	12
434	Central vein sign and iron rim in multiple sclerosis: ready for clinical use?. <i>Current Opinion in Neurology</i> , 2021, 34, 505-513.	1.8	12
435	A longitudinal brain MRI study comparing the sensitivities of the conventional and a newer approach for detecting active lesions in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 1998, 159, 94-101.	0.3	11
436	Magnetic resonance imaging techniques to define and monitor tissue damage and repair in multiple sclerosis. <i>Journal of Neurology</i> , 2007, 254, 155-162.	1.8	11
437	Short-term combination of glatiramer acetate with IV steroid treatment preceding treatment with GA alone assessed by MRI-disease activity in patients with relapsingâ€“remitting multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2008, 266, 44-50.	0.3	11
438	Relationship between brain MRI lesion load and short-term disease evolution in non-disabling MS: a large-scale, multicentre study. <i>Multiple Sclerosis Journal</i> , 2011, 17, 319-326.	1.4	11
439	Patterns of regional gray matter and white matter atrophy in cortical multiple sclerosis. <i>Journal of Neurology</i> , 2014, 261, 1715-1725.	1.8	11
440	Altered Recruitment of the Attention Network Is Associated with Disability and Cognitive Impairment in Pediatric Patients with Acquired Brain Injury. <i>Neural Plasticity</i> , 2015, 2015, 1-13.	1.0	11
441	Influence of CNS T2-focal lesions on cervical cord atrophy and disability in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1402-1409.	1.4	11
442	Clinical predictivity of thalamic sub-regional connectivity in clinically isolated syndrome: a 7-year study. <i>Molecular Psychiatry</i> , 2021, 26, 2163-2174.	4.1	11
443	In vivo detection of damage in multiple sclerosis cortex and cortical lesions using NODDI. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 628-636.	0.9	11
444	MAGNIMS recommendations for harmonization of MRI data in MS multicenter studies. <i>NeuroImage: Clinical</i> , 2022, 34, 102972.	1.4	11
445	Multiple sclerosis and allied white matter diseases. <i>Neurological Sciences</i> , 2008, 29, 319-322.	0.9	10
446	KIR4.1: another misleading expectation in multiple sclerosis?. <i>Lancet Neurology</i> , The, 2014, 13, 753-755.	4.9	10
447	Basal vitamin D levels and disease activity in multiple sclerosis patients treated with fingolimod. <i>Neurological Sciences</i> , 2018, 39, 1467-1470.	0.9	10
448	Imaging the migrainous brain: the present and the future. <i>Neurological Sciences</i> , 2019, 40, 49-54.	0.9	10
449	Action observation training promotes motor improvement and modulates functional network dynamic connectivity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021, 27, 139-146.	1.4	10
450	Cardiorespiratory fitness and free-living physical activity are not associated with cognition in persons with progressive multiple sclerosis: Baseline analyses from the CogEx study. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1091-1100.	1.4	10

#	ARTICLE	IF	CITATIONS
451	Opportunities for Understanding MS Mechanisms and Progression With MRI Using Large-Scale Data Sharing and Artificial Intelligence. <i>Neurology</i> , 2021, 97, 989-999.	1.5	10
452	Persistence of congenital mirror movements after hemiplegic stroke. <i>American Journal of Neuroradiology</i> , 2005, 26, 831-4.	1.2	10
453	Increased spatial resolution using a three-dimensional T1-weighted gradient-echo MR sequence results in greater hypointense lesion volumes in multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1998, 19, 235-8.	1.2	10
454	A Comparison Between the Sensitivities of 3â€mm and 5â€mm Thick Serial Brain MRI for Detecting Lesion Volume Changes in Patients with Multiple Sclerosis. <i>Journal of Neuroimaging</i> , 1998, 8, 144-147.	1.0	9
455	Dentate Nucleus T1 Hyperintensity in Multiple Sclerosis: Fig 1.. <i>American Journal of Neuroradiology</i> , 2011, 32, E120-E121.	1.2	9
456	New magnetic resonance imaging biomarkers for the diagnosis of multiple sclerosis. <i>Expert Opinion on Medical Diagnostics</i> , 2012, 6, 109-120.	1.6	9
457	Preventing brain atrophy should be the gold standard of effective therapy in MS (after the first year) Tj ETQq1 1 0.784314 rgBT /Ove	1.4	9
458	Estimating Brain Lesion Volume Change in Multiple Sclerosis by Subtraction of Magnetic Resonance Images. <i>Journal of Neuroimaging</i> , 2016, 26, 395-402.	1.0	9
459	Dynamic volumetric changes of hippocampal subfields in clinically isolated syndrome patients: A 2-year MRI study. <i>Multiple Sclerosis Journal</i> , 2019, 25, 1232-1242.	1.4	9
460	Effects of Fingolimod and Natalizumab on Brain T1-/T2-Weighted and Magnetization Transfer Ratios: a 2-Year Study. <i>Neurotherapeutics</i> , 2021, 18, 878-888.	2.1	9
461	Chronic active lesions: a new MRI biomarker to monitor treatment effect in multiple sclerosis?. <i>Expert Review of Neurotherapeutics</i> , 2021, 21, 837-841.	1.4	9
462	Volume of hippocampal subfields and cognitive deficits in neuromyelitis optica spectrum disorders. <i>European Journal of Neurology</i> , 2021, 28, 4167-4177.	1.7	9
463	Demyelination and cortical reorganization: functional MRI data from a case of subacute combined degeneration. <i>NeuroImage</i> , 2003, 18, 558-563.	2.1	8
464	COVID-19 will change MS care forever â€ No. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1149-1151.	1.4	8
465	Rethinking multiple sclerosis treatment strategies. <i>Lancet Neurology</i> , The, 2020, 19, 281-282.	4.9	8
466	Two-year regional grey and white matter volume changes with natalizumab and fingolimod. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 493-502.	0.9	8
467	Functional and structural MRI correlates of executive functions in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 742-756.	1.4	8
468	Quantification of Cervical Cord Cross-Sectional Area: Which Acquisition, Vertebra Level, and Analysis Software? A Multicenter Repeatability Study on a Traveling Healthy Volunteer. <i>Frontiers in Neurology</i> , 2021, 12, 693333.	1.1	8

#	ARTICLE	IF	CITATIONS
469	Activity revealed in MRI of multiple sclerosis without contrast agent A preliminary report. <i>Magnetic Resonance Imaging</i> , 2000, 18, 139-142.	1.0	7
470	Multiple sclerosis: new measures to monitor the disease. <i>Lancet Neurology</i> , The, 2013, 12, 12-13.	4.9	7
471	Linking disability and spinal cord imaging outcomes in MS. <i>Nature Reviews Neurology</i> , 2013, 9, 189-190.	4.9	7
472	Cross-sectional study of smoking exposure: no differential effect on OCT metrics in a cohort of MS patients. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731982840.	0.5	7
473	Moving beyond anti-aquaporin-4 antibodies: emerging biomarkers in the spectrum of neuromyelitis optica. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 601-618.	1.4	7
474	Longitudinal cortical thinning progression differs across multiple sclerosis phenotypes and is clinically relevant: A multicentre study. <i>Multiple Sclerosis Journal</i> , 2021, 27, 827-840.	1.4	7
475	Cortico-subcortical functional connectivity modifications in fatigued multiple sclerosis patients treated with fampridine and amantadine. <i>European Journal of Neurology</i> , 2021, 28, 2249-2258.	1.7	7
476	Differential association of cortical, subcortical and spinal cord damage with multiple sclerosis disability milestones: A multiparametric MRI study. <i>Multiple Sclerosis Journal</i> , 2022, 28, 406-417.	1.4	7
477	Association of Age at Onset With Gray Matter Volume and White Matter Microstructural Abnormalities in People With Multiple Sclerosis. <i>Neurology</i> , 2021, 97, e2007-e2019.	1.5	7
478	Effects on cognition of DMTs in multiple sclerosis: moving beyond the prevention of inflammatory activity. <i>Journal of Neurology</i> , 2022, 269, 1052-1064.	1.8	7
479	A multiparametric brain and cord MR imaging study of a patient with Hirayama disease. <i>American Journal of Neuroradiology</i> , 2006, 27, 2115-7.	1.2	7
480	Clinical trials and clinical practice in multiple sclerosis: Conventional and emerging magnetic resonance imaging technologies. <i>Current Neurology and Neuroscience Reports</i> , 2002, 2, 267-276.	2.0	6
481	Headache and migraine. <i>Neurological Sciences</i> , 2008, 29, 336-338.	0.9	6
482	A search for new MRI criteria for dissemination in space in subjects with a clinically isolated syndrome. <i>European Radiology</i> , 2009, 19, 2244-2248.	2.3	6
483	The "vegetarian brain" chatting with monkeys and pigs?. <i>Brain Structure and Function</i> , 2013, 218, 1211-1227.	1.2	6
484	Classifying silent progression in relapsing-remitting MS. <i>Nature Reviews Neurology</i> , 2019, 15, 315-316.	4.9	6
485	Neural correlates of visuospatial processing in migraine: does the pain network help?. <i>Molecular Psychiatry</i> , 2021, 26, 6599-6608.	4.1	6
486	Intraobserver and interobserver variability in measuring changes in lesion volume on serial brain MR images in multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1998, 19, 685-7.	1.2	6

#	ARTICLE	IF	CITATIONS
487	The association between cognition and motor performance is beyond structural damage in relapsingâ€“remitting multiple sclerosis. <i>Journal of Neurology</i> , 2022, 269, 4213-4221.	1.8	6
488	The role of cerebellar damage in explaining disability and cognition in multiple sclerosis phenotypes: a multiparametric MRI study. <i>Journal of Neurology</i> , 2022, 269, 3841-3857.	1.8	6
489	Relation of sensorimotor and cognitive cerebellum functional connectivity with brain structural damage in patients with multiple sclerosis and no disability. <i>European Journal of Neurology</i> , 2022, 29, 2036-2046.	1.7	6
490	Lesion load measurements in multiple sclerosis: the effect of incorporating magnetization transfer contrast in a Fast-Flair sequence. <i>Magnetic Resonance Imaging</i> , 1999, 17, 459-461.	1.0	5
491	Evaluation and training of hands and feet movements performed with different strategies: A kinematic study. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 218-223.	0.6	5
492	Distributed abnormalities of brain white matter architecture in patients with dominant optic atrophy and OPA1 mutations. <i>Journal of Neurology</i> , 2015, 262, 1216-1227.	1.8	5
493	Promoting physical activity to control multiple sclerosis from childhood. <i>Neurology</i> , 2015, 85, 1644-1645.	1.5	5
494	A Semiautomatic Method for Multiple Sclerosis Lesion Segmentation on Dual-Echo MR Imaging: Application in a Multicenter Context. <i>American Journal of Neuroradiology</i> , 2016, 37, 2043-2049.	1.2	5
495	Mapping face encoding using functional MRI in multiple sclerosis across disease phenotypes. <i>Brain Imaging and Behavior</i> , 2017, 11, 1238-1247.	1.1	5
496	Targeting progression in multiple sclerosis â€” an update. <i>Nature Reviews Neurology</i> , 2019, 15, 62-64.	4.9	5
497	Quantitative MRI adds to neuropsychiatric lupus diagnostics. <i>Rheumatology</i> , 2021, 60, 3278-3288.	0.9	5
498	Regional assessment of brain atrophy: a novel approach to achieve a more complete picture of tissue damage associated with central nervous system disorders?. <i>American Journal of Neuroradiology</i> , 2007, 28, 260-1.	1.2	5
499	MRI of Transcallosal White Matter Helps to Predict Motor Impairment in Multiple Sclerosis. <i>Radiology</i> , 2022, 302, 639-649.	3.6	5
500	Towards imaging criteria that best differentiate MS from NMOSD and MOGAD: large multi-ethnic population and different clinical scenarios. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 61, 103778.	0.9	5
501	Pediatric multiple sclerosis: developments in timely diagnosis and prognostication. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 393-403.	1.4	5
502	The relationship between processing speed and verbal and non-verbal new learning and memory in progressive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, , 135245852210881.	1.4	5
503	Time-varying connectivity of the precuneus and its association with cognition and depressive symptoms in neuromyelitis optica: A pilot MRI study. <i>Multiple Sclerosis Journal</i> , 2022, 28, 2057-2069.	1.4	5
504	The effect of cross-talk on MRI lesion numbers and volumes in multiple sclerosis using conventional and turbo spin-echo. <i>Multiple Sclerosis Journal</i> , 1998, 4, 471-474.	1.4	4

#	ARTICLE	IF	CITATIONS
505	Detecting New Lesion Formation in Multiple Sclerosis: The Relative Contributions of Monthly Dual-Echo and T <sub>2</sub> -Weighted Scans after Triple-Dose Gadolinium. <i>European Neurology</i> , 1998, 40, 146-150.	0.6	4
506	Diffusion tensor and magnetization transfer MR imaging of early-onset multiple sclerosis. <i>Neurological Sciences</i> , 2004, 25, s344-s345.	0.9	4
507	The multiple sclerosis mystery: is there a vascular component?. <i>Lancet Neurology</i> , The, 2011, 10, 597-598.	4.9	4
508	Vitamin A: yet another player in multiple sclerosis pathogenesis?. <i>Expert Review of Clinical Immunology</i> , 2013, 9, 113-115.	1.3	4
509	Let's rehabilitate cognitive rehabilitation in multiple sclerosis. <i>Neurology</i> , 2013, 81, 2060-2061.	1.5	4
510	Editorial: Plasticity in Multiple Sclerosis: From Molecular to System Level, from Adaptation to Maladaptation. <i>Frontiers in Neurology</i> , 2015, 6, 265.	1.1	4
511	Simvastatin and cognition in multiple sclerosis. <i>Lancet Neurology</i> , The, 2017, 16, 572-573.	4.9	4
512	Neuromyelitis optica spectrum disorder and multiple sclerosis in a Sardinian family. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 25, 73-76.	0.9	4
513	Assessing the role of innovative therapeutic paradigm on multiple sclerosis treatment response. <i>Acta Neurologica Scandinavica</i> , 2018, 138, 447-453.	1.0	4
514	Cortical Lesions on 7-T MRI in Multiple Sclerosis: A Window into Pathogenetic Mechanisms?. <i>Radiology</i> , 2019, 291, 750-751.	3.6	4
515	Extent and characteristics of carotid plaques and brain parenchymal loss in asymptomatic patients with no indication for revascularization. <i>IJC Heart and Vasculature</i> , 2020, 30, 100619.	0.6	4
516	Therapeutic recommendations and seasonal influenza vaccine for multiple sclerosis patients in treatment with ocrelizumab: an expert consensus. <i>Journal of Neurology</i> , 2021, 268, 1540-1543.	1.8	4
517	Resting-State fMRI in Multiple Sclerosis. , 2020, , 335-353.		4
518	A longitudinal MR study of the presymptomatic phase in a patient with clinically definite multiple sclerosis. <i>American Journal of Neuroradiology</i> , 1999, 20, 1268-72.	1.2	4
519	Advanced diffusion-weighted imaging models better characterize white matter neurodegeneration and clinical outcomes in multiple sclerosis. <i>Journal of Neurology</i> , 2022, 269, 4729-4741.	1.8	4
520	Monitoring long-term treatments in multiple sclerosis. <i>Nature Reviews Neurology</i> , 2010, 6, 421-422.	4.9	3
521	Clinical Applications of the Functional Connectome. <i>NeuroMethods</i> , 2016, , 893-903.	0.2	3
522	Development and evaluation of a manual segmentation protocol for deep grey matter in multiple sclerosis: Towards accelerated semi-automated references. <i>NeuroImage: Clinical</i> , 2021, 30, 102659.	1.4	3

#	ARTICLE	IF	CITATIONS
523	Improved Assessment of Longitudinal Spinal Cord Atrophy in Multiple Sclerosis Using a <scp>Registrationâ€Based</scp> Approach: Relevance for Clinical Studies. Journal of Magnetic Resonance Imaging, 2022, 55, 1559-1568.	1.9	3
524	Characterizing 1-year development of cervical cord atrophy across different MS phenotypes: A voxel-wise, multicentre analysis. Multiple Sclerosis Journal, 2022, 28, 885-899.	1.4	3
525	Siponimod for Cognition in Secondary Progressive Multiple Sclerosis. Neurology, 2021, 96, 91-92.	1.5	3
526	Divergent time-varying connectivity of thalamic sub-regions characterizes clinical phenotypes and cognitive status in multiple sclerosis. Molecular Psychiatry, 2022, 27, 1765-1773.	4.1	3
527	Mapping brain structure and function in professional fencers: A model to study training effects on central nervous system plasticity. Human Brain Mapping, 2022, 43, 3375-3385.	1.9	3
528	Resting state effective connectivity abnormalities of the Papez circuit and cognitive performance in multiple sclerosis. Molecular Psychiatry, 0, , .	4.1	3
529	Does Ocrelizumab Limit Multiple Sclerosis Progression? Current Evidence from Clinical, MRI, and Fluid Biomarkers. Neurotherapeutics, 2022, 19, 1216-1228.	2.1	3
530	Brain adaptive changes following tissue damage in PPMS: a multiparametric study using F-MRI, MTI and DTI. NeuroImage, 2001, 13, 789.	2.1	2
531	Brain Plasticity in Multiple Sclerosis. European Neurology, 2004, 51, 189-190.	0.6	2
532	Toward a better understanding of cerebral plasticity in multiple sclerosis. Journal of the Neurological Sciences, 2006, 244, 1-2.	0.3	2
533	Application of fMRI to the study of multiple sclerosis: an update. Future Neurology, 2008, 3, 141-151.	0.9	2
534	The neurologistâ€™s dilemma: MS is a grey matter disease that standard clinical and MRI measures cannot assess adequately â€“ No. Multiple Sclerosis Journal, 2012, 18, 557-558.	1.4	2
535	Dynamic pattern of clinical and MRI findings in a tumefactive demyelinating lesion: A case report. Journal of the Neurological Sciences, 2016, 361, 184-186.	0.3	2
536	The Role of DTI in Multiple Sclerosis and Other Demyelinating Conditions. , 2016, , 331-341.		2
537	Modulation of cortical excitability to normalise brain function and improve cognition in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 373-373.	0.9	2
538	PET is necessary to make the next step forward in understanding MS pathophysiology â€“ No. Multiple Sclerosis Journal, 2019, 25, 1088-1090.	1.4	2
539	Targeting Neuromyelitis Optica Pathogenesis: Results from Randomized Controlled Trials of Biologics. Neurotherapeutics, 2021, 18, 1623-1636.	2.1	2
540	Assessment of the genetic contribution to brain magnetic resonance imaging lesion load and atrophy measures in multiple sclerosis patients. European Journal of Neurology, 2021, 28, 2513-2522.	1.7	2

#	ARTICLE	IF	CITATIONS
541	Application of deep-learning to the seronegative side of the NMO spectrum. Journal of Neurology, 2022, 269, 1546-1556.	1.8	2
542	Functional magnetic resonance imaging and multiple sclerosis. Future Neurology, 2006, 1, 67-76.	0.9	2
543	Current and future applications of artificial intelligence in multiple sclerosis. , 2022, , 107-144.		2
544	The influence of slice orientation on brain MRI lesion load measurement in multiple sclerosis. Multiple Sclerosis Journal, 1997, 3, 382-384.	1.4	1
545	Measures of magnetization transfer. , 0, , 112-127.		1
546	Brain structural and functional abnormalities in Fahr's disease : a report of two cases. Journal of Neurology, 2013, 260, 1927-1930.	1.8	1
547	A Semi-automatic Method for Segmentation of Multiple Sclerosis Lesions on Dual-Echo Magnetic Resonance Images. Lecture Notes in Computer Science, 2016, , 80-90.	1.0	1
548	fMRI of Pain. Neuromethods, 2016, , 495-521.	0.2	1
549	fMRI of the Sensorimotor System. Neuromethods, 2016, , 523-543.	0.2	1
550	Dynamic Functional Connectivity For The Classification Of Multiple Sclerosis Phenotype: A Hidden Markov Model Approach. , 2021, , .		1
551	Multiple sclerosis and related disorders. , 2015, , 168-184.		1
552	MR T2-relaxation time as an indirect measure of brain water content and disease activity in NMOSD. Journal of Neurology, Neurosurgery and Psychiatry, 2022, , jnnp-2022-328956.	0.9	1
553	Diffusion and perfusion MRI in inflammation and demyelination. , 0, , 488-500.		0
554	<i>Reply:</i>. American Journal of Neuroradiology, 2010, 31, E46-E46.	1.2	0
555	Assessing lesion morphology in MS: Why does this matter?. Journal of the Neurological Sciences, 2010, 290, 194-195.	0.3	0
556	Acute, multifocal neurological symptoms. , 0, , 209-227.		0
557	Demyelinating Diseases. , 2015, , 895-905.		0
558	Application of fMRI to Multiple Sclerosis and Other White Matter Disorders. Neuromethods, 2016, , 609-637.	0.2	0



#	ARTICLE	IF	CITATIONS
559	fMRI in Psychiatric Disorders. <i>Neuromethods</i> , 2016, , 657-697.	0.2	0
560	Surrogate Markers in Multiple Sclerosis. , 2016, , 163-187.		0
561	Preface. <i>Acta Neurologica Scandinavica</i> , 2016, 134, 3-3.	1.0	0
562	Characteristics of carotid atherosclerosis and brain white matter hyperintensities in asymptomatic patients with intermediate stenosis. <i>Atherosclerosis</i> , 2017, 263, e57.	0.4	0
563	Cognitive Processes Underlying Vegetarianism as Assessed by Brain Imaging. , 2017, , 71-91.		0
564	Author response: Gray matter volume modifications in migraine: A cross-sectional and longitudinal study. <i>Neurology</i> , 2019, 92, 587.2-588.	1.5	0
565	Editorial for "Utility of Advanced <sup>DWI</sup> in the Detection of Spinal Cord Microstructural Alterations and Assessment of Neurologic Function in Cervical Spondylotic Myelopathy Patients" <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 941-942.	1.9	0
566	Encoding Brain Networks Through Geodesic Clustering of Functional Connectivity for Multiple Sclerosis Classification. , 2021, , .		0
567	Functional Magnetic Resonance Imaging. , 2002, , 113-124.		0
568	Diffusion-Weighted MRI. , 2003, , 33-45.		0
569	Functional MRI. , 2003, , 83-97.		0
570	The Grey Matter Component of MS Pathology: Magnetization Transfer and Diffusion-Weighted Imaging. , 2004, , 121-127.		0
571	Functional MRI in Multiple Sclerosis. , 2004, , 145-155.		0
572	MRI-Clinical Correlations in Multiple Sclerosis: Implications for Our Understanding of Neuronal Changes. , 2005, , 215-225.		0
573	Application of fMRI to Multiple Sclerosis and Other White Matter Disorders. <i>Neuromethods</i> , 2009, , 573-596.	0.2	0
574	fMRI of the Sensorimotor System. <i>Neuromethods</i> , 2009, , 493-511.	0.2	0
575	Diffusion Tensor MRI in Multiple Sclerosis. , 2010, , 564-571.		0
576	Diffusion Tensor Imaging Abnormalities in Migraine. , 2012, , 188-194.		0

#	ARTICLE	IF	CITATIONS
577	Imaging of Migraine and Vestibular Migraine. , 2014, , 193-209.		0
578	Spinal cord diseases. , 2015, , 323-334.		0
579	High-Field-Strength MRI (3.0 T or More) in White Matter Diseases. , 2017, , 223-237.		0
580	Neuromyelitis Optica Spectrum Disorders. , 2020, , 67-94.		0
581	Pediatric Multiple Sclerosis. , 2020, , 37-66.		0
582	Functional MRI. , 2007, , 85-104.		0
583	Multiple Sclerosis: Other MR Techniques. , 2005, , 225-240.		0
584	Spinal Cord Atrophy Is a Preclinical Marker of Progressive <scp>MS</scp>. Annals of Neurology, 2022, 91, 734-735.	2.8	0
585	Editorial for "Amide Proton Transfer <scp>MRI</scp> Could Be Used to Evaluate the Pathophysiological Status of White Matter Hyperintensities" Journal of Magnetic Resonance Imaging, 2022, 56, 310-311.	1.9	0
586	Magnetic resonance imaging to assess gray matter damage in multiple sclerosis. , 0, , 86-92.		0
587	Application of functional magnetic resonance imaging in multiple sclerosis. , 0, , 93-102.		0
588	Functional magnetic resonance imaging monitoring of therapeutic interventions in multiple sclerosis. , 0, , 120-126.		0
589	Aging Brain. , 2008, , 52-55.		0