Michael R Rountree

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8316452/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	LSD1 prevents aberrant heterochromatin formation in Neurospora crassa. Nucleic Acids Research, 2020, 48, 10199-10210.	14.5	4
2	A Light-Inducible Strain for Genome-Wide Histone Turnover Profiling in <i>Neurospora crassa</i> . Genetics, 2020, 215, 569-578.	2.9	6
3	Nucleosome Positioning by an Evolutionarily Conserved Chromatin Remodeler Prevents Aberrant DNA Methylation in <i>Neurospora</i> . Genetics, 2019, 211, 563-578.	2.9	13
4	Rapid Response and Slow Recovery of the H3K4me3 Epigenomic Marker in the Liver after Light-mediated Phase Advances of the Circadian Clock. Journal of Biological Rhythms, 2018, 33, 363-375.	2.6	0
5	Induction of the long noncoding RNA NBR2 from the bidirectional BRCA1 promoter under hypoxic conditions. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2017, 796, 13-19.	1.0	8
6	Dual chromatin recognition by the histone deacetylase complex HCHC is required for proper DNA methylation in <i>Neurospora crassa</i> . Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E6135-E6144.	7.1	28
7	Neurospora Importin Î \pm Is Required for Normal Heterochromatic Formation and DNA Methylation. PLoS Genetics, 2015, 11, e1005083.	3.5	25
8	Regional control of histone H3 lysine 27 methylation in <i>Neurospora</i> . Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 6027-6032.	7.1	147
9	DNA methylation and the formation of heterochromatin in Neurospora crassa. Heredity, 2010, 105, 38-44.	2.6	81
10	H2B- and H3-Specific Histone Deacetylases Are Required for DNA Methylation in <i>Neurospora crassa</i> . Genetics, 2010, 186, 1207-1216.	2.9	38
11	The Methyl-CpG Binding Protein MBD1 Interacts with the p150 Subunit of Chromatin Assembly Factor 1. Molecular and Cellular Biology, 2003, 23, 3226-3236.	2.3	95
12	Enzymatic Regional Methylation Assay: A Novel Method to Quantify Regional CpG Methylation Density. Genome Research, 2002, 12, 153-157.	5.5	42
13	Induction and maintenance of nonsymmetrical DNA methylation in Neurospora. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 16485-16490.	7.1	46
14	Aberrant patterns of DNA methylation, chromatin formation and gene expression in cancer. Human Molecular Genetics, 2001, 10, 687-692.	2.9	801
15	DNA methylation, chromatin inheritance, and cancer. Oncogene, 2001, 20, 3156-3165.	5.9	354
16	Dnmt3a and Dnmt3b Are Transcriptional Repressors That Exhibit Unique Localization Properties to Heterochromatin. Journal of Biological Chemistry, 2001, 276, 32282-32287.	3.4	385
17	DNMT1 binds HDAC2 and a new co-repressor, DMAP1, to form a complex at replication foci. Nature Genetics, 2000, 25, 269-277.	21.4	976
18	DNA methylation inhibits elongation but not initiation of transcription in <i>Neurospora crassa</i> . Genes and Development, 1997, 11, 2383-2395.	5.9	195

#	Article	IF	CITATIONS
19	A Targeted-Replacement System for Identification of Signals for De Novo Methylation in <i>Neurospora crassa</i> . Molecular and Cellular Biology, 1994, 14, 7059-7067.	2.3	17