## Sun-Seog Kweon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8319857/publications.pdf

Version: 2024-02-01

182 5,674 36 65
papers citations h-index g-index

times ranked

citing authors

docs citations

all docs

#	Article	IF	Citations
1	Discovery of common and rare genetic risk variants for colorectal cancer. Nature Genetics, 2019, 51, 76-87.	21.4	377
2	South Korean Time Trade-Off Values for EQ-5D Health States: Modeling with Observed Values for 101 Health States. Value in Health, 2009, 12, 1187-1193.	0.3	375
3	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. Nature Genetics, 2012, 44, 1330-1335.	21.4	286
4	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. Nature Genetics, 2014, 46, 533-542.	21.4	212
5	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	6.3	152
6	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at $1q32.1$ , $5q14.3$ and $15q26.1$ . Nature Genetics, $2014$ , $46$ , $886-890$ .	21.4	135
7	A Clinicopathologic Analysis of 177 Acral Melanomas in Koreans. JAMA Dermatology, 2013, 149, 1281.	4.1	129
8	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. Journal of the National Cancer Institute, 2019, 111, 146-157.	6.3	129
9	Association between bone mineral densities and serum lipid profiles of pre- and post-menopausal rural women in South Korea. Osteoporosis International, 2005, 16, 1975-1981.	3.1	120
10	Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. Gastroenterology, 2019, 156, 1455-1466.	1.3	111
11	Identification of Susceptibility Loci and Genes for Colorectal Cancer Risk. Gastroenterology, 2016, 150, 1633-1645.	1.3	97
12	Relative contribution of body composition to bone mineral density at different sites in men and women of South Korea. Journal of Bone and Mineral Metabolism, 2007, 25, 165-171.	2.7	90
13	Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. Gastroenterology, 2020, 158, 1300-1312.e20.	1.3	90
14	Racial/ethnic differences in bone mineral density among older women. Journal of Bone and Mineral Metabolism, 2013, 31, 190-198.	2.7	79
15	Adiposity, metabolites, and colorectal cancer risk: Mendelian randomization study. BMC Medicine, 2020, 18, 396.	5.5	76
16	Updates on Cancer Epidemiology in Korea, 2018. Chonnam Medical Journal, 2018, 54, 90.	0.9	74
17	<scp>G</scp> enetic variants associated with longer telomere length are associated with increased lung cancer risk among neverâ€smoking women in Asia: a report from the female lung cancer consortium in Asia. International Journal of Cancer, 2015, 137, 311-319.	5.1	72
18	Rapid Increase of Scrub Typhus, South Korea, 2001–2006. Emerging Infectious Diseases, 2009, 15, 1127-1129.	4.3	71

#	Article	IF	CITATIONS
19	Interim PET/CT-based prognostic model for the treatment of diffuse large B cell lymphoma in the post-rituximab era. Annals of Hematology, 2013, 92, 471-479.	1.8	69
20	Cohort Profile: The Namwon Study and the Dong-gu Study. International Journal of Epidemiology, 2014, 43, 558-567.	1.9	66
21	BRAF Mutations and KIT Aberrations and Their Clinicopathological Correlation in 202 Korean Melanomas. Journal of Investigative Dermatology, 2013, 133, 579-582.	0.7	64
22	Thyroid Cancer is the Most Common Cancer in Women, Based on the Data from Population-based Cancer Registries, South Korea. Japanese Journal of Clinical Oncology, 2013, 43, 1039-1046.	1.3	57
23	Higher <scp>TSH</scp> level is a risk factor for differentiated thyroid cancer. Clinical Endocrinology, 2013, 78, 472-477.	2.4	55
24	Incidence, Predictive Factors, and Clinical Outcomes of Acute Kidney Injury after Gastric Surgery for Gastric Cancer. PLoS ONE, 2013, 8, e82289.	2.5	55
25	Cumulative smoking exposure, duration of smoking cessation, and peripheral arterial disease in middle-aged and older Korean men. BMC Public Health, 2011, 11, 94.	2.9	53
26	Prevalence of osteoporosis and reference data for lumbar spine and hip bone mineral density in a Korean population. Journal of Bone and Mineral Metabolism, 2008, 26, 609-617.	2.7	52
27	Association between GWAS-identified lung adenocarcinoma susceptibility loci andEGFRmutations in never-smoking Asian women, and comparison with findings from Western populations. Human Molecular Genetics, 2016, 26, ddw414.	2.9	50
28	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. Human Molecular Genetics, 2016, 25, 620-629.	2.9	50
29	Methylenetetrahydrofolate reductase C677T polymorphism in patients with gastric and colorectal cancer in a Korean population. BMC Cancer, 2010, 10, 236.	2.6	47
30	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. Nature Communications, 2020, 11, 1217.	12.8	46
31	The association between liver enzymes and risk of type 2 diabetes: the Namwon study. Diabetology and Metabolic Syndrome, 2014, 6, 14.	2.7	44
32	Glutathione-S-transferase (GSTM1, GSTT1) and the risk ofgastrointestinal cancer in a Korean population. World Journal of Gastroenterology, 2009, 15, 5716.	3.3	44
33	Association of a common genetic variant in prostate stemâ€cell antigen with gastric cancer susceptibility in a Korean population. Molecular Carcinogenesis, 2011, 50, 871-875.	2.7	43
34	Difference of stage at cancer diagnosis by socioeconomic status for four target cancers of the National Cancer Screening Program in Korea: Results from the Gwangju and Jeonnam cancer registries. Journal of Epidemiology, 2017, 27, 299-304.	2.4	41
35	Patients' and family caregivers' understanding of the cancer stage, treatment goal, and chance of cure: A study with patientâ€caregiverâ€physician triad. Psycho-Oncology, 2018, 27, 106-113.	2.3	41
36	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. Human Molecular Genetics, 2016, 25, 3361-3371.	2.9	40

#	Article	IF	Citations
37	Genetic association analysis of GDF5 and ADAM12 for knee osteoarthritis. Joint Bone Spine, 2012, 79, 488-491.	1.6	39
38	Impact of partial nephrectomy on kidney function in patients with renal cell carcinoma. BMC Nephrology, 2014, 15, 181.	1.8	39
39	p53 codon 72 polymorphism in patients with gastric and colorectal cancer in a Korean population. Gastric Cancer, 2011, 14, 242-247.	5.3	38
40	eGFR is associated with subclinical atherosclerosis independent of albuminuria: The Dong-gu Study. Atherosclerosis, 2010, 212, 661-667.	0.8	37
41	p53 codon 72 polymorphism and the risk of lung cancer in a Korean population. Lung Cancer, 2011, 73, 264-267.	2.0	36
42	Distribution of the Ankle-Brachial Index and Associated Cardiovascular Risk Factors in a Population of Middle-Aged and Elderly Koreans. Journal of Korean Medical Science, 2005, 20, 373.	2.5	34
43	Effects of Cumulative Smoking Exposure and Duration of Smoking Cessation on Carotid Artery Structure. Circulation Journal, 2012, 76, 2041-2047.	1.6	34
44	Association of estrogen receptor-? gene polymorphisms with bone mineral density in postmenopausal Korean women. Journal of Bone and Mineral Metabolism, 2005, 23, 84-89.	2.7	33
45	The Effect of Apolipoprotein E Polymorphism on Lipid Levels in Korean Adults. Journal of Korean Medical Science, 2005, 20, 361.	2.5	32
46	Alcohol consumption and carotid artery structure in Korean adults aged 50 years and older. BMC Public Health, 2009, 9, 358.	2.9	31
47	Dietary zinc intake is inversely related to subclinical atherosclerosis measured by carotid intima-media thickness. British Journal of Nutrition, 2010, 104, 1202-1211.	2.3	31
48	Genetic variations in the PRKAA1 and ZBTB20 genes and gastric cancer susceptibility in a Korean population. Molecular Carcinogenesis, 2013, 52, 155-160.	2.7	31
49	Household and area income levels are associated with smoking status in the Korean adult population. BMC Public Health, 2015, 15, 39.	2.9	31
50	A Community-based Case-control Study of Behavioral Factors Associated with Scrub Typhus during the Autumn Epidemic Season in South Korea. American Journal of Tropical Medicine and Hygiene, 2009, 80, 442-446.	1.4	31
51	Obesity and the Metabolic Syndrome in Korean Adolescents. Journal of Korean Medical Science, 2007, 22, 513.	2.5	30
52	Evaluation of promoter hypermethylation detection in serum as a diagnostic tool for breast carcinoma in Korean women. Gynecologic Oncology, 2010, 118, 176-181.	1.4	30
53	Association of smoking status, cumulative smoking, duration of smoking cessation, age of starting smoking, and depression in Korean adults. BMC Public Health, 2012, 12, 724.	2.9	30
54	Sex-specific differences in the association between ABO genotype and gastric cancer risk in a Korean population. Gastric Cancer, 2013, 16, 254-260.	<b>5.</b> 3	30

#	Article	IF	Citations
55	Common genetic variants at 1q22 and 10q23 and gastric cancer susceptibility in a Korean population. Tumor Biology, 2014, 35, 3133-3137.	1.8	30
56	Self-reported snoring and metabolic syndrome: the Korean Multi-Rural Communities Cohort Study. Sleep and Breathing, 2014, 18, 423-430.	1.7	30
57	Does arm length indicate cognitive and functional reserve?. International Journal of Geriatric Psychiatry, 2005, 20, 406-412.	2.7	29
58	Association between Albuminuria, Carotid Atherosclerosis, Arterial Stiffness, and Peripheral Arterial Disease in Korean Type 2 Diabetic Patients. Kidney and Blood Pressure Research, 2010, 33, 111-118.	2.0	29
59	Expression of matrix metalloproteinases and their inhibitors in different immunohistochemical-based molecular subtypes of breast cancer. BMC Cancer, 2014, 14, 959.	2.6	29
60	Symptom clusters and quality of life in breast cancer survivors after cancer treatment in a tertiary hospital in Korea. European Journal of Cancer Care, 2018, 27, e12919.	1.5	29
61	Prognostic significance of interim PET/CT based on visual, SUV-based, and MTV-based assessment in the treatment of peripheral T-cell lymphoma. BMC Cancer, 2015, 15, 198.	2.6	28
62	Prospero homeobox 1 mediates the progression of gastric cancer by inducing tumor cell proliferation and lymphangiogenesis. Gastric Cancer, 2017, 20, 104-115.	5.3	28
63	Association between hemoglobin A1c, carotid atherosclerosis, arterial stiffness, and peripheral arterial disease in Korean type 2 diabetic patients. Journal of Diabetes and Its Complications, 2011, 25, 7-13.	2.3	27
64	Methylenetetrahydrofolate reductase C677T polymorphism in patients with lung cancer in a Korean population. BMC Medical Genetics, 2011, 12, 28.	2.1	27
65	High Prevalence of Vitamin D Deficiency in Adults Aged 50 Years and Older in Gwangju, Korea: the Dong-gu Study. Journal of Korean Medical Science, 2014, 29, 149.	2.5	27
66	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. American Journal of Clinical Nutrition, 2021, 113, 1490-1502.	4.7	27
67	Impact of Transient and Persistent Acute Kidney Injury on Chronic Kidney Disease Progression and Mortality after Gastric Surgery for Gastric Cancer. PLoS ONE, 2016, 11, e0168119.	2.5	27
68	Polygenic risk scores for prediction of breast cancer risk in Asian populations. Genetics in Medicine, 2022, 24, 586-600.	2.4	27
69	Intake of Specific Nonfermented Soy Foods May Be Inversely Associated with Risk of Distal Gastric Cancer in a Chinese Population. Journal of Nutrition, 2013, 143, 1736-1742.	2.9	26
70	HbA1c is significantly associated with arterial stiffness but not with carotid atherosclerosis in a community-based population without type 2 diabetes: The Dong-gu study. Atherosclerosis, 2016, 247, 1-6.	0.8	26
71	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 477-486.	2.5	25
72	Does Waist Indicate Dyslipidemia better than BMI in Korean Adult Population?. Journal of Korean Medical Science, 2005, 20, 7.	2.5	24

#	Article	IF	CITATIONS
73	SEROPREVALENCE AND RISK FACTORS FOR HEPATITIS C VIRUS INFECTION AMONG FEMALE COMMERCIAL SEX WORKERS IN SOUTH KOREA WHO ARE NOT INTRAVENOUS DRUG USERS. American Journal of Tropical Medicine and Hygiene, 2006, 74, 1117-1121.	1.4	23
74	Alpha-Adducin Gly460Trp Polymorphism and Essential Hypertension in Korea. Journal of Korean Medical Science, 2004, 19, 812.	2.5	22
<b>7</b> 5	Sex-related differences in the association between waist circumference and bone mineral density in a Korean population. BMC Musculoskeletal Disorders, 2014, 15, 326.	1.9	22
76	RON is associated with tumor progression via the inhibition of apoptosis and cell cycle arrest in human gastric cancer. Pathology International, 2012, 62, 127-136.	1.3	21
77	SOX4 expression is associated with treatment failure and chemoradioresistance in oral squamous cell carcinoma. BMC Cancer, 2015, 15, 888.	2.6	21
78	B7-H3 and B7-H4 Expression in Breast Cancer and Their Association with Clinicopathological Variables and T Cell Infiltration. Pathobiology, 2020, 87, 179-192.	3.8	21
79	Higher normal ranges of urine albumin-to-creatinine ratio are independently associated with carotid intima-media thickness. Cardiovascular Diabetology, 2012, 11, 112.	6.8	20
80	Association between Total Bilirubin and Hemoglobin A1c in Korean Type 2 Diabetic Patients. Journal of Korean Medical Science, 2012, 27, 1196.	2.5	20
81	A community-based case-control study of behavioral factors associated with scrub typhus during the autumn epidemic season in South Korea. American Journal of Tropical Medicine and Hygiene, 2009, 80, 442-6.	1.4	20
82	Sex Differences in the Associations of Testosterone and Sex Hormone-Binding Globulin With Metabolic Syndrome in Middle-Aged and Elderly Koreans. Circulation Journal, 2013, 77, 734-740.	1.6	19
83	The association between periodontal disease, tooth loss and bone mineral density in a Korean population. Journal of Clinical Periodontology, 2014, 41, 1139-1144.	4.9	19
84	Self-reported Snoring and Carotid Atherosclerosis in Middle-aged and Older Adults: The Korean Multi-Rural Communities Cohort Study. Journal of Epidemiology, 2014, 24, 281-286.	2.4	18
85	APOE polymorphism and carotid atherosclerosis in Korean population: The Dong-gu Study and the Namwon Study. Atherosclerosis, 2014, 232, 180-185.	0.8	17
86	The relationships between bone mineral density and radiographic features of hand or knee osteoarthritis in older adults: data from the Dong-gu Study. Rheumatology, 2016, 55, kev377.	1.9	17
87	Patient's Cognitive Function and Attitudes towards Family Involvement in Cancer Treatment Decision Making: A Patient-Family Caregiver Dyadic Analysis. Cancer Research and Treatment, 2018, 50, 681-690.	3.0	17
88	Association of Bone Mineral Density with Albuminuria and Estimated Glomerular Filtration Rate: The Dong-gu Study. Kidney and Blood Pressure Research, 2013, 37, 132-141.	2.0	16
89	Average Volume of Alcohol Consumed, Drinking Patterns, and Metabolic Syndrome in Older Korean Adults. Journal of Epidemiology, 2013, 23, 122-131.	2.4	16
90	Relationship between periodontal disease and subclinical atherosclerosis: The Dongâ€gu study. Journal of Clinical Periodontology, 2014, 41, 262-268.	4.9	16

#	Article	IF	CITATIONS
91	Normative and mean carotid intima-media thickness values according to metabolic syndrome in Koreans: The Namwon Study. Atherosclerosis, 2014, 234, 230-236.	0.8	16
92	Increased incidence of respiratory tract cancers in people living near Portland cement plants in Korea. International Archives of Occupational and Environmental Health, 2017, 90, 859-864.	2.3	16
93	Quantitative Ultrasound of the Calcaneus in a Korean Population: Reference Data and Relationship to Bone Mineral Density Determined by Peripheral Dual X-ray Absorptiometry. Journal of Korean Medical Science, 2005, 20, 1011.	2.5	15
94	One-Carbon Metabolism Dietary Factors and Distal Gastric Cancer Risk in Chinese Women. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1374-1382.	2.5	15
95	Association between grip strength and hand and knee radiographic osteoarthritis in Korean adults: Data from the Dong-gu study. PLoS ONE, 2017, 12, e0185343.	2.5	15
96	Factors affecting the clinical relevance of Corynebacterium striatum isolated from blood cultures. PLoS ONE, 2018, 13, e0199454.	2.5	15
97	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. Genomics, 2020, 112, 1223-1232.	2.9	15
98	Causal Effects of Lifetime Smoking on Breast and Colorectal Cancer Risk: Mendelian Randomization Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 953-964.	2.5	15
99	Effect of Family History of Diabetes on Hemoglobin A1c Levels among Individuals with and without Diabetes: The Dong-gu Study. Yonsei Medical Journal, 2018, 59, 92.	2.2	14
100	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. EBioMedicine, 2019, 48, 203-211.	6.1	14
101	Clinical outcomes of endoscopic resection for colorectal laterally spreading tumors with advanced histology. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 2562-2571.	2.4	14
102	Association between ALDH2 and ADH1B Polymorphisms and the Risk for Colorectal Cancer in Koreans. Cancer Research and Treatment, 2021, 53, 754-762.	3.0	14
103	The relationship between the metabolic syndrome and arterial wall thickness: A mosaic still to be interpreted. Atherosclerosis, 2016, 255, 11-16.	0.8	13
104	Comparison of the Framingham Risk Score, UKPDS Risk Engine, and SCORE for Predicting Carotid Atherosclerosis and Peripheral Arterial Disease in Korean Type 2 Diabetic Patients. Korean Journal of Family Medicine, 2011, 32, 189.	1.2	12
105	The effect of an APOE polymorphism on cognitive function depends on age. Journal of Neurology, 2014, 261, 66-72.	3.6	12
106	Associations between body composition measurements of obesity and radiographic osteoarthritis in older adults: Data from the Dong-gu Study. BMC Musculoskeletal Disorders, 2016, 17, 192.	1.9	12
107	Incorporating Polygenic Risk Scores and Nongenetic Risk Factors for Breast Cancer Risk Prediction Among Asian Women. JAMA Network Open, 2022, 5, e2149030.	5.9	12
108	The correlation of carotid artery calcification on panoramic radiographs and determination of carotid artery atherosclerosis with ultrasonography. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2014, 118, 739-745.	0.4	11

#	Article	IF	Citations
109	The association between vitamin D and parathyroid hormone and bone mineral density: the Dong-gu Study. Journal of Bone and Mineral Metabolism, 2016, 34, 555-563.	2.7	11
110	Association of Plasma Pentraxin-3 Level with Lipid Levels and Cardiovascular Risk Factors in People with No History of Lipid-Lowering Medication: the Dong-gu Study. Journal of Atherosclerosis and Thrombosis, 2019, 26, 738-745.	2.0	11
111	Metabolic Syndrome and Carotid Artery Parameter in Koreans Aged 50 Years and Older. Circulation Journal, 2010, 74, 560-566.	1.6	10
112	Association study of the candidate gene for knee osteoarthritis in Koreans. Rheumatology International, 2013, 33, 783-786.	3.0	10
113	<i>APOE</i> Polymorphism Is Associated with C-reactive Protein Levels but Not with White Blood Cell Count: Dong-gu Study and Namwon Study. Journal of Korean Medical Science, 2015, 30, 860.	2.5	10
114	Clinicopathological features of laterally spreading colorectal tumors and their association with advanced histology and invasiveness: An experience from Honam province of South Korea: A Honam Association for the Study of Intestinal Diseases (HASID). PLoS ONE, 2017, 12, e0184205.	2.5	10
115	Detection of Familial Hypercholesterolemia Using Next Generation Sequencing in Two Population-Based Cohorts. Chonnam Medical Journal, 2018, 54, 31.	0.9	10
116	Increased adiponectin levels are associated with higher radiographic scores in the knee joint, but not in the hand joint. Scientific Reports, 2021, 11, 1842.	3.3	10
117	A Combined Proteomics and Mendelian Randomization Approach to Investigate the Effects of Aspirin-Targeted Proteins on Colorectal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 564-575.	2.5	10
118	Quantitative assessment of DNA methylation for the detection of cervical neoplasia in liquid-based cytology specimens. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2010, 457, 35-42.	2.8	9
119	A Gender-Specific Association between Self-Reported Snoring and Hemoglobin A1c Levels in a General Population without Type 2 Diabetes Mellitus. Yonsei Medical Journal, 2017, 58, 1152.	2.2	9
120	Squalene epoxidase expression is associated with breast tumor progression and with a poor prognosis in breast cancer. Oncology Letters, 2021, 21, 259.	1.8	9
121	Gender Differences in the Association between Depressive Symptoms and Carotid Atherosclerosis among Middle-Aged and Older Koreans: The Namwon Study. Journal of Korean Medical Science, 2014, 29, 1507.	2.5	9
122	Glutathione-S-transferase (GSTM1, GSTT1) Null Phenotypes and Risk of Lung Cancer in a Korean Population. Asian Pacific Journal of Cancer Prevention, 2013, 14, 7165-7169.	1.2	9
123	Low serum 25-hydroxyvitamin D levels, tooth loss, and the prevalence of severe periodontitis in Koreans aged 50 years and older. Journal of Periodontal and Implant Science, 2020, 50, 368.	2.0	9
124	Association between ALDH2 polymorphism and esophageal cancer risk in South Koreans: a case-control study. BMC Cancer, 2021, 21, 254.	2.6	8
125	25-Hydroxyvitamin D and Parathyroid Hormone Levels Are Independently Associated with the Hemoglobin A1c Level of Korean Type 2 Diabetic Patients: The Dong-Gu Study. PLoS ONE, 2016, 11, e0158764.	2.5	8
126	Proteinuria as a Risk Factor for Mortality in Patients with Colorectal Cancer. Yonsei Medical Journal, 2013, 54, 1194.	2.2	7

#	Article	IF	Citations
127	Polymorphisms of methylenetetrahydrofolate reductase and glutathione S-transferase are not associated with the risk of papillary thyroid cancer in Korean population. Molecular Biology Reports, 2014, 41, 3793-3799.	2.3	7
128	Periodontal disease associated with blood glucose levels in urban Koreans aged 50Âyears and older: the Dongâ€gu study. Gerodontology, 2015, 32, 267-273.	2.0	7
129	Estimation of the cutoff value of vitamin D: the Dong-gu study. Journal of Physiological Anthropology, 2015, 34, 10.	2.6	7
130	Scabies Among Elderly Korean Patients with Histories of Leprosy. American Journal of Tropical Medicine and Hygiene, 2016, 95, 75-76.	1.4	7
131	Socioeconomic differences in self- and family awareness of viral hepatitis status among carriers of hepatitis B or C in rural Korea. American Journal of Infection Control, 2018, 46, 328-332.	2.3	7
132	Association of Falls and Fear of Falling with Mortality in Korean Adults: The Dong-gu Study. Chonnam Medical Journal, 2019, 55, 104.	0.9	7
133	A return-to-work intervention protocol directed at cancer patients (self-assessment, tailored) Tj ETQq1 1 0.7843 multi-center, randomized controlled trial. Contemporary Clinical Trials Communications, 2020, 19, 100633.	14 rgBT /C 1.1	verlock 10 T 7
134	Association between Albumin, Total Bilirubin, and Uric Acid Serum Levels and the Risk of Cancer: A Prospective Study in a Korean Population. Yonsei Medical Journal, 2021, 62, 792.	2.2	7
135	Incorporating European GWAS findings improve polygenic risk prediction accuracy of breast cancer among East Asians. Genetic Epidemiology, 2021, 45, 471-484.	1.3	7
136	Association of serum vitamin D and parathyroid hormone with subclinical atherosclerotic phenotypes: The Dong-gu Study. PLoS ONE, 2017, 12, e0186421.	2.5	7
137	Genetic Variation in PSCA is Associated with Bladder Cancer Susceptibility in a Korean Population. Asian Pacific Journal of Cancer Prevention, 2014, 15, 8901-8904.	1.2	7
138	Determining the Optimal Cut-Off Value of the Urinary Albumin-To-Creatinine Ratio to Detect Atherosclerotic Vascular Diseases. Kidney and Blood Pressure Research, 2012, 36, 290-300.	2.0	6
139	Prevalence of albuminuria and associated cardiovascular risk factors: A community cohort in Namwon City, Korea. Diabetes Research and Clinical Practice, 2012, 97, 492-498.	2.8	6
140	Association between interleukin-18 gene polymorphism and Helicobacter pylori infection in the Korean population. Scientific Reports, 2015, 5, 11535.	3.3	6
141	Association between Serum 25-hydroxyvitamin D Levels and Type 2 Diabetes in Korean Adults. Chonnam Medical Journal, 2017, 53, 73.	0.9	6
142	Comparison of the Awareness and Knowledge of Scrub Typhus between Case and Control Groups. Journal of Agricultural Medicine and Community Health, 2012, 37, 1-11.	0.2	6
143	Effect Modification of Acetaldehyde Dehydrogenase 2 rs671 Polymorphism on the Association between Alcohol Intake and Blood Pressure: the Dong-gu Study. Journal of Korean Medical Science, 2020, 35, e14.	2.5	6
144	Dose-Response Relationship Between Serum ^ ^gamma;-Glutamyltransferase and Arterial Stiffness in Korean Adults: The Namwon Study. Journal of Epidemiology, 2014, 24, 7-14.	2.4	5

#	Article	IF	Citations
145	Association between Vitamin D Status and Risk of Peripheral Arterial Disease: The Dong-gu Study. Chonnam Medical Journal, 2016, 52, 212.	0.9	5
146	The value of high-sensitivity C-reactive protein in hand and knee radiographic osteoarthritis: data from the Dong-gu Study. Clinical Rheumatology, 2018, 37, 1099-1106.	2.2	5
147	Risk factors for procedure-related complications after endoscopic resection of colorectal laterally spreading tumors. Medicine (United States), 2018, 97, e12589.	1.0	5
148	Association between Plasma Pentraxin 3 Levels and Bone Mineral Density in Elderly Koreans: the Dong-gu Study. Journal of Korean Medical Science, 2018, 33, e165.	2.5	5
149	Association between Serum Parathyroid Hormone Levels and the Prevalence of Atrial Fibrillation: the Dong-gu Study. Korean Circulation Journal, 2018, 48, 159.	1.9	5
150	Cystatin C-based estimated GFR and albuminuria are independently associated with all-cause and CVD mortality in Korean population: The Dong-gu Study. Maturitas, 2021, 143, 178-183.	2.4	5
151	Causal Association Between Alcohol Consumption and Atrial Fibrillation: A Mendelian Randomization Study. Korean Circulation Journal, 2022, 52, 220.	1.9	5
152	Association between Methylenetetrahydrofolate Reductase C677T Polymorphism and Bone Mineral Density: The Dong-gu Study and the Namwon Study. Journal of Korean Medical Science, 2013, 28, 965.	2.5	4
153	Methylenetetrahydrofolate Reductase 677 Genotype-Specific Reference Values for Plasma Homocysteine and Serum Folate Concentrations in Korean Population Aged 45 to 74 Years: The Namwon Study. Journal of Korean Medical Science, 2014, 29, 743.	2.5	4
154	Efficacy of an inpatient smoking cessation program at a single regional cancer center. Medicine (United States), 2021, 100, e24745.	1.0	4
155	Association between <i>ALDH2</i> Polymorphism and Gastric Cancer Risk in a Korean Population. Journal of Korean Medical Science, 2020, 35, e148.	2.5	4
156	A Disease Modification Effect of APOE <i>E</i> 4 on the Association between Urinary Albumin Excretion and Cognition in Korean Adults. Disease Markers, 2014, 2014, 1-7.	1.3	3
157	Association between the TCF7L2 polymorphism and colorectal cancer does not differ by diabetes and obesity statuses. Cancer Epidemiology, 2016, 45, 108-111.	1.9	3
158	Relationship between plasma pentraxin 3 level and risk of chronic kidney disease in the Korean elderly: the Dong-gu study. International Urology and Nephrology, 2017, 49, 2027-2033.	1.4	3
159	Parathyroid Hormone Levels Are Independently Associated with eGFR and Albuminuria: The Dong-gu Study. Journal of Nutritional Science and Vitaminology, 2018, 64, 18-25.	0.6	3
160	Hemochromatosis risk genotype is not associated with colorectal cancer or age at its diagnosis. Human Genetics and Genomics Advances, 2020, 1, 100010.	1.7	3
161	Causes of Death among Persons Affected by Leprosy in Korea, 2010–2013. American Journal of Tropical Medicine and Hygiene, 2020, 102, 42-47.	1.4	3
162	Epidemiology of liver cancer in Korea. Journal of the Korean Medical Association, 2019, 62, 416.	0.3	3

#	Article	IF	Citations
163	Salicylic Acid and Risk of Colorectal Cancer: A Two-Sample Mendelian Randomization Study. Nutrients, 2021, 13, 4164.	4.1	3
164	Large-scale Integrated Analysis of Genetics and Metabolomic Data Reveals Potential Links Between Lipids and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1216-1226.	2.5	3
165	Lack of association between serum gamma-glutamyltransferase and carotid atherosclerosis: The Namwon study. Atherosclerosis, 2014, 237, 268-272.	0.8	2
166	Association of <i>APOE</i> Genotype with Bone Mineral Density in Men and Women: The Dong-gu and Namwon Studies. Chonnam Medical Journal, 2016, 52, 59.	0.9	2
167	25-Hydroxyvitamin D Is Associated with Kidney Function: The Dong-gu Study. Journal of Nutritional Science and Vitaminology, 2018, 64, 385-390.	0.6	2
168	Association between Alcohol Consumption and Serum Cortisol Levels: a Mendelian Randomization Study. Journal of Korean Medical Science, 2021, 36, e195.	2.5	2
169	The association of ankle brachial index with left ventricular hypertrophy and left ventricular mass index: the Dong-gu study. Vasa - European Journal of Vascular Medicine, 2013, 42, 284-291.	1.4	2
170	The Association between the Apolipoprotein E Gene Polymorphism and All-cause Mortality in the Korean Population. Journal of Korean Medical Science, 2019, 34, e269.	2.5	2
171	Risk factors associated with clinical outcomes of endoscopic mucosal resection for colorectal laterally spreading tumors: A Honam Association for the Study of Intestinal Diseases (HASID) multicenter study. Turkish Journal of Gastroenterology, 2019, 30, 350-356.	1.1	2
172	Restless legs syndrome in people affected by leprosy. Leprosy Review, 2012, 83, 363-369.	0.3	2
173	Carotid Atherosclerosis and Electrocardiographic Left Ventricular Hypertrophy in the General Population: The Namwon Study. Chonnam Medical Journal, 2017, 53, 153.	0.9	1
174	Serum level vitamin D and parathyroid hormone, and mortality, with or without chronic kidney disease. Journal of Bone and Mineral Metabolism, 2019, 37, 825-834.	2.7	1
175	Association betweenApolipoprotein EPolymorphism and Chronic Kidney Disease in the Korean General Population: Dong-gu Study. Korean Journal of Family Medicine, 2014, 35, 276.	1.2	1
176	Association between alcohol and bone mineral density in a Mendelian randomization study: the Dong-gu study. Journal of Bone and Mineral Metabolism, 2021, , 1.	2.7	1
177	Non-linear Relationship Between Body Mass Index and Lower Urinary Tract Symptoms in Korean Males. Journal of Preventive Medicine and Public Health, 2019, 52, 147-153.	1.9	1
178	Elevated resting heart rate is associated with increased radiographic severity of knee but not hand joints. Scientific Reports, 2021, 11, 23697.	3.3	1
179	Prognostic role of PD-L1 polymorphism according to MSI in colon cancer Journal of Clinical Oncology, 2015, 33, e14578-e14578.	1.6	0
180	Abstract 3407: FGFR4 Arg388 polymorphism is a poor prognostic factor for resected stage III colon cancer. , 2015, , .		0

#	Article	IF	CITATIONS
181	Periodontal parameters and tooth loss were associated with Creactive protein and leukocyte counts in adult population aged 50 or older. Oral Biology Research, 2017, 41, 15-22.	0.1	O
182	The Relationship between 5-year Overall Survival Rate, Socioeconomic Status and SEER Stage for Four Target Cancers of the National Cancer Screening Program in Korea: Results from the Gwangju-Jeonnam Cancer Registry. Journal of Korean Academy of Community Health Nursing, 2022, 33, 237.	0.4	0