
Palash Chandra Banik BScPT, MPhil

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8328030/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
2	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	2.8	4,468
3	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
4	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
5	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	13.7	358
6	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
7	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
8	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
9	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. Injury Prevention, 2020, 26, i83-i95.	2.4	109
10	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
11	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
12	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	27.8	71
13	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.	11.4	66
14	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	30.7	60
15	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
16	Prevalence and risk factors of COVID-19 suicidal behavior in Bangladeshi population: are healthcare professionals at greater risk?. Heliyon, 2020, 6, e05259.	3.2	44
17	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
18	Prevalence of cardiovascular disease risk factors: A community-based cross-sectional study in a peri-urban community of Kathmandu, Nepal. Indian Heart Journal, 2018, 70, S20-S27.	0.5	36

PALASH CHANDRA BANIK BSCPT,

#	Article	IF	CITATIONS
19	Risk of diabetic foot ulcer and its associated factors among Bangladeshi subjects: a multicentric cross-sectional study. BMJ Open, 2020, 10, e034058.	1.9	34
20	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e657-e669.	10.0	34
21	Diabetes knowledge and utilization of healthcare services among patients with type 2 diabetes mellitus in Dhaka, Bangladesh. BMC Health Services Research, 2017, 17, 586.	2.2	28
22	Prevalence and clustering of cardiovascular disease risk factors in rural Nepalese population aged 40–80Âyears. BMC Public Health, 2018, 18, 677.	2.9	28
23	Knowledge, Attitude, Practice, and Fear of COVID-19: an Online-Based Cross-cultural Study. International Journal of Mental Health and Addiction, 2023, 21, 1025-1040.	7.4	28
24	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	12.0	24
25	Total cardiovascular risk for next 10Âyears among rural population of Nepal using WHO/ISH risk prediction chart. BMC Research Notes, 2017, 10, 120.	1.4	21
26	Physical activity levels and associated cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. Indian Heart Journal, 2018, 70, S161-S166.	0.5	16
27	Healthâ€related quality of life and its predictors among the typeÂ2 diabetes population of Bangladesh: A nationâ€wide crossâ€sectional study. Journal of Diabetes Investigation, 2021, 12, 277-285.	2.4	14
28	Prevalence of non-communicable disease risk factors among nurses and para-health professionals working at primary healthcare level of Bangladesh: a cross-sectional study. BMJ Open, 2021, 11, e043298.	1.9	11
29	Atherogenic index of plasma and its association with cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. Indian Heart Journal, 2019, 71, 155-160.	0.5	10
30	Cardiovascular risk assessment among type-2 diabetic subjects in selected areas of Bangladesh: concordance among without cholesterol-based WHO/ISH, Globorisk, and Framingham risk prediction tools. Heliyon, 2021, 7, e07728.	3.2	7
31	Prevalence of low back pain and its associated factors among physiotherapists in Dhaka city of Bangladesh in 2016. Journal of Occupational Health and Epidemiology, 2018, 7, 70-74.	0.4	7
32	Baseline prevalence of high blood pressure and its predictors in a rural adult population of Bangladesh: Outcome from the application of WHO PEN interventions. Journal of Clinical Hypertension, 2021, 23, 2042-2052.	2.0	7
33	Concordance between two versions of world health organization/international society of hypertension risk prediction chart and framingham risk score among postmenopausal women in a rural area of Bangladesh. Indian Journal of Public Health, 2019, 63, 101.	0.6	6
34	Effectiveness of health education-based conventional intervention method to reduce noncommunicable diseases risk factors among rural population. Cardiovascular Diagnosis and Therapy, 2019, 9, 30-34.	1.7	5
35	Physical activity levels, its barriers, and associated factors among the patients with type 2 diabetes residing in the capital city of Bangladesh. Lifestyle Medicine, 2020, 1, e14.	0.8	5
36	Physicians' knowledge about palliative care in Bangladesh: A cross-sectional study using digital social media platforms. PLoS ONE, 2021, 16, e0256927.	2.5	5

#	Article	IF	CITATIONS
37	Agreement between 2017 ACC/AHA Hypertension Clinical Practice Guidelines and Seventh Report of the Joint National Committee Guidelines to Estimate Prevalence of Postmenopausal Hypertension in a Rural Area of Bangladesh: A Cross Sectional Study. Medicina (Lithuania), 2019, 55, 315.	2.0	4
38	Application of countryâ€specific Globorisk score to estimate next 10 years risk of cardiovascular diseases and its associated predictors among postmenopausal rural women of Bangladesh: A crossâ€sectional study in a primary care setting. Lifestyle Medicine, 2021, 2, e32.	0.8	4
39	Cardiovascular Risk Assessment Among Urban Population of Bangladesh Using WHO/ISH Risk Prediction Chart International Journal of Epidemiology, 2015, 44, i202-i202.	1.9	3
40	Musculoskeletal Disorders in Dentists: A Systematic Review. Update Dental College Journal, 2018, 7, 38-42.	0.1	3
41	Knowledge attitude and behaviour towards dietary salt intake among Bangladeshi medical and nonmedical undergraduate students. International Journal of Perceptions in Public Health, 2017, 2, 31-37.	0.0	3
42	Malnutrition in all its forms and associated factors affecting the nutritional status of adult rural population in Bangladesh: results from a cross-sectional survey. BMJ Open, 2021, 11, e051701.	1.9	3
43	Salt Intake Behavior Among the Faculties And Doctors of Bangladesh University of Health Sciences. Cardiovascular Journal, 2016, 8, 94-98.	0.0	2
44	Prevalence of Risk Factors of non-communicable Diseases in an Adult Population of Rural Bangladesh. Cardiovascular Journal, 2018, 10, 126-134.	0.0	2
45	Knowledge, Attitude and Practice towards Dietary Salt Intake among Nurses Working in a Cardiac Hospital in Bangladesh Sciences. Cardiovascular Journal, 2019, 12, 53-58.	0.0	2
46	Salt intake behavior among the undergraduate students of Bangladesh University of Health Sciences. Journal of Xiangya Medicine, 0, 5, 24-24.	0.2	2
47	Macronutrient intake and association with the risk factors of diabetic complications among people with type 2 diabetes. Clinical Epidemiology and Clobal Health, 2021, 10, 100667.	1.9	1
48	Associations of obesity with balance and gait among young adults in Bangladesh. Journal of Xiangya Medicine, 0, 6, 16-16.	0.2	1
49	Behavioral Risk Factors of Noncommunicable Diseases Among Medical and Nonmedical Undergraduate Students of Dhaka City, Bangladesh. International Journal of Epidemiologic Research, 2018, 5, 119-122.	0.4	1
50	Association between behavioural, metabolic risk factors of non-communicable diseases and socio-demographic factors among Bihari population in Bangladesh. International Journal of Community Medicine and Public Health, 2019, 6, 4132.	0.1	1
51	Noncommunicable disease risk factors among postgraduate students in Dhaka city, Bangladesh: a multi-centric cross-sectional study. Journal of Xiangya Medicine, 0, 6, 30-30.	0.2	1
52	Factors Associated with Chronic Kidney Disease in Patients with Type 2 Diabetes in Bangladesh. International Journal of Environmental Research and Public Health, 2021, 18, 12277.	2.6	1
53	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	1.9	1
54	Salt Intake Behaviors among Type 2 Diabetic Patients of a Tertiary Level Hospital in Dhaka City. Mymensingh Medical Journal: MMJ, 2020, 29, 162-168.	0.0	1

PALASH CHANDRA BANIK BSCPT,

#	Article	IF	CITATIONS
55	Facing the challenges of smokeless tobacco epidemic in Bangladesh. Lifestyle Medicine, 0, , .	0.8	1
56	Foot Pain among the Elderly Subjects of Dhaka City International Journal of Epidemiology, 2015, 44, i238-i239.	1.9	0
57	Prevalence of Undiagnosed Metabolic Syndrome (MS) in Bangladesh: A Comparative Study of Different Recommendations International Journal of Epidemiology, 2015, 44, i269-i270.	1.9	0
58	LBPS 03-18 PREVALENCE OF HYPERTENSION AMONG URBAN AND RURAL TYPE 2 DIABETIC SUBJECTS IN BANGLADESH. Journal of Hypertension, 2016, 34, e529.	0.5	0
59	A11543 One dollar model intervention for detection and treatment of hypertension among the rural population of Eklaspur village in Bangladesh. Journal of Hypertension, 2018, 36, e317.	0.5	0
60	A11551 Postmenopausal hypertension and its association with cardiovascular disease risk in a rural area of Bangladesh. Journal of Hypertension, 2018, 36, e200.	0.5	0
61	A2693 Variation of blood pressure with nature of job among Bangladeshi subjects. Journal of Hypertension, 2018, 36, e283.	0.5	0
62	A11589 Knowledge, Attitudes and Practices on Tobacco among adults attending Outpatient Departments of Public Hospitals in Bangladesh. Journal of Hypertension, 2018, 36, e318.	0.5	0
63	Peripheral neuropathy among Bangladeshi Type 2 diabetic subjects. Journal of the Neurological Sciences, 2019, 405, 261.	0.6	0
64	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	1.6	0
65	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	1.6	0
66	'HYPERTENSION PREVALENCE, AWARENESS, TREATMENT AND CONTROL STATUS AMONG THE HEALTHCARE PROVIDERS OF BANGLADESH WORKING AT PRIMARY HEALTH CARE LEVEL. Journal of Hypertension, 2021, 39, e126-e127.	0.5	0
67	Knowledge attitude and practices towards chronic kidney disease among type-2 diabetic patients in Bangladesh. International Journal of Health Education, 2021, 5, .	0.1	0
68	Noncommunicable disease risk factors among the trainee doctors of a tertiary level diabetes hospital in Bangladesh. Lifestyle Medicine, 2021, 2, e45.	0.8	0
69	Peer Review of "Risk Factors of SARS-CoV-2 Infection: Global Epidemiological Studyâ€+ Jmirx Med, 2021, 2, e31927.	0.4	0
70	Functional outcomes of Ponseti method among children with congenital clubfoot: a healthcare facility-based longitudinal study. Journal of Xiangya Medicine, 0, .	0.2	0
71	Prevalence of Behavioral Risk Factors of Noncommunicable Diseases in a Rural Population of Bangladesh. Austin Journal of Public Health and Epidemiology, 2017, 4, .	0.0	0
72	Growing Pain Among Bangladeshi Children: Urban and Rural Settings. Acta Scientific Paediatrics, 2020, 3, 01-05.	0.1	0

#	Article	IF	CITATIONS
73	Overweight and obesity among the urban and rural type 2 diabetic subjects in Bangladesh. Journal of Xiangya Medicine, 0, 5, 37-37.	0.2	Ο
74	Iron Deficiency, Ferritin and Total Iron Binding Capacity Among Bangladeshi Children: Urban and Rural Settings. Acta Scientifci Nutritional Health, 2020, 4, 01-05.	0.1	0
75	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	1.6	Ο
76	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	1.9	0
77	Awareness and social attitude towards COVID-19 in Bangladeshi population. Journal of Xiangya Medicine, 0, 6, 29-29.	0.2	0