

Ron Cornelis Hoogeveen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8329727/publications.pdf>

Version: 2024-02-01

239
papers

14,158
citations

28274

55
h-index

22832

112
g-index

240
all docs

240
docs citations

240
times ranked

21043
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Triglyceride-rich lipoproteins, apolipoprotein C-III, angiopoietin-like protein 3, and cardiovascular events in older adults: Atherosclerosis Risk in Communities (ARIC) study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e53-e64. | 1.8 | 15 |
| 2 | Obesity, Galectin-3, and Incident Heart Failure: The ARIC Study. <i>Journal of the American Heart Association</i> , 2022, 11, e023238. | 3.7 | 8 |
| 3 | Midlife determinants of healthy cardiovascular aging: The Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2022, 350, 82-89. | 0.8 | 3 |
| 4 | Lipoprotein(a) and Subclinical Vascular and Valvular Calcification on Cardiac Computed Tomography: The Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2022, 11, . | 3.7 | 19 |
| 5 | Growth Differentiation Factor 15 and the Subsequent Risk of Atrial Fibrillation: The Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , 2022, 68, 1084-1093. | 3.2 | 3 |
| 6 | Oxidative Stress and Menopausal Status: The Coronary Artery Risk Development in Young Adults Cohort Study. <i>Journal of Women's Health</i> , 2022, 31, 1057-1065. | 3.3 | 2 |
| 7 | High-sensitivity Cardiac Troponin I for Risk Stratification in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 986-994. | 2.6 | 11 |
| 8 | Association of Circulating Monocyte Chemoattractant Protein-1 Levels With Cardiovascular Mortality. <i>JAMA Cardiology</i> , 2021, 6, 587. | 6.1 | 35 |
| 9 | Residual Cardiovascular Risk at Low LDL: Remnants, Lipoprotein(a), and Inflammation. <i>Clinical Chemistry</i> , 2021, 67, 143-153. | 3.2 | 120 |
| 10 | Association of NT-ProBNP, Blood Pressure, and Cardiovascular Events. <i>Journal of the American College of Cardiology</i> , 2021, 77, 559-571. | 2.8 | 31 |
| 11 | Low Liver Enzymes and Risk of Dementia: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1775-1784. | 2.6 | 21 |
| 12 | Growth Differentiation Factor (GDF)-15 and Cardiometabolic Outcomes among Older Adults: The Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , 2021, 67, 653-661. | 3.2 | 19 |
| 13 | Conventional and Novel Lipid Measures and Risk of Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1229-1238. | 2.4 | 19 |
| 14 | Cyclic guanosine monophosphate and 10-year change in left ventricular mass: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Biomarkers</i> , 2021, 26, 309-317. | 1.9 | 3 |
| 15 | Soluble Angiotensin-Converting Enzyme 2, Cardiac Biomarkers, Structure, and Function, and Cardiovascular Events (from the Atherosclerosis Risk in Communities Study). <i>American Journal of Cardiology</i> , 2021, 146, 15-21. | 1.6 | 8 |
| 16 | Large-scale plasma proteomic analysis identifies proteins and pathways associated with dementia risk. <i>Nature Aging</i> , 2021, 1, 473-489. | 11.6 | 69 |
| 17 | Abstract 903: Circulating inflammatory proteins associated with mortality from causes other than the index cancer in older adult cancer survivors in the atherosclerosis risk in communities study. , 2021, , . | | 0 |
| 18 | Association between circulating Galectin-3 and arterial stiffness in older adults. <i>Vasa - European Journal of Vascular Medicine</i> , 2021, 50, 439-445. | 1.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | 6-year change in high sensitivity cardiac troponin T and the risk of atrial fibrillation in the Atherosclerosis Risk in Communities cohort. <i>Clinical Cardiology</i> , 2021, 44, 1594-1601. | 1.8 | 4 |
| 20 | Polygenic Risk Scores for Kidney Function and Their Associations with Circulating Proteome, and Incident Kidney Diseases. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3161-3173. | 6.1 | 27 |
| 21 | High-Sensitivity Cardiac Troponin, Natriuretic Peptide, and Long-Term Risk of Acute Kidney Injury: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Clinical Chemistry</i> , 2021, 67, 298-307. | 3.2 | 4 |
| 22 | Identification of Functional Genetic Determinants of Cardiac Troponin T and I in a Multiethnic Population and Causal Associations With Atrial Fibrillation. <i>Circulation Genomic and Precision Medicine</i> , 2021, 14, CIRCGEN121003460. | 3.6 | 5 |
| 23 | The Fifth-Generation Cardiac Troponin T and Cardiovascular Disease in the Community. <i>Journal of the American College of Cardiology</i> , 2021, 78, 2019-2021. | 2.8 | 1 |
| 24 | Replacing Saturated Fat With Unsaturated Fat in Western Diet Reduces Foamy Monocytes and Atherosclerosis in Male <i>Ldlr</i> ^{-/-} Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 72-85. | 2.4 | 20 |
| 25 | Plasma Dehydroepiandrosterone Sulfate and Cardiovascular Disease Risk in Older Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4304-e4327. | 3.6 | 19 |
| 26 | Association of mid-life serum lipid levels with late-life brain volumes: The atherosclerosis risk in communities neurocognitive study (ARIC NCS). <i>NeuroImage</i> , 2020, 223, 117324. | 4.2 | 5 |
| 27 | Lipoprotein(a) and Family History Predict Cardiovascular Disease Risk. <i>Journal of the American College of Cardiology</i> , 2020, 76, 781-793. | 2.8 | 48 |
| 28 | Sex Hormones and Incident Heart Failure in Men and Postmenopausal Women: The Atherosclerosis Risk in Communities Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3798-e3807. | 3.6 | 39 |
| 29 | Fibrosis and Inflammatory Markers and Long-Term Risk of Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2322-2331. | 2.4 | 27 |
| 30 | High-Sensitivity Cardiac Troponin I and T for Cardiovascular Risk Stratification in Adults With Diabetes. <i>Diabetes Care</i> , 2020, 43, e144-e146. | 8.6 | 14 |
| 31 | Associations of 1,5-Anhydroglucitol and 2-Hour Glucose with Major Clinical Outcomes in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Journal of Applied Laboratory Medicine</i> , 2020, 5, 1296-1306. | 1.3 | 3 |
| 32 | Performance of High-Sensitivity Cardiac Troponin Assays to Reflect Comorbidity Burden and Improve Mortality Risk Stratification in Older Adults With Diabetes. <i>Diabetes Care</i> , 2020, 43, 1200-1208. | 8.6 | 25 |
| 33 | Cardiac Biomarkers and Subsequent Risk of Hospitalization With Bleeding in the Community: Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013560. | 3.7 | 6 |
| 34 | Levels and Change in Galectin-3 and Association With Cardiovascular Events: The ARIC Study. <i>Journal of the American Heart Association</i> , 2020, 9, e015405. | 3.7 | 15 |
| 35 | Association of Isolated Diastolic Hypertension as Defined by the 2017 ACC/AHA Blood Pressure Guideline With Incident Cardiovascular Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 329. | 7.4 | 103 |
| 36 | Abstract P194: Proteomic Analysis of Cardiac Troponin I And T in Older Adults Without Cardiovascular Disease. <i>Circulation</i> , 2020, 141, . | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Abstract MP33: Association of Cardiac Troponin T and Troponin I With Peripheral Neuropathy in Older Adults: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2020, 141, . | 1.6 | 0 |
| 38 | Abstract 15265: Trace or Mild Valvular Heart Disease With Cardiac Remodeling, Damage, and Overload in Older Adults: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2020, 142, . | 1.6 | 0 |
| 39 | The Association of Biomarkers of Inflammation and Extracellular Matrix Degradation With the Risk of Abdominal Aortic Aneurysm: The ARIC Study. <i>Angiology</i> , 2019, 70, 130-140. | 1.8 | 18 |
| 40 | High-Sensitive Troponin T, Natriuretic Peptide, and Cognitive Change. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2353-2361. | 2.6 | 7 |
| 41 | Circulating Monocyte Chemoattractant Protein-1 and Risk of Stroke. <i>Circulation Research</i> , 2019, 125, 773-782. | 4.5 | 78 |
| 42 | Premorbid levels of high-sensitivity cardiac troponin T and natriuretic peptide and prognosis after incident myocardial infarction. <i>American Heart Journal</i> , 2019, 216, 62-73. | 2.7 | 4 |
| 43 | Associations of High-Sensitivity Cardiac Troponin and Natriuretic Peptide With Subsequent Risk of Infection in Persons Without Cardiovascular Disease: The Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2019, 188, 2146-2155. | 3.4 | 4 |
| 44 | Relation of Isolated Systolic Hypertension and Pulse Pressure to High-Sensitivity Cardiac Troponin-T and N-Terminal pro-B-Type Natriuretic Peptide in Older Adults (from the Atherosclerosis Risk in Communities Study). <i>Journal of the American Heart Association</i> , 2019, 8, e010868. | 3.7 | 15 |
| 45 | ApoB, small-dense LDL-C, Lp(a), LpPLA ₂ activity, and cognitive change. <i>Neurology</i> , 2019, 92, e2580-e2593. | 1.1 | 19 |
| 46 | High-Sensitivity Troponin I and Incident Coronary Events, Stroke, Heart Failure Hospitalization, and Mortality in the ARIC Study. <i>Circulation</i> , 2019, 139, 2642-2653. | 1.6 | 155 |
| 47 | Central and peripheral pulse wave velocity and subclinical myocardial stress and damage in older adults. <i>PLoS ONE</i> , 2019, 14, e0212892. | 2.5 | 16 |
| 48 | NT-proBNP as a Mediator of the Racial Difference in Incident Atrial Fibrillation and Heart Failure. <i>Journal of the American Heart Association</i> , 2019, 8, e010868. | 3.7 | 15 |
| 49 | Reproducibility and Variability of Protein Analytes Measured Using a Multiplexed Modified Aptamer Assay. <i>Journal of Applied Laboratory Medicine</i> , 2019, 4, 30-39. | 1.3 | 61 |
| 50 | Cancer Survivorship and Subclinical Myocardial Damage. <i>American Journal of Epidemiology</i> , 2019, 188, 2188-2195. | 3.4 | 8 |
| 51 | Response by Jia et al to Letter Regarding Article, "High-Sensitivity Troponin I and Incident Coronary Events, Stroke, Heart Failure Hospitalization, and Mortality in the ARIC Study." <i>Circulation</i> , 2019, 140, e772-e773. | 1.6 | 3 |
| 52 | Relationship of extracellular volume assessed on cardiac magnetic resonance and serum cardiac troponins and natriuretic peptides with heart failure outcomes. <i>Scientific Reports</i> , 2019, 9, 20168. | 3.3 | 10 |
| 53 | Associations Between the Cyclic Guanosine Monophosphate Pathway and Cardiovascular Risk Factors: The MESA Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013149. | 3.7 | 17 |
| 54 | Lab Standards. , 2019, , 1-10. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Lipoprotein(a) levels and risk of cardiovascular disease events in individuals with diabetes mellitus or prediabetes: The Atherosclerosis Risk in Communities study. <i>Atherosclerosis</i> , 2019, 282, 52-56. | 0.8 | 44 |
| 56 | Abstract P021: Cardiac Biomarkers, Electrolytes, and Anemia with Arrhythmias over Two Weeks in Chronic Kidney Disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2019, 139, . | 1.6 | 0 |
| 57 | Abstract P036: Association Between Circulating Galectin-3 and Arterial Stiffness in the Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 2019, 139, . | 1.6 | 0 |
| 58 | Abstract P151: Plasma Cyclic Guanosine Monophosphate (cGMP) and Heart Failure With Preserved Ejection Fraction: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2019, 139, . | 1.6 | 0 |
| 59 | A prospective study of soluble receptor for advanced glycation end products and adipokines in association with pancreatic cancer in postmenopausal women. <i>Cancer Medicine</i> , 2018, 7, 2180-2191. | 2.8 | 13 |
| 60 | Usefulness of Lipoprotein-Associated Phospholipase A2 Activity and C-Reactive Protein in Identifying High-Risk Smokers for Atherosclerotic Cardiovascular Disease (from the Atherosclerosis Risk in Communities Study). <i>Journal of the American College of Cardiology</i> , 2018, 71, 2527-2536. | 2.8 | 13 |
| 61 | Relation of Lifestyle Factors and Life's Simple 7 Score to Temporal Reduction in Troponin Levels Measured by a High-Sensitivity Assay (from the Atherosclerosis Risk in Communities Study). <i>American Journal of Cardiology</i> , 2018, 121, 430-436. | 1.6 | 12 |
| 62 | Association of lipoprotein-associated phospholipase A2 and risk of incident atrial fibrillation: Findings from 3 cohorts. <i>American Heart Journal</i> , 2018, 197, 62-69. | 2.7 | 6 |
| 63 | Traditional and nontraditional glycemic markers and risk of peripheral artery disease: The Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2018, 274, 86-93. | 0.8 | 20 |
| 64 | The association of mid-to late-life systemic inflammation with white matter structure in older adults: The Atherosclerosis Risk in Communities Study. <i>Neurobiology of Aging</i> , 2018, 68, 26-33. | 3.1 | 59 |
| 65 | Short-Term Global Cardiovascular Disease Risk Prediction in Older Adults. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2527-2536. | 2.8 | 56 |
| 66 | High-sensitivity cardiac troponin and natriuretic peptide with risk of lower-extremity peripheral artery disease: the Atherosclerosis Risk in Communities (ARIC) Study. <i>European Heart Journal</i> , 2018, 39, 2412-2419. | 2.2 | 46 |
| 67 | Plasma galectin-3 levels are associated with the risk of incident chronic kidney disease. <i>Kidney International</i> , 2018, 93, 252-259. | 5.2 | 53 |
| 68 | Lipoprotein-associated phospholipase A2 and risk of incident peripheral arterial disease: Findings from The Atherosclerosis Risk in Communities study (ARIC). <i>Atherosclerosis</i> , 2018, 268, 12-18. | 0.8 | 13 |
| 69 | Prospective Study of Endogenous Hormones and Incidence of Venous Thromboembolism: The Atherosclerosis Risk in Communities Study. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1940-1950. | 3.4 | 17 |
| 70 | Diagnostic Performance of 1,5-Anhydroglucitol Compared to 2-H Glucose in the Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , 2018, 64, 1536-1537. | 3.2 | 3 |
| 71 | Remnant-Like Particle Cholesterol, Low-Density Lipoprotein Triglycerides, and Incident Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2018, 72, 156-169. | 2.8 | 124 |
| 72 | Anti-Hypertensive Medication Use, Soluble Receptor for Glycation End Products and Risk of Pancreatic Cancer in the Women's Health Initiative Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 197. | 2.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Longitudinal increases in blood biomarkers of inflammation or cardiovascular disease and the incidence of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 1964-1972. | 3.8 | 9 |
| 74 | Association of N-terminal pro B-type natriuretic peptide (NT-proBNP) change with the risk of atrial fibrillation in the ARIC cohort. <i>American Heart Journal</i> , 2018, 204, 119-127. | 2.7 | 17 |
| 75 | Abstract P364: Baseline and Change in Blood Pressure Are Associated With Central Arterial Stiffening and Pressure Pulsatility in Older Adults: The Atherosclerosis Risk in Communities Study - Neurocognitive Study (ARIC-NCS). <i>Circulation</i> , 2018, 137, . | 1.6 | 0 |
| 76 | Abstract P048: Segment-Specific Pulse Wave Velocity and Subclinical Cardiac Overload and Damage in Older Adults: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2018, 137, . | 1.6 | 0 |
| 77 | Abstract MP17: Galectin-3 and Subsequent Risk of Lower-extremity Peripheral Artery Disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2018, 137, . | 1.6 | 0 |
| 78 | Abstract 598: Monounsaturated Fat Reduces Foamy Monocyte Formation and Atherosclerosis Development in Ldlr ^{-/-} Mice Compared to Western High Saturated Fat Diet. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, . | 2.4 | 0 |
| 79 | Myocardial Injury, Obesity, and the Obesity Paradox. <i>JACC: Heart Failure</i> , 2017, 5, 56-63. | 4.1 | 19 |
| 80 | Postprandial lipemia and the risk of coronary heart disease and stroke: the Atherosclerosis Risk in Communities (ARIC) Study. <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000335. | 2.8 | 16 |
| 81 | Association between high-sensitivity troponin T and cardiovascular risk in individuals with and without metabolic syndrome: The ARIC study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 628-638. | 1.8 | 17 |
| 82 | Circulating ceruloplasmin, ceruloplasmin-associated genes, and the incidence of atrial fibrillation in the atherosclerosis risk in communities study. <i>International Journal of Cardiology</i> , 2017, 241, 223-228. | 1.7 | 6 |
| 83 | The association of lipoprotein(a) with incident heart failure hospitalization: Atherosclerosis Risk in Communities study. <i>Atherosclerosis</i> , 2017, 262, 131-137. | 0.8 | 29 |
| 84 | Detection of genetic loci associated with plasma fetuin-A: a meta-analysis of genome-wide association studies from the CHARGE Consortium. <i>Human Molecular Genetics</i> , 2017, 26, 2156-2163. | 2.9 | 13 |
| 85 | Midlife systemic inflammatory markers are associated with late-life brain volume. <i>Neurology</i> , 2017, 89, 2262-2270. | 1.1 | 97 |
| 86 | Galectin-3 and incidence of atrial fibrillation: The Atherosclerosis Risk in Communities (ARIC) study. <i>American Heart Journal</i> , 2017, 192, 19-25. | 2.7 | 41 |
| 87 | Association of High-Density Lipoprotein Cholesterol Versus Apolipoprotein A-I With Risk of Coronary Heart Disease: The European Prospective Investigation Into Cancer-Norfolk Prospective Population Study, the Atherosclerosis Risk in Communities Study, and the Women's Health Study. <i>Journal of the American Heart Association</i> , 2017, 6, . | 3.7 | 13 |
| 88 | Associations of Lipoprotein(a) Levels With Incident Atrial Fibrillation and Ischemic Stroke: The ARIC (Atherosclerosis Risk in Communities) Study. <i>Journal of the American Heart Association</i> , 2017, 6, . | 3.7 | 39 |
| 89 | Galectin-3 and venous thromboembolism incidence: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2017, 1, 223-230. | 2.3 | 15 |
| 90 | Midlife Systemic Inflammation, Late-Life White Matter Integrity, and Cerebral Small Vessel Disease. <i>Stroke</i> , 2017, 48, 3196-3202. | 2.0 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Lipoprotein(a) and coronary atheroma progression rates during long-term high-intensity statin therapy: Insights from SATURN. <i>Atherosclerosis</i> , 2017, 263, 137-144. | 0.8 | 35 |
| 92 | Abstract P249: Hemostatic Factors and Long-Term Risk of Peripheral Arterial Disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 93 | Abstract P248: Glycemic Markers and Risk of Peripheral Artery Disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 94 | Abstract MP012: Plasma Galectin-3 Levels and Subsequent Risk of Incident Chronic Kidney Disease. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 95 | Abstract P034: Comparison of the Prognostic Value of 1,5-anhydroglucitol (1,5-AG) and the Oral Glucose Tolerance Test (OGTT) in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 96 | Abstract 193: Remnant-Like Particle Cholesterol, Low-Density Lipoprotein Triglyceride and Incident Cardiovascular Disease in the Atherosclerosis Risk in Communities Study: Can Genetic Variants Provide New Insights on Triglycerides and Atherogenic Lipoproteins?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, . | 2.4 | 0 |
| 97 | Abstract MP018: Performance of 1,5-anhydroglucitol Compared to the Oral Glucose Tolerance Test and Fasting Glucose for Identification of Diabetes in the Community. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 98 | Abstract MP007: Higher Plasma Galectin-3 is Associated With Increased Incidence of Atrial Fibrillation: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 99 | Abstract MP011: Cardiac Markers and Risk for Hospitalization with Infection: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2017, 135, . | 1.6 | 0 |
| 100 | A genetic risk score is associated with statin-induced low-density lipoprotein cholesterol lowering. <i>Pharmacogenomics</i> , 2016, 17, 583-591. | 1.3 | 9 |
| 101 | Plasma Levels of Endothelial Microparticles Bearing Monomeric C-reactive Protein are Increased in Peripheral Artery Disease. <i>Journal of Cardiovascular Translational Research</i> , 2016, 9, 184-193. | 2.4 | 45 |
| 102 | Diastolic Blood Pressure, Subclinical Myocardial Damage, and Cardiac Events. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1713-1722. | 2.8 | 269 |
| 103 | Natriuretic peptides and integrated risk assessment for cardiovascular disease: an individual-participant-data meta-analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 840-849. | 11.4 | 159 |
| 104 | Postprandial Monocyte Activation in Individuals With Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4195-4204. | 3.6 | 39 |
| 105 | Severe Hypoglycemia and Elevated High-Sensitivity Cardiac Troponin T in Older Adults With Diabetes. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1370-1371. | 2.8 | 15 |
| 106 | Biomarkers and degree of atherosclerosis are independently associated with incident atherosclerotic cardiovascular disease in a primary prevention cohort: The ARIC study. <i>Atherosclerosis</i> , 2016, 253, 156-163. | 0.8 | 15 |
| 107 | The Association of Socioeconomic Status With Subclinical Myocardial Damage, Incident Cardiovascular Events, and Mortality in the ARIC Study. <i>American Journal of Epidemiology</i> , 2016, 183, 452-461. | 3.4 | 31 |
| 108 | Determinants of minimal elevation in high-sensitivity cardiac troponin T in the general population. <i>Clinical Biochemistry</i> , 2016, 49, 657-662. | 1.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Lipids, obesity and gallbladder disease in women: insights from genetic studies using the cardiovascular gene-centric 50K SNP array. <i>European Journal of Human Genetics</i> , 2016, 24, 106-112. | 2.8 | 23 |
| 110 | Causal Role of Alcohol Consumption in an Improved Lipid Profile: The Atherosclerosis Risk in Communities (ARIC) Study. <i>PLoS ONE</i> , 2016, 11, e0148765. | 2.5 | 57 |
| 111 | Abstract MP47: Associations Between Novel Biomarkers and Risk of Abdominal Aortic Aneurysm: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2016, 133, . | 1.6 | 0 |
| 112 | Abstract 623: Effect of High-intensity Statin Therapy on High-density Lipoprotein (HDL) Subfractions and Regression of Coronary Atheroma: The SATURN Trial. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, . | 2.4 | 0 |
| 113 | Improving Adiponectin Levels in Individuals With Diabetes and Obesity: Insights From Look AHEAD. <i>Diabetes Care</i> , 2015, 38, 1544-1550. | 8.6 | 25 |
| 114 | Racial Differences in Circulating Natriuretic Peptide Levels: The Atherosclerosis Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2015, 4, . | 3.7 | 53 |
| 115 | Soluble receptor for advanced glycation end products and the risk for incident heart failure: The Atherosclerosis Risk in Communities Study. <i>American Heart Journal</i> , 2015, 170, 961-967. | 2.7 | 38 |
| 116 | Association of plasma levels of soluble receptor for advanced glycation end products and risk of kidney disease: the Atherosclerosis Risk in Communities study. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 77-83. | 0.7 | 32 |
| 117 | sRAGE, inflammation, and risk of atrial fibrillation: results from the Atherosclerosis Risk in Communities (ARIC) Study. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 180-185. | 2.3 | 22 |
| 118 | Association of High-Sensitivity Cardiac Troponin T and Natriuretic Peptide With Incident ESRD: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 550-558. | 1.9 | 16 |
| 119 | Plasma Lactate and Incident Hypertension in the Atherosclerosis Risk in Communities Study. <i>American Journal of Hypertension</i> , 2015, 28, 216-224. | 2.0 | 43 |
| 120 | Lipoprotein associated phospholipase A2 activity, apolipoprotein C3 loss-of-function variants and cardiovascular disease: The Atherosclerosis Risk In Communities Study. <i>Atherosclerosis</i> , 2015, 241, 641-648. | 0.8 | 16 |
| 121 | Patterns and determinants of temporal change in high-sensitivity cardiac troponin-T: The Atherosclerosis Risk in Communities Cohort Study. <i>International Journal of Cardiology</i> , 2015, 187, 651-657. | 1.7 | 36 |
| 122 | Mendelian randomization of blood lipids for coronary heart disease. <i>European Heart Journal</i> , 2015, 36, 539-550. | 2.2 | 567 |
| 123 | Recalibration of Blood Analytes over 25 Years in the Atherosclerosis Risk in Communities Study: Impact of Recalibration on Chronic Kidney Disease Prevalence and Incidence. <i>Clinical Chemistry</i> , 2015, 61, 938-947. | 3.2 | 71 |
| 124 | N-Terminal Pro-Brain Natriuretic Peptide (NT-proBNP) and Risk of Hypertension in the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Hypertension</i> , 2015, 28, 1262-1266. | 2.0 | 30 |
| 125 | The association of liver enzymes with biomarkers of subclinical myocardial damage and structural heart disease. <i>Journal of Hepatology</i> , 2015, 62, 841-847. | 3.7 | 37 |
| 126 | High-Sensitivity Troponin T and Cardiovascular Events in Systolic Blood Pressure Categories. <i>Hypertension</i> , 2015, 65, 78-84. | 2.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | High-sensitivity cardiac troponin T and the risk of incident atrial fibrillation: The Atherosclerosis Risk in Communities (ARIC) study. <i>American Heart Journal</i> , 2015, 169, 31-38.e3. | 2.7 | 59 |
| 128 | Abstract P244: Combined Measures of Total and Abdominal Adiposity and the Likelihood of Subclinical Myocardial Damage. <i>Circulation</i> , 2015, 131, . | 1.6 | 0 |
| 129 | Abstract MP47: The Association of Socioeconomic Status with Subclinical Myocardial Damage. <i>Circulation</i> , 2015, 131, . | 1.6 | 0 |
| 130 | Abstract 276: Postprandial Effects on Monocyte Phenotype in Obese Humans With Metabolic Syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, . | 2.4 | 0 |
| 131 | High-sensitivity cardiac troponin T and cognitive function and dementia risk: the atherosclerosis risk in communities study. <i>European Heart Journal</i> , 2014, 35, 1817-1824. | 2.2 | 37 |
| 132 | B-type natriuretic peptide and C-reactive protein in the prediction of atrial fibrillation risk: the CHARGE-AF Consortium of community-based cohort studies. <i>Europace</i> , 2014, 16, 1426-1433. | 1.7 | 144 |
| 133 | Apolipoproteins do not add prognostic information beyond lipoprotein cholesterol measures among individuals with obesity and insulin resistance syndromes: the ARIC study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 866-875. | 1.8 | 18 |
| 134 | The Influence of an Obesogenic Diet on Oxysterol Metabolism in C57BL/6J Mice. <i>Cholesterol</i> , 2014, 2014, 1-11. | 1.6 | 30 |
| 135 | Efficacy, safety and effect on biomarkers related to cholesterol and lipoprotein metabolism of rosuvastatin 10 or 20Âmg plus ezetimibe 10Âmg vs. simvastatin 40 or 80Âmg plus ezetimibe 10Âmg in high-risk patients: Results of the GRAVITY randomized study. <i>Atherosclerosis</i> , 2014, 232, 86-93. | 0.8 | 40 |
| 136 | Three-year variability in plasma concentrations of the soluble receptor for advanced glycation end products (sRAGE). <i>Clinical Biochemistry</i> , 2014, 47, 132-134. | 1.9 | 17 |
| 137 | Obesity, Subclinical Myocardial Injury, and Incident Heart Failure. <i>JACC: Heart Failure</i> , 2014, 2, 600-607. | 4.1 | 81 |
| 138 | Small Dense Low-Density Lipoprotein-Cholesterol Concentrations Predict Risk for Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1069-1077. | 2.4 | 386 |
| 139 | Diabetes Mellitus, Prediabetes, and Incidence of Subclinical Myocardial Damage. <i>Circulation</i> , 2014, 130, 1374-1382. | 1.6 | 174 |
| 140 | Association between lipoprotein associated phospholipase A2 mass and subclinical coronary and carotid atherosclerosis in Retired National Football League players. <i>Atherosclerosis</i> , 2014, 236, 251-256. | 0.8 | 8 |
| 141 | Cardiac and Kidney Markers for Cardiovascular Prediction in Individuals With Chronic Kidney Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1770-1777. | 2.4 | 57 |
| 142 | Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014, 349, g4164-g4164. | 6.0 | 528 |
| 143 | Circulating levels of liver enzymes and incidence of atrial fibrillation: the Atherosclerosis Risk in Communities cohort. <i>Heart</i> , 2014, 100, 1511-1516. | 2.9 | 83 |
| 144 | Age- and Sex-Dependent Upper Reference Limits for the High-Sensitivity Cardiac Troponin T Assay. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1441-1448. | 2.8 | 303 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Causal Effects of Body Mass Index on Cardiometabolic Traits and Events: A Mendelian Randomization Analysis. <i>American Journal of Human Genetics</i> , 2014, 94, 198-208. | 6.2 | 199 |
| 146 | LDL and HDL Subfractions, Dysfunctional HDL: Treatment Options. <i>Current Pharmaceutical Design</i> , 2014, 20, 6249-6255. | 1.9 | 18 |
| 147 | Abstract P018: Calibration of Analytes Over Twenty-Five Years in the Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 2014, 129, . | 1.6 | 3 |
| 148 | Abstract MP13: N-Terminal Pro-Brain Natriuretic Peptide (NT-proBNP) and Risk of Hypertension in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2014, 129, . | 1.6 | 0 |
| 149 | Abstract 16: Diabetes, Pre-diabetes, and Progression of Subclinical Myocardial Damage. <i>Circulation</i> , 2014, 129, . | 1.6 | 0 |
| 150 | Abstract P010: Cardiac Risk Factors and 6-Year Change in high-sensitivity Cardiac Troponin-T.. <i>Circulation</i> , 2014, 129, . | 1.6 | 0 |
| 151 | Abstract MP87: Circulating sRAGE Levels And The Risk Of Heart Failure. <i>Circulation</i> , 2014, 129, . | 1.6 | 0 |
| 152 | Abstract 12777: High Sensitivity Troponin T is Associated With Increased Heart Failure Risk in Metabolic Syndrome in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2014, 130, . | 1.6 | 0 |
| 153 | Abstract 66: Small Dense LDL Cholesterol Predicts Incident Diabetes Mellitus: The Atherosclerosis Risk in Communities Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, . | 2.4 | 0 |
| 154 | Genome-wide association study identified the human leukocyte antigen region as a novel locus for plasma beta-2 microglobulin. <i>Human Genetics</i> , 2013, 132, 619-627. | 3.8 | 13 |
| 155 | The Effect of Lipid Modification on Peripheral Artery Disease after Endovascular Intervention Trial (ELIMIT). <i>Atherosclerosis</i> , 2013, 231, 371-377. | 0.8 | 31 |
| 156 | Troponin T and N-Terminal Pro- β -Type Natriuretic Peptide: A Biomarker Approach to Predict Heart Failure Risk- The Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , 2013, 59, 1802-1810. | 3.2 | 82 |
| 157 | Lipoprotein-associated phospholipase A2 and venous thromboembolism: A prospective study. <i>Thrombosis Research</i> , 2013, 132, 44-46. | 1.7 | 2 |
| 158 | Estimated plasma stearoyl co-A desaturase-1 activity and risk of incident diabetes: The Atherosclerosis Risk in Communities (ARIC) study. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 100-108. | 3.4 | 23 |
| 159 | Altered relationship of plasma triglycerides to HDL cholesterol in patients with HIV/HAART-associated dyslipidemia: Further evidence for a unique form of Metabolic Syndrome in HIV patients. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1014-1020. | 3.4 | 29 |
| 160 | sRAGE and Risk of Diabetes, Cardiovascular Disease, and Death. <i>Diabetes</i> , 2013, 62, 2116-2121. | 0.6 | 146 |
| 161 | Genome-wide significant locus of beta-trace protein, a novel kidney function biomarker, identified in European and African Americans. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1497-1504. | 0.7 | 22 |
| 162 | Cardiovascular Biomarkers and Subclinical Brain Disease in the Atherosclerosis Risk in Communities Study. <i>Stroke</i> , 2013, 44, 1803-1808. | 2.0 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Elevated High-Sensitivity C-Reactive Protein as a Risk Marker of the Attenuated Relationship Between Serum Cholesterol and Cardiovascular Events at Older Age. <i>American Journal of Epidemiology</i> , 2013, 178, 1076-1084. | 3.4 | 31 |
| 164 | Association of Genome-Wide Variation With Highly Sensitive Cardiac Troponin-T Levels in European Americans and Blacks. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 82-88. | 5.1 | 24 |
| 165 | Combined Association of Creatinine, Albuminuria, and Cystatin C with All-Cause Mortality and Cardiovascular and Kidney Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 434-442. | 4.5 | 36 |
| 166 | Novel Risk Factors and the Prediction of Type 2 Diabetes in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Diabetes Care</i> , 2013, 36, 70-76. | 8.6 | 38 |
| 167 | The Association of Plasma Lactate With Incident Cardiovascular Outcomes. <i>American Journal of Epidemiology</i> , 2013, 178, 401-409. | 3.4 | 33 |
| 168 | NH 2 -Terminal Pro-Brain Natriuretic Peptide and Risk of Diabetes. <i>Diabetes</i> , 2013, 62, 3189-3193. | 0.6 | 86 |
| 169 | Lifestyle intervention and/or statins for the reduction of C-reactive protein in type 2 diabetes: From the look AHEAD study. <i>Obesity</i> , 2013, 21, 944-950. | 3.0 | 51 |
| 170 | Ceruloplasmin and Heart Failure in the Atherosclerosis Risk in Communities Study. <i>Circulation: Heart Failure</i> , 2013, 6, 936-943. | 3.9 | 46 |
| 171 | Lactate and Risk of Incident Diabetes in a Case-Cohort of the Atherosclerosis Risk in Communities (ARIC) Study. <i>PLoS ONE</i> , 2013, 8, e55113. | 2.5 | 53 |
| 172 | Novel Association between Plasma Matrix Metalloproteinase-9 and Risk of Incident Atrial Fibrillation in a Case-Cohort Study: The Atherosclerosis Risk in Communities Study. <i>PLoS ONE</i> , 2013, 8, e59052. | 2.5 | 38 |
| 173 | The Impact of Rapid Weight Loss on Oxidative Stress Markers and the Expression of the Metabolic Syndrome in Obese Individuals. <i>Journal of Obesity</i> , 2013, 2013, 1-10. | 2.7 | 36 |
| 174 | Abstract MP26: Highly Sensitive Cardiac Troponin T is Associated with Cognitive Function and Incidence of Dementia. <i>Circulation</i> , 2013, 127, . | 1.6 | 0 |
| 175 | Abstract MP27: Cardiovascular Biomarkers and MRI-defined Small Vessel Disease of the Brain in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2013, 127, . | 1.6 | 0 |
| 176 | Abstract MP11: Elevated High Sensitivity C-Reactive Protein as a Risk Marker of the Attenuated Relationship Between Serum Cholesterol and Coronary Heart Disease at Older Age - Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 2013, 127, . | 1.6 | 0 |
| 177 | Abstract 18: The Effect of Lipid Modification on Peripheral Arterial Disease after Endovascular Intervention Trial (ELIMIT). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, . | 2.4 | 0 |
| 178 | Abstract 265: Plasma Lactate and Incident Hypertension in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Hypertension</i> , 2013, 62, . | 2.7 | 0 |
| 179 | Associations Between Lipoprotein(a) Levels and Cardiovascular Outcomes in Black and White Subjects. <i>Circulation</i> , 2012, 125, 241-249. | 1.6 | 239 |
| 180 | Adiponectin and the mediation of HDL-cholesterol change with improved lifestyle: the Look AHEAD Study. <i>Journal of Lipid Research</i> , 2012, 53, 2726-2733. | 4.2 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Eight genetic loci associated with variation in lipoprotein-associated phospholipase A2 mass and activity and coronary heart disease: meta-analysis of genome-wide association studies from five community-based studies. <i>European Heart Journal</i> , 2012, 33, 238-251. | 2.2 | 89 |
| 182 | Relationships of Coronary Heart Disease With 27-Hydroxycholesterol, Low-Density Lipoprotein Cholesterol, and Menopausal Hormone Therapy. <i>Circulation</i> , 2012, 126, 1577-1586. | 1.6 | 22 |
| 183 | Racial Differences in Association of Elevated Interleukin-18 Levels With Type 2 Diabetes: The Atherosclerosis Risk in Communities Study. <i>Diabetes Care</i> , 2012, 35, 1513-1518. | 8.6 | 14 |
| 184 | Association of apolipoprotein A1 and B with kidney function and chronic kidney disease in two multiethnic population samples. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2839-2847. | 0.7 | 40 |
| 185 | Combined Association of Albuminuria and Cystatin C-Based Estimated GFR With Mortality, Coronary Heart Disease, and Heart Failure Outcomes: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2012, 60, 207-216. | 1.9 | 80 |
| 186 | Chronic Hyperglycemia and Subclinical Myocardial Injury. <i>Journal of the American College of Cardiology</i> , 2012, 59, 484-489. | 2.8 | 116 |
| 187 | Prediction of Incident Heart Failure in General Practice. <i>Circulation: Heart Failure</i> , 2012, 5, 422-429. | 3.9 | 185 |
| 188 | Novel Markers of Kidney Function as Predictors of ESRD, Cardiovascular Disease, and Mortality in the General Population. <i>American Journal of Kidney Diseases</i> , 2012, 59, 653-662. | 1.9 | 150 |
| 189 | Diabetes Medication Use and Blood Lactate Level among Participants with Type 2 Diabetes: The Atherosclerosis Risk in Communities Carotid MRI Study. <i>PLoS ONE</i> , 2012, 7, e51237. | 2.5 | 15 |
| 190 | Abstract MP074: High-sensitivity C-reactive Protein and Family History in the Prediction of Risk for Coronary Heart Disease: The Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 2012, 125, . | 1.6 | 0 |
| 191 | Abstract P009: The Association of Liver Enzymes with Subclinical Myocardial Damage. <i>Circulation</i> , 2012, 125, . | 1.6 | 0 |
| 192 | Abstract P005: Traditional Cardiovascular Risk Factors Explain the Association Between GGT and Incident Cardiovascular Events, but not Total Mortality. <i>Circulation</i> , 2012, 125, . | 1.6 | 0 |
| 193 | Abstract 453: Ceruloplasmin and Cardiovascular Disease in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, . | 2.4 | 0 |
| 194 | Abstract 166: Small Dense LDL Cholesterol Is Associated with Risk for Coronary Heart Disease: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, . | 2.4 | 0 |
| 195 | Meta-Analysis of Genome-Wide Association Studies in >80 000 Subjects Identifies Multiple Loci for C-Reactive Protein Levels. <i>Circulation</i> , 2011, 123, 731-738. | 1.6 | 461 |
| 196 | Differential effect of weight loss with low-fat diet or high-fat diet restriction on inflammation in the liver and adipose tissue of mice with diet-induced obesity. <i>Atherosclerosis</i> , 2011, 219, 100-108. | 0.8 | 30 |
| 197 | Relation of cholesterol and lipoprotein parameters with carotid artery plaque characteristics: The Atherosclerosis Risk in Communities (ARIC) carotid MRI study. <i>Atherosclerosis</i> , 2011, 219, 596-602. | 0.8 | 38 |
| 198 | Nontraditional Markers of Glycemia. <i>Diabetes Care</i> , 2011, 34, 960-967. | 8.6 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Cardiac Troponin T Measured by a Highly Sensitive Assay Predicts Coronary Heart Disease, Heart Failure, and Mortality in the Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 2011, 123, 1367-1376. | 1.6 | 655 |
| 200 | Relationship between circulating levels of RANTES (regulated on activation, normal T-cell expressed,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Carotid MRI Study. <i>European Heart Journal</i> , 2011, 32, 459-468. | 2.2 | 55 |
| 201 | Sources of Variability in Measurements of Cardiac Troponin T in a Community-Based Sample: The Atherosclerosis Risk in Communities Study. <i>Clinical Chemistry</i> , 2011, 57, 891-897. | 3.2 | 74 |
| 202 | Total Zinc Intake May Modify the Glucose-Raising Effect of a Zinc Transporter (SLC30A8) Variant: A 14-Cohort Meta-analysis. <i>Diabetes</i> , 2011, 60, 2407-2416. | 0.6 | 91 |
| 203 | Racial Differences in Glycemic Markers: A Cross-sectional Analysis of Community-Based Data. <i>Annals of Internal Medicine</i> , 2011, 154, 303. | 3.9 | 168 |
| 204 | Duffy antigen receptor for chemokines (Darc) polymorphism regulates circulating concentrations of monocyte chemoattractant protein-1 and other inflammatory mediators. <i>Blood</i> , 2010, 115, 5289-5299. | 1.4 | 113 |
| 205 | Association of rs780094 in GCKR with Metabolic Traits and Incident Diabetes and Cardiovascular Disease: The ARIC Study. <i>PLoS ONE</i> , 2010, 5, e11690. | 2.5 | 54 |
| 206 | A 1-Year Lifestyle Intervention for Weight Loss in Individuals With Type 2 Diabetes Reduces High C-Reactive Protein Levels and Identifies Metabolic Predictors of Change. <i>Diabetes Care</i> , 2010, 33, 2297-2303. | 8.6 | 92 |
| 207 | Large-scale genomic studies reveal central role of ABO in sP-selectin and sICAM-1 levels. <i>Human Molecular Genetics</i> , 2010, 19, 1863-1872. | 2.9 | 233 |
| 208 | Exploring Violence Against Women and Adverse Health Outcomes in Middle Age to Promote Women's Health. <i>Critical Care Nursing Quarterly</i> , 2010, 33, 233-243. | 0.8 | 10 |
| 209 | Association of blood lactate with type 2 diabetes: the Atherosclerosis Risk in Communities Carotid MRI Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1647-1655. | 1.9 | 176 |
| 210 | Dipeptidyl Peptidase IV and Incident Diabetes: The Atherosclerosis Risk in Communities (ARIC) study. <i>Diabetes Care</i> , 2010, 33, 1109-1111. | 8.6 | 5 |
| 211 | Marine ω -3 Fatty Acid Intake. <i>Diabetes Care</i> , 2010, 33, 197-199. | 8.6 | 24 |
| 212 | Association of Circulating Matrix Metalloproteinases With Carotid Artery Characteristics. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1034-1042. | 2.4 | 38 |
| 213 | Intercellular Adhesion Molecule-1 G241R Polymorphism Predicts Risk of Incident Ischemic Stroke. <i>Stroke</i> , 2010, 41, 1038-1040. | 2.0 | 18 |
| 214 | High-Molecular-Weight Adiponectin and the Risk of Type 2 Diabetes in the ARIC Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5097-5104. | 3.6 | 94 |
| 215 | Lipoprotein-Associated Phospholipase A ₂ and High-Sensitivity C-Reactive Protein Improve the Stratification of Ischemic Stroke Risk in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Stroke</i> , 2009, 40, 376-381. | 2.0 | 79 |
| 216 | Clinical Implications of JUPITER (Justification for the Use of statins in Prevention: an Intervention) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 2009, 54, 2388-2395. | 2.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Carbohydrate intake modifies associations between ANGPTL4[E40K] genotype and HDL-cholesterol concentrations in White men from the Atherosclerosis Risk in Communities (ARIC) study. <i>Atherosclerosis</i> , 2009, 203, 214-220. | 0.8 | 18 |
| 218 | Emerging Assays. , 2009, , 178-183. | | 0 |
| 219 | Association of Lactate With Blood Pressure Before and After Rapid Weight Loss. <i>American Journal of Hypertension</i> , 2008, 21, 1337-1342. | 2.0 | 29 |
| 220 | Matrix metalloproteinase-1 and tissue inhibitors do not predict incident coronary artery disease in the atherosclerosis risk in communities (ARIC) study. <i>Texas Heart Institute Journal</i> , 2008, 35, 388-94. | 0.3 | 6 |
| 221 | A Prospective Study of Plasma Ferritin Level and Incident Diabetes: The Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , 2007, 165, 1047-1054. | 3.4 | 110 |
| 222 | Dynamics of dense electronegative low density lipoproteins and their preferential association with lipoprotein phospholipase A2. <i>Journal of Lipid Research</i> , 2007, 48, 348-357. | 4.2 | 54 |
| 223 | Leptin and incident type 2 diabetes: risk or protection?. <i>Diabetologia</i> , 2006, 49, 2086-2096. | 6.3 | 100 |
| 224 | Circulating oxidised low-density lipoprotein and intercellular adhesion molecule-1 and risk of type 2 diabetes mellitus: the Atherosclerosis Risk in Communities Study. <i>Diabetologia</i> , 2006, 50, 36-42. | 6.3 | 44 |
| 225 | Estradiol Is Concentrated in Human Platelets and Is Released upon Activation.. <i>Blood</i> , 2006, 108, 3916-3916. | 1.4 | 6 |
| 226 | PLAC ₂ test for identification of individuals at increased risk for coronary heart disease. <i>Expert Review of Molecular Diagnostics</i> , 2005, 5, 9-14. | 3.1 | 22 |
| 227 | Multiplexed Analysis of Biomarkers Related to Obesity and the Metabolic Syndrome in Human Plasma, Using the Luminex-100 System. <i>Clinical Chemistry</i> , 2005, 51, 1102-1109. | 3.2 | 163 |
| 228 | Lipoprotein-Associated Phospholipase A2, High-Sensitivity C-Reactive Protein, and Risk for Incident Ischemic Stroke in Middle-aged Men and Women in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Archives of Internal Medicine</i> , 2005, 165, 2479. | 3.8 | 244 |
| 229 | Plasma MCP-1 level and risk for peripheral arterial disease and incident coronary heart disease: Atherosclerosis Risk in Communities study. <i>Atherosclerosis</i> , 2005, 183, 301-307. | 0.8 | 139 |
| 230 | Adiponectin, Inflammation, and the Expression of the Metabolic Syndrome in Obese Individuals: The Impact of Rapid Weight Loss through Caloric Restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2697-2703. | 3.6 | 255 |
| 231 | Adiponectin and the Development of Type 2 Diabetes. <i>Diabetes</i> , 2004, 53, 2473-2478. | 0.6 | 315 |
| 232 | Fasting Plasma Free Fatty Acids and Risk of Type 2 Diabetes: The Atherosclerosis Risk in Communities study. <i>Diabetes Care</i> , 2004, 27, 77-82. | 8.6 | 142 |
| 233 | Lipoprotein-Associated Phospholipase A ₂ , High-Sensitivity C-Reactive Protein, and Risk for Incident Coronary Heart Disease in Middle-Aged Men and Women in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2004, 109, 837-842. | 1.6 | 598 |
| 234 | Role of lipid and lipoprotein profiles in risk assessment and therapy. <i>American Heart Journal</i> , 2003, 146, 227-233. | 2.7 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Low-Grade Systemic Inflammation and the Development of Type 2 Diabetes. <i>Diabetes</i> , 2003, 52, 1799-1805. | 0.6 | 908 |
| 236 | Effects of sirolimus on plasma lipids, lipoprotein levels, and fatty acid metabolism in renal transplant patients. <i>Journal of Lipid Research</i> , 2002, 43, 1170-1180. | 4.2 | 253 |
| 237 | EFFECT OF SIROLIMUS ON THE METABOLISM OF ApoB100- CONTAINING LIPOPROTEINS IN RENAL TRANSPLANT PATIENTS1. <i>Transplantation</i> , 2001, 72, 1244-1250. | 1.0 | 114 |
| 238 | Mouse Microsomal Triglyceride Transfer Protein Large Subunit: cDNA Cloning, Tissue-Specific Expression, and Chromosomal Localization. <i>Genomics</i> , 1996, 33, 313-316. | 2.9 | 27 |
| 239 | Newer Markers for Population Screening: Focus on Lipoprotein-Related Markers. , 0, , 181-203. | | 0 |