

# Eva Hollemans

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8333106/publications.pdf>

Version: 2024-02-01

15  
papers

335  
citations

840776

11  
h-index

996975

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

331  
citing authors

#	ARTICLE	IF	CITATIONS
1	Large cribriform growth pattern identifies ISUP grade 2 prostate cancer at high risk for recurrence and metastasis. <i>Modern Pathology</i> , 2019, 32, 139-146.	5.5	71
2	Improved Prostate Cancer Biopsy Grading by Incorporation of Invasive Cribriform and Intraductal Carcinoma in the 2014 Grade Groups. <i>European Urology</i> , 2020, 77, 191-198.	1.9	57
3	Cribriform architecture in radical prostatectomies predicts oncological outcome in Gleason score 8 prostate cancer patients. <i>Modern Pathology</i> , 2021, 34, 184-193.	5.5	32
4	Prostate cancer growth patterns beyond the Gleason score: entering a new era of comprehensive tumour grading. <i>Histopathology</i> , 2020, 77, 850-861.	2.9	24
5	Concordance of cribriform architecture in matched prostate cancer biopsy and radical prostatectomy specimens. <i>Histopathology</i> , 2019, 75, 338-345.	2.9	22
6	Inter-observer variability of cribriform architecture and percent Gleason pattern 4 in prostate cancer: relation to clinical outcome. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 249-256.	2.8	22
7	Prostate Carcinoma Grade and Length But Not Cribriform Architecture at Positive Surgical Margins Are Predictive for Biochemical Recurrence After Radical Prostatectomy. <i>American Journal of Surgical Pathology</i> , 2020, 44, 191-197.	3.7	20
8	Clinical outcome comparison of Grade Group 1 and Grade Group 2 prostate cancer with and without cribriform architecture at the time of radical prostatectomy. <i>Histopathology</i> , 2020, 76, 755-762.	2.9	18
9	Automated detection of cribriform growth patterns in prostate histology images. <i>Scientific Reports</i> , 2020, 10, 14904.	3.3	16
10	Intraductal carcinoma has a minimal impact on Grade Group assignment in prostate cancer biopsy and radical prostatectomy specimens. <i>Histopathology</i> , 2020, 77, 742-748.	2.9	16
11	Clinicopathological characteristics of glomeruloid architecture in prostate cancer. <i>Modern Pathology</i> , 2020, 33, 1618-1625.	5.5	11
12	Cribriform architecture outperforms Gleason pattern 4 percentage and tertiary Gleason pattern 5 in predicting the outcome of Grade Group 2 prostate cancer patients. <i>Histopathology</i> , 2022, 80, 558-565.	2.9	11
13	Comedonecrosis Gleason pattern 5 is associated with worse clinical outcome in operated prostate cancer patients. <i>Modern Pathology</i> , 2021, 34, 2064-2070.	5.5	10
14	Improving the prediction of biochemical recurrence after radical prostatectomy with the addition of detailed pathology of the positive surgical margin and cribriform growth. <i>Annals of Diagnostic Pathology</i> , 2022, 56, 151842.	1.3	3
15	Alternative prostate cancer grading systems incorporating percent pattern 4/5 (IQ-Gleason) and cribriform architecture (cGrade) improve prediction of outcome after radical prostatectomy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 1149-1157.	2.8	2