

Francesco Dazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8333425/publications.pdf>

Version: 2024-02-01

169
papers

13,505
citations

23879

60
h-index

25230

113
g-index

192
all docs

192
docs citations

192
times ranked

15409
citing authors

#	ARTICLE	IF	CITATIONS
1	Bone marrow mesenchymal stem cells inhibit the response of naive and memory antigen-specific T cells to their cognate peptide. <i>Blood</i> , 2003, 101, 3722-3729.	0.6	1,483
2	Bone marrow mesenchymal stem cells induce division arrest energy of activated T cells. <i>Blood</i> , 2005, 105, 2821-2827.	0.6	1,026
3	Apoptosis in mesenchymal stromal cells induces in vivo recipient-mediated immunomodulation. <i>Science Translational Medicine</i> , 2017, 9, .	5.8	512
4	Mesenchymal Stem Cells Inhibit Dendritic Cell Differentiation and Function by Preventing Entry Into the Cell Cycle. <i>Transplantation</i> , 2007, 83, 71-76.	0.5	404
5	International Society for Cellular Therapy perspective on immune functional assays for mesenchymal stromal cells as potency release criterion for advanced phase clinical trials. <i>Cytotherapy</i> , 2016, 18, 151-159.	0.3	400
6	The Risk of Recurrent Venous Thromboembolism in Patients with an Arg506â†’Gln Mutation in the Gene for Factor V (Factor V Leiden). <i>New England Journal of Medicine</i> , 1997, 336, 399-403.	13.9	385
7	Mesenchymal stem cells inhibit proliferation and apoptosis of tumor cells: impact on in vivo tumor growth. <i>Leukemia</i> , 2007, 21, 304-310.	3.3	366
8	The role of mesenchymal stem cells in haemopoiesis. <i>Blood Reviews</i> , 2006, 20, 161-171.	2.8	304
9	Mesenchymal stem cells: the fibroblasts' new clothes?. <i>Haematologica</i> , 2009, 94, 258-263.	1.7	303
10	European LeukemiaNet criteria for failure or suboptimal response reliably identify patients with CML in early chronic phase treated with imatinib whose eventual outcome is poor. <i>Blood</i> , 2008, 112, 4437-4444.	0.6	293
11	Characterization and Clinical Application of Human CD34+Stem/Progenitor Cell Populations Mobilized into the Blood by Granulocyte Colony-Stimulating Factor. <i>Stem Cells</i> , 2006, 24, 1822-1830.	1.4	267
12	Prophylaxis and treatment of GVHD: EBMTâ€™ELN working group recommendations for a standardized practice. <i>Bone Marrow Transplantation</i> , 2014, 49, 168-173.	1.3	252
13	Acute myeloid leukemia creates an arginase-dependent immunosuppressive microenvironment. <i>Blood</i> , 2013, 122, 749-758.	0.6	249
14	Durability of responses following donor lymphocyte infusions for patients who relapse after allogeneic stem cell transplantation for chronic myeloid leukemia. <i>Blood</i> , 2000, 96, 2712-2716.	0.6	243
15	The Antiproliferative Effect of Mesenchymal Stem Cells Is a Fundamental Property Shared by All Stromal Cells. <i>Journal of Immunology</i> , 2007, 179, 2824-2831.	0.4	231
16	HB-EGF/HER-1 signaling in bone marrow mesenchymal stem cells: inducing cell expansion and reversibly preventing multilineage differentiation. <i>Blood</i> , 2005, 106, 59-66.	0.6	210
17	Donor lymphocyte infusion for relapsed chronic myelogenous leukemia: prognostic relevance of the initial cell dose. <i>Blood</i> , 2002, 100, 397-405.	0.6	186
18	Mesenchymal stem cells of cord blood origin are effective at preventing but not treating graft-versus-host disease. <i>Leukemia</i> , 2007, 21, 1992-1999.	3.3	167

#	ARTICLE	IF	CITATIONS
19	The Immunosuppressive Properties of Mesenchymal Stem Cells. <i>Transplantation</i> , 2009, 87, S45-S49.	0.5	165
20	The immunomodulatory properties of mesenchymal stem cells. <i>Seminars in Immunopathology</i> , 2011, 33, 593-602.	2.8	158
21	The immunosuppressive effects of human bone marrow-derived mesenchymal stem cells target T cell proliferation but not its effector function. <i>Cellular Immunology</i> , 2008, 251, 131-136.	1.4	156
22	Early detection of BCR-ABL transcripts by quantitative reverse transcriptase-PCR polymerase chain reaction predicts outcome after allogeneic stem cell transplantation for chronic myeloid leukemia. <i>Blood</i> , 2001, 97, 1560-1565.	0.6	154
23	Immunomodulatory properties of mesenchymal stem cells: a review based on an interdisciplinary meeting held at the Kennedy Institute of Rheumatology Division, London, UK, 31 October 2005. <i>Arthritis Research and Therapy</i> , 2007, 9, 301.	1.6	150
24	Mesenchymal stem cells exert differential effects on alloantigen and virus-specific T-cell responses. <i>Blood</i> , 2008, 112, 532-541.	0.6	149
25	Bone marrow mesenchymal stromal cells non-selectively protect chronic myeloid leukemia cells from imatinib-induced apoptosis via the CXCR4/CXCL12 axis. <i>Haematologica</i> , 2010, 95, 1081-1089.	1.7	145
26	Graft invariant natural killer T-cell dose predicts risk of acute graft-versus-host disease in allogeneic hematopoietic stem cell transplantation. <i>Blood</i> , 2012, 119, 5030-5036.	0.6	129
27	Challenges for mesenchymal stromal cell therapies. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	126
28	Hematopoietic stem cell transplantation in its 60s: A platform for cellular therapies. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	125
29	Imatinib inhibits the activation and proliferation of normal T lymphocytes in vitro. <i>Leukemia</i> , 2004, 18, 1332-1339.	3.3	123
30	Serial measurement of BCR-ABL transcripts in the peripheral blood after allogeneic stem cell transplantation for chronic myeloid leukemia: an attempt to define patients who may not require further therapy. <i>Blood</i> , 2006, 107, 4171-4176.	0.6	119
31	Inhibition of osteoclast function reduces hematopoietic stem cell numbers in vivo. <i>Blood</i> , 2011, 117, 1540-1549.	0.6	119
32	Donor lymphocyte infusions for relapse of chronic myeloid leukemia after allogeneic stem cell transplant. <i>Experimental Hematology</i> , 1999, 27, 1477-1486.	0.2	116
33	Multiparity induces priming to male-specific minor histocompatibility antigen, HY, in mice and humans. <i>Blood</i> , 2003, 102, 388-393.	0.6	115
34	Two distinct HLA-A0201-presented epitopes of the Wilms tumor antigen 1 can function as targets for leukemia-reactive CTL. <i>Blood</i> , 2002, 100, 3835-3837.	0.6	113
35	Strontium can increase some osteoblasts without increasing hematopoietic stem cells. <i>Blood</i> , 2008, 111, 1173-1181.	0.6	113
36	Mesenchymal stromal cells and regulatory T cells: the Yin and Yang of peripheral tolerance?. <i>Immunology and Cell Biology</i> , 2013, 91, 12-18.	1.0	108

#	ARTICLE	IF	CITATIONS
37	Multiparametric Analysis of Circulating Exosomes and Other Small Extracellular Vesicles by Advanced Imaging Flow Cytometry. <i>Frontiers in Immunology</i> , 2018, 9, 1583.	2.2	108
38	Minimally manipulated whole human umbilical cord is a rich source of clinical-grade human mesenchymal stromal cells expanded in human platelet lysate. <i>Cytotherapy</i> , 2011, 13, 786-801.	0.3	104
39	Cytomegalovirus seropositivity adversely influences outcome after T-depleted unrelated donor transplant in patients with chronic myeloid leukaemia: the case for tailored graft-versus-host disease prophylaxis. <i>British Journal of Haematology</i> , 2001, 112, 228-236.	1.2	101
40	Potential of mesenchymal stem cell therapy. <i>Current Opinion in Oncology</i> , 2007, 19, 650-655.	1.1	101
41	Mesenchymal stem cells and autoimmune diseases. <i>Best Practice and Research in Clinical Haematology</i> , 2011, 24, 49-57.	0.7	100
42	Long-term clinical results of autologous infusion of mobilized adult bone marrow derived CD34 ⁺ cells in patients with chronic liver disease. <i>Cell Proliferation</i> , 2008, 41, 115-125.	2.4	95
43	4G/5G Polymorphism of PAI-1 Gene Promoter and Fibrinolytic Capacity in Patients with Deep Vein Thrombosis. <i>Thrombosis and Haemostasis</i> , 1998, 80, 956-960.	1.8	94
44	Monitoring patients in complete cytogenetic remission after treatment of CML in chronic phase with imatinib: patterns of residual leukaemia and prognostic factors for cytogenetic relapse. <i>Leukemia</i> , 2005, 19, 507-512.	3.3	94
45	Dendritic cells from CML patients have altered actin organization, reduced antigen processing, and impaired migration. <i>Blood</i> , 2003, 101, 3560-3567.	0.6	93
46	Bi-directional cell-pericellular matrix interactions direct stem cell fate. <i>Nature Communications</i> , 2018, 9, 4049.	5.8	90
47	The highway code of T cell trafficking. <i>Journal of Pathology</i> , 2008, 214, 179-189.	2.1	88
48	Cell therapy for autoimmune diseases. <i>Arthritis Research and Therapy</i> , 2007, 9, 206.	1.6	80
49	Mesenchymal stem cells for graft-versus-host disease: Close encounters with T cells. <i>European Journal of Immunology</i> , 2008, 38, 1479-1482.	1.6	80
50	Imatinib mesylate (STI571) in the treatment of relapse of chronic myeloid leukemia after allogeneic stem cell transplantation. <i>Blood</i> , 2002, 99, 3861-3862.	0.6	78
51	Monomeric, porous type II collagen scaffolds promote chondrogenic differentiation of human bone marrow mesenchymal stem cells in vitro. <i>Scientific Reports</i> , 2017, 7, 43519.	1.6	76
52	Immunomodulatory Properties of Mesenchymal Stromal Cells: An Update. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 637725.	1.8	76
53	The rate and kinetics of molecular response to donor leucocyte transfusions in chronic myeloid leukaemia patients treated for relapse after allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , 1997, 99, 945-950.	1.2	72
54	Mesenchymal stromal cells: a key player in "innate tolerance"? <i>Immunology</i> , 2012, 137, 206-213.	2.0	71

#	ARTICLE	IF	CITATIONS
55	Chronic myeloid leukemia in chronic phase responding to imatinib: the occurrence of additional cytogenetic abnormalities predicts disease progression. <i>Haematologica</i> , 2003, 88, 260-7.	1.7	71
56	Adoptive immunotherapy for relapse of chronic myeloid leukemia after allogeneic bone marrow transplant: equal efficacy of lymphocytes from sibling and matched unrelated donors. <i>Bone Marrow Transplantation</i> , 1998, 21, 1055-1061.	1.3	67
57	Molecular studies in patients with chronic myeloid leukaemia in remission 5 years after allogeneic stem cell transplant define the risk of subsequent relapse. <i>British Journal of Haematology</i> , 2001, 115, 569-574.	1.2	66
58	Efficacy of tyrosine kinase inhibitors (TKIs) as third-line therapy in patients with chronic myeloid leukemia in chronic phase who have failed 2 prior lines of TKI therapy. <i>Blood</i> , 2010, 116, 5497-5500.	0.6	65
59	Examination of HY Response: T Cell Expansion, Immunodominance, and Cross-Priming Revealed by HY Tetramer Analysis. <i>Journal of Immunology</i> , 2001, 167, 3756-3764.	0.4	63
60	Estimating leukemia-free survival after allografting for chronic myeloid leukemia: a new method that takes into account patients who relapse and are restored to complete remission. <i>Blood</i> , 2000, 96, 86-90.	0.6	62
61	Manufacturing Mesenchymal Stromal Cells for the Treatment of Graft-versus-Host Disease: A Survey among Centers Affiliated with the European Society for Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2365-2370.	2.0	61
62	Mesenchymal Stromal Cells for Graft Versus Host Disease: Mechanism-Based Biomarkers. <i>Frontiers in Immunology</i> , 2020, 11, 1338.	2.2	60
63	Outcome of patients developing GVHD after DLI given to treat CML relapse: a study by the chronic leukemia working party of the EBMT. <i>Bone Marrow Transplantation</i> , 2010, 45, 558-564.	1.3	56
64	Increased frequencies of CD4 ⁺ CD25 ^{high} Tregs correlate with disease relapse after allogeneic stem cell transplantation for chronic myeloid leukemia. <i>Leukemia</i> , 2007, 21, 472-479.	3.3	52
65	Phase I/II open-label trial of intravenous allogeneic mesenchymal stromal cell therapy in adults with recessive dystrophic epidermolysis bullosa. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 447-454.	0.6	50
66	TCR α dim lymphocytes define populations of circulating effector cells that migrate to inflamed tissues. <i>Blood</i> , 2007, 109, 4328-4335.	0.6	47
67	Chronic GVHD as an autoimmune disease. <i>Best Practice and Research in Clinical Haematology</i> , 2008, 21, 281-289.	0.7	47
68	Preclinical imaging methods for assessing the safety and efficacy of regenerative medicine therapies. <i>Npj Regenerative Medicine</i> , 2017, 2, 28.	2.5	47
69	ADOPTIVE IMMUNOTHERAPY FOLLOWING ALLOGENEIC BONE MARROW TRANSPLANTATION. <i>Annual Review of Medicine</i> , 1998, 49, 329-340.	5.0	46
70	Response to donor lymphocyte infusions for chronic myeloid leukemia is dose-dependent: the importance of escalating the cell dose to maximize therapeutic efficacy. <i>Leukemia</i> , 2007, 21, 943-948.	3.3	46
71	Combined Inhibition of p97 and the Proteasome Causes Lethal Disruption of the Secretory Apparatus in Multiple Myeloma Cells. <i>PLoS ONE</i> , 2013, 8, e74415.	1.1	45
72	Apoptotic mesenchymal stromal cells induce prostaglandin E2 in monocytes: implications for the monitoring of mesenchymal stromal cell activity. <i>Haematologica</i> , 2019, 104, e438-e441.	1.7	45

#	ARTICLE	IF	CITATIONS
73	Donor lymphocyte infusions. <i>Current Opinion in Hematology</i> , 1999, 6, 394.	1.2	45
74	Repurposing Tin Mesoporphyrin as an Immune Checkpoint Inhibitor Shows Therapeutic Efficacy in Preclinical Models of Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 1617-1628.	3.2	44
75	The therapeutic activity of low-dose irradiation on experimental arthritis depends on the induction of endogenous regulatory T cell activity. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1519-1526.	0.5	41
76	Mesenchymal-myeloid interaction in the regulation of immunity. <i>Seminars in Immunology</i> , 2018, 35, 59-68.	2.7	39
77	Adjuvant interleukin-2 therapy for patients refractory to donor lymphocyte infusions. <i>Experimental Hematology</i> , 2004, 32, 218-223.	0.2	37
78	Disease relapse after haematopoietic stem cell transplantation: Risk factors and treatment. <i>Best Practice and Research in Clinical Haematology</i> , 2007, 20, 311-327.	0.7	36
79	Donor Lymphocyte Infusions for Patients who Relapse After Allogeneic Stem Cell Transplantation for Chronic Myeloid Leukaemia. <i>Leukemia and Lymphoma</i> , 2003, 44, 23-28.	0.6	35
80	Mesenchymal stem cells for graft-versus-host disease: a double edged sword?. <i>Leukemia</i> , 2008, 22, 463-465.	3.3	35
81	Classification and biology of tumour associated stromal cells. <i>Immunology Letters</i> , 2015, 168, 175-182.	1.1	34
82	Detection of B-Cell Monoclonality in Fine Needle Aspiration by PCR Analysis. <i>Leukemia and Lymphoma</i> , 1998, 29, 179-185.	0.6	33
83	Macrophages orchestrate the expansion of a proangiogenic perivascular niche during cancer progression. <i>Science Advances</i> , 2021, 7, eabg9518.	4.7	32
84	Immune haemolytic anaemia following T cell-depleted allogeneic bone marrow transplantation for chronic myeloid leukaemia: association with leukaemic relapse and treatment with donor lymphocyte infusions. <i>Bone Marrow Transplantation</i> , 2001, 28, 581-586.	1.3	31
85	Mesenchymal stem cells and innate tolerance: biology and clinical applications. <i>Swiss Medical Weekly</i> , 2010, 140, w13121.	0.8	31
86	Persistence of Drug-Resistant Leukemic Stem Cells and Impaired NK Cell Immunity in CML Patients Depend on <i>MIR300</i> Antiproliferative and PP2A-Activating Functions. <i>Blood Cancer Discovery</i> , 2020, 1, 48-67.	2.6	30
87	Mesenchymal stromal cells for acute graft-versus-host disease: response at 1 week predicts probability of survival. <i>British Journal of Haematology</i> , 2019, 185, 89-92.	1.2	28
88	Mesenchymal stem cell therapy for degenerative inflammatory disorders. <i>Current Opinion in Organ Transplantation</i> , 2008, 13, 639-644.	0.8	27
89	Hematopoietic mobilization. <i>Neurology</i> , 2015, 84, 1473-1482.	1.5	27
90	Effects of MSC co-injection on the reconstitution of aplastic anemia patient following hematopoietic stem cell transplantation. <i>Leukemia</i> , 2010, 24, 1791-1795.	3.3	26

#	ARTICLE	IF	CITATIONS
91	MSCs: science and trials. <i>Nature Medicine</i> , 2013, 19, 812-813.	15.2	26
92	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987, 60, 2412-2418.	2.0	25
93	Factors for graft-versus-host disease after donor lymphocyte infusions with an escalating dose regimen: lack of association with cell dose. <i>British Journal of Haematology</i> , 2007, 136, 833-836.	1.2	25
94	EBMT Risk Score Predicts Outcome of Allogeneic Hematopoietic Stem Cell Transplantation in Patients Who Have Failed a Previous Transplantation Procedure. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 235-240.	2.0	25
95	Bone Marrow Transplantation 1957-2019. <i>Frontiers in Immunology</i> , 2019, 10, 1246.	2.2	21
96	Regulatory T cell therapy for the induction of clinical organ transplantation tolerance. <i>Seminars in Immunology</i> , 2011, 23, 453-461.	2.7	20
97	Advances in mesenchymal stromal cell therapy in the management of Crohn's disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 141-153.	1.4	20
98	Low-intensity transplant regimens facilitate recruitment of donor-specific regulatory T cells that promote hematopoietic engraftment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 8415-8420.	3.3	19
99	Prevalence of anti-FVIII antibodies in severe haemophilia A patients with inversion of intron 22. <i>British Journal of Haematology</i> , 1997, 97, 807-809.	1.2	18
100	Acute myeloid leukaemia niche regulates response to L-asparaginase. <i>British Journal of Haematology</i> , 2019, 186, 420-430.	1.2	18
101	Prognostic factors for acute graft-versus-host disease after donor lymphocyte infusions. <i>Blood</i> , 2002, 100, 2673-2673.	0.6	16
102	Engraftment of Allogeneic Hematopoietic Stem Cells Requires Both Inhibition of Host-Versus-Graft Responses and 'Space' for Homeostatic Expansion. <i>Transplantation</i> , 2005, 79, 1484-1491.	0.5	16
103	Clinical Perspectives of Mesenchymal Stem Cells. <i>Stem Cells International</i> , 2012, 2012, 1-3.	1.2	16
104	Bone marrow mesenchymal stromal cells induce nitric oxide synthase-dependent differentiation of CD11b + cells that expedite hematopoietic recovery. <i>Haematologica</i> , 2017, 102, 818-825.	1.7	16
105	Complement C3 Exacerbates Imiquimod-Induced Skin Inflammation and Psoriasisiform Dermatitis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 760-763.	0.3	16
106	T-cell receptor repertoire usage after allografting differs between CD4+CD25+ regulatory T cells and their CD4+CD25- counterpart. <i>Haematologica</i> , 2007, 92, 206-214.	1.7	15
107	The emergence of regenerative medicine in organ transplantation: 1st European Cell Therapy and Organ Regeneration Section meeting. <i>Transplant International</i> , 2020, 33, 833-840.	0.8	15
108	Wharton's jelly mesenchymal stromal/stem cells derived under chemically defined animal product-free low oxygen conditions are rich in MSCA-1 ⁺ subpopulation. <i>Regenerative Medicine</i> , 2014, 9, 723-732.	0.8	14

#	ARTICLE	IF	CITATIONS
109	Human aplastic anaemia-derived mesenchymal stromal cells form functional haematopoietic stem cell niche <i>in vivo</i> . <i>British Journal of Haematology</i> , 2017, 179, 669-673.	1.2	14
110	Acute myeloid leukemia shapes the bone marrow stromal niche <i>in vivo</i> . <i>Haematologica</i> , 2021, 106, 865-870.	1.7	14
111	Human Mesenchymal Stromal Cells Engineered to Express Collagen VII Can Restore Anchoring Fibrils in Recessive Dystrophic Epidermolysis Bullosa Skin Graft Chimeras. <i>Journal of Investigative Dermatology</i> , 2020, 140, 121-131.e6.	0.3	13
112	Comparison of human isogenic Wharton's jelly MSCs and iPSC-derived MSCs reveals differentiation-dependent metabolic responses to IFNG stimulation. <i>Cell Death and Disease</i> , 2019, 10, 277.	2.7	12
113	Escalating-dose HLA-mismatched DLI is safe for the treatment of leukaemia relapse following alemtuzumab-based myeloablative allo-SCT. <i>Bone Marrow Transplantation</i> , 2013, 48, 1324-1328.	1.3	11
114	Management of chronic myeloid leukaemia in relapse following donor lymphocyte infusion induced remission: a retrospective study of the clinical trials committee of the British Society of Blood & Marrow Transplantation (BSBMT). <i>Bone Marrow Transplantation</i> , 2005, 36, 1065-1069.	1.3	10
115	Rapid and Efficient Stable Gene Transfer to Mesenchymal Stromal Cells Using a Modified Foamy Virus Vector. <i>Molecular Therapy</i> , 2016, 24, 1227-1236.	3.7	10
116	Immune monitoring in allogeneic hematopoietic stem cell transplant recipients: a survey from the EBMT-CTIWP. <i>Bone Marrow Transplantation</i> , 2018, 53, 1201-1205.	1.3	10
117	Apoptosis in the Pancreatic Cancer Tumor Microenvironment—The Double-Edged Sword of Cancer-Associated Fibroblasts. <i>Cells</i> , 2021, 10, 1653.	1.8	10
118	Haemopoietic stem cell transplantation induces tolerance to donor antigens but not to foreign FVIII peptides. <i>Haemophilia</i> , 2010, 16, 143-147.	1.0	9
119	Enhanced and aberrant <i>scp</i> cell trafficking following total body irradiation: a gateway to graft-versus-host disease?. <i>British Journal of Haematology</i> , 2013, 162, 808-818.	1.2	9
120	Minor histocompatibility antigens and stem cell transplantation. <i>Vox Sanguinis</i> , 2004, 87, 11-14.	0.7	8
121	Regulatory T cells in stem cell transplantation: Main characters or walk-on actors?. <i>Critical Reviews in Oncology/Hematology</i> , 2012, 84, 18-25.	2.0	8
122	Donor lymphocyte infusions for the treatment of chronic myeloid leukemia relapse following peripheral blood or bone marrow stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2013, 48, 837-842.	1.3	8
123	Effects of maternal obesity on Wharton's Jelly mesenchymal stromal cells. <i>Scientific Reports</i> , 2017, 7, 17595.	1.6	8
124	Mixed T cell lineage chimerism in acute leukemia/MDS using pre-emptive donor lymphocyte infusion strategy—Is it prognostic?—a single-center retrospective study. <i>Blood Cancer Journal</i> , 2021, 11, 128.	2.8	8
125	CD25-negative hairy cell leukaemia: Intracytoplasmic detection of Tac antigen and interferon-induced surface expression. <i>Journal of Pathology</i> , 1995, 177, 41-47.	2.1	7
126	Prediction of Cytogenetic Response to Second Generation TKI Therapy in CML Chronic Phase Patients Who Have Failed Imatinib Therapy and Early Identification of Factors That Influence Survival. <i>Blood</i> , 2008, 112, 332-332.	0.6	7

#	ARTICLE	IF	CITATIONS
127	Pluripotent Stem Cell-Derived Hepatocytes Inhibit T Cell Proliferation In Vitro through Tryptophan Starvation. <i>Cells</i> , 2022, 11, 24.	1.8	6
128	A Role for Platelet-Derived Growth Factor in Drug-Induced Chronic Ergotism?. <i>Angiology</i> , 1995, 46, 633-636.	0.8	5
129	Minor antigen solves major problem. <i>Nature Medicine</i> , 2001, 7, 769-770.	15.2	5
130	Dasatinib may not suppress the GVL effect of donor lymphocyte infusions for CML. <i>Bone Marrow Transplantation</i> , 2010, 45, 395-396.	1.3	5
131	Cancer makes new friends with old tricks. <i>Blood</i> , 2013, 122, 1093-1094.	0.6	5
132	The Kinetics and Extent of Engraftment of Chronic Myelogenous Leukemia Cells in Non-Obese Diabetic/Severe Combined Immunodeficiency Mice Reflect the Phase of the Donor's Disease: An In Vivo Model of Chronic Myelogenous Leukemia Biology. <i>Blood</i> , 1998, 92, 1390-1396.	0.6	5
133	Unique Regulatory Properties of Mesangial Cells Are Genetically Determined in the Rat. <i>PLoS ONE</i> , 2014, 9, e111452.	1.1	4
134	The failure of female cells to present in vitro the male H-Y antigen for secondary cytotoxic T-cell responses. <i>Immunogenetics</i> , 1985, 22, 177-181.	1.2	3
135	Marked but Transitory Elevation of Hepatic Transaminases after Subcutaneous Calcium Heparin Administration. <i>Acta Haematologica</i> , 1994, 92, 54-54.	0.7	2
136	Correction of severe anaemia using immuno-regulated gene therapy is achieved by restoring the early erythroblast compartment. <i>British Journal of Haematology</i> , 2006, 132, 608-614.	1.2	2
137	Mesenchymal stromal cells (MSC) for treating immune-mediated inflammation post-transplantation and in autoimmunity. <i>The Cochrane Library</i> , 2012, , .	1.5	2
138	On minor histocompatibility antigens, mixed chimerism, and transplantation tolerance. <i>American Journal of Transplantation</i> , 2021, 21, 919-920.	2.6	2
139	Estimating leukemia-free survival after allografting for chronic myeloid leukemia: a new method that takes into account patients who relapse and are restored to complete remission. <i>Blood</i> , 2000, 96, 86-90.	0.6	2
140	CD14 positive cells accelerate hematopoietic stem cell engraftment. <i>Bone Marrow Transplantation</i> , 2022, 57, 942-948.	1.3	2
141	Lithium Carbonate Failed to Modify the Neutropenia Associated with Large Granular Lymphocyte Proliferation. <i>Acta Haematologica</i> , 1989, 81, 114-115.	0.7	1
142	Umbilical Cord as a Source of Immunomodulatory Reagents. , 2015, , 125-140.		1
143	Roadmap to clinical translation: insights from a UK regenerative medicine platform workshop on mesenchymal stromal cells. <i>Regenerative Medicine</i> , 2017, 12, 895-897.	0.8	1
144	Is platelet gel safe enough for neutropenic patients?. <i>Transfusion and Apheresis Science</i> , 2019, 58, 190-191.	0.5	1

#	ARTICLE	IF	CITATIONS
145	High Frequency and Cell Dose of Invariant NKT Cells In the Graft Are Associated with Lack of Clinically Significant Acute Gvhd In T Cell-Replete Sibling Allografts. <i>Blood</i> , 2010, 116, 2539-2539.	0.6	1
146	Unusual Association of Hairy Cell Leukemia and Monoclonal Large Granular Lymphocyte Proliferation. <i>Leukemia and Lymphoma</i> , 1990, 2, 433-436.	0.6	0
147	Reply to "Does post-transplant treatment with imatinib mesylate inhibit graft-versus-leukemia?" by Chunduri et al. <i>Leukemia</i> , 2005, 19, 457-457.	3.3	0
148	127: Mesenchymal Stem Cells Exert Differential Effects on Alloantigen- and Virus-Specific T Cells. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 48-49.	2.0	0
149	Dissection of Effector Pathways in the Host-Versus-Graft Response to Bone Marrow Transplantation. <i>Transplantation</i> , 2008, 86, 1311-1314.	0.5	0
150	Immune Tolerance in Hemopoietic Stem Cell Transplantation. , 2016, , 241-247.		0
151	Durability of responses following donor lymphocyte infusions for patients who relapse after allogeneic stem cell transplantation for chronic myeloid leukemia. <i>Blood</i> , 2000, 96, 2712-2716.	0.6	0
152	Hematopoietic and mesenchymal stem cell transplantation in autoimmune diseases. <i>Future Rheumatology</i> , 2006, 1, 179-188.	0.2	0
153	The Immunoregulatory Role of Mesenchymal Stem Cells. , 2007, , 35-48.		0
154	Allogeneic Myeloablative Hematopoietic Stem Cell Transplantation for Chronic Myelogenous Leukemia in the Imatinib Era.. <i>Blood</i> , 2008, 112, 970-970.	0.6	0
155	Osteoclast Function Is Essential in the Hematopoietic Stem Cell Niche. <i>Blood</i> , 2008, 112, 547-547.	0.6	0
156	Response to Tyrosine Kinase Inhibitor Therapy In Patients Undergoing Allogeneic Hematopoietic Stem Cell Transplantation for Advanced Phase Chronic Myeloid Leukemia. <i>Blood</i> , 2010, 116, 3515-3515.	0.6	0
157	Preconditioning Level of C-Reactive Protein and Disease Stage Are Key Prognostic Factors In Myeloablative Allogeneic Hematopoietic Stem Cell Transplantation.. <i>Blood</i> , 2010, 116, 3488-3488.	0.6	0
158	The Immunosuppressive Properties of Adult Stem Cells: Mesenchymal Stem Cells as a Case Study. , 2013, , 175-197.		0
159	Can Targeted Therapy for CML Still Learn From Transplant? Using Post-transplant RQ-PCR monitoring to Clarify the Importance of the Depth of Molecular Remission On the Risk of Subsequent Relapse.. <i>Blood</i> , 2012, 120, 2789-2789.	0.6	0
160	Mesenchymal stem cells enhance bacterial clearance of streptococcal pneumoniae and pseudomonas aeruginosa in the lung. , 2016, , .		0
161	How to Monitor Immune Reconstitution Following Allogeneic Hematopoietic Stem Cell Transplantation: A Survey from the EBMT- Cellular Therapy & Immunobiology Working Party. <i>Blood</i> , 2016, 128, 4581-4581.	0.6	0
162	Manufacturing of Mesenchymal Stromal Cells for the Treatment of Graft-Versus-Host Disease: A Survey within the European Society of Blood and Marrow Transplantation. <i>Blood</i> , 2016, 128, 3374-3374.	0.6	0

#	ARTICLE	IF	CITATIONS
163	Repurposing tin mesoporphyrin as a novel immune checkpoint therapy in the treatment of cancer: A preclinical evaluation.. Journal of Clinical Oncology, 2018, 36, e15129-e15129.	0.8	0
164	Abstract 1134: The tumor suppressor activity of miR-300 is detrimental for leukemia development but required for leukemia stem cell maintenance. , 2018, , .		0
165	Mechanisms of Immune Resistance. , 2019, , 457-460.		0
166	Differential Alemtuzumab Dosage Effects in T-Cell Deplete Allogeneic Haematopoietic Stem Cell Transplants for Myeloid Malignancies- King's College Hospital London Experience. Blood, 2019, 134, 4622-4622.	0.6	0
167	Immunoregulation in the Hematopoietic Stem Cell Niche. , 2020, , 69-77.		0
168	Molecular Basis of Transplantation. , 0, , 380-389.		0
169	Assessing the immunosuppressive activity of alginate-encapsulated mesenchymal stromal cells on splenocytes. Artificial Cells, Nanomedicine and Biotechnology, 2022, 50, 168-176.	1.9	0