

Leonard F Lindoy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8334555/publications.pdf>

Version: 2024-02-01

272
papers

6,505
citations

76031

42
h-index

129628

63
g-index

279
all docs

279
docs citations

279
times ranked

5397
citing authors

#	ARTICLE	IF	CITATIONS
1	4-Phosphoryl Pyrazolones for Highly Selective Lithium Separation from Alkali Metal Ions. Chemistry - A European Journal, 2022, 28, .	1.7	9
2	Oligo- β -diketones as versatile ligands for use in metallo-supramolecular chemistry: Recent progress and perspectives. Coordination Chemistry Reviews, 2022, 455, 214355.	9.5	21
3	Insights at the molecular level into the formation of oxo-bridged trinuclear uranyl complexes. Chemical Communications, 2022, 58, 1748-1751.	2.2	0
4	High Proton Conductivity of 3D Graphene Oxide Intercalated with Aromatic Sulfonic Acids. ChemPlusChem, 2022, 87, e202200003.	1.3	3
5	Synergistic Strengthening in Graphene Oxide and Oxidized Single-walled Carbon Nanotube Hybrid Material for use as Electrolytes in Proton Exchange Membrane Fuel Cells. Chemistry - an Asian Journal, 2022, 17, .	1.7	2
6	Self-Assembly of a Rare High Spin FeII/PdII Tetradecanuclear Cubic Cage Constructed via the Metalloligand Approach. Chemistry, 2022, 4, 535-547.	0.9	5
7	Light-induced excited spin state trapping in iron(III) complexes. Inorganic Chemistry Frontiers, 2021, 8, 484-498.	3.0	27
8	Magnetism in a helicate complexes arising with the tetradentate ligand. Dalton Transactions, 2021, 50, 494-498.	1.6	6
9	Hydrogen bond-induced abrupt spin crossover behaviour in 1-D cobalt(II) complexes – the key role of solvate water molecules. Dalton Transactions, 2021, 50, 7843-7853.	1.6	16
10	Spin crossover phenomena in long chain alkylated complexes. Dalton Transactions, 2021, 50, 5065-5079.	1.6	12
11	Crystallization of Diamond from Graphene Oxide Nanosheets by a High Temperature and High Pressure Method. ChemistrySelect, 2021, 6, 3399-3402.	0.7	4
12	Ferroelectric and Spin Crossover Behavior in a Cobalt(II) Compound Induced by Polar-Ligand-Substituent Motion. Angewandte Chemie - International Edition, 2021, 60, 12717-12722.	7.2	30
13	Ferroelectric and Spin Crossover Behavior in a Cobalt(II) Compound Induced by Polar-Ligand-Substituent Motion. Angewandte Chemie, 2021, 133, 12827-12832.	1.6	4
14	Saccharified Uranyl Ions: Self-Assembly of UO ₂ ²⁺ into Trinuclear Anionic Complexes by the Coordination of Glucosamine-Derived Schiff Bases. Chemistry - A European Journal, 2021, 27, 8484-8491.	1.7	3
15	Enhanced Fuel Cell Performance Using Ultrafast, Out-of-Plane Proton-Conducting, 3D Graphene Oxide as an Electrolyte. ACS Applied Energy Materials, 2021, 4, 6296-6301.	2.5	15
16	Enhanced thermoelectric properties exhibited by unreduced freestanding graphene oxide/carbon nanotube membranes. Materials Advances, 2021, 2, 5645-5649.	2.6	10
17	Engineering ferromagnetism in Ni(OH) ₂ nanosheets using tunable uniaxial pressure in graphene oxide/reduced graphene oxide. Physical Chemistry Chemical Physics, 2021, 23, 24233-24238.	1.3	3
18	Lethal Interactions of SARS-CoV-2 with Graphene Oxide: Implications for COVID-19 Treatment. ACS Applied Nano Materials, 2021, 4, 11881-11887.	2.4	33

#	ARTICLE	IF	CITATIONS
19	A Ferroelectric Metallomesogen Exhibiting Field-Induced Slow Magnetic Relaxation. Chemistry - A European Journal, 2021, , .	1.7	16
20	Ferromagnetically Coupled Hydroxo-bridged Heptanuclear Ni(II) Wheel Cluster with $S = 7$ Ground Spin State. Chemistry Letters, 2020, 49, 24-27.	0.7	4
21	Exocyclic Coordination of Thiamacrocycles Leading to <i>cis</i> - and <i>trans</i> -Palladium(II) Complexes and a Tripalladium(II) Complex Incorporating Acetimidic Anhydride. Inorganic Chemistry, 2020, 59, 15807-15812.	1.9	4
22	Water Molecule-Induced Reversible Magnetic Switching in a Bis-Terpyridine Cobalt(II) Complex Exhibiting Coexistence of Spin Crossover and Orbital Transition Behaviors. Inorganic Chemistry, 2020, 59, 16843-16852.	1.9	30
23	Solvent vapor-induced polarity and ferroelectricity switching. Chemical Communications, 2020, 56, 10509-10512.	2.2	11
24	Luminescent ionic liquid formed from a melted rhenium(v) cluster. Chemical Communications, 2020, 56, 7957-7960.	2.2	22
25	CO_2 -Induced Spin-State Switching at Room Temperature in a Monomeric Cobalt(II) Complex with the Porous Nature. Angewandte Chemie - International Edition, 2020, 59, 10658-10665.	7.2	25
26	Separation and recovery of rare earths by in situ selective electrochemical oxidation and extraction from spent fluid catalytic cracking (FCC) catalysts. Hydrometallurgy, 2020, 194, 105300.	1.8	16
27	Ion conduction switching between H^+ and OH^- induced by pH in graphene oxide. Chemical Communications, 2020, 56, 4364-4367.	2.2	14
28	CO_2 -Induced Spin-State Switching at Room Temperature in a Monomeric Cobalt(II) Complex with the Porous Nature. Angewandte Chemie, 2020, 132, 10745-10752.	1.6	4
29	Double-layered honeycomb architectures constructed via hierarchical self-assembly of hexagonal spin crossover cobalt(II) metallacycles. Chemical Communications, 2020, 56, 5835-5838.	2.2	4
30	Solvent-Dependent Bending Ability of Salen-Derived Organic Crystals. ChemPlusChem, 2020, 85, 1692-1696.	1.3	5
31	Tetrahedral metallocages assembled from oligopyridine ligands and transition metal ions. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2019, 94, 121-131.	0.9	5
32	Metalloligand Strategies for Assembling Heteronuclear Nanocages – Recent Developments. Australian Journal of Chemistry, 2019, 72, 731.	0.5	37
33	Homo- and Heterosolvent Modifications of Hofmann-Type Flexible Two-Dimensional Layers for Colossal Interlayer Thermal Expansions. Inorganic Chemistry, 2019, 58, 12739-12747.	1.9	12
34	Slow Magnetic Relaxation Triggered by a Structural Phase Transition in Long-Chain-Alkylated Cobalt(II) Single-Ion Magnets. Inorganic Chemistry, 2019, 58, 7409-7415.	1.9	30
35	A mixed-spin spin-crossover thiozolyimine $[Fe_4L_6]^{8+}$ cage. Dalton Transactions, 2019, 48, 9935-9938.	1.6	17
36	Ferroelectric metallomesogens composed of achiral spin crossover molecules. Chemical Science, 2019, 10, 5843-5848.	3.7	35

#	ARTICLE	IF	CITATIONS
37	Weak ferromagnetism derived from spin canting in an amido-bridged homochiral Mn(III) 1-D coordination polymer. Dalton Transactions, 2019, 48, 8617-8622.	1.6	4
38	Phosphorescence at Low Temperature by External Heavy-Atom Effect in Zinc(II) Clusters. Chemistry - A European Journal, 2019, 25, 5875-5879.	1.7	10
39	Water-Induced Breaking of the Coulombic Ordering in a Room-Temperature Ionic Liquid Metal Complex. Chemistry - A European Journal, 2019, 25, 7521-7525.	1.7	6
40	Coordination chemistry of f-block metal ions with ligands bearing bio-relevant functional groups. Coordination Chemistry Reviews, 2019, 386, 267-309.	9.5	36
41	Super Dielectric Materials of Two-Dimensional TiO ₂ or Ca ₂ Nb ₃ O ₁₀ Nanosheet Hybrids with Reduced Graphene Oxide. ACS Omega, 2018, 3, 2074-2083.	1.6	22
42	Proton Relaxation Time in Water-soluble Metal Complex Nanoparticles. Chemistry Letters, 2018, 47, 598-600.	0.7	2
43	Direct monitoring of spin transitions in a dinuclear triple-stranded helicate iron(II) complex through X-ray photoelectron spectroscopy. Dalton Transactions, 2018, 47, 2543-2548.	1.6	24
44	Tripodal polyamines: Adjustable receptors for cation extraction. Separation Science and Technology, 2018, 53, 1273-1281.	1.3	1
45	Recent developments in the metallo-supramolecular chemistry of oligo- β -diketonato ligands. Coordination Chemistry Reviews, 2018, 375, 106-133.	9.5	39
46	Application of spin-crossover water soluble nanoparticles for use as MRI contrast agents. Scientific Reports, 2018, 8, 14911.	1.6	23
47	Ultrasensitive Colorimetric and Ratiometric Detection of Cu ²⁺ : Acid-Base Properties, Complexation, and Binding Studies. ACS Omega, 2018, 3, 10471-10480.	1.6	17
48	Ferroelectric and luminescence properties of zinc(II) and platinum(II) soft complexes. Dalton Transactions, 2018, 47, 14288-14292.	1.6	8
49	Post-synthetic Modification of a Dinuclear Spin Crossover Iron(III) Complex. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 729-734.	0.6	8
50	Thiacalix[4]bis-crown with Hard Cavities and Soft Bridges Exhibiting Endocyclic Potassium(I) Complexes and Exocyclic Silver(I) Coordination Polymers. European Journal of Inorganic Chemistry, 2018, 2018, 3587-3594.	1.0	8
51	Abrupt spin transition in a modified-terpyridine cobalt(II) complex with a highly-distorted [CoN ₆] core. Dalton Transactions, 2018, 47, 13809-13814.	1.6	22
52	Modulation of redox potentials utilizing the flexible coordination sphere of a penta-coordinate complex in the solid state. Dalton Transactions, 2017, 46, 3749-3754.	1.6	5
53	Molecular Assemblies of Metal Complexes via Base-Pairing of Nucleic Acids in the Crystalline State. Chemistry - A European Journal, 2017, 23, 7232-7237.	1.7	7
54	Tri-Functional OER, HER and ORR Electrocatalyst Electrodes from In Situ Metal-Nitrogen Co-Doped Oxidized Graphite Rods. Bulletin of the Chemical Society of Japan, 2017, 90, 950-954.	2.0	21

#	ARTICLE	IF	CITATIONS
55	Supramolecular architectures self-assembled using long chain alkylated spin crossover cobalt(ii) compounds. <i>Chemical Communications</i> , 2017, 53, 4685-4687.	2.2	12
56	Tuneable pressure effects in graphene oxide layers. <i>Scientific Reports</i> , 2017, 7, 12159.	1.6	13
57	Synthesis and characterisation of new tripodal lanthanide complexes and investigation of their optical and magnetic properties. <i>Dalton Transactions</i> , 2017, 46, 12177-12184.	1.6	7
58	Development of an All Solid State Battery Incorporating Graphene Oxide as Proton Conductor. <i>Global Challenges</i> , 2017, 1, 1700054.	1.8	9
59	Reversible Pressureâ€Controlled Depolymerization of a Copper(II)â€Containing Coordination Polymer. <i>Chemistry - A European Journal</i> , 2017, 23, 12480-12483.	1.7	20
60	Frontispiece: Molecular Assemblies of Metal Complexes via Baseâ€Pairing of Nucleic Acids in the Crystalline State. <i>Chemistry - A European Journal</i> , 2017, 23, .	1.7	0
61	Photoreduction Dependent pâ€and nâ€Type Semiconducting Fieldâ€Effect Transistor Properties in Undoped Reduced Graphene Oxide. <i>ChemistrySelect</i> , 2017, 2, 6941-6944.	0.7	8
62	Spin-State Patterning in an Iron(II) Tripodal Spin-Crossover Complex. <i>ACS Omega</i> , 2017, 2, 3349-3353.	1.6	12
63	Synthesis and characterisation of two Cu(I) metalloligands based on tetradentate tripodal ligands. <i>Polyhedron</i> , 2017, 125, 44-49.	1.0	4
64	Assembling latter d-block heterometal coordination polymers: Synthetic strategies and structural outcomes. <i>Coordination Chemistry Reviews</i> , 2017, 348, 121-170.	9.5	17
65	Coordination of alkaline-earth metal cations to a symmetrical octamethyl-substituted cucurbituril in the presence of polychlorido cadmium(<sc>ii</sc>) anions. <i>CrystEngComm</i> , 2016, 18, 4988-4995.	1.3	8
66	Unique Occurrence of Cationic and Anionic Bis-1,2-diaminocyclohexane Copper(II) Units in a Double Complex Salt. <i>Australian Journal of Chemistry</i> , 2016, 69, 533.	0.5	0
67	Twisted Cucurbit[<i>n</i>]urils. <i>Organic Letters</i> , 2016, 18, 4020-4023.	2.4	120
68	Supramolecular Recognition of Amino Acids by Twisted Cucurbit[14]uril. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2250-2254.	1.7	22
69	Uranyl(VI) binding by bis(2-hydroxyaryl)diimine and bis(2-hydroxyaryl)diamine ligand derivatives. Synthetic, X-ray, DFT and solvent extraction studies. <i>Polyhedron</i> , 2016, 103, 198-205.	1.0	8
70	Adducts of aqua complexes of Ln³⁺with hexahydroxyhexamethylcucurbit[6]uril: potential application in the isolation of heavy lanthanides. <i>New Journal of Chemistry</i> , 2016, 40, 2763-2767.	1.4	6
71	Anion-controlled assembly of Ag(I) coordination polymers based on cis/trans-bis(acetylacetonate)-1,4-cyclohexanediiimine ligands: syntheses, structures, and solid-state luminescence. <i>Journal of Coordination Chemistry</i> , 2016, 69, 253-269.	0.8	9
72	Metal Dilution Effects on the Reverse Spin Transition in Mixed Crystals of Type [Co_{1-x}Zn_x(C₁₆-terpy)₂](BF₄)₂ (<i>x</i> = 0.1â€0.7). <i>Inorganic Chemistry</i> , 2016, 55, 3332-3337.		17

#	ARTICLE	IF	CITATIONS
73	Synthesis and separation of cucurbit[n]urils and their derivatives. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 4335-4364.	1.5	141
74	Cucurbit[7]uril-improved recognition by a fluorescent sensor for cadmium and zinc cations. <i>Supramolecular Chemistry</i> , 2016, 28, 784-791.	1.5	18
75	Molecular Designs for Enhancement of Polarity in Ferroelectric Soft Materials. <i>Scientific Reports</i> , 2015, 5, 16606.	1.6	11
76	Advances in the lanthanide metallosupramolecular chemistry of the cucurbit[n]urils. <i>Coordination Chemistry Reviews</i> , 2015, 287, 89-113.	9.5	106
77	Graphene oxide and reduced graphene oxide hybrids with spin crossover iron(Fe^{II}) complexes. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 886-892.	3.0	26
78	A large spin-crossover $[\text{Fe}^{\text{II}}\text{L}_4]^{\text{8+}}$ tetrahedral cage. <i>Journal of Materials Chemistry C</i> , 2015, 3, 7878-7882.	2.7	36
79	Discrete and polymeric complexes of a macrocyclic pillar ligand in the absence and presence of dicarboxylic acid coligands. <i>CrystEngComm</i> , 2015, 17, 5717-5724.	1.3	4
80	Formation of a Dicopper Platform Based Polyrotaxane Whose Cu^{I} and Cu^{II} Beads Are Constructed from the Same Components. <i>Journal of the American Chemical Society</i> , 2015, 137, 9535-9538.	6.6	27
81	Post-Assembly Covalent Di- and Tetracapping of a Dinuclear $[\text{Fe}^{\text{II}}_2\text{L}_3]^{\text{4+}}$ Triple Helicate and Two $[\text{Fe}^{\text{II}}_4\text{L}_6]^{\text{8+}}$ Tetrahedra Using Sequential Reductive Aminations. <i>Inorganic Chemistry</i> , 2015, 54, 6986-6992.	1.9	26
82	Adducts of aqua complexes of Ln^{3+} with ortho-tetramethyl substituted cucurbituril: Potential applications for isolation of heavier lanthanides. <i>Polyhedron</i> , 2015, 91, 150-154.	1.0	8
83	Discrete and polymeric supramolecular architectures derived from dinuclear oxovanadium(IV) complexes of aryl-linked bis-diketonato ligands and nitrogen donor co-ligands. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2015, 82, 247-257.	0.9	5
84	Constructing coordination nanocages: the metalloligand approach. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2015, 82, 3-12.	0.9	48
85	The impact of halogen ions on the guest dependent spin crossover behaviour and porosity of Co^{II} one-dimensional coordination polymers $[\text{CoX}_2(4\text{-pyridyl})_2(2,2':6',2''\text{-terpyridine})]$ (X = Cl and Br). <i>Journal of Materials Chemistry C</i> , 2015, 3, 7865-7869.	2.7	16
86	Redox induced colour changes between red-violet and blue in hetero-metal complexes of the type $[\text{Co}^{\text{II}}(4\text{-ferrocenyl}-2,2':6',2''\text{-terpyridine})_2\text{X}_2]$ (X = counter anion). <i>Dalton Transactions</i> , 2015, 44, 18354-18359.		11
87	Mono- and dinucleating $\text{Ni}(\text{II})$, $\text{Cu}(\text{II})$, $\text{Zn}(\text{II})$ and $\text{Fe}(\text{III})$ complexes of symmetric and unsymmetric Schiff bases incorporating salicylimine functions – Synthetic and structural studies. <i>Polyhedron</i> , 2014, 74, 113-121.	1.0	12
88	Self-Assembly of an Imidazolate-Bridged $\text{Fe}^{\text{III}}/\text{Cu}^{\text{II}}$ Heterometallic Cage. <i>Inorganic Chemistry</i> , 2014, 53, 688-690.	1.9	66
89	Supramolecular design of coordination complexes of silver(I) and cadmium(II) with chiral bidentate bridging ligands. <i>Polyhedron</i> , 2014, 68, 40-45.	1.0	5
90	Recent developments in the thiamacrocyclic chemistry of the latter d-block elements. <i>Coordination Chemistry Reviews</i> , 2014, 280, 176-202.	9.5	34

#	ARTICLE	IF	CITATIONS
91	Cobalt(<i>ii</i>), iron(<i>ii</i>), zinc(<i>ii</i>) and palladium(<i>ii</i>) complexes of di-topic 4- $\{4$ -[bis(2-pyridyl)aminomethyl]phenyl]-2,2,6,6-tetrapyridine. Synthetic and X-ray structural studies. <i>CrystEngComm</i> , 2014, 16, 6476-6482.	1.8	6
92	Interaction of silver(I) and copper(I) with an O ₂ S ₂ -macrocyclic ligand. A comparative structural study. <i>Inorganica Chimica Acta</i> , 2014, 417, 171-176.	1.2	4
93	Spin-crossover and LIESST Effect for Iron(III) Complex Based on π - π Stacking by Coordination Programming. <i>Chemistry Letters</i> , 2014, 43, 1058-1060.	0.7	15
94	Di-, tri- and oligometallic platforms: Versatile components for use in metallo-supramolecular chemistry. <i>Coordination Chemistry Reviews</i> , 2013, 257, 2536-2550.	9.5	35
95	Metallacycles derived from metal complexes of exo-coordinated macrocyclic ligands. <i>Coordination Chemistry Reviews</i> , 2013, 257, 3125-3138.	9.5	44
96	True and quasi-isomorphism in tetrakis(acetonitrile)coinage metal(i) salts. <i>CrystEngComm</i> , 2013, 15, 1125.	1.3	7
97	Metals, macrocycles and molecular assemblies – macrocyclic complexes in metallo-supramolecular chemistry. <i>Chemical Society Reviews</i> , 2013, 42, 1713-1727.	18.7	179
98	Synthesis of tris-(azacrown) ethers for carboxylic acid recognition. <i>Tetrahedron</i> , 2013, 69, 38-42.	1.0	12
99	An approach to networks based on coordination of alkyl-substituted cucurbit[5]urils and potassium ions. <i>CrystEngComm</i> , 2013, 15, 1994.	1.3	33
100	Comparative investigation of the interaction of Zn(II), Cd(II), Ag(I) and Pb(II) with dibenzo-substituted macrocyclic ligands incorporating both symmetrically and unsymmetrically arranged N, O and S donors: synthetic, solution and X-ray studies. <i>Supramolecular Chemistry</i> , 2012, 24, 572-584.	1.5	4
101	Metal Template Synthesis of a Tripodal Tris(bipyridyl) Receptor that Encapsulates a Proton and an Iron(II) Centre in a Pseudo Cage. <i>Australian Journal of Chemistry</i> , 2012, 65, 1371.	0.5	8
102	Copper(II) Complexes of Two New Pyridyl-Aliphatic Amine Ligands: Synthetic, Structural, EPR, and Magnetic Studies. <i>Australian Journal of Chemistry</i> , 2012, 65, 926.	0.5	1
103	CuII Complexes of Isomeric Ligands Derived from 2-Pyridine-carboxaldehyde and m- or p-Xylylenediamine: An Intermolecularly π -Stacked Dinuclear Species and a Trinuclear Circular Helicate that Encapsulates a Chloride Ion. <i>Australian Journal of Chemistry</i> , 2012, 65, 1587.	0.5	1
104	Molecular capsules and coordination polymers from a backbone-modified cyclic peptide bearing pyridyl arms. <i>Supramolecular Chemistry</i> , 2012, 24, 508-519.	1.5	6
105	Synthetic macrocyclic chemistry studies in Australia and New Zealand from 1962 to 1987. <i>Supramolecular Chemistry</i> , 2012, 24, 448-461.	1.5	6
106	Hydroquinone-assisted assembly of coordination polymers from lanthanides and cucurbit[5]uril. <i>CrystEngComm</i> , 2012, 14, 7994.	1.3	41
107	Assembly of Silver(I) Complexes of Isomeric NS ₂ -Macrocyclics Displaying Cyclic Oligomer, Helix, and Zigzag Structures. <i>Crystal Growth and Design</i> , 2012, 12, 1320-1329.	1.4	16
108	Silver(I) Coordination Polymers Incorporating Neutral β -Carbon Bound <i>N,N</i> -Bis(acetylacetonate)alkanediamine Units. <i>Crystal Growth and Design</i> , 2011, 11, 5688-5695.	1.4	5

#	ARTICLE	IF	CITATIONS
109	Interaction of Copper(II) with Ditopic Pyridyl- β^2 -diketone Ligands: Dimeric, Framework, and Metallogel Structures. <i>Crystal Growth and Design</i> , 2011, 11, 1697-1704.	1.4	30
110	Complexation, Computational, Magnetic, and Structural Studies of the Maillard Reaction Product Isomaltol Including Investigation of an Uncommon π -Interaction with Copper(II). <i>Inorganic Chemistry</i> , 2011, 50, 1498-1505.	1.9	18
111	Unprecedented encapsulation of a $[Fe^{III}Cl_4]^{-}$ anion in a cationic $[Fe^{II}L_6]^{8+}$ tetrahedral cage derived from 5,5'-dimethyl-2,2':5',5'-bis(2,2'-quaterpyridine). <i>Chemical Science</i> , 2011, 2, 540-543. ⁷⁵	3.7	75
112	Copper(II) template synthesis of a new N ₂ S ₂ -donor macrocycle incorporating a pendent pyridyl substituent. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011, 71, 389-394.	1.6	2
113	New metal organic frameworks incorporating the ditopic macrocyclic ligand dipyridyldibenzotetraaza[14]annulene. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011, 71, 455-462.	1.6	7
114	Comparative investigation of the copper(II) complexes of (R)-, (S)- and (R,S)-1-phenyl-N,N-bis(pyridine-3-ylmethyl)ethanamine along with the related complex of (R,S)-1-cyclohexyl-N,N-bis(pyridine-3-ylmethyl)ethanamine. Synthetic, magnetic, and structural studies. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011, 71, 409-417.	1.6	5
115	Inhibition of metal ion complexation by an N ₂ O ₂ -donor macrocycle by incorporation of an intramolecularly hydrogen-bonding pendant phenolic group. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011, 71, 589-592.	1.6	1
116	A pH dependent thermo-sensitive copolymer drug carrier incorporating 4-amino-2,2,6,6-tetramethylpiperidin-1-oxyl (4-NH ₂ -TEMPO) residues for electron spin resonance (ESR) labeling. <i>Journal of Colloid and Interface Science</i> , 2011, 362, 584-593.	5.0	12
117	Nickel(II) and zinc(II) complexes of N-substituted di(2-picoly)amine derivatives: Synthetic and structural studies. <i>Polyhedron</i> , 2011, 30, 708-714.	1.0	26
118	Networking of Tribenzo-O ₂ S ₂ -Macrocycles with Mercury Thiocyanate: Effect of Macrocyclic Isomers. <i>Crystal Growth and Design</i> , 2010, 10, 3850-3853.	1.4	23
119	Hierarchical Self-Assembly of a Chiral Metal-Organic Framework Displaying Pronounced Porosity. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 1075-1078.	7.2	90
120	Transition and post-transition metal ion chemistry of dibenzo-substituted, mixed-donor macrocycles incorporating five donor atoms. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1713-1725.	9.5	54
121	A new nickel(II) coordination polymer derived from		

#	ARTICLE	IF	CITATIONS
127	Copper(II), iron(III) and cobalt(III) complexes of the pendent-arm cyclam derivative 6,6,13-trimethyl-13-amino-1,4,8,11-tetraazacyclotetradecane. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2009, 65, 49-57.	1.6	5
128	Investigation of Novel Bis- and Tris-tetraazamacrocycles for Use in the Copper-64 (⁶⁴ Cu) Radiolabeling of Antibodies with Potential To Increase the Therapeutic Index for Drug Targeting. <i>Bioconjugate Chemistry</i> , 2009, 20, 868-876.	1.8	8
129	Copper(II) Interaction with Mono-, Bis- and Tris-Ring N3O2 Macrocycles: Synthetic, X-ray, Competitive Membrane Transport, and Hypochromic Shift Studies. <i>Inorganic Chemistry</i> , 2009, 48, 2770-2779.	1.9	15
130	Donor-Set-Induced Coordination Sphere and Oxidation-State Switching in the Copper Complexes of O ₂ S ₂ X (X = S, O and NH) Macrocycles. <i>Inorganic Chemistry</i> , 2009, 48, 8186-8191.	1.9	23
131	Macrocyclic Ligand Design. A Large Covalently-Linked Ring System Incorporating Four Cyclam Units and its Interaction with Nickel(II), Copper(II), Zinc(II), and Cadmium(II). <i>Australian Journal of Chemistry</i> , 2009, 62, 1207.	0.5	3
132	Copper(I) Templated Synthesis of a 2,2'-Bipyridine Derived 2-Catenane: Synthetic, Modelling, and X-ray Studies. <i>Australian Journal of Chemistry</i> , 2009, 62, 1014.	0.5	34
133	Microwave Synthesis of a Rare [Ru ₂ L ₃] ⁴⁺ Triple Helicate and Its Interaction with DNA. <i>Chemistry - A European Journal</i> , 2008, 14, 10535-10538.	1.7	63
134	A new series of dinucleating macrocyclic ligands and their complexes of zinc(II). <i>Polyhedron</i> , 2008, 27, 344-348.	1.0	14
135	Comparative structural study of the complexation behaviour of silver(I), cadmium(II), mercury(II), and palladium(II) with a 17-membered N3O2-donor macrocycle. <i>Polyhedron</i> , 2008, 27, 3004-3012.	1.0	24
136	Interaction of copper(II) and palladium(II) with linked 2,2'-dipyridylamine derivatives: Synthetic and structural studies. <i>Polyhedron</i> , 2008, 27, 2889-2898.	1.0	27
137	Dinuclear nickel(II) complex of a N2O3-donor Schiff base derived from acetylacetone and 1,3-diamino-2-hydroxypropane. <i>Inorganic Chemistry Communication</i> , 2008, 11, 678-680.	1.8	12
138	Recent developments in the d-block metallo-supramolecular chemistry of polypyridyls. <i>Coordination Chemistry Reviews</i> , 2008, 252, 940-963.	9.5	147
139	Expanding the 4,4'-bipyridine ligand: Structural variation in {M(pytpy) ₂ } ²⁺ complexes (pytpy=4-(4-pyridyl)-2,2'-terpyridine, M=Fe, Ni, Ru) and assembly of the hydrogen-bonded, one-dimensional polymer. <i>Inorganica Chimica Acta</i> , 2008, 361, 2582-2590.	1.2	55
140	A new Fell quaterpyridyl M4L6 tetrahedron exhibiting selective anion binding. <i>Chemical Communications</i> , 2008, , 1190.	2.2	89
141	A new 34-membered N6O4-donor macrocycle: synthetic, X-ray and solvent extraction studies. <i>New Journal of Chemistry</i> , 2008, 32, 132-137.	1.4	14
142	Synthesis and co-crystallisation behaviour of copper(II) complexes of two isomeric p-tolyl-terpyridines. <i>Journal of Coordination Chemistry</i> , 2008, 61, 3-13.	0.8	8
143	Four Zinc(II) Helical Coordination Polymers and 78-Membered Six-Node Zinc Metallacycle Assembled from Diastereopure N,N'-Bis(acetylacetone)cyclohexanediiimine. <i>Inorganic Chemistry</i> , 2008, 47, 10053-10061.	1.9	15
144	Co ₃ (PO ₄) ₂ ·4H ₂ O. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, i67-i68.	0.2	6

#	ARTICLE	IF	CITATIONS
145	A second polymorph with composition $\text{Co}_3(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, i69-i70.	0.2	2
146	Cobalt(II), Copper(II), and Zinc(II) Framework Systems Derived from Ditopic Pyridyl-Acetylacetonate and Pyridyl-Pyrazole Ligands. Crystal Growth and Design, 2007, 7, 972-979.	1.4	26
147	Anion Selectivity in Zwitterionic Amide-Functionalised Metal Salt Extractants. Chemistry - A European Journal, 2007, 13, 6091-6107.	1.7	31
148	Tris- β -diketones and related keto derivatives for use as building blocks in supramolecular chemistry. Tetrahedron, 2007, 63, 1953-1958.	1.0	18
149	Linked macrocyclic systems. Interaction of copper(I) with tris-ring N2S2-donor macrocycles and their single-ring analogues. Inorganic Chemistry Communication, 2007, 10, 1070-1073.	1.8	6
150	Structure of host-guest assemblies involving interaction of cyclen with diphenylphosphinic and 4-tert-butylbenzoic acid. Journal of Molecular Structure, 2007, 839, 132-136.	1.8	3
151	A systematic study of ligand intermolecular interactions in crystals of copper(II) complexes of bidentate guanidino derivatives. Polyhedron, 2007, 26, 415-429.	1.0	6
152	Structures and conformations of protonated O2N2- and O2N3-macrocyclic ligand salts. Polyhedron, 2007, 26, 653-658.	1.0	3
153	Proton and anion control of framework complexity in copper(II) complex structures derived from 2-(hydroxymethyl)pyridine. Polyhedron, 2007, 26, 673-678.	1.0	17
154	Pyrrrole Azocrown Ethers. Synthesis, Complexation, Selective Lead Transport and Ion-Selective Membrane Electrode Studies. Supramolecular Chemistry, 2006, 18, 593-601.	1.5	23
155	An unprecedented bridging $[\text{Ag}_2(\text{NO}_3)_6]^{4-}$ anion as a component of an infinite silver(I) molecular ladder incorporating a dinuclear cationic silver complex of a bis-dipyridylamine ligand. CrystEngComm, 2006, 8, 748-750.	1.3	14
156	Design and synthesis of heteroditopic aza-thioether macrocycles for metal extraction. New Journal of Chemistry, 2006, 30, 1755-1767.	1.4	24
157	Self-assembled Metallo-supramolecular Systems Incorporating β -Diketone Motifs as Structural Elements. Advances in Inorganic Chemistry, 2006, 59, 1-37.	0.4	69
158	A Chromogenic Macrocyclic Exhibiting Cation-Selective and Anion-Controlled Color Change: An Approach to Understanding Structure-Color Relationships. Organic Letters, 2006, 8, 1641-1643.	2.4	105
159	New bis-Pyrazole Derivatives Synthesized From Aryl- and Xylyl-Linked bis(β -Diketone) Precursors. Synthetic Communications, 2006, 36, 707-714.	1.1	16
160	Tetraaquabis(pyridine- N)cobalt(II) diacetate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m873-m874.	0.2	1
161	[4-(Dimethylamino)pyridine- N]bis(pentane-2,4-dionato- $\text{O}, \text{O}^{\prime}$)copper(II). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m1142-m1143.	0.2	4
162	Macrocyclic ligand design: The interaction of selected transition and post-transition metal ions with a 14-membered N2S2-donor macrocycle. Inorganic Chemistry Communication, 2006, 9, 751-754.	1.8	18

#	ARTICLE	IF	CITATIONS
163	Polyamine-based anion receptors: Extraction and structural studies. <i>Coordination Chemistry Reviews</i> , 2006, 250, 2987-3003.	9.5	126
164	A systematic study of ligand intermolecular interactions in crystals of copper(II) complexes of bidentate guanidino derivatives. <i>Inorganica Chimica Acta</i> , 2006, 359, 3565-3580.	1.2	12
165	New heterotopic, linked macrocyclic systems derived from selectively protected macrocycles. <i>Tetrahedron</i> , 2006, 62, 4173-4187.	1.0	15
166	Manganese(II), iron(II), cobalt(II), and copper(II) complexes of an extended inherently chiral tris-bipyridyl cage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 532-537.	3.3	32
167	Self-assembly of Hydrogen-bonded Supramolecular Structures Based on the Neutral Pseudo-macrocyclic Complex Bis(dimethylglyoximate)copper(II). <i>Supramolecular Chemistry</i> , 2005, 17, 37-45.	1.5	19
168	New Cadmium(II) and Iron(II) Coordination Frameworks Incorporating a Di(4-pyridyl)isoindoline Ligand. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2470-2475.	1.0	7
169	Synthesis of one-, two- and three-ring macrocyclic, bifunctional compounds for use in radiolabelling monoclonal antibodies. <i>Journal of Heterocyclic Chemistry</i> , 2005, 42, 77-83.	1.4	5
170	(Ethane-1,2-diamine)dinitratopalladium(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, m1940-m1942.	0.2	0
171	Mononuclear and Trinuclear Palladium(II) Complexes of Single- and Three-Ring Benzyl- or Xylyl-Substituted Cyclam Derivatives. <i>Australian Journal of Chemistry</i> , 2005, 58, 339.	0.5	9
172	A Structural Study of Tautomerism and Hydrogen-Bonding in Supramolecular Assemblies. <i>Supramolecular Chemistry</i> , 2005, 17, 567-578.	1.5	6
173	Anion Controlled Supramolecular Self-Assembly of Tetraprotonated Tris[2-(benzylamino)ethyl]amine. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 998-1006.	0.6	13
174	1,3,5-Tris(4-formylphenoxy)methyl)-2,4,6-trimethylbenzene ethyl acetate solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o6-o8.	0.2	0
175	6,6'-Bis(chloromethyl)-2,2'-bipyridine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o886-o888.	0.2	3
176	catena-Poly[[[dichlorocopper(II)] $\frac{1}{4}$ -1,3,5-tris(2-pyridyloxymethyl)benzene] methanol solvate]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m918-m920.	0.2	0
177	Explanation of the Anomalous Complexation of Silver(I) with Ammonia in Terms of the Poor Affinity of the Ion for Water. <i>Journal of Physical Chemistry A</i> , 2004, 108, 8434-8438.	1.1	23
178	New N ₂ O ₂ - and N ₂ O ₃ -Macrocyclic Ligands Incorporating p-Xylyl Groups. <i>Synthetic Communications</i> , 2004, 34, 3653-3659.	1.1	4
179	Metal-Ion Recognition-Selective Bulk Membrane Transport of Silver(I) Using Thioether Donor Macrocycles as Ionophores, and X-Ray Structure of the Silver Complex of an S ₄ -Donor Ring. <i>Australian Journal of Chemistry</i> , 2004, 57, 161.	0.5	19
180	Metal-ion recognition. Modeling the stability constants of some mixed-donor macrocyclic metal ion complexes a simple model. <i>Inorganica Chimica Acta</i> , 2003, 352, 46-50.	1.2	14

#	ARTICLE	IF	CITATIONS
181	A comparative study of supramolecular assemblies containing $N\alpha^3$ -(5,6-dimethyl-1H-benzimidazol-2-yl)guanidine, 2-guanidinobenzimidazole and their Ni(II) complexes. <i>Polyhedron</i> , 2003, 22, 735-743.	1.0	21
182	(1,4,7,11,14,17-Hexathia-9,9,19,19-tetrahydroxymethylcycloicosane)silver(I) nitrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, m880-m882.	0.2	1
183	2,4,6-Trimethyl-1,3,5-tris(phenoxymethyl)benzene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1544-o1545.	0.2	0
184	A three-ring, linked cyclam derivative and its interaction with selected transition and post-transition metal ions. <i>Coordination Chemistry Reviews</i> , 2003, 245, 11-16.	9.5	15
185	Ligand assembly and metal ion complexation: syntheses and X-ray structures of Ni(II) and Cu(II) benzoate and 4-tert-butylbenzoate complexes of cyclam. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1203-1213.	0.8	20
186	Macrocyclic ligand design. Interaction of a series of successively N-benzylated derivatives of 1,4,8,11-tetraazacyclotetradecane (cyclam) with copper(ii) and nickel(ii). <i>Dalton Transactions</i> , 2003, , 1567-1576.	1.6	48
187	Host-guest assembly of ligand systems for metal ion complexation; synergistic solvent extraction of copper(ii) ions by N3O2-donor macrocycles and carboxylic or phosphinic acids. <i>Dalton Transactions</i> , 2003, , 3034-3040.	1.6	18
188	Metal ion recognition. Interaction of a series of successively N-benzylated derivatives of 1,4,8,11-tetraazacyclotetradecane (cyclam) with selected transition and post-transition metal ions. <i>Dalton Transactions</i> , 2003, , 1558-1566.	1.6	24
189	Solvent extraction of metal sulfates by zwitterionic forms of ditopic ligands. <i>Dalton Transactions</i> , 2003, , 55-64.	1.6	45
190	New Macrocyclic Ligands. XVI. Synthesis of a Series of N-Benzylated Macrocycles Incorporating N4O2-Donor Set. <i>Australian Journal of Chemistry</i> , 2003, 56, 1141.	0.5	1
191	Self-assembly directed by NH ^{***} O hydrogen bonding: New layered molecular arrays derived from 4-tert-butylbenzoic acid and aliphatic diamines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 4987-4992.	3.3	12
192	New Macrocyclic Ligands. XV. Isomeric, Benzylated and Xylyl-Linked Macrocyclic Ligands Derived from Selectively Protected N3O2-Donor Rings. <i>Australian Journal of Chemistry</i> , 2002, 55, 773.	0.5	6
193	Modification of supramolecular motifs: some effects of incorporation of metal complexes into supramolecular arrays. <i>Dalton Transactions RSC</i> , 2002, , 377-382.	2.3	31
194	Macrocyclic ligand design. Structure-function relationships involving the interaction of pyridinyl-containing, mixed oxygen-nitrogen donor macrocycles with cobalt(ii), nickel(ii), copper(ii), zinc(ii), cadmium(ii), silver(i) and lead(ii). <i>Dalton Transactions RSC</i> , 2002, , 2185-2193.	2.3	86
195	Competitive bulk membrane transport and solvent extraction of transition and post transition metal ions using mixed-donor acyclic ligands as ionophores. <i>Dalton Transactions RSC</i> , 2002, , 2180-2184.	2.3	17
196	Supramolecular Assembly: A Comparative Structural Study of the Incorporation of Bis(2-guanidinobenzimidazolo)nickel(II) into Supramolecular Arrays. <i>Supramolecular Chemistry</i> , 2002, 14, 179-188.	1.5	12
197	A comparative investigation of supramolecular structures involving copper(ii) complexes of imidazolylalkanimidamides. <i>Dalton Transactions RSC</i> , 2002, , 4128-4133.	2.3	13
198	Metal ion recognition. Selective interaction of silver(i) with tri-linked N2S2-donor macrocycles and their single-ring analogues. <i>Dalton Transactions RSC</i> , 2002, , 371.	2.3	15

#	ARTICLE	IF	CITATIONS
199	Metal ion recognition. The interaction of cobalt(ii), nickel(ii), copper(ii), zinc(ii), cadmium(ii), silver(i) and lead(ii) with N-benzylated macrocycles incorporating O2N2-, O3N2- and O2N3-donor sets. Dalton Transactions RSC, 2002, , 3993.	2.3	23
200	Title is missing!. Australian Journal of Chemistry, 2001, 54, 59.	0.5	10
201	Proton Controlled Supramolecular Assembly: A Comparative Structural Study of Bis(2-guanidinobenzimidazolo)nickel(II) with Bis(2-guanidinobenzimidazole)nickel(II) Nitrate and 2-guanidinobenzimidazole. Supramolecular Chemistry, 2001, 13, 293-301.	1.5	17
202	New linked macrocyclic systems. Interaction of palladium(ii) and platinum(ii) with tri-linked N2S2-donor macrocycles and their single-ring analogues. Dalton Transactions RSC, 2001, , 2801-2806.	2.3	13
203	Formation of folded complexes retaining intramolecular H-bonding in the extraction of nickel(ii) by phenolic oxime and aliphatic diamine ligands. Chemical Communications, 2001, , 573-574.	2.2	14
204	Comparative DFT and X-ray structural studies of five-coordinate, N4-donor macrocyclic ligand complexes of Cu(II) and Zn(II). Dalton Transactions RSC, 2001, , 1857-1862.	2.3	9
205	Macrocyclic ligand design. A synthetic, solvent extraction, computational and NMR study of the effect of cryptand flexibility on sodium ion affinity. Dalton Transactions RSC, 2001, , 2388-2397.	2.3	15
206	The Effect of Alkylation of N- and O-Donor Atoms on Their Strength of Coordination to Silver(I). Journal of Physical Chemistry A, 2001, 105, 6567-6574.	1.1	30
207	Self-assembly directed by NH ⁺ O hydrogen bonding: new molecular assemblies derived from N,N-tetramethyl-1,2-diaminoethane and malonic or fumaric acid incorporating ⁺ proton transferred TM hydrogen bonds. Journal of Supramolecular Chemistry, 2001, 1, 201-205.	0.4	1
208	A supramolecular assembly containing an unusually short n ⁺ h ⁻ hydrogen bond ⁺ an x-ray and neutron diffraction study. Journal of Heterocyclic Chemistry, 2001, 38, 1377-1382.	1.4	5
209	Title is missing!. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2001, 41, 185-191.	1.6	7
210	Title is missing!. Australian Journal of Chemistry, 2001, 54, 291.	0.5	15
211	Macrocyclic ligand design. X-Ray, DFT and solution studies of the effect of N-methylation and N-benylation of 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane on its affinity for selected transition and post-transition metal ions. Dalton Transactions RSC, 2001, , 614-620.	2.3	58
212	New heteroditopic, linked macrocyclic systems derived from selectively protected N2S2-, N3O2- and N4-donor macrocycles. Journal of the Chemical Society, Perkin Transactions 1, 2000, , 3444-3450.	1.3	16
213	Modification of supramolecular motifs: perturbation of the structure of an extended hydrogen-bonded biuret array by interaction with an intercalated copper complex and methanol molecules. Dalton Transactions RSC, 2000, , 233-234.	2.3	15
214	Macrocyclic ligand design. Interaction of selected transition and post-transition metal ions with a new N2O2-donor macrocycle incorporating a pyridylmethyl pendant arm. Dalton Transactions RSC, 2000, , 1191-1198.	2.3	15
215	Metal-ion recognition. Competitive bulk membrane transport of transition and post transition metal ions using oxygen ⁺ nitrogen donor macrocycles as ionophores. Dalton Transactions RSC, 2000, , 3453-3459.	2.3	31
216	New Macrocyclic Ligands. XI. Synthesis, X-Ray Structure and Computational Studies of a New N2O4S2-Heteroatom Cage. Australian Journal of Chemistry, 2000, 53, 799.	0.5	2

#	ARTICLE	IF	CITATIONS
217	New Macrocyclic Ligands. X. 'Reinforced' Single-Ring and Three-Ring Systems Derived from a Common Series of O ₂ N ₂ - and O ₃ N ₂ -Macrocyclic Precursors. Australian Journal of Chemistry, 1999, 52, 1139.	0.5	7
218	New Macrocyclic Ligands. VIII Di- and Tri-linked Macrocyclic Systems Incorporating N ₂ O ₂ -Donor Atoms. Australian Journal of Chemistry, 1999, 52, 351.	0.5	10
219	New Macrocyclic Ligands. IX. N-Benzylated Macrocycles Incorporating O ₂ N ₂ -, O ₃ N ₂ - and O ₂ N ₃ -Donor Sets.. Australian Journal of Chemistry, 1999, 52, 1055.	0.5	8
220	Heavy metal ion chemistry of linked macrocyclic systems incorporating oxygen and/or sulfur in their donor sets. Coordination Chemistry Reviews, 1998, 174, 327-342.	9.5	62
221	Macrocyclic ligand design: Structure-function relationships involving the interaction of cobalt(II), nickel(II) and copper(II) with mixed donor macrocyclic ligands. Inorganica Chimica Acta, 1998, 273, 372-378.	1.2	12
222	The Transition Metal ION Chemistry of Linked Macrocyclic Ligands. Advances in Inorganic Chemistry, 1998, 45, 75-125.	0.4	65
223	Macrocyclic Ligand Design. Structure-Function Relationships Underlying the Interaction of Substituted Derivatives of Oxygen-Nitrogen Macrocycles with Selected Transition and Post Transition Metal Ions. Australian Journal of Chemistry, 1998, 51, 985.	0.5	19
224	Mono- and Diformylation of 4-Substituted Phenols: A New Application of the Duff Reaction. Synthesis, 1998, 1998, 1029-1032.	1.2	121
225	Macrocyclic Ligand Design. Structure - Function Relationships Underlying the Interaction of Zinc(II), Cadmium(II), Silver(I) and Lead(II) with Mixed-Donor Macrocyclic Ligands. Australian Journal of Chemistry, 1998, 51, 189.	0.5	12
226	Local Density Functional Theory Analysis of the Structures and Energies of the Isomers of Low-Spin [Ni(cyclam)] ²⁺ . Inorganic Chemistry, 1997, 36, 480-481.	1.9	47
227	The interaction of transition and post-transition metal ions with 14- and 16-membered trans N ₂ X ₂ -donor macrocycles (X = NH, O, S): stabilities and X-ray structures. Inorganica Chimica Acta, 1996, 246, 371-377.	1.2	13
228	Evaluation of the semiempirical PM3(tm) method for modeling high- and low-spin nickel(II) complexes of an extended series of tetraaza macrocycles. Journal of Molecular Structure, 1996, 384, 183-190.	1.8	24
229	New ribbons and threads. Nature, 1995, 376, 293-294.	13.7	16
230	Comparative molecular mechanics study of the high-spin nickel(II) complexes of an extended series of tetraaza macrocycles. Journal of Molecular Structure, 1994, 323, 223-231.	1.8	19
231	Towards synthetic enzymes. Nature, 1994, 368, 96-96.	13.7	7
232	Structure-Function Relationships in the Interaction of Zinc(II) and Cadmium(II) with an Extended Range of 16- to 19-Membered Macrocycles Incorporating Oxygen, Nitrogen, and Sulfur Donor Atoms. Inorganic Chemistry, 1994, 33, 1194-1200.	1.9	57
233	A new hydrocarbon cage. Nature, 1992, 359, 778-779.	13.7	5
234	Synthesis of new dibenzo nitrogen-oxygen donor macrocycles containing two amide groups. Journal of Heterocyclic Chemistry, 1992, 29, 141-144.	1.4	11

#	ARTICLE	IF	CITATIONS
235	Comparative molecular mechanics study of the low-spin nickel(II) complexes of an extended series of tetraaza macrocycles. <i>Journal of the American Chemical Society</i> , 1991, 113, 3346-3351.	6.6	67
236	Supramolecular transport of metal ammine and amine complexes through chloroform membranes by the natural ionophore lasalocid A. The selective enantiomeric transport of chiral metal complexes. <i>Journal of the American Chemical Society</i> , 1991, 113, 2533-2537.	6.6	32
237	Supramolecular transport of metal complexes. Chiroselective membrane transport of metal amine complexes by a polyether ionophore, lasalocid A. <i>Journal of the American Chemical Society</i> , 1990, 112, 3659-3660.	6.6	13
238	Metal-ion recognition. 2. Structural dislocation behavior in the interaction of zinc(II) and cadmium(II) with a series of O2N3-donor macrocycles. <i>Journal of the American Chemical Society</i> , 1988, 110, 8471-8477.	6.6	64
239	The Interaction of Co(II), Ni(II), Cu(II), Zn(II), and Cd(II) with Mixed Donor Macrocycles Containing Pendant Carboxylic Acid Functions. <i>Journal of Coordination Chemistry</i> , 1988, 19, 189-196.	0.8	13
240	Metal ion promoted hydration of pendant alkenes and its possible relationship to aconitase. <i>Journal of the American Chemical Society</i> , 1985, 107, 6231-6242.	6.6	27
241	New oxotechnetium(V) complexes of N,N'-ethylenebis(acetylacetonate imine), N,N'-ethylenebis(salicylideneamine), and o-phenylenebis(salicylideneamine). X-ray structures of the complexes of N,N'-ethylenebis(acetylacetonate imine) and N,N'-ethylenebis(salicylideneamine). <i>Inorganic Chemistry</i> , 1984, 23, 227-231.	1.9	69
242	Enhanced base hydrolysis of coordinated phosphate esters: the reactivity of an unusual cobalt(III) amine dimer. <i>Journal of the American Chemical Society</i> , 1984, 106, 7807-7819.	6.6	64
243	Specification of the bonding cavities available in metal-binding sites: a comparative study of a series of quadridentate macrocyclic ligands. <i>Journal of the American Chemical Society</i> , 1984, 106, 1641-1645.	6.6	52
244	Nuclear magnetic resonance studies of coordination metal complexes using lanthanide shift reagents. <i>Coordination Chemistry Reviews</i> , 1983, 48, 83-100.	9.5	18
245	Ligand design and metal-ion recognition. Interaction of nickel(II) with 17- to 19-membered macrocycles containing O2N3 and O3N2 donor sets and the x-ray structure of the parent 17-membered macrocyclic ligand. <i>Journal of the American Chemical Society</i> , 1983, 105, 4645-4651.	6.6	99
246	Comparative studies of the kinetics of macrocycle dissociation from nickel(II) in the presence of excess copper ion and 1,10-phenanthroline. <i>Inorganic Chemistry</i> , 1983, 22, 1404-1407.	1.9	6
247	Hydrolysis of phosphate esters bound to cobalt(III). Kinetics and mechanism of intramolecular attack of hydroxide on coordinated 4-nitrophenyl phosphate. <i>Journal of the American Chemical Society</i> , 1983, 105, 7327-7336.	6.6	106
248	Studies of macrocyclic ligand hole sizes. 1. X-ray structures of the nickel bromide complexes of the diimine and reduced forms of a 16-membered macrocyclic ring incorporating O2N2 donors. <i>Inorganic Chemistry</i> , 1982, 21, 3261-3264.	1.9	40
249	Studies of macrocyclic ligand hole sizes. 2. X-ray structures of the nickel chloride complexes of analogous 15-membered macrocycles containing O2N2-, N4-, and S2N2-donor sets. <i>Inorganic Chemistry</i> , 1982, 21, 3923-3927.	1.9	50
250	Structure and synthesis of isomers of novel binuclear cobalt(III)-phenyl phosphate complexes. <i>Inorganic Chemistry</i> , 1982, 21, 4155-4160.	1.9	33
251	Interaction of cobalt(II), nickel(II), and copper(II) with a new macrocyclic ligand incorporating O4N4 heteroatoms. Synthetic, solution, and x-ray diffraction studies. <i>Inorganic Chemistry</i> , 1981, 20, 4048-4053.	1.9	27
252	Nickel(II) complexes of new S2N2-donor macrocycles. Synthesis and kinetics of dissociation. <i>Inorganic Chemistry</i> , 1981, 20, 1314-1316.	1.9	29

#	ARTICLE	IF	CITATIONS
253	Dynamic hydrogen-1 nuclear magnetic resonance line-broadening study of adduct formation between azidocobalt(III) complexes containing organic ligands and lanthanide shift reagent. <i>Inorganic Chemistry</i> , 1981, 20, 4186-4193.	1.9	9
254	Metal-ion recognition by macrocyclic ligands. Thermodynamic stabilities of nickel complexes of a series of O ₂ N ₂ -donor macrocyclic ligands. <i>Journal of the American Chemical Society</i> , 1980, 102, 2670-2674.	6.6	39
255	Metal-ion recognition by macrocyclic ligands. Synthetic, thermodynamic, kinetic, and structural aspects of the interaction of copper(II) with 14- to 17-membered cyclic ligands containing an O ₂ N ₂ -donor set. <i>Inorganic Chemistry</i> , 1980, 19, 2956-2964.	1.9	62
256	Metal-ion recognition. Interaction of O ₂ N ₂ -donor macrocycles with cobalt(II), zinc(II), and cadmium(II) and structure of the zinc complex of one such 15-membered macrocycle. <i>Inorganic Chemistry</i> , 1980, 19, 3360-3365.	1.9	49
257	The mechanism of hydrolysis of a cobalt(III)-bound phosphate ester: transphosphorylation from oxygen to nitrogen. <i>Journal of the American Chemical Society</i> , 1980, 102, 7733-7741.	6.6	50
258	Cyclic ligand control of kinetic lability. Kinetics of dissociation of nickel(II) complexes of a series of O ₂ N ₂ -donor macrocycles in acid. <i>Inorganic Chemistry</i> , 1980, 19, 724-727.	1.9	19
259	Nuclear magnetic resonance study of the interaction of lanthanide shift reagent with tris(.beta.-diketonato)cobalt(III) complexes. Kinetics of adduct formation involving slow chemical exchange at ambient temperature. <i>Journal of the American Chemical Society</i> , 1979, 101, 841-847.	6.6	12
260	Macrocyclic ring-size control of kinetic lability. Kinetics of dissociation of a range of nickel(II) complexes of O ₂ N ₂ -donor macrocycles in acid. <i>Journal of the American Chemical Society</i> , 1979, 101, 4014-4016.	6.6	12
261	Studies involving nitrogen-oxygen-donor macrocyclic ligands. 4. Interaction of nickel(II) with new 14- and 17-membered crown macrocycles. <i>Inorganic Chemistry</i> , 1978, 17, 2350-2352.	1.9	37
262	Nitrogen-oxygen donor macrocyclic ligands. 3. Cobalt(II) complexes of cyclic diimine ligands derived from salicylaldehyde and 5-chloro-2-hydroxybenzophenone. X-ray structure determination of cis-dithiocyanato(5,6:14,15-dibenzo-1,4-dioxo-8,12-diazacyclopentadecane-7,12-diene)cobalt(II). <i>Inorganic Chemistry</i> , 1977, 16, 1665-1669.	1.9	17
263	Nuclear magnetic resonance studies of metal complexes using lanthanide shift reagents. Lanthanide-induced shifts in the proton (and carbon-13)spectra of diamagnetic metal complexes of quadridentate ligands incorporating oxygen-nitrogen donor atoms. <i>Journal of the American Chemical Society</i> , 1977, 99, 5863-5870.	6.6	29
264	Mass spectral and nuclear magnetic resonance (proton and carbon-13) study of metal complexes of quadridentate ligands derived from 1,2-diaminoethane and substituted .beta.-diketones; x-ray structure of N,N'-ethylenebis(5,5-dimethyl-4-oxohexan-2-iminato)nickel(II). <i>Inorganic Chemistry</i> , 1977, 16, 1962-1968.	1.9	50
265	A variable-temperature Faraday magnetic balance. <i>Journal of Chemical Education</i> , 1972, 49, 117.	1.1	48
266	Synthesis of metal complexes with macrocyclic ligands having prescribed patterns of unsaturation. Oxidative dehydrogenation of fused-ring systems involving charged, delocalized six-membered chelate rings. <i>Inorganic Chemistry</i> , 1972, 11, 1988-1994.	1.9	32
267	SPECTRAL AND ELECTROCHEMICAL STUDIES OF THE COPPER(II) COMPLEXES OF TWO MACROCYCLIC LIGANDS. <i>Journal of Coordination Chemistry</i> , 1971, 1, 7-16.	0.8	35
268	Nickel(II) and cobalt(II) complexes of a new sexadentate macrocycle. <i>Journal of the American Chemical Society</i> , 1969, 91, 4690-4693.	6.6	26
269	Reactions of nickel chelates derived from 2-aminobenzenethiol. <i>Inorganic Chemistry</i> , 1968, 7, 1149-1154.	1.9	51
270	Complexes of iron(II),cobalt(II) and nickel(II) with $\hat{1}\pm$ -diimines and related bidentate ligands. <i>Coordination Chemistry Reviews</i> , 1967, 2, 173-193.	9.5	126

#	ARTICLE	IF	CITATIONS
271	S-dealkylation and S-alkylation reactions of metal chelates of sulfur ligands. <i>Inorganic Chemistry</i> , 1967, 6, 652-656.	1.9	24
272	Modulation of the elasticity of single crystal, 1-D metal dimethylglyoximate complexes via solid solution effect. <i>CrystEngComm</i> , 0, , .	1.3	6