

Chadia Haddad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8336252/publications.pdf>

Version: 2024-02-01

117
papers

2,125
citations

201674

27
h-index

345221

36
g-index

133
all docs

133
docs citations

133
times ranked

1207
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlates of orthorexia nervosa among a representative sample of the Lebanese population. <i>Eating and Weight Disorders</i> , 2019, 24, 481-493.	2.5	78
2	Validation of the Hamilton Depression Rating Scale (HDRS) and sociodemographic factors associated with Lebanese depressed patients. <i>L'Encephale</i> , 2018, 44, 397-402.	0.9	75
3	Association between eating behavior and quarantine/confinement stressors during the coronavirus disease 2019 outbreak. <i>Journal of Eating Disorders</i> , 2020, 8, 40.	2.7	66
4	Knowledge, attitude and behaviors towards patients with mental illness: Results from a national Lebanese study. <i>PLoS ONE</i> , 2019, 14, e0222172.	2.5	62
5	Internet Addiction Among Lebanese Adolescents. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 838-846.	1.0	57
6	Suicidal ideation among Lebanese adolescents: scale validation, prevalence and correlates. <i>BMC Psychiatry</i> , 2020, 20, 304.	2.6	51
7	Factors associated with restrained eating and validation of the Arabic version of the restrained eating scale among an adult representative sample of the Lebanese population: a cross-sectional study. <i>Journal of Eating Disorders</i> , 2019, 7, 24.	2.7	48
8	Problematic social media use and mental health (depression, anxiety, and insomnia) among Lebanese adults: Any mediating effect of stress?. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 539-549.	1.9	48
9	COVID-19 pandemic and mental health in Lebanon: a cross-sectional study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 152-163.	2.4	47
10	Factors associated with alcohol use disorder: the role of depression, anxiety, stress, alexithymia and work fatigue- a population study in Lebanon. <i>BMC Public Health</i> , 2020, 20, 245.	2.9	45
11	Factors associated with body dissatisfaction among the Lebanese population. <i>Eating and Weight Disorders</i> , 2019, 24, 507-519.	2.5	43
12	Construction of the Lebanese Anxiety Scale (LAS-10): a new scale to assess anxiety in adult patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 270-277.	2.4	43
13	Validation of the Arabic version of the ORTO-15 questionnaire in a sample of the Lebanese population. <i>Eating and Weight Disorders</i> , 2020, 25, 951-960.	2.5	41
14	Smoking and COVID-19: A Scoping Review. <i>Tobacco Use Insights</i> , 2021, 14, 1179173X2199461.	1.6	41
15	Attachment style and addictions (alcohol, cigarette, waterpipe and internet) among Lebanese adolescents: a national study. <i>BMC Psychology</i> , 2020, 8, 33.	2.1	39
16	Validation of the Arabic version of the binge eating scale and correlates of binge eating disorder among a sample of the Lebanese population. <i>Journal of Eating Disorders</i> , 2019, 7, 40.	2.7	37
17	Validation of the Hamilton Anxiety Rating Scale and State Trait Anxiety Inventory A and B in Arabic among the Lebanese population. <i>Clinical Epidemiology and Global Health</i> , 2020, 8, 1104-1109.	1.9	37
18	Development of the Lebanese insomnia scale (LIS-18): a new scale to assess insomnia in adult patients. <i>BMC Psychiatry</i> , 2019, 19, 421.	2.6	36

#	ARTICLE	IF	CITATIONS
19	Cross-cultural differences in orthorexic eating behaviors: Associations with personality traits. <i>Nutrition</i> , 2020, 77, 110811.	2.4	35
20	Violence Against Women During COVID-19 Pandemic. <i>Journal of Interpersonal Violence</i> , 2022, 37, NP12284-NP12309.	2.0	35
21	Impact of the interaction between alexithymia and the adult attachment styles in participants with alcohol use disorder. <i>Alcohol</i> , 2020, 83, 1-8.	1.7	33
22	Validation of the Arabic version of the Eating Attitude Test in Lebanon: a population study. <i>Public Health Nutrition</i> , 2020, 24, 1-12.	2.2	33
23	Factors associated with depression among the Lebanese population: Results of a cross-sectional study. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 956-967.	1.9	33
24	Factors associated with alexithymia among the Lebanese population: results of a cross-sectional study. <i>BMC Psychology</i> , 2019, 7, 80.	2.1	32
25	Validation of the AUDIT scale and factors associated with alcohol use disorder in adolescents: results of a National Lebanese Study. <i>BMC Pediatrics</i> , 2020, 20, 205.	1.7	31
26	Factors associated with anxiety among the Lebanese population: the role of alexithymia, self-esteem, alcohol use disorders, emotional intelligence and stress and burnout. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 151-162.	2.4	30
27	Binge eating, orthorexia nervosa, restrained eating, and quality of life: a population study in Lebanon. <i>Eating and Weight Disorders</i> , 2021, 26, 145-158.	2.5	30
28	Burnout and Its Relationships With Alexithymia, Stress, Self-Esteem, Depression, Alcohol Use Disorders, and Emotional Intelligence. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 642-650.	1.0	29
29	Interaction between anxiety and depression on suicidal ideation, quality of life, and work productivity impairment: Results from a representative sample of the Lebanese population. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 270-279.	1.9	29
30	Suicidal ideation among Lebanese adults: scale validation and correlates. <i>BMC Psychiatry</i> , 2021, 21, 100.	2.6	27
31	Factors associated with problematic internet use among a large sample of Lebanese adolescents. <i>BMC Pediatrics</i> , 2021, 21, 148.	1.7	27
32	Validation of the Arabic version of the "12-item short-form health survey" (SF-12) in a sample of Lebanese adults. <i>Archives of Public Health</i> , 2021, 79, 56.	2.4	26
33	Factors associated with the adults' attachment styles in Lebanon: The role of alexithymia, depression, anxiety, stress, burnout, and emotional intelligence. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 607-617.	1.9	25
34	Bullying victimization among Lebanese adolescents: The role of child abuse, Internet addiction, social phobia and depression and validation of the Illinois Bully Scale. <i>BMC Pediatrics</i> , 2020, 20, 520.	1.7	25
35	Stigma toward people with COVID-19 among the Lebanese population: a cross-sectional study of correlates and mediating effects. <i>BMC Psychology</i> , 2021, 9, 164.	2.1	23
36	Validation of selected sleeping disorders related scales in Arabic among the Lebanese Population. <i>Sleep and Biological Rhythms</i> , 2019, 17, 183-189.	1.0	22

#	ARTICLE	IF	CITATIONS
37	Video gaming addiction and its association with memory, attention and learning skills in Lebanese children. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2020, 14, 46.	2.5	21
38	Association between parental separation and addictions in adolescents: results of a National Lebanese Study. <i>BMC Public Health</i> , 2020, 20, 965.	2.9	21
39	Xenophobic attitudes, behaviors and coping strategies among Lebanese people toward immigrants and refugees. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 710-717.	1.9	19
40	Factors associated with problematic social media use among a sample of Lebanese adults: The mediating role of emotional intelligence. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 1313-1322.	1.9	19
41	COVID-19 detection by dogs: from physiology to field application—a review article. <i>Postgraduate Medical Journal</i> , 2022, 98, 212-218.	1.8	19
42	Validation of the Beirut Distress Scale (BDS-10), a short version of BDS-22, to assess psychological distress among the Lebanese population. <i>Perspectives in Psychiatric Care</i> , 2022, 58, 304-313.	1.9	19
43	Should samples be weighted to decrease selection bias in online surveys during the COVID-19 pandemic? Data from seven datasets. <i>BMC Medical Research Methodology</i> , 2022, 22, 63.	3.1	18
44	Knowledge, attitudes, harm perception, and practice related to waterpipe smoking in Lebanon. <i>Environmental Science and Pollution Research</i> , 2020, 27, 17854-17863.	5.3	17
45	Factors associated with fear of intimacy among a representative sample of the Lebanese population: The role of depression, social phobia, self-esteem, intimate partner violence, attachment, and maladaptive schemas. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 486-494.	1.9	16
46	CORRELATES OF SELF-ESTEEM AMONG THE LEBANESE POPULATION: A CROSS-SECTIONAL STUDY. <i>Psychiatria Danubina</i> , 2019, 31, 429-439.	0.4	16
47	Construction and validation of the Lebanese fear of relationship commitment scale among a representative sample of the Lebanese population. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 280-289.	1.9	16
48	Factors associated with violence against women in a representative sample of the Lebanese population: results of a cross-sectional study. <i>Archives of Women's Mental Health</i> , 2021, 24, 63-72.	2.6	16
49	Emotion regulation among Lebanese adults: Validation of the Emotion Regulation Questionnaire and association with attachment styles. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 809-820.	1.9	16
50	Construction and validation of the water pipe harm perception scale (WHPS-6) among the Lebanese population. <i>Environmental Science and Pollution Research</i> , 2020, 27, 3440-3448.	5.3	15
51	Relationship between <i>Toxoplasma gondii</i> seropositivity and schizophrenia in the Lebanese population: potential implication of genetic polymorphism of MMP-9. <i>BMC Psychiatry</i> , 2020, 20, 264.	2.6	15
52	Association between problematic social media use and memory performance in a sample of Lebanese adults: the mediating effect of anxiety, depression, stress and insomnia. <i>Head & Face Medicine</i> , 2021, 17, 6.	2.1	15
53	Clinical and Genetic Factors Associated with Resistance to Treatment in Patients with Schizophrenia: A Case-Control Study. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4753.	4.1	14
54	Relationship Between Cosmetics Use, Self-Esteem, and Self-Perceived Attractiveness Among Lebanese Women. <i>Journal of Cosmetic Science</i> , 2019, 70, 47-56.	0.1	14

#	ARTICLE	IF	CITATIONS
55	Neurological soft signs in bipolar and unipolar disorder: A case-control study. <i>Psychiatry Research</i> , 2018, 261, 253-258.	3.3	13
56	Previous, current, and cumulative dose effect of waterpipe smoking on LDL and total cholesterol. <i>Environmental Science and Pollution Research</i> , 2019, 26, 8194-8201.	5.3	13
57	Association of problematic internet use with depression, impulsivity, anger, aggression, and social anxiety: Results of a national study among Lebanese adolescents. <i>Pediatric Investigation</i> , 2021, 5, 255-264.	1.4	13
58	Knowledge and attitude toward waterpipe smoking: scale validation and correlates in the Lebanese adult population. <i>Environmental Science and Pollution Research</i> , 2020, 27, 31250-31258.	5.3	12
59	Does Stockholm Syndrome Exist in Lebanon? Results of a Cross-Sectional Study Considering the Factors Associated With Violence Against Women in a Lebanese Representative Sample. <i>Journal of Interpersonal Violence</i> , 2021, 36, 11509-11531.	2.0	12
60	Comparing cigarette smoking knowledge and attitudes among smokers and non-smokers. <i>Environmental Science and Pollution Research</i> , 2020, 27, 19352-19362.	5.3	11
61	Correlates of emotional intelligence among Lebanese adults: the role of depression, anxiety, suicidal ideation, alcohol use disorder, alexithymia and work fatigue. <i>BMC Psychology</i> , 2021, 9, 18.	2.1	11
62	Cross-cultural adaptation and validation of the Arabic version of the BACS scale (the brief) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td 2021, 21, 223.	2.6	11
63	COVID-19 and psychosis, depression, obsession and quality of life in Lebanese patients with schizophrenia: Any changes after 5 months of quarantine?. <i>BMC Psychology</i> , 2022, 10, 32.	2.1	11
64	Managing acutely aggressive or agitated people in a psychiatric setting: a survey in Lebanon. <i>Medical Journal of the Islamic Republic of Iran</i> , 2018, 32, 352-360.	0.9	10
65	Validation of the Arabic version of the "self-evaluation of negative symptoms" scale (SNS). <i>BMC Psychiatry</i> , 2020, 20, 240.	2.6	10
66	Emotional eating among Lebanese adults: scale validation, prevalence and correlates. <i>Eating and Weight Disorders</i> , 2021, 26, 1069-1078.	2.5	10
67	Coronary Heart Disease Risk in Patients with Schizophrenia: A Lebanese Cross-Sectional Study. <i>Journal of Comorbidity</i> , 2017, 7, 79-88.	3.9	9
68	Impact of psychosis in bipolar disorder during manic episodes. <i>International Journal of Neuroscience</i> , 2018, 128, 1128-1134.	1.6	9
69	Correlates of Homophobic Attitudes in Lebanon: Results of a Cross-Sectional Study. <i>Journal of Homosexuality</i> , 2020, 67, 844-862.	2.0	9
70	Impact of spirituality and religiosity on suicidal risk among a sample of lebanese psychiatric in-patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 25, 1-8.	2.4	8
71	Prevalence of Obsessive-Compulsive Disorder in Patients With Schizophrenia and Outcome on Positive and Negative Symptoms, Cognition, and Quality of Life. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 239-245.	1.0	7
72	Cognition and physical functioning in patients with schizophrenia: any role for vitamin D?. <i>Nutritional Neuroscience</i> , 2020, 23, 911-919.	3.1	7

#	ARTICLE	IF	CITATIONS
73	Posttraumatic stress disorders and depression among male inpatient adults involved in the Lebanese war. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 263-269.	1.9	7
74	Knowledge and attitudes toward cigarette and narghile smoking among previous smokers in Lebanon. <i>Environmental Science and Pollution Research</i> , 2020, 27, 14100-14107.	5.3	7
75	Attachment styles and their association with aggression, hostility, and anger in Lebanese adolescents: a national study. <i>BMC Psychology</i> , 2022, 10, 104.	2.1	7
76	Factors associated with anxiety disorders among patients with substance use disorders in Lebanon: Results of a cross-sectional study. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 745-752.	1.9	6
77	Medication adherence among Lebanese adult patients with hypothyroidism: Validation of the Lebanese Medication Adherence Scale and correlates. <i>Clinical Epidemiology and Global Health</i> , 2021, 9, 196-201.	1.9	6
78	Sleep disorders in a sample of Lebanese children: the role of parental mental health and child nutrition and activity. <i>BMC Pediatrics</i> , 2021, 21, 324.	1.7	6
79	Self-assessment of social cognition in a sample of Lebanese in-patients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100207.	1.3	6
80	Untreated Dyslipidemia in Lebanese Patients With Schizophrenia. <i>primary care companion for CNS disorders, The</i> , 2017, 19, .	0.6	6
81	Cognitive function among schoolchildren in Lebanon: association with maternal alcohol drinking and smoking during pregnancy and domestic use of detergents and pesticides during childhood. <i>Environmental Science and Pollution Research</i> , 2019, 26, 14373-14381.	5.3	5
82	Association of War and Other Factors with Substance Use in a Lebanese Male Sample. <i>Journal of Drug Issues</i> , 2019, 49, 106-117.	1.2	5
83	Relationship Between Impulsivity and Clinical and Sociodemographic Variables Among Lebanese Patients With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 596-603.	1.0	5
84	Identification of Factors Affecting the Quality of Life Among Patients With Addiction in Lebanon. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 378-383.	1.0	5
85	Affective temperaments in Lebanese people with substance use disorder. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 478-485.	1.9	5
86	Factors influencing women's sex work in a Lebanese sample: results of a case-control study. <i>BMC Women's Health</i> , 2020, 20, 193.	2.0	5
87	The Lebanese Depression Scale: A scale to screen for depression in the Lebanese population. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 620-626.	1.9	5
88	Association between cumulative cigarette and Waterpipe smoking and symptoms of dependence in Lebanese adults. <i>BMC Public Health</i> , 2021, 21, 1583.	2.9	5
89	Treatment satisfaction and its association with anxiety, depression and fear of COVID-19 among Lebanese inpatients with schizophrenia. <i>Pharmacy Practice</i> , 2021, 19, 2364.	1.5	5
90	Variation of psychological and anthropometrics measures before and after dieting and factors associated with body dissatisfaction and quality of life in a Lebanese clinical sample. <i>BMC Psychology</i> , 2021, 9, 189.	2.1	5

#	ARTICLE	IF	CITATIONS
91	The use of the Montreal Cognitive Assessment (MoCA) screening tool to evaluate cognitive deficits in Lebanese in-patients with schizophrenia. <i>Asian Journal of Psychiatry</i> , 2022, 70, 103029.	2.0	5
92	Cardiovascular events in hospitalised patients with schizophrenia: a survival analysis. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019, 23, 106-113.	2.4	4
93	Factors associated with overweight and obesity in Lebanese male patients with schizophrenia. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 1347-1355.	1.9	4
94	Colour discrimination among patients with schizophrenia in Lebanon. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 193-200.	2.4	4
95	Are eating disorders associated with bipolar disorder type I? Results of a Lebanese case-control study. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 326-334.	1.9	4
96	COVID- 19 outbreak: Does confinement have any impact on weight change perception?. <i>Nutrition Clinique Et Metabolisme</i> , 2021, 35, 137-143.	0.5	4
97	Is problematic social media use associated with higher addictions (alcohol, smoking, and waterpipe) among Lebanese adults?. <i>Perspectives in Psychiatric Care</i> , 2022, 58, 1554-1563.	1.9	4
98	Association of characters and temperaments with cigarette and waterpipe dependence among a sample of Lebanese adults. <i>Environmental Science and Pollution Research</i> , 2021, 28, 8466-8475.	5.3	3
99	A cross-sectional study of COVID-19-related bullying in a sample of Lebanese adults: scale validation, correlates, and mediating effect of fear and anxiety. <i>BMC Psychology</i> , 2021, 9, 137.	2.1	3
100	Rapid tranquillisation in a psychiatric emergency hospital in Lebanon: TREC-Lebanon – a pragmatic randomised controlled trial of intramuscular haloperidol and promethazine <i>v.</i> intramuscular haloperidol, promethazine and chlorpromazine. <i>Psychological Medicine</i> , 2022, 52, 2751-2759.	4.5	3
101	Association Between Parental Divorce and Anger, Aggression, and Hostility in Adolescents: Results of a National Lebanese Study. <i>Journal of Family Issues</i> , 2023, 44, 587-609.	1.6	3
102	Affective temperaments of Lebanese patients with schizophrenia: comparison by gender and severity of psychosis. <i>BMC Research Notes</i> , 2021, 14, 430.	1.4	3
103	Subjective cognitive complaints and relations to objective cognitive performance among Lebanese patients with schizophrenia. <i>BMC Psychiatry</i> , 2021, 21, 549.	2.6	3
104	Factors related to pregnancy status and unwanted pregnancy among lebanese women during the COVID-19 lockdown: a cross-sectional study. <i>Archives of Public Health</i> , 2022, 80, 68.	2.4	3
105	COVID-19 outbreak in a psychiatric hospital: what makes it worse?. <i>Annals of General Psychiatry</i> , 2022, 21, .	2.7	3
106	Prevalence of comorbidities and correlates of hospital readmission rate in patients with acute mania: A one-year retrospective data from a tertiary care. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 753-759.	1.9	2
107	Association of insomnia with mania in Lebanese patients with bipolar disorder. <i>L'Encephale</i> , 2021, 47, 314-318.	0.9	2
108	General description of cognitive deficits in schizophrenia and assessment tools in Lebanon: A scoping review. <i>Schizophrenia Research: Cognition</i> , 2021, 25, 100199.	1.3	2

#	ARTICLE	IF	CITATIONS
109	Factors related to autonomy among Lebanese women: a web-based cross-sectional study. <i>BMC Women's Health</i> , 2021, 21, 369.	2.0	2
110	Tablet vs. Book learning: association with memory, attention, and learning abilities among lebanese children. <i>Vulnerable Children and Youth Studies</i> , 0, , 1-13.	1.1	2
111	Selfie addiction: The impact of personality traits? A cross-sectional study among the Lebanese population. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 167-178.	1.9	1
112	Negative symptoms in schizophrenia: correlation with clinical and genetic factors. <i>Pharmacogenomics</i> , 2021, 22, 389-399.	1.3	1
113	Factors associated with seasonal affective disorders in Lebanese adults. <i>Perspectives in Psychiatric Care</i> , 2021, , .	1.9	1
114	Study protocol for a randomised controlled trial of haloperidol plus promethazine plus chlorpromazine versus haloperidol plus promethazine for rapid tranquilisation for agitated psychiatric patients in the emergency setting (TREC-Lebanon). <i>F1000Research</i> , 2019, 8, 1442.	1.6	1
115	Association of violent video games with alcohol use disorder and smoking dependence among male adolescents in Lebanon. <i>Archives De Pediatrie</i> , 2022, , .	1.0	1
116	The Combined Outcomes of the COVID-19 Pandemic and a Collapsing Economy on Mental Well-Being: A Cross-Sectional Study. <i>Psychological Reports</i> , 0, , 003329412211105.	1.7	1
117	Coronary heart disease risk in patients with schizophrenia: a Lebanese cross-sectional study (supplementary file). <i>Journal of Comorbidity</i> , 2017, 7, .	3.9	0