

Stefano Ciardullo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8340669/publications.pdf>

Version: 2024-02-01

45
papers

915
citations

567281

15
h-index

552781

26
g-index

46
all docs

46
docs citations

46
times ranked

866
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonalcoholic fatty liver disease and risk of incident hypertension: a systematic review and meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2022, 34, 365-371.	1.6	42
2	Prevalence of Elevated Liver Stiffness Among Potential Candidates for Bariatric Surgery in the United States. <i>Obesity Surgery</i> , 2022, 32, 712-719.	2.1	4
3	Liver Stiffness, Albuminuria and Chronic Kidney Disease in Patients with NAFLD: A Systematic Review and Meta-Analysis. <i>Biomolecules</i> , 2022, 12, 105.	4.0	23
4	Advances in fibrosis biomarkers in nonalcoholic fatty liver disease. <i>Advances in Clinical Chemistry</i> , 2022, 106, 33-65.	3.7	5
5	Soluble β -Klotho levels, glycemic control and renal function in US adults with type 2 diabetes. <i>Acta Diabetologica</i> , 2022, 59, 803-809.	2.5	14
6	Sex-related association of nonalcoholic fatty liver disease and liver fibrosis with body fat distribution in the general US population. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1528-1534.	4.7	34
7	Hepatitis C virus infection and diabetes: a complex bidirectional relationship. <i>Diabetes Research and Clinical Practice</i> , 2022, , 109870.	2.8	3
8	Peripheral artery disease and all-cause and cardiovascular mortality in patients with NAFLD. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 1547-1553.	3.3	6
9	Prolonged Use of Proton Pump Inhibitors and Risk of Type 2 Diabetes: Results From a Large Population-Based Nested Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2671-e2679.	3.6	12
10	Impact of the new definition of metabolic dysfunction-associated fatty liver disease on detection of significant liver fibrosis in US adolescents. <i>Hepatology Communications</i> , 2022, 6, 2070-2078.	4.3	12
11	Twenty-year trends in heart failure among U.S. adults, 1999-2018: The growing impact of obesity and diabetes. <i>International Journal of Cardiology</i> , 2022, 362, 104-109.	1.7	7
12	Authors' reply to Shang et al.. <i>International Journal of Cardiology</i> , 2022, , .	1.7	0
13	Prevalence of elevated liver stiffness in patients with type 1 and type 2 diabetes: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2022, 190, 109981.	2.8	18
14	Prevalence of Liver Steatosis and Fibrosis Detected by Transient Elastography in Adolescents in the 2017-2018 National Health and Nutrition Examination Survey. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 384-390.e1.	4.4	60
15	Impact of diabetes on COVID-19-related in-hospital mortality: a retrospective study from Northern Italy. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 843-850.	3.3	41
16	Hypercortisolism and altered glucose homeostasis in obese patients in the pre-bariatric surgery assessment. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3389.	4.0	5
17	Baseline TSH levels and short-term weight loss after different procedures of bariatric surgery. <i>International Journal of Obesity</i> , 2021, 45, 326-330.	3.4	7
18	Lack of awareness of liver organ damage in patients with type 2 diabetes. <i>Acta Diabetologica</i> , 2021, 58, 651-655.	2.5	6

#	ARTICLE	IF	CITATIONS
19	An unexpected bilateral mass after total thyroidectomy. <i>Endocrine</i> , 2021, 73, 758-761.	2.3	0
20	Metabolic and Psychological Features are Associated with Weight Loss 12 Months After Sleeve Gastrectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3087-e3097.	3.6	1
21	Blood pressure, glycemic status and advanced liver fibrosis assessed by transient elastography in the general United States population. <i>Journal of Hypertension</i> , 2021, 39, 1621-1627.	0.5	17
22	Prevalence of NAFLD, MAFLD and associated advanced fibrosis in the contemporary United States population. <i>Liver International</i> , 2021, 41, 1290-1293.	3.9	134
23	Sodium-glucose transporter 2 inhibitors for renal and cardiovascular protection in US adults with type 2 diabetes: Impact of the 2020 KDIGO clinical practice guidelines. <i>Pharmacological Research</i> , 2021, 166, 105530.	7.1	7
24	NAFLD and Liver Fibrosis Are Not Associated With Reduced Femoral Bone Mineral Density in the General US Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2856-e2865.	3.6	26
25	Seasonal variation in estimated cardiovascular risk in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1494-1500.	2.6	7
26	Current type 2 diabetes, rather than previous gestational diabetes, is associated with liver disease in U.S. Women. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108879.	2.8	8
27	Nonalcoholic Fatty Liver Disease, Liver Fibrosis and Cardiovascular Disease in the Adult US Population. <i>Frontiers in Endocrinology</i> , 2021, 12, 711484.	3.5	11
28	Liver fibrosis assessed by transient elastography is independently associated with albuminuria in the general United States population. <i>Digestive and Liver Disease</i> , 2021, 53, 866-872.	0.9	22
29	Statin use is associated with lower prevalence of advanced liver fibrosis in patients with type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021, 121, 154752.	3.4	47
30	Reply to "Liver fibrosis assessed by transient elastography and albuminuria". <i>Digestive and Liver Disease</i> , 2021, 53, 1056.	0.9	0
31	Comparing medication persistence among patients with type 2 diabetes using sodium-glucose cotransporter 2 inhibitors or glucagon-like peptide-1 receptor agonists in real-world setting. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109035.	2.8	12
32	Metabolic Syndrome, and Not Obesity, Is Associated with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2021, 52, 666-672.	3.1	16
33	High Prevalence of Advanced Liver Fibrosis Assessed by Transient Elastography Among U.S. Adults With Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, 519-525.	8.6	102
34	Comment on "An Observational Data Meta-Analysis on the Differences in Prevalence and Risk Factors Between MAFLD vs NAFLD". <i>Clinical Gastroenterology and Hepatology</i> , 2021, , .	4.4	0
35	Is Switching from Oral Antidiabetic Therapy to Insulin Associated with an Increased Fracture Risk?. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 992-1003.	1.5	13
36	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 3061-3062.	4.4	1

#	ARTICLE	IF	CITATIONS
37	Screening strategies for nonalcoholic fatty liver disease in type 2 diabetes: Insights from NHANES 2005-2016. <i>Diabetes Research and Clinical Practice</i> , 2020, 167, 108358.	2.8	19
38	Visit-to-visit blood pressure variability in patients with type 2 diabetes with and without previous history of cardiovascular disease. <i>Journal of Hypertension</i> , 2020, 38, 1737-1744.	0.5	6
39	Resting Energy Expenditure in Obese Women with Primary Hypothyroidism and Appropriate Levothyroxine Replacement Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1741-e1748.	3.6	12
40	Nonalcoholic Fatty Liver Disease and Advanced Fibrosis in US Adults Across Blood Pressure Categories. <i>Hypertension</i> , 2020, 76, 562-568.	2.7	39
41	Resting Whole Body Energy Metabolism in Class 3 Obesity; from Preserved Insulin Sensitivity to Overt Type 2 Diabetes. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 489-497.	2.4	3
42	Impact of using different biomarkers of liver fibrosis on hepatologic referral of individuals with severe obesity and NAFLD. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 1019-1026.	3.3	13
43	Risk stratification tools for heart failure in the diabetes clinic. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1070-1079.	2.6	7
44	Screening for non-alcoholic fatty liver disease in type 2 diabetes using non-invasive scores and association with diabetic complications. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000904.	2.8	71
45	Screening of SLC2A1 in a large cohort of patients suspected for Glut1 deficiency syndrome: identification of novel variants and associated phenotypes. <i>Journal of Neurology</i> , 2019, 266, 1439-1448.	3.6	18