

Francesca Romana Mauro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8342411/publications.pdf>

Version: 2024-02-01

176
papers

5,395
citations

109321

35
h-index

95266

68
g-index

176
all docs

176
docs citations

176
times ranked

5615
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Correspondence in reference to the previously published manuscript: Reduction of cycles of bendamustine plus rituximab therapy in the cases with good response for indolent B-cell lymphomas. <i>Hematological Oncology</i> , 2023, 41, 571-573. | 1.7 | 0 |
| 2 | The complex karyotype landscape in chronic lymphocytic leukemia allows the refinement of the risk of Richter syndrome transformation. <i>Haematologica</i> , 2022, 107, 868-876. | 3.5 | 31 |
| 3 | Treatment with ibrutinib does not induce a TP53 clonal evolution in chronic lymphocytic leukemia. <i>Haematologica</i> , 2022, 107, 334-337. | 3.5 | 4 |
| 4 | Prediction of outcomes in chronic lymphocytic leukemia patients treated with ibrutinib: Validation of current prognostic models and development of a simplified three-factor model. <i>American Journal of Hematology</i> , 2022, 97, . | 4.1 | 5 |
| 5 | Risk of hepatitis B virus reactivation in chronic lymphocytic leukemia patients receiving ibrutinib with or without antiviral prophylaxis. A retrospective multicentric GIMEMA study. <i>Haematologica</i> , 2022, 107, 1470-1473. | 3.5 | 12 |
| 6 | Use of BTK inhibitors with special focus on ibrutinib in Waldenström macroglobulinemia: An expert panel opinion statement. <i>Hematological Oncology</i> , 2022, 40, 332-340. | 1.7 | 3 |
| 7 | How COVID-19 pandemic changed our attitude to venetoclax-based treatment in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2022, , 1-4. | 1.3 | 3 |
| 8 | Use of BTK inhibitors with focus on ibrutinib in mantle cell lymphoma: An expert panel opinion statement. <i>Hematological Oncology</i> , 2022, 40, 518-527. | 1.7 | 4 |
| 9 | Clonal haematopoiesis as a risk factor for therapy-related myeloid neoplasms in patients with chronic lymphocytic leukaemia treated with chemo(immuno)therapy. <i>British Journal of Haematology</i> , 2022, 198, 103-113. | 2.5 | 7 |
| 10 | Continuous treatment with Ibrutinib in 100 untreated patients with TP53 disrupted chronic lymphocytic leukemia: A real-life campus CLL study. <i>American Journal of Hematology</i> , 2022, 97, . | 4.1 | 14 |
| 11 | Efficacy of Front-Line Ibrutinib and Rituximab Combination and the Impact of Treatment Discontinuation in Unfit Patients with Chronic Lymphocytic Leukemia: Results of the Gimema LLC1114 Study. <i>Cancers</i> , 2022, 14, 207. | 3.7 | 3 |
| 12 | Survival risk score for real-life relapsed/refractory chronic lymphocytic leukemia patients receiving ibrutinib. A campus CLL study. <i>Leukemia</i> , 2021, 35, 235-238. | 7.2 | 17 |
| 13 | Efficacy of recombinant erythropoietin in autoimmune haemolytic anaemia: a multicentre international study. <i>Haematologica</i> , 2021, 106, 622-625. | 3.5 | 39 |
| 14 | Response to the conjugate pneumococcal vaccine (PCV13) in patients with chronic lymphocytic leukemia (CLL). <i>Leukemia</i> , 2021, 35, 737-746. | 7.2 | 61 |
| 15 | Increase of immunoglobulin A during ibrutinib therapy reduces infection rate in chronic lymphocytic leukemia patients. <i>Hematological Oncology</i> , 2021, 39, 141-144. | 1.7 | 3 |
| 16 | Comparison of ibrutinib and idelalisib plus rituximab in real-life relapsed/resistant chronic lymphocytic leukemia cases. <i>European Journal of Haematology</i> , 2021, 106, 493-499. | 2.2 | 5 |
| 17 | Assessment of the 4-factor score: Retrospective analysis of 586 CLL patients receiving ibrutinib. A campus CLL study. <i>American Journal of Hematology</i> , 2021, 96, E168-E171. | 4.1 | 10 |
| 18 | Efficacy of idelalisib and rituximab in relapsed/refractory chronic lymphocytic leukemia treated outside of clinical trials. A report of the Gimema Working Group. <i>Hematological Oncology</i> , 2021, 39, 326-335. | 1.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | TH2/TH1 Shift Under Ibrutinib Treatment in Chronic Lymphocytic Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 637186. | 2.8 | 17 |
| 20 | <i>TP53</i> disruption as a risk factor in the era of targeted therapies: A multicenter retrospective study of 525 chronic lymphocytic leukemia cases. <i>American Journal of Hematology</i> , 2021, 96, E306-E310. | 4.1 | 8 |
| 21 | Effectiveness of ibrutinib as first-line therapy for chronic lymphocytic leukemia patients and indirect comparison with rituximab+bendamustine: Results of study on 486 cases outside clinical trials. <i>American Journal of Hematology</i> , 2021, 96, E269-E272. | 4.1 | 3 |
| 22 | Preexisting and treatment-emergent autoimmune cytopenias in patients with CLL treated with targeted drugs. <i>Blood</i> , 2021, 137, 3507-3517. | 1.4 | 30 |
| 23 | Prognostic Impact and Risk Factors of Infections in Patients with Chronic Lymphocytic Leukemia Treated with Ibrutinib. <i>Cancers</i> , 2021, 13, 3240. | 3.7 | 16 |
| 24 | Management of chronic lymphocytic leukemia in Italy during a one year of the COVID-19 pandemic and at the start of the vaccination program. A Campus CLL report. <i>Hematological Oncology</i> , 2021, 39, 570-574. | 1.7 | 9 |
| 25 | Lymphocyte Doubling Time As A Key Prognostic Factor To Predict Time To First Treatment In Early-Stage Chronic Lymphocytic Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 684621. | 2.8 | 6 |
| 26 | Complex karyotype in unfit patients with CLL treated with ibrutinib and rituximab: the GIMEMA LLC1114 phase 2 study. <i>Blood</i> , 2021, 138, 2727-2730. | 1.4 | 9 |
| 27 | Do age, fitness and concomitant medications influence management and outcomes of CLL patients treated with ibrutinib?. <i>Blood Advances</i> , 2021, , . | 5.2 | 14 |
| 28 | COVID-19 severity and mortality in patients with CLL: an update of the international ERIC and Campus CLL study. <i>Leukemia</i> , 2021, 35, 3444-3454. | 7.2 | 57 |
| 29 | Modulated expression of adhesion, migration and activation molecules may predict the degree of response in chronic lymphocytic leukemia patients treated with ibrutinib plus rituximab. <i>Haematologica</i> , 2021, 106, 1500-1503. | 3.5 | 7 |
| 30 | Increased eryptosis in patients with primary antiphospholipid syndrome (APS): a new actor in the pathogenesis of APS. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 838-843. | 0.8 | 1 |
| 31 | HIF-1 α is over-expressed in leukemic cells from <i>TP53</i> -disrupted patients and is a promising therapeutic target in chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 105, 1042-1054. | 3.5 | 39 |
| 32 | Efficacy of bendamustine and rituximab in unfit patients with previously untreated chronic lymphocytic leukemia. Indirect comparison with ibrutinib in a real-world setting. A GIMEMA-ERIC and US study. <i>Cancer Medicine</i> , 2020, 9, 8468-8479. | 2.8 | 12 |
| 33 | Validation of a survival-risk score (SRS) in relapsed/refractory CLL patients treated with idelalisib+rituximab. <i>Blood Cancer Journal</i> , 2020, 10, 92. | 6.2 | 7 |
| 34 | International prognostic score for asymptomatic early-stage chronic lymphocytic leukemia. <i>Blood</i> , 2020, 135, 1859-1869. | 1.4 | 86 |
| 35 | Chronic lymphocytic leukemia management in Italy during the COVID-19 pandemic: a Campus CLL report. <i>Blood</i> , 2020, 136, 763-766. | 1.4 | 33 |
| 36 | Front-Line Therapy for Elderly Chronic Lymphocytic Leukemia Patients: Bendamustine Plus Rituximab or Chlorambucil Plus Rituximab? Real-Life Retrospective Multicenter Study in the Lazio Region. <i>Frontiers in Oncology</i> , 2020, 10, 848. | 2.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | COVID-19 severity and mortality in patients with chronic lymphocytic leukemia: a joint study by ERIC, the European Research Initiative on CLL, and CLL Campus. <i>Leukemia</i> , 2020, 34, 2354-2363. | 7.2 | 198 |
| 38 | Prognostic Significance of PET/CT in Patients with Chronic Lymphocytic Leukemia (CLL) Treated with Frontline Chemoimmunotherapy. <i>Cancers</i> , 2020, 12, 1773. | 3.7 | 4 |
| 39 | Frontline treatment with the combination obinutuzumab ± chlorambucil for chronic lymphocytic leukemia outside clinical trials: Results of a multinational, multicenter study by ERIC and the Israeli CLL study group. <i>American Journal of Hematology</i> , 2020, 95, 604-611. | 4.1 | 12 |
| 40 | High rate of MRD-responses in young and fit patients with IGHV mutated chronic lymphocytic leukemia treated with front-line fludarabine, cyclophosphamide, and intensified dose of ofatumumab (FCO2). <i>Haematologica</i> , 2020, 105, 2671-2674. | 3.5 | 1 |
| 41 | CD49d promotes disease progression in chronic lymphocytic leukemia: new insights from CD49d bimodal expression. <i>Blood</i> , 2020, 135, 1244-1254. | 1.4 | 33 |
| 42 | Biological and clinical implications of <i>BIRC3</i> mutations in chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 105, 448-456. | 3.5 | 64 |
| 43 | Redefining the prognostic likelihood of chronic lymphocytic leukaemia patients with borderline percentage of immunoglobulin variable heavy chain region mutations. <i>British Journal of Haematology</i> , 2020, 189, 853-859. | 2.5 | 18 |
| 44 | Efficacy and Safety of Front-Line Venetoclax and Rituximab (VenR) for the Treatment of Young Patients with Chronic Lymphocytic Leukemia and an Unfavorable Biologic Profile. Preliminary Results of the Gimema Study 'Veritas'. <i>Blood</i> , 2020, 136, 47-49. | 1.4 | 1 |
| 45 | Efficacy of Idelalisib and Rituximab in Relapsed/Refractory Chronic Lymphocytic Leukemia Treated Outside of Clinical Trial. a Report of the Gimema Group. <i>Blood</i> , 2020, 136, 23-25. | 1.4 | 0 |
| 46 | Retrospective Real-Life Comparison of Obinutuzumab Plus Chlorambucil Versus Ibrutinib in Previously Untreated and Unfit Patients with Chronic Lymphocytic Leukemia without TP53 Disruptions. Interim Results from the Italian CLL Campus. <i>Blood</i> , 2020, 136, 30-31. | 1.4 | 0 |
| 47 | Complex Karyotype Subtypes at Chronic Lymphocytic Leukemia Diagnosis Refine the Risk of Developing a Richter Syndrome. the Richter Syndrome Scoring System. <i>Blood</i> , 2020, 136, 33-34. | 1.4 | 1 |
| 48 | Worldwide Examination of Patients with CLL Hospitalized for COVID-19. <i>Blood</i> , 2020, 136, 45-49. | 1.4 | 2 |
| 49 | Do Age, Fitness and Concomitant Medications Influence Management and Outcomes of CLL Patients Treated with Ibrutinib?. <i>Blood</i> , 2020, 136, 54-55. | 1.4 | 2 |
| 50 | Role of Age, Fitness and Concomitant Medications in CLL Patients Treated with Venetoclax. <i>Blood</i> , 2020, 136, 25-26. | 1.4 | 3 |
| 51 | Biallelic <i>BIRC3</i> inactivation in chronic lymphocytic leukaemia patients with 11q deletion identifies a subgroup with very aggressive disease. <i>British Journal of Haematology</i> , 2019, 185, 156-159. | 2.5 | 9 |
| 52 | A scoring system to predict the risk of atrial fibrillation in chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2019, 37, 508-512. | 1.7 | 13 |
| 53 | Venetoclax in CLL patients who progress after B-cell Receptor inhibitor treatment: a retrospective multi-centre Italian experience. <i>British Journal of Haematology</i> , 2019, 187, e8-e11. | 2.5 | 14 |
| 54 | Elevated Lactate Dehydrogenase Has Prognostic Relevance in Treatment-Naïve Patients Affected by Chronic Lymphocytic Leukemia with Trisomy 12. <i>Cancers</i> , 2019, 11, 896. | 3.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Ibrutinib-based therapy impaired neutrophils microbicidal activity in patients with chronic lymphocytic leukemia during the early phases of treatment. <i>Leukemia Research</i> , 2019, 87, 106233. | 0.8 | 16 |
| 56 | The combination of complex karyotype subtypes and IGHV mutational status identifies new prognostic and predictive groups in chronic lymphocytic leukaemia. <i>British Journal of Cancer</i> , 2019, 121, 150-156. | 6.4 | 31 |
| 57 | Olaptesed pegol (NOX-A12) with bendamustine and rituximab: a phase IIa study in patients with relapsed/refractory chronic lymphocytic leukemia. <i>Haematologica</i> , 2019, 104, 2053-2060. | 3.5 | 60 |
| 58 | Unravelling the suboptimal response of TP53-mutated chronic lymphocytic leukaemia to ibrutinib. <i>British Journal of Haematology</i> , 2019, 184, 392-396. | 2.5 | 9 |
| 59 | Predictors of Response to Erythropoietin in Autoimmune Hemolytic Anemia. <i>Blood</i> , 2019, 134, 3516-3516. | 1.4 | 2 |
| 60 | Practical management of ibrutinib in the real life: Focus on atrial fibrillation and bleeding. <i>Hematological Oncology</i> , 2018, 36, 624-632. | 1.7 | 55 |
| 61 | Gene mutations in lenalidomide-treated CLL. <i>Blood</i> , 2018, 131, 1769-1771. | 1.4 | 2 |
| 62 | Efficacy of bendamustine and rituximab as first salvage treatment in chronic lymphocytic leukemia and indirect comparison with ibrutinib: a GIMEMA, ERIC and UK CLL FORUM study. <i>Haematologica</i> , 2018, 103, 1209-1217. | 3.5 | 30 |
| 63 | Validation of a biological score to predict response in chronic lymphocytic leukemia patients treated front-line with bendamustine and rituximab. <i>Leukemia</i> , 2018, 32, 1869-1873. | 7.2 | 8 |
| 64 | In chronic lymphocytic leukaemia with complex karyotype, major structural abnormalities identify a subset of patients with inferior outcome and distinct biological characteristics. <i>British Journal of Haematology</i> , 2018, 181, 229-233. | 2.5 | 34 |
| 65 | Functional and clinical relevance of VLA-4 (CD49d/CD29) in ibrutinib-treated chronic lymphocytic leukemia. <i>Journal of Experimental Medicine</i> , 2018, 215, 681-697. | 8.5 | 65 |
| 66 | Comparison between the CLL-IPI and the B ₂ 20 prognostic model: Analysis of 1299 newly diagnosed cases. <i>American Journal of Hematology</i> , 2018, 93, E35-E37. | 4.1 | 18 |
| 67 | Venetoclax: a chance for patients with chronic lymphocytic leukaemia previously treated with ibrutinib. <i>Lancet Oncology</i> , The, 2018, 19, 7-8. | 10.7 | 1 |
| 68 | Balancing efficacy and toxicity of targeted agents currently used for the treatment of patients with chronic lymphocytic leukemia. <i>Expert Review of Hematology</i> , 2018, 11, 601-611. | 2.2 | 10 |
| 69 | Predictive value of the CLL-IPI in CLL patients receiving chemoimmunotherapy as first-line treatment. <i>European Journal of Haematology</i> , 2018, 101, 703-706. | 2.2 | 8 |
| 70 | Immunoglobulin heavy chain variable region gene and prediction of time to first treatment in patients with chronic lymphocytic leukemia: Mutational load or mutational status? Analysis of 1003 cases. <i>American Journal of Hematology</i> , 2018, 93, E216-E219. | 4.1 | 15 |
| 71 | Protective Role Immunoglobulin Replacement Therapy in Chronic Lymphocytic Leukemia: FOCUS on Subcutaneous Immunoglobulin Formulations. <i>Blood</i> , 2018, 132, 4954-4954. | 1.4 | 3 |
| 72 | A Scoring System to Predict the Risk of Atrial Fibrillation in Chronic Lymphocytic Leukemia and Its Validation in a Cohort of Ibrutinib-Treated Patients. <i>Blood</i> , 2018, 132, 3118-3118. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Ibrutinib Treatment Mitigates Phenotypic Alterations of Non-Neoplastic Immune Cell Compartments in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018, 132, 4412-4412. | 1.4 | 2 |
| 74 | A Prognostic Tool for the Identification of Patients with Early Stage Chronic Lymphocytic Leukemia at Risk of Progression. <i>Blood</i> , 2018, 132, 1834-1834. | 1.4 | 1 |
| 75 | Real Life Use of Bendamustine Plus Rituximab Versus Chlorambucil Plus Rituximab As Front-Line Therapy for Elderly CLL Patients. Retrospective Multicenter Study in the Lazio Region. <i>Blood</i> , 2018, 132, 5550-5550. | 1.4 | 0 |
| 76 | The Combination of Complex Karyotypes' Subtypes and IGHV Mutational Status Provides Prognostic and Predictive Information in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018, 132, 1844-1844. | 1.4 | 0 |
| 77 | TP53 Clonal and Subclonal Architecture in Chronic Lymphocytic Leukemia Patients Under Ibrutinib Treatment. <i>Blood</i> , 2018, 132, 3119-3119. | 1.4 | 1 |
| 78 | Another treatment option for relapsed or refractory chronic lymphocytic leukaemia. <i>Lancet Oncology</i> , 2017, 18, 270-271. | 10.7 | 1 |
| 79 | Factors predicting survival in chronic lymphocytic leukemia patients developing Richter syndrome transformation into Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2017, 92, 529-535. | 4.1 | 20 |
| 80 | Clinical relevance of hypogammaglobulinemia, clinical and biologic variables on the infection risk and outcome of patients with stage A chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2017, 57, 65-71. | 0.8 | 17 |
| 81 | Chlorambucil plus rituximab as front-line therapy for elderly and/or unfit chronic lymphocytic leukemia patients: correlation with biologically-based risk stratification. <i>Haematologica</i> , 2017, 102, e352-e355. | 3.5 | 9 |
| 82 | Clinical relevance of silent red blood cell autoantibodies. <i>Haematologica</i> , 2017, 102, e473-e475. | 3.5 | 9 |
| 83 | Disappearance of Bone Marrow Fibrosis in a Patient with Chronic Myeloid Leukemia Treated with Dasatinib. <i>Chemotherapy</i> , 2017, 62, 350-352. | 1.6 | 1 |
| 84 | Fludarabine, cyclophosphamide and lenalidomide in patients with relapsed/refractory chronic lymphocytic leukemia. A multicenter phase II GIMEMA trial. <i>Leukemia and Lymphoma</i> , 2017, 58, 1640-1647. | 1.3 | 8 |
| 85 | Clinical characteristics and outcome of patients with autoimmune hemolytic anemia uniformly defined as primary by a diagnostic workup. <i>American Journal of Hematology</i> , 2016, 91, E319-20. | 4.1 | 0 |
| 86 | Inter- and intra-patient clonal and subclonal heterogeneity of chronic lymphocytic leukaemia: evidences from circulating and lymph nodal compartments. <i>British Journal of Haematology</i> , 2016, 172, 371-383. | 2.5 | 20 |
| 87 | Validation of the CLL-IPI and comparison with the MDACC prognostic index in newly diagnosed patients. <i>Blood</i> , 2016, 128, 2093-2095. | 1.4 | 52 |
| 88 | Combination of bendamustine and rituximab as front-line therapy for patients with chronic lymphocytic leukaemia: multicenter, retrospective clinical practice experience with 279 cases outside of controlled clinical trials. <i>European Journal of Cancer</i> , 2016, 60, 154-165. | 2.8 | 22 |
| 89 | A case of concomitant chronic lymphocytic leukaemia and hairy cell leukaemia evaluated for IGHV rearrangements and BRAF V600E mutation: lack of evidence for a common origin. <i>British Journal of Haematology</i> , 2016, 174, 329-331. | 2.5 | 4 |
| 90 | Prospective validation of predictive value of abdominal computed tomography scan on time to first treatment in Rai 0 chronic lymphocytic leukemia patients: results of the multicenter Oâ€œCLLâ€œ GISL study. <i>European Journal of Haematology</i> , 2016, 96, 36-45. | 2.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Management of elderly and unfit patients with chronic lymphocytic leukemia. Expert Review of Hematology, 2016, 9, 1165-1175. | 2.2 | 6 |
| 92 | Autoimmune hemolytic anemia during bendamustine plus rituximab treatment in CLL patients: multicenter experience. Leukemia and Lymphoma, 2016, 57, 2429-2431. | 1.3 | 10 |
| 93 | Outcome of Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL) and/or 17p Deletion/TP53 Mutations Treated with Ibrutinib According to a Named Patient Program (NPP) in Italy: Preliminary Analysis of a Real Life Retrospective Study. Blood, 2016, 128, 2038-2038. | 1.4 | 3 |
| 94 | Chlorambucil PLUS Rituximab As FRONT-LINE Therapy for Elderly and/or Unfit CLL Patients. LONG-TERM Follow-up and Correlation with Biologic-Based Risk Stratification. Blood, 2016, 128, 3240-3240. | 1.4 | 0 |
| 95 | HIF-1 α Upregulation in TP53 Disrupted Chronic Lymphocytic Leukemia Cells and Its Potential Role As a Therapeutic Target. Blood, 2016, 128, 305-305. | 1.4 | 0 |
| 96 | Molecular prediction of durable remission after first-line fludarabine-cyclophosphamide-rituximab in chronic lymphocytic leukemia. Blood, 2015, 126, 1921-1924. | 1.4 | 197 |
| 97 | Increased chronic lymphocytic leukemia proliferation upon IgM stimulation is sustained by the upregulation of miR-132 and miR-12. Genes Chromosomes and Cancer, 2015, 54, 222-234. | 2.8 | 26 |
| 98 | Bendamustine in combination with rituximab for elderly patients with previously untreated B-cell chronic lymphocytic leukemia: A retrospective analysis of real-life practice in Italian hematology departments. Leukemia Research, 2015, 39, 1066-1070. | 0.8 | 29 |
| 99 | Fludarabine, Cyclophosphamide, Ofatumumab (FC-O2) As Front-Line Treatment for Young and Fit Patients with Chronic Lymphocytic Leukemia (CLL): Preliminary Results of the Prospective Phase 2 LLC0911 Gimema Study. Blood, 2015, 126, 2946-2946. | 1.4 | 1 |
| 100 | Is Idelalisib Cost-Effective for Refractory/Relapsed Chronic Lymphocytic Leukemia? a Decision Analysis in the Second-Line Setting. Blood, 2015, 126, 3305-3305. | 1.4 | 3 |
| 101 | A Comprehensive Progression Risk Score to Predict Treatment Free Survival for Early Stage Chronic Lymphocytic Leukemia Patients. Blood, 2015, 126, 2930-2930. | 1.4 | 0 |
| 102 | Stereotyped subset #1 chronic lymphocytic leukemia: a direct link between B-cell receptor structure, function, and patients' prognosis. American Journal of Hematology, 2014, 89, 74-82. | 4.1 | 20 |
| 103 | Chlorambucil plus rituximab with or without maintenance rituximab as first-line treatment for elderly chronic lymphocytic leukemia patients. American Journal of Hematology, 2014, 89, 480-486. | 4.1 | 104 |
| 104 | Italian external and multicentric validation of the MD Anderson Cancer Center nomogram and prognostic index for chronic lymphocytic leukaemia patients: analysis of 1502 cases. British Journal of Haematology, 2014, 167, 224-232. | 2.5 | 25 |
| 105 | Appropriate use of bendamustine in first-line therapy of chronic lymphocytic leukemia. Recommendations from SIE, SIES, GITMO Group. Leukemia Research, 2014, 38, 1269-1277. | 0.8 | 13 |
| 106 | Genetic lesions associated with chronic lymphocytic leukemia chemo-refractoriness. Blood, 2014, 123, 2378-2388. | 1.4 | 78 |
| 107 | Fludarabine plus alemtuzumab (FA) front-line treatment in young patients with chronic lymphocytic leukemia (CLL) and an adverse biologic profile. Leukemia Research, 2014, 38, 198-203. | 0.8 | 4 |
| 108 | Minimal residual disease monitoring in chronic lymphocytic leukaemia patients. A comparative analysis of flow cytometry and ASO IgH RQ \pm PCR. British Journal of Haematology, 2014, 166, 360-368. | 2.5 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | <i>NOTCH1, SF3B1, BIRC3</i> and <i>TP53</i> mutations in patients with chronic lymphocytic leukemia undergoing first-line treatment: correlation with biological parameters and response to treatment. <i>Leukemia and Lymphoma</i> , 2014, 55, 2785-2792. | 1.3 | 47 |
| 110 | BIRC3 disruption and Copy Number Aberrations in Chronic Lymphocytic Leukemia (CLL) Patients with 11q Deletion. <i>Blood</i> , 2014, 124, 3295-3295. | 1.4 | 3 |
| 111 | Total body computed tomography scan in the initial workup of Binet stage A chronic lymphocytic leukemia patients: Results of the prospective, multicenter Oâ€œCLL1â€œGSL study. <i>American Journal of Hematology</i> , 2013, 88, 539-544. | 4.1 | 10 |
| 112 | Integrated mutational and cytogenetic analysis identifies new prognostic subgroups in chronic lymphocytic leukemia. <i>Blood</i> , 2013, 121, 1403-1412. | 1.4 | 420 |
| 113 | Chromosome 2p gain in monoclonal Bâ€œcell lymphocytosis and in early stage chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013, 88, 24-31. | 4.1 | 27 |
| 114 | Bâ€œcell receptor configuration and adverse cytogenetics are associated with autoimmune hemolytic anemia in chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2013, 88, 32-36. | 4.1 | 36 |
| 115 | IgD cross-linking induces gene expression profiling changes and enhances apoptosis in chronic lymphocytic leukemia cells. <i>Leukemia Research</i> , 2013, 37, 455-462. | 0.8 | 7 |
| 116 | Identification of molecular and functional patterns of p53 alterations in chronic lymphocytic leukemia patients in different phases of the disease. <i>Haematologica</i> , 2013, 98, 371-375. | 3.5 | 15 |
| 117 | ATM gene alterations in chronic lymphocytic leukemia patients induce a distinct gene expression profile and predict disease progression. <i>Haematologica</i> , 2012, 97, 47-55. | 3.5 | 92 |
| 118 | Monoclonal B-cell lymphocytosis: a reappraisal of its clinical implications. <i>Leukemia and Lymphoma</i> , 2012, 53, 1660-1665. | 1.3 | 10 |
| 119 | Behind the scenes of nonâ€œnodal MCL: downmodulation of genes involved in actin cytoskeleton organization, cell projection, cell adhesion, tumour invasion, <i>TP53</i> pathway and mutated status of immunoglobulin heavy chain genes. <i>British Journal of Haematology</i> , 2012, 156, 601-611. | 2.5 | 21 |
| 120 | An Italian retrospective study on the routine clinical use of lowâ€œdose alemtuzumab in relapsed/refractory chronic lymphocytic leukaemia patients. <i>British Journal of Haematology</i> , 2012, 156, 481-489. | 2.5 | 17 |
| 121 | A subset of chronic lymphocytic leukemia patients display reduced levels of PARP1 expression coupled with a defective irradiation-induced apoptosis. <i>Experimental Hematology</i> , 2012, 40, 197-206.e1. | 0.4 | 15 |
| 122 | SIE, SIES, GITMO updated clinical recommendations for the management of chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2012, 36, 459-466. | 0.8 | 7 |
| 123 | NOTCH1, SF3B1 and BIRC3 Mutations in Chronic Lymphocytic Leukemia (CLL) Patients Requiring First-LINE Treatment: Correlation with Biological Parameters and Response to Treatment. <i>Blood</i> , 2012, 120, 1784-1784. | 1.4 | 2 |
| 124 | B-Cell Receptor Configuration and Adverse Cytogenetics Are Associated with Autoimmune Hemolytic Anemia in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2012, 120, 1780-1780. | 1.4 | 0 |
| 125 | Longitudinal analysis of human herpesvirus-8 DNA and antibodies in an Italian allogeneic stem cell transplant recipient. <i>Journal of Clinical Virology</i> , 2011, 52, 247-250. | 3.1 | 5 |
| 126 | Differentiating chronic lymphocytic leukemia from monoclonal B-lymphocytosis according to clinical outcome: on behalf of the GIMEMA chronic lymphoproliferative diseases working group. <i>Haematologica</i> , 2011, 96, 277-283. | 3.5 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Enteral nutrition may cause false-positive results of Aspergillus Galactomannan assay in absence of gastrointestinal diseases. <i>Mycoses</i> , 2011, 54, e883-e884. | 4.0 | 16 |
| 128 | 5-azacitidine for therapy-related myelodysplastic syndromes after non-Hodgkin lymphoma treatment. <i>Leukemia Research</i> , 2011, 35, 1409-1411. | 0.8 | 3 |
| 129 | Chronic lymphocytic leukemia in less fit patients: a slow-growth. <i>Leukemia and Lymphoma</i> , 2011, 52, 2207-2216. | 1.3 | 18 |
| 130 | The coexistence of chronic lymphocytic leukemia and myeloproliferative neoplasms: A retrospective multicentric GIMEMA experience. <i>American Journal of Hematology</i> , 2011, 86, 1007-1012. | 4.1 | 47 |
| 131 | Evaluation of TP53 mutations with the AmpliChip p53 research test in chronic lymphocytic leukemia: Correlation with clinical outcome and gene expression profiling. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 263-274. | 2.8 | 25 |
| 132 | White blood cell count at diagnosis and immunoglobulin variable region gene mutations are independent predictors of treatment-free survival in young patients with stage A chronic lymphocytic leukemia. <i>Haematologica</i> , 2011, 96, 626-630. | 3.5 | 27 |
| 133 | Is the Aberrant Expression of p53 by Immunocytochemistry a Surrogate Marker of TP53 Mutation and/or Deletion in Chronic Lymphocytic Leukemia?. <i>American Journal of Clinical Pathology</i> , 2011, 135, 173-174. | 0.7 | 4 |
| 134 | Rituximab Plus Chlorambucil As Initial Treatment for Elderly Patients with Chronic Lymphocytic Leukemia (CLL): Effect of Pre-Treatment Biological Characteristics and Gene Expression Patterns on Response to Treatment. <i>Blood</i> , 2011, 118, 294-294. | 1.4 | 6 |
| 135 | Gene expression profile of protein kinases reveals a distinctive signature in chronic lymphocytic leukemia and in vitro experiments support a role of second generation protein kinase inhibitors. <i>Leukemia Research</i> , 2010, 34, 733-741. | 0.8 | 12 |
| 136 | The utility of a prognostic index for predicting time to first treatment in early chronic lymphocytic leukemia: the GIMEMA experience. <i>Haematologica</i> , 2010, 95, 464-469. | 3.5 | 37 |
| 137 | A Phase II Study of Chlorambucil Plus Rituximab Followed by Maintenance Versus Observation In Elderly Patients with Previously Untreated Chronic Lymphocytic Leukemia: Results of the First Interim Analysis. <i>Blood</i> , 2010, 116, 2462-2462. | 1.4 | 17 |
| 138 | Efficacy and Safety of a First Line Combined Therapeutic Approach for Young CLL Patients with Advanced or Progressive Disease Stratified According to the Biologic Features: First Analysis of the GIMEMA Multicenter Study LLC0405. <i>Blood</i> , 2010, 116, 2471-2471. | 1.4 | 2 |
| 139 | Fludarabine, Cyclophosphamide and Lenalidomide (FCL) for Previously Treated Patients with Chronic Lymphocytic Leukemia (CLL): Results of the Dose-Finding Phase of the GIMEMA LLC606 Study. <i>Blood</i> , 2010, 116, 1377-1377. | 1.4 | 1 |
| 140 | Differentiation on Biological Basis of Monoclonal B-Cell Lymphocytosis (MBL) From Chronic Lymphocytic Leukemia (CLL): Results of a Prospective GISL (Gruppo Italiano Studio Linfomi) Trial. <i>Blood</i> , 2010, 116, 1360-1360. | 1.4 | 2 |
| 141 | Histopathological and molecular features of persistent polyclonal B-cell lymphocytosis (PPBL) with progressive splenomegaly. <i>British Journal of Haematology</i> , 2009, 144, 726-731. | 2.5 | 51 |
| 142 | Spontaneous regression of chronic lymphocytic leukemia: clinical and biologic features of 9 cases. <i>Blood</i> , 2009, 114, 638-646. | 1.4 | 65 |
| 143 | Identification of monoclonal B-cell lymphocytosis among sibling transplant donors for chronic lymphocytic leukemia patients. <i>Blood</i> , 2009, 114, 2848-2849. | 1.4 | 20 |
| 144 | Biological and clinical risk factors of chronic lymphocytic leukaemia transformation to Richter syndrome. <i>British Journal of Haematology</i> , 2008, 142, 202-215. | 2.5 | 206 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | BCR ligation induced by IgM stimulation results in gene expression and functional changes only in IgVH unmutated chronic lymphocytic leukemia (CLL) cells. <i>Blood</i> , 2008, 112, 782-792. | 1.4 | 121 |
| 146 | Insight into the pathogenesis of chronic lymphocytic leukemia (CLL) through analysis of IgVH gene usage and mutation status in familial CLL. <i>Blood</i> , 2008, 111, 5691-5693. | 1.4 | 30 |
| 147 | A Prospective Study of Young Chronic Lymphocytic Leukemia (CLL) Patients Investigated at Diagnosis: Distribution and Clinical Significance of Prognostic Factors. <i>Blood</i> , 2008, 112, 3121-3121. | 1.4 | 0 |
| 148 | ATM Gene Alterations in CLL Patients Induce Gene Profile Clusters and Predict Disease Progression.. <i>Blood</i> , 2008, 112, 2084-2084. | 1.4 | 0 |
| 149 | A high-density SNP genome-wide linkage search of 206 families identifies susceptibility loci for chronic lymphocytic leukemia. <i>Blood</i> , 2007, 110, 3326-3333. | 1.4 | 79 |
| 150 | Quantitative technologies establish a novel microRNA profile of chronic lymphocytic leukemia. <i>Blood</i> , 2007, 109, 4944-4951. | 1.4 | 471 |
| 151 | IgVH Germline and Mutated Chronic Lymphocytic Leukemia (CLL) Cases Exert a Diverse Responsiveness upon BCR Ligation.. <i>Blood</i> , 2007, 110, 1133-1133. | 1.4 | 1 |
| 152 | The MicroRNA (miR) Profile in B-Cell Chronic Lymphocytic Leukemia (CLL) Reveals a Differential Expression of miR-21, miR-155 and miR-150 between Leukemic and Normal B Lymphocytes, and of miR-150, miR-29bc and miR-223 between IgVH Mutated and Unmutated Patients.. <i>Blood</i> , 2006, 108, 298-298. | 1.4 | 1 |
| 153 | Gene Expression Profile of Protein Kinases Reveals a Distinctive Signature of Chronic Lymphocytic Leukemia (CLL) and Points to a Role of Second Generation Protein Kinase Inhibitors.. <i>Blood</i> , 2006, 108, 2794-2794. | 1.4 | 0 |
| 154 | Histopathologic and Molecular Features of Persistent Polyclonal B-Cell Lymphocytosis Challenging the Benign Nature of the Disorder.. <i>Blood</i> , 2006, 108, 4612-4612. | 1.4 | 0 |
| 155 | Chronic Lymphocytic Leukemia (CLL) with Discordance in ZAP-70 Expression and IgVH Mutation Status.. <i>Blood</i> , 2006, 108, 2787-2787. | 1.4 | 0 |
| 156 | Angiogenic Activity in IgVH Mutated and Unmutated Chronic Lymphocytic Leukemia (CLL): Indications for the Therapeutic Use of VEGF-Signaling Inhibitors.. <i>Blood</i> , 2006, 108, 2819-2819. | 1.4 | 0 |
| 157 | Clinical features and outcome of familial chronic lymphocytic leukemia. <i>Haematologica</i> , 2006, 91, 1117-20. | 3.5 | 35 |
| 158 | Relationship between autoimmune phenomena and disease stage and therapy in B-cell chronic lymphocytic leukemia. <i>Haematologica</i> , 2006, 91, 1689-92. | 3.5 | 61 |
| 159 | Bullous lesions in chronic lymphocytic leukaemia: pemphigoid or insect bites?. <i>Acta Dermato-Venereologica</i> , 2006, 86, 74-76. | 1.3 | 13 |
| 160 | New developments in the diagnosis, prognosis and treatment of chronic lymphocytic leukemia. <i>Current Opinion in Oncology</i> , 2005, 17, 597-604. | 2.4 | 21 |
| 161 | The prognostic value of CD38 expression in chronic lymphocytic leukaemia patients studied prospectively at diagnosis: a single institute experience. <i>British Journal of Haematology</i> , 2005, 130, 549-557. | 2.5 | 51 |
| 162 | Familial Cancer Associated with a Polymorphism in <i>ARLTS1</i> . <i>New England Journal of Medicine</i> , 2005, 352, 1667-1676. | 27.0 | 119 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | A gender-based score system predicts the clinical outcome of patients with early B-cell chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2005, 46, 553-560. | 1.3 | 21 |
| 164 | A High-Density SNP Genomewide Linkage Scan for Chronic Lymphocytic Leukemiaâ€“Susceptibility Loci. <i>American Journal of Human Genetics</i> , 2005, 77, 420-429. | 6.2 | 65 |
| 165 | Phenotypic and functional characterization of monocyte-derived dendritic cells in chronic lymphocytic leukaemia patients: influence of neoplastic CD19+ cells in vivo and in vitro. <i>British Journal of Haematology</i> , 2004, 125, 720-728. | 2.5 | 27 |
| 166 | Immunoglobulin (Ig) Variable Gene Usage Identifies a Subset of Unmutated Chronic Lymphocytic Leukemia (CLL) Patients Expressing 51p1-Like alleles and a Particularly Unfavorable Prognostic Outcome.. <i>Blood</i> , 2004, 104, 1922-1922. | 1.4 | 0 |
| 167 | Chronic lymphocytic leukemia patients with highly stable and indolent disease show distinctive phenotypic and genotypic features. <i>Blood</i> , 2003, 102, 1035-1041. | 1.4 | 74 |
| 168 | Reduced susceptibility to apoptosis correlates with kinetic quiescence in disease progression of chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2001, 113, 391-399. | 2.5 | 26 |
| 169 | Hodgkin / Reed-Sternberg cells and Hodgkin's disease in patients with B-cell chronic lymphocytic leukaemia: an immunohistological, molecular and clinical study of four cases suggesting a heterogeneous pathogenetic background. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2000, 437, 129-132. | 2.8 | 42 |
| 170 | Autoimmune hemolytic anemia in chronic lymphocytic leukemia: clinical, therapeutic, and prognostic features. <i>Blood</i> , 2000, 95, 2786-2792. | 1.4 | 261 |
| 171 | Clinical Characteristics and Outcome of Young Chronic Lymphocytic Leukemia Patients: A Single Institution Study of 204 Cases. <i>Blood</i> , 1999, 94, 448-454. | 1.4 | 203 |
| 172 | V_H gene usage by family members affected with chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 1999, 107, 616-624. | 2.5 | 45 |
| 173 | p53 Expression in B-Cell Chronic Lymphocytic Leukemia: A Marker of Disease Progression and Poor Prognosis. <i>Blood</i> , 1998, 91, 4342-4349. | 1.4 | 176 |
| 174 | Late listeriosis after fludarabine plus prednisone treatment. <i>British Journal of Haematology</i> , 1994, 87, 407-408. | 2.5 | 14 |
| 175 | Monocytopenia and infections in chronic lymphocytic leukemia (CLL). <i>European Journal of Haematology</i> , 1991, 46, 119-119. | 2.2 | 12 |
| 176 | Standard conditioning regimen and t-depleted donor bone marrow for transplantation in chronic myeloid leukemia. <i>Leukemia Research</i> , 1986, 10, 1469-1475. | 0.8 | 14 |