

Mei-Chuan Ko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8347458/publications.pdf>

Version: 2024-02-01

122
papers

4,302
citations

76326

40
h-index

133252

59
g-index

128
all docs

128
docs citations

128
times ranked

2647
citing authors

#	ARTICLE	IF	CITATIONS
1	Therapeutic potentials of NOP and MOP receptor coactivation for the treatment of pain and opioid abuse. <i>Journal of Neuroscience Research</i> , 2022, 100, 191-202.	2.9	34
2	Enhanced antidepressant-like effects of a delta opioid receptor agonist, SNC80, in rats under inflammatory pain. <i>Pharmacology Biochemistry and Behavior</i> , 2022, 214, 173341.	2.9	4
3	Potential therapeutic targets for the treatment of opioid abuse and pain. <i>Advances in Pharmacology</i> , 2022, 93, 335-371.	2.0	5
4	Functional roles of neuromedin B and gastrin-releasing peptide in regulating itch and pain in the spinal cord of non-human primates. <i>Biochemical Pharmacology</i> , 2022, 198, 114972.	4.4	2
5	Characterization of Early Alzheimer's Disease-Like Pathological Alterations in Non-Human Primates with Aging: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 957-970.	2.6	5
6	Morphine acts on spinal dynorphin neurons to cause itch through disinhibition. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	27
7	Translational value of non-human primates in opioid research. <i>Experimental Neurology</i> , 2021, 338, 113602.	4.1	9
8	Chemogenetic activation of central gastrin-releasing peptide-expressing neurons elicits itch-related scratching behavior in male and female mice. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00790.	2.4	6
9	Usefulness of the measurement of neurite outgrowth of primary sensory neurons to study cancer-related painful complications. <i>Biochemical Pharmacology</i> , 2021, 188, 114520.	4.4	7
10	Functional Profile of Systemic and Intrathecal Cebranopadol in Nonhuman Primates. <i>Anesthesiology</i> , 2021, 135, 482-493.	2.5	12
11	Epithelia-Sensory Neuron Cross Talk Underlies Cholestatic Itch Induced by Lysophosphatidylcholine. <i>Gastroenterology</i> , 2021, 161, 301-317.e16.	1.3	57
12	IL-23/IL-17A/TRPV1 axis produces mechanical pain via macrophage-sensory neuron crosstalk in female mice. <i>Neuron</i> , 2021, 109, 2691-2706.e5.	8.1	93
13	STING controls nociception via type I interferon signalling in sensory neurons. <i>Nature</i> , 2021, 591, 275-280.	27.8	107
14	Antinociceptive, reinforcing, and pruritic effects of the G-protein signalling-biased mu opioid receptor agonist PZM21 in non-human primates. <i>British Journal of Anaesthesia</i> , 2020, 125, 596-604.	3.4	24
15	Pleiotropic Effects of Kappa Opioid Receptor-Related Ligands in Non-human Primates. <i>Handbook of Experimental Pharmacology</i> , 2020, 271, 435-452.	1.8	3
16	GRP receptor and AMPA receptor cooperatively regulate itch-responsive neurons in the spinal dorsal horn. <i>Neuropharmacology</i> , 2020, 170, 108025.	4.1	27
17	Anti-PD-1 treatment impairs opioid antinociception in rodents and nonhuman primates. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	54
18	Periostin Activation of Integrin Receptors on Sensory Neurons Induces Allergic Itch. <i>Cell Reports</i> , 2020, 31, 107472.	6.4	69

#	ARTICLE	IF	CITATIONS
19	Nociceptin/Orphanin FQ Peptide Receptor-Related Ligands as Novel Analgesics. <i>Current Topics in Medicinal Chemistry</i> , 2020, 20, 2878-2888.	2.1	26
20	Functional roles of neuromedin B and gastrin-releasing peptide in regulating itch and pain in the spinal cord of primates. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	1
21	Effects of stimulation of mu opioid and nociceptin/orphanin FQ peptide (NOP) receptors on alcohol drinking in rhesus monkeys. <i>Neuropsychopharmacology</i> , 2019, 44, 1476-1484.	5.4	12
22	Effects of NOP-Related Ligands in Nonhuman Primates. <i>Handbook of Experimental Pharmacology</i> , 2019, 254, 323-343.	1.8	17
23	Neuromedin B Induces Acute Itch in Mice via the Activation of Peripheral Sensory Neurons. <i>Acta Dermato-Venereologica</i> , 2019, 99, 587-893.	1.3	5
24	BU10038 as a safe opioid analgesic with fewer side-effects after systemic and intrathecal administration in primates. <i>British Journal of Anaesthesia</i> , 2019, 122, e146-e156.	3.4	42
25	Comparison of Reinforcing and Antinociceptive Effects of Agonists with Mixed NOP and MOP Receptor Agonist Action in Nonhuman Primates. <i>FASEB Journal</i> , 2019, 33, 498.4.	0.5	0
26	A bifunctional nociceptin and mu opioid receptor agonist is analgesic without opioid side effects in nonhuman primates. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	100
27	Differential mRNA expression of neuroinflammatory modulators in the spinal cord and thalamus of type 2 diabetic monkeys. <i>Journal of Diabetes</i> , 2018, 10, 886-895.	1.8	2
28	Synthesis of Enantiopure PZM21: A Biased Agonist of the Mu Opioid Receptor. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 4006-4012.	2.4	3
29	Reinforcing, Antinociceptive, and Pruritic Effects of a G Protein-Biased Mu Opioid Receptor Agonist, PZM21, in Primates. <i>FASEB Journal</i> , 2018, 32, 683.3.	0.5	0
30	Spinal GRP mediates itch in nonhuman primates. <i>Pain Research</i> , 2018, 33, 308-314.	0.1	0
31	Pharmacological studies on the NOP and opioid receptor agonist PWT2-[Dmt1]N/OFQ(1-13). <i>European Journal of Pharmacology</i> , 2017, 794, 115-126.	3.5	23
32	Altered expression of glial markers, chemokines, and opioid receptors in the spinal cord of type 2 diabetic monkeys. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 274-283.	3.8	23
33	Central N/OFQ-NOP Receptor System in Pain Modulation. <i>Advances in Pharmacology</i> , 2016, 75, 217-243.	2.0	50
34	A novel orvinol analog, BU08028, as a safe opioid analgesic without abuse liability in primates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5511-8.	7.1	87
35	Spinal Functions of B-Type Natriuretic Peptide, Gastrin-Releasing Peptide, and Their Cognate Receptors for Regulating Itch in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 356, 596-603.	2.5	32
36	Systemic Effects of AT-121 as a Safe Analgesic without Abuse Liability in Primates. <i>FASEB Journal</i> , 2016, 30, 927.10.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Supraspinal actions of nociceptin/orphanin FQ , morphine and substance P in regulating pain and itch in non-human primates. <i>British Journal of Pharmacology</i> , 2015, 172, 3302-3312.	5.4	46
38	Spinal antinociceptive effects of the novel NOP receptor agonist PWT2 –nociceptin/orphanin FQ in mice and monkeys. <i>British Journal of Pharmacology</i> , 2015, 172, 3661-3670.	5.4	25
39	Distinct functions of opioid-related peptides and gastrin-releasing peptide in regulating itch and pain in the spinal cord of primates. <i>Scientific Reports</i> , 2015, 5, 11676.	3.3	40
40	TC-2559, an $\alpha 4 \beta 2$ nicotinic acetylcholine receptor agonist, suppresses the expression of CCL3 and IL-1 β through STAT3 inhibition in cultured murine macrophages. <i>Journal of Pharmacological Sciences</i> , 2015, 128, 83-86.	2.5	11
41	Neuraxial Opioid-Induced Itch and Its Pharmacological Antagonism. <i>Handbook of Experimental Pharmacology</i> , 2015, 226, 315-335.	1.8	39
42	BU08028 Displays a Promising Therapeutic Profile as an Analgesic in Monkeys. <i>FASEB Journal</i> , 2015, 29, 616.2.	0.5	1
43	Supraspinal Actions of N/OFQ , Morphine and Substance P in Regulating Pain and Itch in Nonhuman Primates. <i>FASEB Journal</i> , 2015, 29, 929.5.	0.5	0
44	Functional plasticity of the N/OFQ – NOP receptor system determines analgesic properties of NOP receptor agonists. <i>British Journal of Pharmacology</i> , 2014, 171, 3777-3800.	5.4	109
45	Differential effects of opioid-related ligands and NSAIDs in nonhuman primate models of acute and inflammatory pain. <i>Psychopharmacology</i> , 2014, 231, 1377-1387.	3.1	34
46	Effects of the NOP agonist SCH221510 on producing and attenuating reinforcing effects as measured by drug self-administration in rats. <i>European Journal of Pharmacology</i> , 2014, 745, 182-189.	3.5	28
47	Pharmacokinetic evidence for the long-lasting effect of nor-binaltorphimine, a potent kappa opioid receptor antagonist, in mice. <i>Neuroscience Letters</i> , 2013, 552, 98-102.	2.1	28
48	$\text{[Dmt}^1\text{]}^{\text{N/OFQ}}$ – NH_2 : a potent nociceptin/orphanin FQ and opioid receptor universal agonist. <i>British Journal of Pharmacology</i> , 2013, 168, 151-162.	5.4	38
49	Pharmacological Investigation of NOP -Related Ligands as Analgesics without Abuse Liability. <i>ACS Symposium Series</i> , 2013, , 393-416.	0.5	6
50	The Therapeutic Potential of Nociceptin/Orphanin FQ Receptor Agonists as Analgesics without Abuse Liability. <i>ACS Chemical Neuroscience</i> , 2013, 4, 214-224.	3.5	68
51	Effects of Spinally Administered Bifunctional Nociceptin/Orphanin FQ Peptide Receptor–Opioid Receptor Ligands in Mouse Models of Neuropathic and Inflammatory Pain. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 346, 11-22.	2.5	56
52	Physiological Function of Gastrin-Releasing Peptide and Neuromedin B Receptors in Regulating Itch Scratching Behavior in the Spinal Cord of Mice. <i>PLoS ONE</i> , 2013, 8, e67422.	2.5	53
53	Role of gastrin–releasing peptide and neuromedin B receptors in the neurotransmission of itch in the spinal cord of mice. <i>FASEB Journal</i> , 2013, 27, 1176.6.	0.5	0
54	Long-Lasting Effects of a PEGylated Mutant Cocaine Esterase (CocE) on the Reinforcing and Discriminative Stimulus Effects of Cocaine in Rats. <i>Neuropsychopharmacology</i> , 2012, 37, 1092-1103.	5.4	21

#	ARTICLE	IF	CITATIONS
55	Roles of μ -Opioid Receptors and Nociceptin/Orphanin FQ Peptide Receptors in Buprenorphine-Induced Physiological Responses in Primates. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 343, 72-81.	2.5	91
56	Repeated Administration of a Mutant Cocaine Esterase: Effects on Plasma Cocaine Levels, Cocaine-Induced Cardiovascular Activity, and Immune Responses in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 342, 205-213.	2.5	14
57	The Fate of Bacterial Cocaine Esterase (CocE): An In Vivo Study of CocE-Mediated Cocaine Hydrolysis, CocE Pharmacokinetics, and CocE Elimination. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 340, 83-95.	2.5	8
58	Roles of MOP and NOP receptors in regulating buprenorphine-induced physiological responses in monkeys. <i>FASEB Journal</i> , 2012, 26, 1123.2.	0.5	0
59	Pharmacological characterization of NOP receptor agonists as abuse-free and constipation-free analgesics in monkeys. <i>FASEB Journal</i> , 2012, 26, .	0.5	3
60	Pharmacokinetic evidence for the long-lasting effects of norbinaltorphimine (norBNI). <i>FASEB Journal</i> , 2012, 26, .	0.5	1
61	[Dmt1]N/OFQ(1-13)-NH ₂ , a potent NOP/MOP receptor mixed agonist. <i>FASEB Journal</i> , 2012, 26, 836.1.	0.5	1
62	Effects of a long-acting mutant bacterial cocaine esterase on acute cocaine toxicity in rats. <i>Drug and Alcohol Dependence</i> , 2011, 118, 158-165.	3.2	13
63	The effects of nociceptin/orphanin FQ receptor agonist Ro 64-6198 and diazepam on antinociception and remifentanyl self-administration in rhesus monkeys. <i>Psychopharmacology</i> , 2011, 213, 53-60.	3.1	35
64	The Role of Central Gastrin-Releasing Peptide and Neuromedin B Receptors in the Modulation of Scratching Behavior in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 337, 822-829.	2.5	40
65	Design, Preparation, and Characterization of High-Activity Mutants of Human Butyrylcholinesterase Specific for Detoxification of Cocaine. <i>Molecular Pharmacology</i> , 2011, 79, 290-297.	2.3	81
66	Amelioration of the Cardiovascular Effects of Cocaine in Rhesus Monkeys by a Long-Acting Mutant Form of Cocaine Esterase. <i>Neuropsychopharmacology</i> , 2011, 36, 1047-1059.	5.4	17
67	Subunit Stabilization and Polyethylene Glycolation of Cocaine Esterase Improves In Vivo Residence Time. <i>Molecular Pharmacology</i> , 2011, 80, 1056-1065.	2.3	19
68	PEGylation of bacterial cocaine esterase for protection against protease digestion and immunogenicity. <i>Journal of Controlled Release</i> , 2010, 142, 174-179.	9.9	32
69	Long-lasting antinociceptive spinal effects in primates of the novel nociceptin/orphanin FQ receptor agonist UFP-112. <i>Pain</i> , 2010, 148, 107-113.	4.2	70
70	Structural analysis of thermostabilizing mutations of cocaine esterase. <i>Protein Engineering, Design and Selection</i> , 2010, 23, 537-547.	2.1	45
71	Dual-Process Mechanism. , 2010, , 442-442.		0
72	The central antidepressant-like and antinociceptive effects of a delta opioid receptor agonist SNC80 in rats. <i>FASEB Journal</i> , 2010, 24, 581.3.	0.5	0

#	ARTICLE	IF	CITATIONS
73	Effects of intradermal administration of endogenous opioid peptides, $\hat{\mu}$ -endorphin and dynorphin $\hat{\epsilon}$, on scratching behavior in mice. <i>FASEB Journal</i> , 2010, 24, .	0.5	0
74	Behavioral Effects of a Synthetic Agonist Selective for Nociceptin/Orphanin FQ Peptide Receptors in Monkeys. <i>Neuropsychopharmacology</i> , 2009, 34, 2088-2096.	5.4	87
75	Effects of Atypical $\hat{\mu}$ -Opioid Receptor Agonists on Intrathecal Morphine-Induced Itch and Analgesia in Primates. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 193-200.	2.5	81
76	Cocaine Esterase Prevents Cocaine-Induced Toxicity and the Ongoing Intravenous Self-Administration of Cocaine in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 331, 445-455.	2.5	41
77	Thermostable Variants of Cocaine Esterase for Long-Time Protection against Cocaine Toxicity. <i>Molecular Pharmacology</i> , 2009, 75, 318-323.	2.3	81
78	Effects of cocaine esterase following its repeated administration with cocaine in mice. <i>Drug and Alcohol Dependence</i> , 2009, 101, 202-209.	3.2	19
79	Seizure activity involved in the up-regulation of BDNF mRNA expression by activation of central Mu opioid receptors. <i>Neuroscience</i> , 2009, 161, 301-310.	2.3	29
80	Antinociceptive Effects of Nociceptin/Orphanin FQ Administered Intrathecally in Monkeys. <i>Journal of Pain</i> , 2009, 10, 509-516.	1.4	76
81	Characterizing the Acute Cardiovascular Toxicities of Cocaine in Freely Moving Rhesus Monkeys. <i>FASEB Journal</i> , 2009, 23, 589.6.	0.5	0
82	Comparison of the opioid receptor antagonist properties of naltrexone and $\hat{\mu}$ -naltrexol in morphine-naïve and morphine-dependent mice. <i>European Journal of Pharmacology</i> , 2008, 583, 48-55.	3.5	20
83	Effects of mu, kappa, and delta opioid receptor agonists on the function of hypothalamic-pituitary-adrenal axis in monkeys. <i>Psychoneuroendocrinology</i> , 2008, 33, 478-486.	2.7	51
84	Most Efficient Cocaine Hydrolase Designed by Virtual Screening of Transition States. <i>Journal of the American Chemical Society</i> , 2008, 130, 12148-12155.	13.7	164
85	The Spinal Antinociceptive Effects of Endomorphins in Rats: Behavioral and G Protein Functional Studies. <i>Anesthesia and Analgesia</i> , 2008, 106, 1873-1881.	2.2	19
86	Effects of a novel kappa opioid receptor agonist, TRK $\hat{\epsilon}$ 20, on intrathecal morphine-induced itch and analgesia in monkeys. <i>FASEB Journal</i> , 2008, 22, 712.4.	0.5	0
87	Cocaine Esterase: Interactions with Cocaine and Immune Responses in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 320, 926-933.	2.5	41
88	Central $\hat{\mu}$ -opioid receptor-mediated antidepressant-like effects of nor-Binaltorphimine: Behavioral and BDNF mRNA expression studies. <i>European Journal of Pharmacology</i> , 2007, 570, 89-96.	3.5	80
89	Pharmacological, Pharmacokinetic, and Primate Analgesic Efficacy Profile of the Novel Bradykinin B1 Receptor Antagonist ELN441958. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 322, 619-630.	2.5	27
90	Effects of Butorphanol on Morphine-induced Itch and Analgesia in Primates. <i>Anesthesiology</i> , 2007, 107, 478-485.	2.5	56

#	ARTICLE	IF	CITATIONS
91	Endogenous opioids upregulate brain-derived neurotrophic factor mRNA through δ - and μ -opioid receptors independent of antidepressant-like effects. <i>European Journal of Neuroscience</i> , 2006, 23, 984-994.	2.6	69
92	Differential in Vivo Potencies of Naltrexone and δ -Naltrexol in the Monkey. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 316, 772-779.	2.5	42
93	Effects of Intrathecally Administered Nociceptin/Orphanin FQ in Monkeys: Behavioral and Mass Spectrometric Studies. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 1257-1264.	2.5	66
94	How best to fight that nasty itch - from new insights into the neuroimmunological, neuroendocrine, and neurophysiological bases of pruritus to novel therapeutic approaches. <i>Experimental Dermatology</i> , 2005, 14, 225-225.	2.9	55
95	Viewpoint 2. <i>Experimental Dermatology</i> , 2005, 14, 227-229.	2.9	3
96	Antinociceptive, hypothermic, hypotensive, and reinforcing effects of a novel neurotensin receptor agonist, NT69L, in rhesus monkeys. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 80, 341-349.	2.9	43
97	The Role of Central δ Opioid Receptors in Opioid-Induced Itch in Primates. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 310, 169-176.	2.5	132
98	Characterization of the complex morphinan derivative BU72 as a high efficacy, long-lasting μ -opioid receptor agonist. <i>European Journal of Pharmacology</i> , 2004, 499, 107-116.	3.5	44
99	Electrospray sample deposition for matrix-assisted laser desorption/ionization(MALDI) and atmospheric pressure MALDI mass spectrometry with attomole detection limits. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 1193-1200.	1.5	57
100	Effect of opioid receptor antagonists on hypothalamic-pituitary-adrenal activity in rhesus monkeys. <i>Psychoneuroendocrinology</i> , 2003, 28, 513-528.	2.7	33
101	Ultra-long antagonism of kappa opioid agonist-induced diuresis by intracisternal nor-binaltorphimine in monkeys. <i>Brain Research</i> , 2003, 982, 38-44.	2.2	28
102	Activation of δ -Opioid Receptors Inhibits Pruritus Evoked by Subcutaneous or Intrathecal Administration of Morphine in Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 305, 173-179.	2.5	106
103	Studies of δ , δ , and δ -Opioid Receptor Density and G Protein Activation in the Cortex and Thalamus of Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 306, 179-186.	2.5	41
104	Characterization of scratching responses in rats following centrally administered morphine or bombesin. <i>Behavioural Pharmacology</i> , 2003, 14, 501-508.	1.7	32
105	Relative Reinforcing Effects of Three Opioids with Different Durations of Action. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 301, 698-704.	2.5	101
106	Orphanin FQ inhibits capsaicin-induced thermal nociception in monkeys by activation of peripheral ORL1 receptors. <i>British Journal of Pharmacology</i> , 2002, 135, 943-950.	5.4	48
107	Differential Densities of Mu, Kappa, and Delta Opioid Receptors and Their Receptor-G Protein Interactions in the Thalamus and Spinal Cord of Monkeys. <i>Anesthesiology</i> , 2002, 96, A792.	2.5	1
108	Kappa Opioid Receptor-Mediated Anti-Pruritic Action in Intrathecal Morphine-Induced Scratching Responses in Monkeys. <i>Anesthesiology</i> , 2002, 96, A1054.	2.5	0

#	ARTICLE	IF	CITATIONS
109	GR89,696: a potent kappa-opioid agonist with subtype selectivity in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2001, 298, 1049-59.	2.5	32
110	An Experimental Itch Model in Monkeys. <i>Anesthesiology</i> , 2000, 92, 795-805.	2.5	104
111	Diltiazem enhances the analgesic but not the respiratory depressant effects of morphine in rhesus monkeys. <i>European Journal of Pharmacology</i> , 2000, 397, 85-92.	3.5	15
112	Local inhibitory effects of dynorphin A-(1-17) on capsaicin-induced thermal allodynia in rhesus monkeys. <i>European Journal of Pharmacology</i> , 2000, 402, 69-76.	3.5	22
113	Local administration of mu or kappa opioid agonists attenuates capsaicin-induced thermal hyperalgesia via peripheral opioid receptors in rats. <i>Psychopharmacology</i> , 2000, 148, 180-185.	3.1	21
114	Local administration of δ^9 -tetrahydrocannabinol attenuates capsaicin-induced thermal nociception in rhesus monkeys: a peripheral cannabinoid action. <i>Psychopharmacology</i> , 1999, 143, 322-326.	3.1	51
115	The effects of the phyllolitorin analogue [desTrp3,Leu8]phyllolitorin on scratching induced by bombesin and related peptides in rats. <i>Brain Research</i> , 1999, 839, 194-198.	2.2	9
116	ANTAGONISM OF KAPPA OPIOID-INDUCED ANTINOCICEPTION BY PARTIAL OPIOID AGONISTS IN RHESUS MONKEYS. <i>Behavioural Pharmacology</i> , 1999, 10, S54.	1.7	0
117	Activation of peripheral kappa opioid receptors inhibits capsaicin-induced thermal nociception in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999, 289, 378-85.	2.5	30
118	Intracisternal nor-binaltorphimine distinguishes central and peripheral kappa-opioid antinociception in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999, 291, 1113-20.	2.5	42
119	The role of peripheral mu opioid receptors in the modulation of capsaicin-induced thermal nociception in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1998, 286, 150-6.	2.5	39
120	Differentiation of kappa opioid agonist-induced antinociception by naltrexone apparent pA2 analysis in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1998, 285, 518-26.	2.5	59
121	kappa-Opioid receptor binding populations in rhesus monkey brain: relationship to an assay of thermal antinociception. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1998, 285, 595-601.	2.5	46
122	Chronic effects of haloperidol and SCH23390 on operant and licking behaviors in the rat. <i>Chinese Journal of Physiology</i> , 1995, 38, 65-73.	1.0	15