

Francisco J Esteva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8347926/publications.pdf>

Version: 2024-02-01

38
papers

2,414
citations

279798
23
h-index

345221
36
g-index

38
all docs

38
docs citations

38
times ranked

4720
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Cardiovascular Disease Risk Factors with Late Cardiotoxicity and Survival in HER2-positive Breast Cancer Survivors. <i>Clinical Cancer Research</i> , 2021, 27, 5343-5352.	7.0	5
2	Long-Term Survival Analysis of Adjuvant Chemotherapy with or without Trastuzumab in Patients with T1, Node-Negative HER2-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 7388-7395.	7.0	12
3	Efficacy and Safety of Ribociclib With Letrozole in US Patients Enrolled in the MONALEESA-2 Study. <i>Clinical Breast Cancer</i> , 2019, 19, 268-277.e1.	2.4	13
4	Breast cancer risk in relation to plasma metabolites among Hispanic and African American women. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 687-696.	2.5	13
5	Prognosis in different subtypes of metaplastic breast cancer: a population-based analysis. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 329-341.	2.5	49
6	Trastuzumab-Resistant HER2+ Breast Cancer Cells Retain Sensitivity to Poly (ADP-Ribose) Polymerase (PARP) Inhibition. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 921-930.	4.1	11
7	Recommendations on Disease Management for Patients With Advanced Human Epidermal Growth Factor Receptor 2â€“Positive Breast Cancer and Brain Metastases: ASCO Clinical Practice Guideline Update. <i>Journal of Clinical Oncology</i> , 2018, 36, 2804-2807.	1.6	93
8	Systemic Therapy for Patients With Advanced Human Epidermal Growth Factor Receptor 2â€“Positive Breast Cancer: ASCO Clinical Practice Guideline Update. <i>Journal of Clinical Oncology</i> , 2018, 36, 2736-2740.	1.6	141
9	Prognostic role of elevated mir-24-3p in breast cancer and its association with the metastatic process. <i>Oncotarget</i> , 2018, 9, 12868-12878.	1.8	46
10	High turnover of extracellular matrix reflected by specific protein fragments measured in serum is associated with poor outcomes in two metastatic breast cancer cohorts. <i>International Journal of Cancer</i> , 2018, 143, 3027-3034.	5.1	41
11	Ribociclib (RIB) + fulvestrant (FUL) in postmenopausal women with hormone receptor-positive (HR+), HER2-negative (HER2â€“) advanced breast cancer (ABC): Results from MONALEESA-3.. <i>Journal of Clinical Oncology</i> , 2018, 36, 1000-1000.	1.6	21
12	Expression of human endogenous retrovirus-K is strongly associated with the basal-like breast cancer phenotype. <i>Scientific Reports</i> , 2017, 7, 41960.	3.3	73
13	Personalized Prognostic Prediction Models for Breast Cancer Recurrence and Survival Incorporating Multidimensional Data. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	6.3	42
14	CT-P6 compared with reference trastuzumab for HER2-positive breast cancer: a randomised, double-blind, active-controlled, phase 3 equivalence trial. <i>Lancet Oncology</i> , The, 2017, 18, 917-928.	10.7	93
15	Clinical utility of gene-expression signatures in early stage breast cancer. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 595-610.	27.6	197
16	Phase II trial of pembrolizumab in combination with nab-paclitaxel in patients with metastatic HER2-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS1124-TPS1124.	1.6	3
17	DUSP4 is associated with increased resistance against anti-HER2 therapy in breast cancer. <i>Oncotarget</i> , 2017, 8, 77207-77218.	1.8	30
18	Hyperactivated mTOR and JAK2/STAT3 Pathways: Molecular Drivers and Potential Therapeutic Targets of Inflammatory and Invasive Ductal Breast Cancers After Neoadjuvant Chemotherapy. <i>Clinical Breast Cancer</i> , 2016, 16, 113-122.e1.	2.4	49

#	ARTICLE	IF	CITATIONS
19	Phase III study of ribociclib (LEE011) plus fulvestrant for the treatment of postmenopausal patients with hormone receptor-positive (HR+), human epidermal growth factor receptor 2-negative (HER2â€“) advanced breast cancer (aBC) who have received no or only one line of prior endocrine treatment (ET): MONALEESA-3. Journal of Clinical Oncology, 2016, 34, TPS624-TPS624.	1.6	11
20	What Can We Learn about Antibody-Drug Conjugates from the T-DM1 Experience?. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2015, , e117-e125.	3.8	13
21	HER family kinase domain mutations promote tumor progression and can predict response to treatment in human breast cancer. Molecular Oncology, 2015, 9, 586-600.	4.6	31
22	Clinical nomogram to predict bone-only metastasis in patients with early breast carcinoma. British Journal of Cancer, 2015, 113, 1003-1009.	6.4	28
23	Circulating Tumor Cell Analysis in Metastatic Triple-Negative Breast Cancers. Clinical Cancer Research, 2015, 21, 1098-1105.	7.0	35
24	Genomic Signatures in Breast Cancer: Limitations of Available Predictive Data and the Importance of Prognosis. Clinical Advances in Hematology and Oncology, 2015, 13, 25-31.	0.3	3
25	Genome-Based Risk Prediction for Early Stage Breast Cancer. Oncologist, 2014, 19, 1019-1027.	3.7	5
26	Gene Signatureâ€“Guided Dasatinib Therapy in Metastatic Breast Cancer. Clinical Cancer Research, 2014, 20, 5265-5271.	7.0	28
27	Recommendations on Disease Management for Patients With Advanced Human Epidermal Growth Factor Receptor 2â€“Positive Breast Cancer and Brain Metastases: American Society of Clinical Oncology Clinical Practice Guideline. Journal of Clinical Oncology, 2014, 32, 2100-2108.	1.6	165
28	Systemic Therapy for Patients With Advanced Human Epidermal Growth Factor Receptor 2â€“Positive Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline. Journal of Clinical Oncology, 2014, 32, 2078-2099.	1.6	303
29	Effect of adjuvant/neoadjuvant trastuzumab on clinical outcomes in patients with HER2â€“positive metastatic breast cancer. Cancer, 2014, 120, 1932-1938.	4.1	35
30	Comprehensive analysis of long non-coding RNAs in human breast cancer clinical subtypes. Oncotarget, 2014, 5, 9864-9876.	1.8	188
31	Detection of metastases in breast cancer: Is whole body PET/MR better than PET/CT?. Journal of Clinical Oncology, 2014, 32, 15-15.	1.6	0
32	Abstract 5469: Trastuzumab resistant HER2+ breast cancer cells retain sensitivity to poly (ADP-ribose) polymerase (PARP) inhibition. , 2014, , .		0
33	Plasma microRNA 210 levels correlate with sensitivity to trastuzumab and tumor presence in breast cancer patients. Cancer, 2012, 118, 2603-2614.	4.1	265
34	Residual Risk of Breast Cancer Recurrence 5 Years After Adjuvant Therapy. Journal of the National Cancer Institute, 2008, 100, 1179-1183.	6.3	280
35	Optimizing outcomes in HER2-positive breast cancer: the molecular rationale. Oncology, 2005, 19, 4.	0.5	30
36	Optimizing outcomes in HER2-positive breast cancer: the molecular rationale. Oncology, 2005, 19, 5-16.	0.5	20

#	ARTICLE	IF	CITATIONS
37	The current status of docetaxel for metastatic breast cancer. <i>Oncology</i> , 2002, 16, 17-26.	0.5	6
38	Phase II trial and pharmacokinetic evaluation of cytosine arabinoside for leptomeningeal metastases from breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2000, 46, 382-386.	2.3	36