Guillaume Vaiva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8359763/publications.pdf

Version: 2024-02-01

144 papers 4,579 citations

147801 31 h-index 59 g-index

216 all docs

216 docs citations

times ranked

216

5183 citing authors

#	Article	IF	CITATIONS
1	Factors Associated With Mental Health Disorders Among University Students in France Confined During the COVID-19 Pandemic. JAMA Network Open, 2020, 3, e2025591.	5.9	463
2	Immediate treatment with propranolol decreases posttraumatic stress disorder two months after trauma. Biological Psychiatry, 2003, 54, 947-949.	1.3	447
3	Effect of telephone contact on further suicide attempts in patients discharged from an emergency department: randomised controlled study. BMJ: British Medical Journal, 2006, 332, 1241-1245.	2.3	227
4	ALGOS: the development of a randomized controlled trial testing a case management algorithm designed to reduce suicide risk among suicide attempters. BMC Psychiatry, 2011, 11, 1.	2.6	211
5	Low posttrauma GABA plasma levels as a predictive factor in the development of acute posttraumatic stress disorder. Biological Psychiatry, 2004, 55, 250-254.	1.3	145
6	Clinical features of latent inhibition in schizophrenia. Schizophrenia Research, 2001, 51, 149-161.	2.0	129
7	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	4.1	95
8	Test for Catatonia with zolpidem. Lancet, The, 1997, 349, 702.	13.7	94
9	Does long-acting injectable risperidone make a difference to the real-life treatment of schizophrenia? Results of the Cohort for the General study of Schizophrenia (CGS). Schizophrenia Research, 2012, 134, 187-194.	2.0	87
10	Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. Drug and Alcohol Dependence, 2018, 187, 40-47.	3.2	84
11	Relationship Between Posttrauma GABA Plasma Levels and PTSD at 1-Year Follow-Up. American Journal of Psychiatry, 2006, 163, 1446-1448.	7.2	73
12	Catatonia in Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. Journal of ECT, 2010, 26, 246-247.	0.6	66
13	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. Journal of Affective Disorders, 2019, 244, 1-8.	4.1	59
14	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262.	2.6	56
15	SIAM (Suicide intervention assisted by messages): the development of a post-acute crisis text messaging outreach for suicide prevention. BMC Psychiatry, 2014, 14, 294.	2.6	51
16	Carbamazepine in the treatment of neuroleptic malignant syndrome. Biological Psychiatry, 1998, 43, 303-305.	1.3	50
17	Temporal analysis of heart rate variability as a predictor of post traumatic stress disorder in road traffic accidents survivors. Journal of Psychiatric Research, 2012, 46, 790-796.	3.1	49
18	Increased prevalence of psychotic disorders among third-generation migrants: Results from the French Mental Health in General Population survey. Schizophrenia Research, 2013, 147, 193-195.	2.0	47

#	Article	IF	Citations
19	Is electroconvulsive therapy an evidence-based treatment for catatonia? A systematic review and meta-analysis. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 675-687.	3.2	47
20	Fright (Effroi) and other Peritraumatic Responses after a Serious Motor Vehicle Accident: Prospective Influence on Acute PTSD Development. Canadian Journal of Psychiatry, 2003, 48, 395-401.	1.9	44
21	Catatonia and consultation-liaison psychiatry study of 12 cases. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1170-1176.	4.8	43
22	Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. Schizophrenia Research, 2018, 193, 336-342.	2.0	43
23	Individuals With Bipolar Disorder and Their Relationship With the Criminal Justice System: A Critical Review. Psychiatric Services, 2015, 66, 348-353.	2.0	40
24	Lithium and suicide prevention in bipolar disorder. L'Encephale, 2016, 42, 234-241.	0.9	39
25	Regional cerebral blood flow in deficit/nondeficit types of schizophrenia according to SDS criteria. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 481-485.	4.8	37
26	Directed forgetting in PTSD: A comparative study versus normal controls. Journal of Psychiatric Research, 2006, 40, 70-80.	3.1	37
27	SPECT imaging, clinical features, and cognition before and after low doses of amisulpride in schizophrenic patients with the deficit syndrome. Psychiatry Research - Neuroimaging, 2002, 115, 37-48.	1.8	35
28	Morningness <i>àê"</i> eveningness and treatment response in major depressive disorder. Chronobiology International, 2014, 31, 283-289.	2.0	35
29	An "Accidental―Acute Psychosis with Ecstasy Use. Journal of Psychoactive Drugs, 2001, 33, 95-98.	1.7	33
30	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. Journal of Affective Disorders, 2017, 210, 174-180.	4.1	32
31	Dose-dependent stuttering and dystonia in a patient taking clozapine. American Journal of Psychiatry, 1994, 151, 1096a-1096.	7.2	30
32	Prevalence of and factors associated with post-traumatic stress disorder among French university students 1 month after the COVID-19 lockdown. Translational Psychiatry, 2021, 11, 327.	4.8	30
33	Is it worth assessing progress as early as week 2 to adapt antidepressive treatment strategy? Results from a study on agomelatine and a global meta-analysis. European Psychiatry, 2013, 28, 362-371.	0.2	28
34	Prevalence and predictors of no lifetime utilization of mental health treatment among people with mental disorders in France: findings from the ' Mental Health in General Population' (MHGP) survey. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 567-576.	3.1	27
35	Leveraging the Web and Social Media to Promote Access to Care Among Suicidal Individuals. Frontiers in Psychology, 2018, 9, 1338.	2.1	26
36	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. Journal of Affective Disorders, 2018, 226, 66-71.	4.1	25

#	Article	IF	CITATIONS
37	Suicide prevention: Towards integrative, innovative and individualized brief contact interventions. European Psychiatry, 2018, 47, 25-26.	0.2	25
38	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27.	4.1	25
39	Late-Life Health Consequences of Exposure to Trauma in a General Elderly Population. Journal of Clinical Psychiatry, 2011, 72, 929-935.	2.2	25
40	A latent class analysis of psychotic symptoms in the general population. Australian and New Zealand Journal of Psychiatry, 2018, 52, 573-584.	2.3	23
41	Prediction of Trauma-Related Disorders. primary care companion for CNS disorders, The, 2013, 15, .	0.6	23
42	Traumatic memory reactivation with or without propranolol for PTSD and comorbid MD symptoms: a randomised clinical trial. Neuropsychopharmacology, 2021, 46, 1643-1649.	5.4	22
43	Non-presentation at hospital following a suicide attempt: a national survey. Psychological Medicine, 2022, 52, 707-714.	4.5	21
44	A Digital Companion, the Emma App, for Ecological Momentary Assessment and Prevention of Suicide: Quantitative Case Series Study. JMIR MHealth and UHealth, 2020, 8, e15741.	3.7	21
45	Supersensitivity psychosis in patients with schizophrenia after sudden olanzapine withdrawal. Canadian Journal of Psychiatry, 2001, 46, 87-8.	1.9	21
46	Cerebral blood flow in major depression and dysthymia. Journal of Affective Disorders, 1993, 29, 235-242.	4.1	20
47	Prenatal stress exacerbates the impact of an aversive procedure on the corticosterone response to stress in female rats. Psychoneuroendocrinology, 2009, 34, 786-790.	2.7	20
48	Categorical and dimensional study of the predictive factors of the development of a psychotrauma in victims of car accidents. Journal of Anxiety Disorders, 2012, 26, 239-245.	3.2	20
49	Attentional bias towards negative stimuli in healthy individuals and the effects of trait anxiety. Scientific Reports, 2020, 10, 11826.	3.3	20
50	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq0 0 0 rgBT	/Oværdock	1010f 50 217
51	Mortality of people suffering from mental illness: a study of a cohort of patients hospitalised in psychiatry in the North of France. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 269-277.	3.1	18
52	Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. Journal of Psychiatric Research, 2018, 102, 38-43.	3.1	18
53	Combining brief contact interventions (BCI) into a decision-making algorithm to reduce suicide reattempt: the VigilanS study protocol. BMJ Open, 2018, 8, e022762.	1.9	18
54	Similarities between borderline personality disorder and post traumatic stress disorder: Evidence from resting-state meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 105, 52-59.	6.1	17

#	Article	IF	Citations
55	Combining green cards, telephone calls and postcards into an intervention algorithm to reduce suicide reattempt (AlgoS): P-hoc analyses of an inconclusive randomized controlled trial. PLoS ONE, 2019, 14, e0210778.	2.5	17
56	A Case of Agitated Catatonia. Pharmacopsychiatry, 1999, 32, 38-40.	3.3	16
57	Data on diabetes from the French cohort study in schizophrenia. European Psychiatry, 2005, 20, S340-S344.	0.2	16
58	Telephone-administered psychotherapy in combination with antidepressant medication for the acute treatment of major depressive disorder. Journal of Affective Disorders, 2016, 190, 6-11.	4.1	16
59	Association between childhood trauma and multimodal early-onset hallucinations. British Journal of Psychiatry, 2020, 216, 156-158.	2.8	16
60	Somatic symptom disorders and long COVID: A critical but overlooked topic. General Hospital Psychiatry, 2021, 72, 149-150.	2.4	15
61	The ability of early changes in motivation to predict later antidepressant treatment response. Neuropsychiatric Disease and Treatment, 2015, 11, 2875.	2.2	14
62	Catatonia and Liver Transplant. Psychosomatics, 2002, 43, 338-339.	2.5	13
63	Pernicious anemia presenting as catatonia: correlating vitamin B12 levels and catatonic symptoms. General Hospital Psychiatry, 2015, 37, 273.e5-273.e7.	2.4	13
64	Role and importance of consultation-liaison psychiatry during the Covid-19 epidemic. Journal of Psychosomatic Research, 2020, 137, 110214.	2.6	13
65	Posttraumatic stress disorder in time of COVIDâ€19: Trauma or not trauma, is that the question?. Acta Psychiatrica Scandinavica, 2021, 144, 310-311.	4.5	13
66	An increase in joy after two weeks is more specific of later antidepressant response than a decrease in sadness. Journal of Affective Disorders, 2015, 185, 97-103.	4.1	12
67	Suicide mortality after a nonfatal suicide attempt: A systematic review and meta-analysis. Australian and New Zealand Journal of Psychiatry, 2022, 56, 603-616.	2.3	12
68	Mental health impact of the 2010 Haiti earthquake on the Miami Haitian population: A random-sample survey. Disaster Health, 2014, 2, 130-137.	0.6	11
69	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244.	2.6	11
70	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. Psychiatry Investigation, 2018, 15, 1188-1202.	1.6	11
71	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.	3.1	11
72	Changes in the number of suicide re-attempts in a French region since the inception of VigilanS, a regionwide program combining brief contact interventions (BCI). BMC Psychiatry, 2020, 20, 26.	2.6	11

#	Article	IF	CITATIONS
73	Are there specific care requirements for patients with schizophrenia and diabetes or with a risk of diabetes?. European Psychiatry, 2005, 20, S358-S363.	0.2	10
74	Treatment of Agitation in the Emergency Department: Benzodiazepines Could Be Safer than Antipsychotics in Some Cases of Insufficient Medical Data. Journal of Emergency Medicine, 2014, 46, 830-831.	0.7	10
75	Psychogenic non-epileptic seizures treated with guided transcranial direct current stimulation: A case report. Brain Stimulation, 2019, 12, 794-796.	1.6	10
76	A blended cognitive behavioral intervention for patients with adjustment disorder with anxiety: A randomized controlled trial. Internet Interventions, 2020, 21, 100329.	2.7	10
77	Effectiveness of a French Program to Prevent Suicide Reattempt (VigilanS). Archives of Suicide Research, 2020, 25, 1-12.	2.3	10
78	Depression with and without a history of psychotic symptoms in the general population: sociodemographic and clinical characteristics. Journal of Affective Disorders, 2020, 273, 247-251.	4.1	10
79	Treatment of comorbid opiate addiction and attention-deficit hyperactivity disorder (residual type) with moclobemide. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 609-611.	4.8	9
80	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.	2.3	9
81	GPs and New Compulsory Admission Procedures in France. Psychiatric Services, 2014, 65, 271-271.	2.0	8
82	The impact of discontinuing methylphenidate on weight and eating behavior. International Journal of Eating Disorders, 2015, 48, 345-348.	4.0	8
83	'What is more familiar than I? Self, other and familiarity in schizophrenia. Schizophrenia Research, 2015, 161, 501-505.	2.0	8
84	Emotional response in depersonalization: A systematic review of electrodermal activity studies. Journal of Affective Disorders, 2020, 276, 877-882.	4.1	8
85	Religiosity and prevalence of suicide, psychiatric disorders and psychotic symptoms in the French general population. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1547-1557.	3.2	8
86	Mental health among medical, healthcare, and other university students during the first COVID-19 lockdown in France. Journal of Affective Disorders Reports, 2021, 6, 100260.	1.7	8
87	Intrusive experiences in posttraumatic stress disorder: Treatment response induces changes in the directed functional connectivity of the anterior insula. NeuroImage: Clinical, 2022, 34, 102964.	2.7	8
88	Depression restricts visual capture and promotes the perception of negative information. Biological Psychology, 2020, 154, 107923.	2,2	7
89	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479.	4.8	7
90	Trauma exposure and PTSD among men entering jail: A comparative study with the general population. Journal of Psychiatric Research, 2022, 145, 205-212.	3.1	7

#	Article	IF	Citations
91	Exposure to patient suicide and early career psychiatrists. Lancet Psychiatry, the, 2021, 8, 179-180.	7.4	6
92	A pharmacoepidemiological study of the association of suicide reattempt risk with psychotropicAdrugAexposure. Journal of Psychiatric Research, 2021, 138, 256-263.	3.1	6
93	Suicide reattempt in a population-wide brief contact intervention to prevent suicide attempts: The VigilanS program, France. European Psychiatry, 2021, 64, e57.	0.2	6
94	Neuroleptic monitoring: relation between antipsychotic efficiency and radioreceptor assay of serum haloperidol. European Journal of Clinical Pharmacology, 1996, 50, 357-363.	1.9	5
95	Corticosteroid-induced psychiatric episodes in consultation liaison psychiatry. Personality and temperament assessments. Presse Medicale, 2011, 40, 203-209.	1.9	5
96	A Latent Class Analysis of Manic and Psychotic Symptoms. Journal of Nervous and Mental Disease, 2020, 208, 721-728.	1.0	5
97	Risk Factors for Reattempt and Suicide Within 6 Months After an Attempt in the French ALGOS Cohort. Journal of Clinical Psychiatry, 2021, 82, .	2.2	5
98	PTSD in prison settings: the need for direct comparisons with the general population. Psychological Medicine, 2021, , 1-3.	4. 5	5
99	Severe extrapyramidal symptoms with fluvoxamine despite neuroleptics withdrawal. European Psychiatry, 1996, 11, 273.	0.2	4
100	Dissociation of explicit and implicit responses during a change blindness task in schizophrenia. Neuropsychologia, 2015, 71, 11-17.	1.6	4
101	At least one more reason why. European Child and Adolescent Psychiatry, 2018, 27, 259-260.	4.7	4
102	Paris MEM: a study protocol for an effectiveness and efficiency trial on the treatment of traumatic stress in France after the 2015–16 terrorist attacks. BMC Psychiatry, 2019, 19, 351.	2.6	4
103	Prevalence and impact of patient suicide in psychiatrists: Results from a national French web-based survey. L'Encephale, 2021, 47, 507-513.	0.9	4
104	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148.	2.5	4
105	Psychological impact of the COVID-19 pandemic on non-frontline healthcare workers. General Hospital Psychiatry, 2021, 72, 143-144.	2.4	4
106	Effects at 3 months of a large-scale simulation-based training for first year medical residents on the knowledge of suicide. L'Encephale, 2022, 48, 361-364.	0.9	4
107	Efficacy of Seren@ctif, a Computer-Based Stress Management Program for Patients With Adjustment Disorder With Anxiety: Protocol for a Controlled Trial. JMIR Research Protocols, 2017, 6, e190.	1.0	4
108	The need for developing preconception counseling in addiction medicine. Archives of Women's Mental Health, 2013, 16, 433-434.	2.6	3

#	Article	IF	CITATIONS
109	Categorical perception of familiarity: Evidence for a hyper-familiarity in schizophrenia. Journal of Psychiatric Research, 2015, 71, 63-69.	3.1	3
110	Alcohol Use Disorder Is Differently Associated With Psychotic Symptoms According To Underlying Psychiatric Disorders: A General Population Study. Alcohol and Alcoholism, 2019, 55, 112-120.	1.6	3
111	Efficacy of tDCS for bipolar depression in a patient with spinocerebellar ataxia: A case report. Bipolar Disorders, 2020, 22, 422-424.	1.9	3
112	The shallow of your smile: the ethics of expressive vocal deep-fakes. Philosophical Transactions of the Royal Society B: Biological Sciences, 2022, 377, 20210083.	4.0	3
113	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). Journal of Affective Disorders Reports, 2021, 6, 100272.	1.7	3
114	Psychiatric Hospitalizations of People Found Not Criminally Responsible on Account of Mental Disorder in France: A Ten-Year Retrospective Study (2011–2020). Frontiers in Psychiatry, 2022, 13, 812790.	2.6	3
115	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. Frontiers in Psychiatry, 2021, 12, 795666.	2.6	3
116	Evolution in French University Students' Mental Health One Month After the First COVID-19 Related Quarantine: Results From the COSAMe Survey. Frontiers in Psychiatry, 2022, 13, 868369.	2.6	3
117	Per-Symptomatic Brain Activations in Alcohol-Induced Hallucinosis. Biological Psychiatry, 2013, 73, e13-e14.	1.3	2
118	Implicit Recognition of Familiar and Unfamiliar Faces in Schizophrenia: A Study of the Skin Conductance Response in Familiarity Disorders. Frontiers in Psychiatry, 2017, 8, 181.	2.6	2
119	Supportive effect of body contact care with ylang ylang aromatherapy and mobile intervention team for suicide prevention: A pilot study. Journal of International Medical Research, 2020, 48, 030006052094623.	1.0	2
120	The Role of Adolescence in Development Paths Toward Suicide: Specificities and Shaping of Adversity Trajectories. Frontiers in Psychiatry, 2020, 11, 557131.	2.6	2
121	High-Fidelity Simulation. Journal of ECT, 2021, 37, e32-e33.	0.6	2
122	Surveillance Is a Powerful Tool to Prevent Suicidal Acts. , 2016, , 269-279.		2
123	Letter to the Editor: On Suicide and Attempted Suicide During Pregnancy. Crisis, 1999, 20, 22-22.	1.2	2
124	Les suicidants et leur entourage familial. Perspectives Psy, 2008, 47, 330-334.	0.1	2
125	N'oublions pas les survivantsÂ! Impact psycho-économique de la tentative de suicide sur les proches du suicidant. European Psychiatry, 2013, 28, 46-47.	0.2	1
126	Research Letter: Auto-activation deficit in schizophrenia: a case report. Psychological Medicine, 2018, 48, 525-527.	4.5	1

#	Article	IF	CITATIONS
127	Four Questions Nurses Can Ask to Predict PTSD 1 Year After a Motor Vehicle Crash. Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses, 2022, 29, 70-79.	0.5	1
128	SCHIZOPHRENIC SYMPTOMS AND REGIONAL CEREBRAL BLOOD FLOW. Clinical Neuropharmacology, 1992, 15, 396B.	0.7	0
129	Regional cerebral blood flow before and after low doses of amisulpride in negative schizophrenia. European Neuropsychopharmacology, 1994, 4, 381.	0.7	0
130	Use of low-dose selective serotonin reuptake inhibitors and cognitive behavioral therapy in agoraphobia with panic attacks: an open study. European Neuropsychopharmacology, 1994, 4, 350.	0.7	0
131	Major depression and SPECT brain imaging with HMPAO-99mTc: pre and during treatment assessements. European Neuropsychopharmacology, 1994, 4, 309.	0.7	O
132	SÃntomas extrapiramidales graves con fluvoxamina a pesar de la supresión de neurolépticos. European Psychiatry (Ed Española), 1997, 4, 129-130.	0.0	0
133	Psychiatrie de catastrophe et urgence. , 2008, , 503-522.		0
134	Conduites addictives, psychotraumatisme et accidents de la route. Annales Medico-Psychologiques, 2009, 167, 537-538.	0.4	0
135	Reduced risk of hospitalisation with risperidone long-acting injectable. Results of the french cohort for the general study of schizophrenia (CGS). European Psychiatry, 2011, 26, 1487-1487.	0.2	O
136	P.2.c.018 Morningness and eveningness changes after agomelatine treatment in major depression. European Neuropsychopharmacology, 2012, 22, S260-S261.	0.7	0
137	Prévention du suicideÂ: du recontact à la santé connectée. European Psychiatry, 2015, 30, S11-S11.	0.2	0
138	Développement d'un dispositif de veille par short message service (SMS) pour la prévention de la récidive suicidaire. Protocole d'étude Suicide Intervention Assisted by Messages (SIAM). European Psychiatry, 2015, 30, S12-S12.	0.2	0
139	Impact du traitement global/local des visages sur le sentiment de familiarité dans la schizophrénie. European Psychiatry, 2015, 30, S117-S118.	0.2	O
140	L'apathie chez les patients atteints d'une épilepsie du lobe temporal. European Psychiatry, 2015, 30, S123-S123.	0.2	0
141	Associer les types de recontact du suicidant pour élargir la cible de prévention. European Psychiatry, 2015, 30, S68-S69.	0.2	O
142	Impact of emotional and cognitive saliency on visual search in post-traumatic stress disorder. European Psychiatry, 2017, 41, S359-S359.	0.2	0
143	Republication deÂ: Les troubles du sommeil et leur traitement dans le trouble stress post-traumatique. M©decine Du Sommeil, 2021, 18, 165-165.	0.2	O
144	Loss to follow-up in a population-wide brief contact intervention to prevent suicide attempts - The VigilanS program, France. PLoS ONE, 2022, 17, e0263379.	2.5	0