## Guillaume Vaiva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8359763/publications.pdf

Version: 2024-02-01

144 papers 4,579 citations

147801 31 h-index 59 g-index

216 all docs

216 docs citations

times ranked

216

5183 citing authors

#	Article	IF	Citations
1	Non-presentation at hospital following a suicide attempt: a national survey. Psychological Medicine, 2022, 52, 707-714.	4.5	21
2	Effects at 3 months of a large-scale simulation-based training for first year medical residents on the knowledge of suicide. L'Encephale, 2022, 48, 361-364.	0.9	4
3	Suicide mortality after a nonfatal suicide attempt: A systematic review and meta-analysis. Australian and New Zealand Journal of Psychiatry, 2022, 56, 603-616.	2.3	12
4	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479.	4.8	7
5	The shallow of your smile: the ethics of expressive vocal deep-fakes. Philosophical Transactions of the Royal Society B: Biological Sciences, 2022, 377, 20210083.	4.0	3
6	Trauma exposure and PTSD among men entering jail: A comparative study with the general population. Journal of Psychiatric Research, 2022, 145, 205-212.	3.1	7
7	Intrusive experiences in posttraumatic stress disorder: Treatment response induces changes in the directed functional connectivity of the anterior insula. Neurolmage: Clinical, 2022, 34, 102964.	2.7	8
8	Loss to follow-up in a population-wide brief contact intervention to prevent suicide attempts - The VigilanS program, France. PLoS ONE, 2022, 17, e0263379.	2.5	0
9	Four Questions Nurses Can Ask to Predict PTSD 1 Year After a Motor Vehicle Crash. Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses, 2022, 29, 70-79.	0.5	1
10	Psychiatric Hospitalizations of People Found Not Criminally Responsible on Account of Mental Disorder in France: A Ten-Year Retrospective Study (2011–2020). Frontiers in Psychiatry, 2022, 13, 812790.	2.6	3
11	Evolution in French University Students' Mental Health One Month After the First COVID-19 Related Quarantine: Results From the COSAMe Survey. Frontiers in Psychiatry, 2022, 13, 868369.	2.6	3
12	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27.	4.1	25
13	Risk Factors for Reattempt and Suicide Within 6 Months After an Attempt in the French ALGOS Cohort. Journal of Clinical Psychiatry, 2021, 82, .	2.2	5
14	PTSD in prison settings: the need for direct comparisons with the general population. Psychological Medicine, 2021, , 1-3.	4.5	5
15	Religiosity and prevalence of suicide, psychiatric disorders and psychotic symptoms in the French general population. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1547-1557.	3.2	8
16	Traumatic memory reactivation with or without propranolol for PTSD and comorbid MD symptoms: a randomised clinical trial. Neuropsychopharmacology, 2021, 46, 1643-1649.	5.4	22
17	Exposure to patient suicide and early career psychiatrists. Lancet Psychiatry, the, 2021, 8, 179-180.	7.4	6
18	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.	3.1	11

#	Article	IF	Citations
19	Prevalence and impact of patient suicide in psychiatrists: Results from a national French web-based survey. L'Encephale, 2021, 47, 507-513.	0.9	4
20	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148.	2.5	4
21	Prevalence of and factors associated with post-traumatic stress disorder among French university students 1 month after the COVID-19 lockdown. Translational Psychiatry, 2021, 11, 327.	4.8	30
22	A pharmacoepidemiological study of the association of suicide reattempt risk with psychotropicAdrugAexposure. Journal of Psychiatric Research, 2021, 138, 256-263.	3.1	6
23	Posttraumatic stress disorder in time of COVIDâ€19: Trauma or not trauma, is that the question?. Acta Psychiatrica Scandinavica, 2021, 144, 310-311.	4.5	13
24	Suicide reattempt in a population-wide brief contact intervention to prevent suicide attempts: The VigilanS program, France. European Psychiatry, 2021, 64, e57.	0.2	6
25	Somatic symptom disorders and long COVID: A critical but overlooked topic. General Hospital Psychiatry, 2021, 72, 149-150.	2.4	15
26	Psychological impact of the COVID-19 pandemic on non-frontline healthcare workers. General Hospital Psychiatry, 2021, 72, 143-144.	2.4	4
27	High-Fidelity Simulation. Journal of ECT, 2021, 37, e32-e33.	0.6	2
28	Mental health among medical, healthcare, and other university students during the first COVID-19 lockdown in France. Journal of Affective Disorders Reports, 2021, 6, 100260.	1.7	8
29	Republication deÂ: Les troubles du sommeil et leur traitement dans le trouble stress post-traumatique. M©decine Du Sommeil, 2021, 18, 165-165.	0.2	0
30	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). Journal of Affective Disorders Reports, 2021, 6, 100272.	1.7	3
31	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. Frontiers in Psychiatry, 2021, 12, 795666.	2.6	3
32	Association between childhood trauma and multimodal early-onset hallucinations. British Journal of Psychiatry, 2020, 216, 156-158.	2.8	16
33	A Latent Class Analysis of Manic and Psychotic Symptoms. Journal of Nervous and Mental Disease, 2020, 208, 721-728.	1.0	5
34	Role and importance of consultation-liaison psychiatry during the Covid-19 epidemic. Journal of Psychosomatic Research, 2020, 137, 110214.	2.6	13
35	Attentional bias towards negative stimuli in healthy individuals and the effects of trait anxiety. Scientific Reports, 2020, 10, 11826.	3.3	20
36	Emotional response in depersonalization: A systematic review of electrodermal activity studies. Journal of Affective Disorders, 2020, 276, 877-882.	4.1	8

#	Article	IF	CITATIONS
37	Factors Associated With Mental Health Disorders Among University Students in France Confined During the COVID-19 Pandemic. JAMA Network Open, 2020, 3, e2025591.	5.9	463
38	Supportive effect of body contact care with ylang ylang aromatherapy and mobile intervention team for suicide prevention: A pilot study. Journal of International Medical Research, 2020, 48, 030006052094623.	1.0	2
39	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.	2.3	9
40	The Role of Adolescence in Development Paths Toward Suicide: Specificities and Shaping of Adversity Trajectories. Frontiers in Psychiatry, 2020, 11, 557131.	2.6	2
41	Efficacy of tDCS for bipolar depression in a patient with spinocerebellar ataxia: A case report. Bipolar Disorders, 2020, 22, 422-424.	1.9	3
42	A blended cognitive behavioral intervention for patients with adjustment disorder with anxiety: A randomized controlled trial. Internet Interventions, 2020, 21, 100329.	2.7	10
43	Effectiveness of a French Program to Prevent Suicide Reattempt (VigilanS). Archives of Suicide Research, 2020, 25, 1-12.	2.3	10
44	Depression restricts visual capture and promotes the perception of negative information. Biological Psychology, 2020, 154, 107923.	2.2	7
45	Depression with and without a history of psychotic symptoms in the general population: sociodemographic and clinical characteristics. Journal of Affective Disorders, 2020, 273, 247-251.	4.1	10
46	Changes in the number of suicide re-attempts in a French region since the inception of VigilanS, a regionwide program combining brief contact interventions (BCI). BMC Psychiatry, 2020, 20, 26.	2.6	11
47	A Digital Companion, the Emma App, for Ecological Momentary Assessment and Prevention of Suicide: Quantitative Case Series Study. JMIR MHealth and UHealth, 2020, 8, e15741.	3.7	21
48	Similarities between borderline personality disorder and post traumatic stress disorder: Evidence from resting-state meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 105, 52-59.	6.1	17
49	Alcohol Use Disorder Is Differently Associated With Psychotic Symptoms According To Underlying Psychiatric Disorders: A General Population Study. Alcohol and Alcoholism, 2019, 55, 112-120.	1.6	3
50	Paris MEM: a study protocol for an effectiveness and efficiency trial on the treatment of traumatic stress in France after the 2015–16 terrorist attacks. BMC Psychiatry, 2019, 19, 351.	2.6	4
51	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262.	2.6	56
52	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq0 0 0 rgBT	/Ovædock	10119 50 137
53	Combining green cards, telephone calls and postcards into an intervention algorithm to reduce suicide reattempt (AlgoS): P-hoc analyses of an inconclusive randomized controlled trial. PLoS ONE, 2019, 14, e0210778.	2.5	17
54	Psychogenic non-epileptic seizures treated with guided transcranial direct current stimulation: A case report. Brain Stimulation, 2019, 12, 794-796.	1.6	10

#	Article	IF	Citations
55	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. Journal of Affective Disorders, 2019, 244, 1-8.	4.1	59
56	Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. Drug and Alcohol Dependence, 2018, 187, 40-47.	3.2	84
57	Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. Journal of Psychiatric Research, 2018, 102, 38-43.	3.1	18
58	Is electroconvulsive therapy an evidence-based treatment for catatonia? A systematic review and meta-analysis. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 675-687.	3.2	47
59	Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. Schizophrenia Research, 2018, 193, 336-342.	2.0	43
60	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. Journal of Affective Disorders, 2018, 226, 66-71.	4.1	25
61	Suicide prevention: Towards integrative, innovative and individualized brief contact interventions. European Psychiatry, 2018, 47, 25-26.	0.2	25
62	Research Letter: Auto-activation deficit in schizophrenia: a case report. Psychological Medicine, 2018, 48, 525-527.	4.5	1
63	A latent class analysis of psychotic symptoms in the general population. Australian and New Zealand Journal of Psychiatry, 2018, 52, 573-584.	2.3	23
64	At least one more reason why. European Child and Adolescent Psychiatry, 2018, 27, 259-260.	4.7	4
65	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. Psychiatry Investigation, 2018, 15, 1188-1202.	1.6	11
66	Combining brief contact interventions (BCI) into a decision-making algorithm to reduce suicide reattempt: the VigilanS study protocol. BMJ Open, 2018, 8, e022762.	1.9	18
67	Leveraging the Web and Social Media to Promote Access to Care Among Suicidal Individuals. Frontiers in Psychology, 2018, 9, 1338.	2.1	26
68	Prevalence and predictors of no lifetime utilization of mental health treatment among people with mental disorders in France: findings from the 'Mental Health in General Population' (MHGP) survey. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 567-576.	3.1	27
69	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. Journal of Affective Disorders, 2017, 210, 174-180.	4.1	32
70	Impact of emotional and cognitive saliency on visual search in post-traumatic stress disorder. European Psychiatry, 2017, 41, S359-S359.	0.2	0
71	Implicit Recognition of Familiar and Unfamiliar Faces in Schizophrenia: A Study of the Skin Conductance Response in Familiarity Disorders. Frontiers in Psychiatry, 2017, 8, 181.	2.6	2
72	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244.	2.6	11

#	Article	IF	Citations
73	Efficacy of Seren@ctif, a Computer-Based Stress Management Program for Patients With Adjustment Disorder With Anxiety: Protocol for a Controlled Trial. JMIR Research Protocols, 2017, 6, e190.	1.0	4
74	Lithium and suicide prevention in bipolar disorder. L'Encephale, 2016, 42, 234-241.	0.9	39
75	Telephone-administered psychotherapy in combination with antidepressant medication for the acute treatment of major depressive disorder. Journal of Affective Disorders, 2016, 190, 6-11.	4.1	16
76	Surveillance Is a Powerful Tool to Prevent Suicidal Acts., 2016,, 269-279.		2
77	Prévention du suicideÂ: du recontact à la santé connectée. European Psychiatry, 2015, 30, S11-S11.	0.2	0
78	Développement d'un dispositif de veille par short message service (SMS) pour la prévention de la récidive suicidaire. Protocole d'étude Suicide Intervention Assisted by Messages (SIAM). European Psychiatry, 2015, 30, S12-S12.	0.2	0
79	The ability of early changes in motivation to predict later antidepressant treatment response. Neuropsychiatric Disease and Treatment, 2015, 11, 2875.	2.2	14
80	Individuals With Bipolar Disorder and Their Relationship With the Criminal Justice System: A Critical Review. Psychiatric Services, 2015, 66, 348-353.	2.0	40
81	The impact of discontinuing methylphenidate on weight and eating behavior. International Journal of Eating Disorders, 2015, 48, 345-348.	4.0	8
82	'What is more familiar than I? Self, other and familiarity in schizophrenia. Schizophrenia Research, 2015, 161, 501-505.	2.0	8
83	An increase in joy after two weeks is more specific of later antidepressant response than a decrease in sadness. Journal of Affective Disorders, 2015, 185, 97-103.	4.1	12
84	Pernicious anemia presenting as catatonia: correlating vitamin B12 levels and catatonic symptoms. General Hospital Psychiatry, 2015, 37, 273.e5-273.e7.	2.4	13
85	Dissociation of explicit and implicit responses during a change blindness task in schizophrenia. Neuropsychologia, 2015, 71, 11-17.	1.6	4
86	Categorical perception of familiarity: Evidence for a hyper-familiarity in schizophrenia. Journal of Psychiatric Research, 2015, 71, 63-69.	3.1	3
87	Impact du traitement global/local des visages sur le sentiment de familiarité dans la schizophrénie. European Psychiatry, 2015, 30, S117-S118.	0.2	0
88	L'apathie chez les patients atteints d'une épilepsie du lobe temporal. European Psychiatry, 2015, 30, S123-S123.	0.2	0
89	Associer les types de recontact du suicidant pour élargir la cible de prévention. European Psychiatry, 2015, 30, S68-S69.	0.2	0
90	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	4.1	95

#	Article	IF	CITATIONS
91	Mortality of people suffering from mental illness: a study of a cohort of patients hospitalised in psychiatry in the North of France. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 269-277.	3.1	18
92	SIAM (Suicide intervention assisted by messages): the development of a post-acute crisis text messaging outreach for suicide prevention. BMC Psychiatry, 2014, 14, 294.	2.6	51
93	Mental health impact of the 2010 Haiti earthquake on the Miami Haitian population: A random-sample survey. Disaster Health, 2014, 2, 130-137.	0.6	11
94	GPs and New Compulsory Admission Procedures in France. Psychiatric Services, 2014, 65, 271-271.	2.0	8
95	Treatment of Agitation in the Emergency Department: Benzodiazepines Could Be Safer than Antipsychotics in Some Cases of Insufficient Medical Data. Journal of Emergency Medicine, 2014, 46, 830-831.	0.7	10
96	Morningness <i>à–</i> eveningness and treatment response in major depressive disorder. Chronobiology International, 2014, 31, 283-289.	2.0	35
97	The need for developing preconception counseling in addiction medicine. Archives of Women's Mental Health, 2013, 16, 433-434.	2.6	3
98	Increased prevalence of psychotic disorders among third-generation migrants: Results from the French Mental Health in General Population survey. Schizophrenia Research, 2013, 147, 193-195.	2.0	47
99	N'oublions pas les survivantsÂ! Impact psycho-économique de la tentative de suicide sur les proches du suicidant. European Psychiatry, 2013, 28, 46-47.	0.2	1
100	Is it worth assessing progress as early as week 2 to adapt antidepressive treatment strategy? Results from a study on agomelatine and a global meta-analysis. European Psychiatry, 2013, 28, 362-371.	0.2	28
101	Per-Symptomatic Brain Activations in Alcohol-Induced Hallucinosis. Biological Psychiatry, 2013, 73, e13-e14.	1.3	2
102	Prediction of Trauma-Related Disorders. primary care companion for CNS disorders, The, 2013, 15, .	0.6	23
103	P.2.c.018 Morningness and eveningness changes after agomelatine treatment in major depression. European Neuropsychopharmacology, 2012, 22, S260-S261.	0.7	0
104	Categorical and dimensional study of the predictive factors of the development of a psychotrauma in victims of car accidents. Journal of Anxiety Disorders, 2012, 26, 239-245.	3.2	20
105	Does long-acting injectable risperidone make a difference to the real-life treatment of schizophrenia? Results of the Cohort for the General study of Schizophrenia (CGS). Schizophrenia Research, 2012, 134, 187-194.	2.0	87
106	Temporal analysis of heart rate variability as a predictor of post traumatic stress disorder in road traffic accidents survivors. Journal of Psychiatric Research, 2012, 46, 790-796.	3.1	49
107	Reduced risk of hospitalisation with risperidone long-acting injectable. Results of the french cohort for the general study of schizophrenia (CGS). European Psychiatry, 2011, 26, 1487-1487.	0.2	0
108	Corticosteroid-induced psychiatric episodes in consultation liaison psychiatry. Personality and temperament assessments. Presse Medicale, 2011, 40, 203-209.	1.9	5

#	Article	IF	Citations
109	ALGOS: the development of a randomized controlled trial testing a case management algorithm designed to reduce suicide risk among suicide attempters. BMC Psychiatry, 2011, 11, 1.	2.6	211
110	Late-Life Health Consequences of Exposure to Trauma in a General Elderly Population. Journal of Clinical Psychiatry, 2011, 72, 929-935.	2.2	25
111	Catatonia in Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. Journal of ECT, 2010, 26, 246-247.	0.6	66
112	Prenatal stress exacerbates the impact of an aversive procedure on the corticosterone response to stress in female rats. Psychoneuroendocrinology, 2009, 34, 786-790.	2.7	20
113	Conduites addictives, psychotraumatisme et accidents de la route. Annales Medico-Psychologiques, 2009, 167, 537-538.	0.4	0
114	Psychiatrie de catastrophe et urgence. , 2008, , 503-522.		0
115	Les suicidants et leur entourage familial. Perspectives Psy, 2008, 47, 330-334.	0.1	2
116	Catatonia and consultation-liaison psychiatry study of 12 cases. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1170-1176.	4.8	43
117	Relationship Between Posttrauma GABA Plasma Levels and PTSD at 1-Year Follow-Up. American Journal of Psychiatry, 2006, 163, 1446-1448.	7.2	73
118	Directed forgetting in PTSD: A comparative study versus normal controls. Journal of Psychiatric Research, 2006, 40, 70-80.	3.1	37
119	Effect of telephone contact on further suicide attempts in patients discharged from an emergency department: randomised controlled study. BMJ: British Medical Journal, 2006, 332, 1241-1245.	2.3	227
120	Data on diabetes from the French cohort study in schizophrenia. European Psychiatry, 2005, 20, S340-S344.	0.2	16
121	Are there specific care requirements for patients with schizophrenia and diabetes or with a risk of diabetes?. European Psychiatry, 2005, 20, S358-S363.	0.2	10
122	Low posttrauma GABA plasma levels as a predictive factor in the development of acute posttraumatic stress disorder. Biological Psychiatry, 2004, 55, 250-254.	1.3	145
123	Immediate treatment with propranolol decreases posttraumatic stress disorder two months after trauma. Biological Psychiatry, 2003, 54, 947-949.	1.3	447
124	Fright (Effroi) and other Peritraumatic Responses after a Serious Motor Vehicle Accident: Prospective Influence on Acute PTSD Development. Canadian Journal of Psychiatry, 2003, 48, 395-401.	1.9	44
125	Catatonia and Liver Transplant. Psychosomatics, 2002, 43, 338-339.	2.5	13
126	Treatment of comorbid opiate addiction and attention-deficit hyperactivity disorder (residual type) with moclobemide. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 609-611.	4.8	9

#	Article	IF	CITATIONS
127	Regional cerebral blood flow in deficit/nondeficit types of schizophrenia according to SDS criteria. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 481-485.	4.8	37
128	SPECT imaging, clinical features, and cognition before and after low doses of amisulpride in schizophrenic patients with the deficit syndrome. Psychiatry Research - Neuroimaging, 2002, 115, 37-48.	1.8	35
129	Clinical features of latent inhibition in schizophrenia. Schizophrenia Research, 2001, 51, 149-161.	2.0	129
130	An "Accidental―Acute Psychosis with Ecstasy Use. Journal of Psychoactive Drugs, 2001, 33, 95-98.	1.7	33
131	Supersensitivity psychosis in patients with schizophrenia after sudden olanzapine withdrawal. Canadian Journal of Psychiatry, 2001, 46, 87-8.	1.9	21
132	A Case of Agitated Catatonia. Pharmacopsychiatry, 1999, 32, 38-40.	3.3	16
133	Letter to the Editor: On Suicide and Attempted Suicide During Pregnancy. Crisis, 1999, 20, 22-22.	1.2	2
134	Carbamazepine in the treatment of neuroleptic malignant syndrome. Biological Psychiatry, 1998, 43, 303-305.	1.3	50
135	Test for Catatonia with zolpidem. Lancet, The, 1997, 349, 702.	13.7	94
136	SÃntomas extrapiramidales graves con fluvoxamina a pesar de la supresión de neurolépticos. European Psychiatry (Ed Española), 1997, 4, 129-130.	0.0	0
137	Severe extrapyramidal symptoms with fluvoxamine despite neuroleptics withdrawal. European Psychiatry, 1996, 11, 273.	0.2	4
138	Neuroleptic monitoring: relation between antipsychotic efficiency and radioreceptor assay of serum haloperidol. European Journal of Clinical Pharmacology, 1996, 50, 357-363.	1.9	5
139	Dose-dependent stuttering and dystonia in a patient taking clozapine. American Journal of Psychiatry, 1994, 151, 1096a-1096.	7.2	30
140	Regional cerebral blood flow before and after low doses of amisulpride in negative schizophrenia. European Neuropsychopharmacology, 1994, 4, 381.	0.7	0
141	Use of low-dose selective serotonin reuptake inhibitors and cognitive behavioral therapy in agoraphobia with panic attacks: an open study. European Neuropsychopharmacology, 1994, 4, 350.	0.7	0
142	Major depression and SPECT brain imaging with HMPAO-99mTc: pre and during treatment assessements. European Neuropsychopharmacology, 1994, 4, 309.	0.7	0
143	Cerebral blood flow in major depression and dysthymia. Journal of Affective Disorders, 1993, 29, 235-242.	4.1	20
144	SCHIZOPHRENIC SYMPTOMS AND REGIONAL CEREBRAL BLOOD FLOW. Clinical Neuropharmacology, 1992, 15, 396B.	0.7	0