

# Arun K Ghosh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8364661/publications.pdf>

Version: 2024-02-01

346  
papers

19,196  
citations

11608

70  
h-index

19690

117  
g-index

413  
all docs

413  
docs citations

413  
times ranked

13828  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluorine Modifications Contribute to Potent Antiviral Activity against Highly Drug-Resistant HIV-1 and Favorable Blood-Brain Barrier Penetration Property of Novel Central Nervous System-Targeting HIV-1 Protease Inhibitors <i>In Vitro</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, AAC0171521.	1.4	5
2	Convergent synthesis of (+)-carambolaflavone A, an antidiabetic agent using a bismuth triflate-catalyzed <i>C</i> -aryl glycosylation. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 2822-2830.	1.5	2
3	Design, Synthesis and X-Ray Structural Studies of Potent HIV-1 Protease Inhibitors Containing 4-Substituted Tricyclic Hexahydrofurofuran Derivatives as P2 Ligands. <i>ChemMedChem</i> , 2022, 17, .	1.6	2
4	Asymmetric 1,2-Carbamoyl Rearrangement of Lithiated Chiral Oxazolidine Carbamates and Diastereoselective Synthesis of $\pm$ -Hydroxy Amides. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	2
5	Highly Diastereoselective asymmetric <i>syn</i> -aldol reactions of ( <i>R</i> )-(N-tosyl)phenylalaninol propionate-derived titanium enolate and bidentate aromatic and aliphatic aldehydes. <i>Tetrahedron Letters</i> , 2022, , 153954.	0.7	0
6	The Chiron Approach to (3 <i>R</i> ,3 <i>S</i> ,6 <i>R</i> )-Hexahydrofuro[2,3- <i>b</i> ]furan-3-ol, a Key Subunit of HIV-1 Protease Inhibitor Drug, Darunavir. <i>Journal of Organic Chemistry</i> , 2021, 86, 1216-1222.	1.7	6
7	Synthesis of amide derivatives for electron deficient amines and functionalized carboxylic acids using EDC and DMAP and a catalytic amount of HOBT as the coupling reagents. <i>Tetrahedron Letters</i> , 2021, 63, 152719.	0.7	24
8	A small molecule compound with an indole moiety inhibits the main protease of SARS-CoV-2 and blocks virus replication. <i>Nature Communications</i> , 2021, 12, 668.	5.8	126
9	Herboxidiene Features That Mediate Conformation-Dependent SF3B1 Interactions to Inhibit Splicing. <i>ACS Chemical Biology</i> , 2021, 16, 520-528.	1.6	8
10	A Structure-Based Discovery Platform for BACE2 and the Development of Selective BACE Inhibitors. <i>ACS Chemical Neuroscience</i> , 2021, 12, 581-588.	1.7	4
11	Enantioselective Total Synthesis of (+)-EBC-23, a Potent Anticancer Agent from the Australian Rainforest. <i>Journal of Organic Chemistry</i> , 2021, 86, 6351-6360.	1.7	7
12	Spliceostatsins and Derivatives: Chemical Syntheses and Biological Properties of Potent Splicing Inhibitors. <i>Journal of Natural Products</i> , 2021, 84, 1681-1706.	1.5	13
13	Highly Diastereoselective Intramolecular Asymmetric Oxidopyrylium-olefin [5 + 2] Cycloaddition and Synthesis of 8-Oxabicyclo[3.2.1]oct-3-enone Containing Ring Systems. <i>Journal of Organic Chemistry</i> , 2021, 86, 8127-8142.	1.7	8
14	Structural basis of intron selection by U2 snRNP in the presence of covalent inhibitors. <i>Nature Communications</i> , 2021, 12, 4491.	5.8	32
15	Novel HIV PR inhibitors with C4-substituted bis-THF and bis-fluoro-benzyl target the two active site mutations of highly drug resistant mutant PRS17. <i>Biochemical and Biophysical Research Communications</i> , 2021, 566, 30-35.	1.0	3
16	Indole Chloropyridinyl Ester-Derived SARS-CoV-2 3CLpro Inhibitors: Enzyme Inhibition, Antiviral Efficacy, Structure-Activity Relationship, and X-ray Structural Studies. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 14702-14714.	2.9	55
17	Chloropyridinyl Esters of Nonsteroidal Anti-Inflammatory Agents and Related Derivatives as Potent SARS-CoV-2 3CL Protease Inhibitors. <i>Molecules</i> , 2021, 26, 5782.	1.7	9
18	Design and synthesis of herboxidiene derivatives that potently inhibit <i>in vitro</i> splicing. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 1365-1377.	1.5	3

#	ARTICLE	IF	CITATIONS
19	U2 snRNA structure is influenced by SF3A and SF3B proteins but not by SF3B inhibitors. <i>PLoS ONE</i> , 2021, 16, e0258551.	1.1	0
20	Urea Derivatives in Modern Drug Discovery and Medicinal Chemistry. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 2751-2788.	2.9	174
21	Lewis Acid-Catalyzed Vinyl Acetal Rearrangement of 4,5-Dihydro-1,3-dioxepines: Stereoselective Synthesis of <i>cis-</i> and <i>trans-</i> 2,3-Disubstituted Tetrahydrofurans. <i>Journal of Organic Chemistry</i> , 2020, 85, 10399-10412.	1.7	5
22	GRL-0920, an Indole Chloropyridinyl Ester, Completely Blocks SARS-CoV-2 Infection. <i>MBio</i> , 2020, 11, .	1.8	52
23	Copper-Catalyzed Stille Cross-Coupling Reaction and Application in the Synthesis of the Spliceostatin Core Structure. <i>Journal of Organic Chemistry</i> , 2020, 85, 8111-8120.	1.7	11
24	Fluorescent Probes for Monitoring Serine Ubiquitination. <i>Biochemistry</i> , 2020, 59, 1309-1313.	1.2	6
25	Single atom changes in newly synthesized HIV protease inhibitors reveal structural basis for extreme affinity, high genetic barrier, and adaptation to the HIV protease plasticity. <i>Scientific Reports</i> , 2020, 10, 10664.	1.6	13
26	Design, Synthesis, and X-ray Studies of Potent HIV-1 Protease Inhibitors with P2-Carboxamide Functionalities. <i>ACS Medicinal Chemistry Letters</i> , 2020, 11, 1965-1972.	1.3	6
27	Structure-Based Design of Highly Potent HIV-1 Protease Inhibitors Containing New Tricyclic Ring P2-Ligands: Design, Synthesis, Biological, and X-ray Structural Studies. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 4867-4879.	2.9	19
28	Drug Development and Medicinal Chemistry Efforts toward SARS-CoV-2 Coronavirus and COVID-19 Therapeutics. <i>ChemMedChem</i> , 2020, 15, 907-932.	1.6	229
29	Potent HIV-1 protease inhibitors incorporating squaramide-derived P2 ligands: Design, synthesis, and biological evaluation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 2565-2570.	1.0	10
30	A Photochemical Route to Optically Active Hexahydro-4 <i>H</i> -furopyranol, a High-Affinity P2 Ligand for HIV-1 Protease Inhibitors. <i>Journal of Organic Chemistry</i> , 2019, 84, 9801-9805.	1.7	5
31	Potent HIV-1 Protease Inhibitors Containing Carboxylic and Boronic Acids: Effect on Enzyme Inhibition and Antiviral Activity and Protein-Ligand X-ray Structural Studies. <i>ChemMedChem</i> , 2019, 14, 1863-1872.	1.6	16
32	Potent antiviral HIV-1 protease inhibitor combats highly drug resistant mutant PR20. <i>Biochemical and Biophysical Research Communications</i> , 2019, 519, 61-66.	1.0	13
33	Development of an Efficient Enzyme Production and Structure-Based Discovery Platform for BACE1 Inhibitors. <i>Biochemistry</i> , 2019, 58, 4424-4435.	1.2	10
34	Novel Central Nervous System (CNS)-Targeting Protease Inhibitors for Drug-Resistant HIV Infection and HIV-Associated CNS Complications. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	9
35	Novel Protease Inhibitors Containing C-5-Modified <i>bis-</i> Tetrahydrofuranylurethane and Aminobenzothiazole as P2 and P2' Ligands That Exert Potent Antiviral Activity against Highly Multidrug-Resistant HIV-1 with a High Genetic Barrier against the Emergence of Drug Resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	11
36	Structural studies of antiviral inhibitor with HIV-1 protease bearing drug resistant substitutions of V32I, I47V and V82I. <i>Biochemical and Biophysical Research Communications</i> , 2019, 514, 974-978.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Enantioselective Total Synthesis of (+)-Monocerin, a Dihydroisocoumarin Derivative with Potent Antimalarial Properties. <i>Journal of Organic Chemistry</i> , 2019, 84, 6191-6198.	1.7	10
38	Activity and structural analysis of GRL-117C: a novel small molecule CCR5 inhibitor active against R5-tropic HIV-1s. <i>Scientific Reports</i> , 2019, 9, 4828.	1.6	8
39	Halogen Bond Interactions of Novel HIV-1 Protease Inhibitors (PI) (GRL-001-15 and GRL-003-15) with the Flap of Protease Are Critical for Their Potent Activity against Wild-Type HIV-1 and Multi-PI-Resistant Variants. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	12
40	Enantioselective Total Syntheses of (+)-Fendleridine and (+)-Acetylaspidalbidine. <i>Journal of Organic Chemistry</i> , 2019, 84, 5167-5175.	1.7	9
41	A novel HIV-1 protease inhibitor, GRL-044, has potent activity against various HIV-1s with an extremely high genetic barrier to the emergence of HIV-1 drug resistance. <i>Global Health &amp; Medicine</i> , 2019, 1, 36-48.	0.6	5
42	Asymmetric Diels-Alder reaction of 3-(acyloxy)acryloyl oxazolidinones: optically active synthesis of a high-affinity ligand for potent HIV-1 protease inhibitors. <i>RSC Advances</i> , 2019, 9, 41755-41763.	1.7	2
43	Highly Selective and Potent Human Î²-secretase (BACE2) Inhibitors against Type 2 Diabetes: Design, Synthesis, X-ray Structure and Structure-Activity Relationship Studies. <i>ChemMedChem</i> , 2019, 14, 545-560.	1.6	10
44	Design of Highly Potent, Dual-Acting and Central Nervous System Penetrating HIV-1 Protease Inhibitors with Excellent Potency against Multidrug-Resistant HIV-1 Variants. <i>ChemMedChem</i> , 2018, 13, 803-815.	1.6	36
45	GRL-079, a Novel HIV-1 Protease Inhibitor, Is Extremely Potent against Multidrug-Resistant HIV-1 Variants and Has a High Genetic Barrier against the Emergence of Resistant Variants. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	1.4	8
46	The Curtius rearrangement: mechanistic insight and recent applications in natural product syntheses. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 2006-2027.	1.5	80
47	Mechanism of Darunavir (DRV)'s High Genetic Barrier to HIV-1 Resistance: A Key V32I Substitution in Protease Rarely Occurs, but Once It Occurs, It Predisposes HIV-1 To Develop DRV Resistance. <i>MBio</i> , 2018, 9, .	1.8	36
48	Enantioselective Synthesis of Thailanstatin A Methyl Ester and Evaluation of <i>in Vitro</i> Splicing Inhibition. <i>Journal of Organic Chemistry</i> , 2018, 83, 5187-5198.	1.7	21
49	Determination of absolute configuration and binding efficacy of benzimidazole-based Fcyl inhibitors through the support of electronic circular dichroism and MM-GBSA techniques. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2074-2079.	1.0	9
50	Enantioselective Synthesis of Spliceostatin G and Evaluation of Bioactivity of Spliceostatin G and Its Methyl Ester. <i>Organic Letters</i> , 2018, 20, 96-99.	2.4	15
51	Drug Resistance Mutation L76V Alters Nonpolar Interactions at the Flap-Core Interface of HIV-1 Protease. <i>ACS Omega</i> , 2018, 3, 12132-12140.	1.6	19
52	Enantioselective Synthesis of a Cyclopropane Derivative of Spliceostatin A and Evaluation of Bioactivity. <i>Organic Letters</i> , 2018, 20, 7293-7297.	2.4	15
53	Design and Synthesis of Potent HIV-1 Protease Inhibitors Containing Bicyclic Oxazolidinone Scaffold as the P2 Ligands: Structure-Activity Studies and Biological and X-ray Structural Studies. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 9722-9737.	2.9	24
54	The Curtius Rearrangement: Applications in Modern Drug Discovery and Medicinal Chemistry. <i>ChemMedChem</i> , 2018, 13, 2351-2373.	1.6	66

#	ARTICLE	IF	CITATIONS
55	Design, synthesis, and X-ray studies of potent HIV-1 protease inhibitors incorporating aminothiochromane and aminotetrahydronaphthalene carboxamide derivatives as the P2 ligands. <i>European Journal of Medicinal Chemistry</i> , 2018, 160, 171-182.	2.6	4
56	Design and Synthesis of Highly Potent HIV-1 Protease Inhibitors Containing Tricyclic Fused Ring Systems as Novel P2 Ligands: Structure-Activity Studies, Biological and X-ray Structural Analysis. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 4561-4577.	2.9	31
57	Design, synthesis, X-ray studies, and biological evaluation of novel BACE1 inhibitors with bicyclic isoxazoline carboxamides as the P3 ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2605-2610.	1.0	3
58	Enantioselective total synthesis of dectyospolide A and dectyospolide B using an Achmatowicz reaction. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 5979-5986.	1.5	6
59	Differentiating Isomeric Deprotonated Glucuronide Drug Metabolites via Ion/Molecule Reactions in Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2018, 90, 9426-9433.	3.2	16
60	Nature Inspired Molecular Design: Stereoselective Synthesis of Bicyclic and Polycyclic Ethers for Potent HIV-1 Protease Inhibitors. <i>Asian Journal of Organic Chemistry</i> , 2018, 7, 1448-1466.	1.3	7
61	Total syntheses of both enantiomers of ampirionin 4: A chemoenzymatic based strategy for functionalized tetrahydrofurans. <i>Tetrahedron</i> , 2017, 73, 1820-1830.	1.0	10
62	Design of novel HIV-1 protease inhibitors incorporating isophthalamide-derived P2-P3 ligands: Synthesis, biological evaluation and X-ray structural studies of inhibitor-HIV-1 protease complex. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 5114-5127.	1.4	16
63	Design, synthesis, and X-ray structural studies of BACE-1 inhibitors containing substituted 2-oxopiperazines as P1-P2 ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 2432-2438.	1.0	14
64	Design and Development of Highly Potent HIV-1 Protease Inhibitors with a Crown-Like Oxotricyclic Core as the P2-Ligand To Combat Multidrug-Resistant HIV Variants. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 4267-4278.	2.9	64
65	GRL-09510, a Unique P2-Crown-Tetrahydrofuranylurethane -Containing HIV-1 Protease Inhibitor, Maintains Its Favorable Antiviral Activity against Highly-Drug-Resistant HIV-1 Variants in vitro. <i>Scientific Reports</i> , 2017, 7, 12235.	1.6	16
66	Highly stereoselective asymmetric aldol routes to inhibitors. <i>Tetrahedron Letters</i> , 2017, 58, 4062-4065.	0.7	6
67	Lewis Acid Mediated Cyclizations: Diastereoselective Synthesis of Six- to Eight-Membered Substituted Cyclic Ethers. <i>Synthesis</i> , 2017, 49, 4229-4246.	1.2	9
68	Design, synthesis, X-ray studies, and biological evaluation of novel macrocyclic HIV-1 protease inhibitors involving the P1-P2 ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4925-4931.	1.0	7
69	An enantioselective enzymatic desymmetrization route to hexahydro-4H-furopyranol, a high-affinity ligand for HIV-1 protease inhibitors. <i>Tetrahedron Letters</i> , 2017, 58, 3230-3233.	0.7	5
70	Design, Synthesis, Biological Evaluation, and X-ray Studies of HIV-1 Protease Inhibitors with Modified P2 Ligands of Darunavir. <i>ChemMedChem</i> , 2017, 12, 1942-1952.	1.6	8
71	A fission yeast cell-based system for multidrug resistant HIV-1 proteases. <i>Cell and Bioscience</i> , 2017, 7, 5.	2.1	10
72	Benzimidazole-Based FabI Inhibitors: A Promising Novel Scaffold for Anti-staphylococcal Drug Development. <i>ACS Infectious Diseases</i> , 2017, 3, 54-61.	1.8	31

#	ARTICLE	IF	CITATIONS
73	A novel central nervous system-penetrating protease inhibitor overcomes human immunodeficiency virus 1 resistance with unprecedented aM to pM potency. <i>ELife</i> , 2017, 6, .	2.8	44
74	HIV-Associated Neurocognitive Disorder (HAND) and the Prospect of Brain-Penetrating Protease Inhibitors for Antiretroviral Treatment. <i>Medical Research Archives</i> , 2017, 5, .	0.1	7
75	Probing Lipophilic Adamantyl Group as the P1-Ligand for HIV-1 Protease Inhibitors: Design, Synthesis, Protein X-ray Structural Studies, and Biological Evaluation. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 6826-6837.	2.9	15
76	Anharmonic modeling of the conformation-specific IR spectra of ethyl, <i>n</i> -propyl, and <i>n</i> -butylbenzene. <i>Journal of Chemical Physics</i> , 2016, 144, 224310.	1.2	37
77	The Design, Development, and Evaluation of BACE1 Inhibitors for the Treatment of Alzheimer's Disease. <i>Topics in Medicinal Chemistry</i> , 2016, , 27-85.	0.4	14
78	An enantioselective synthesis of the C3-C21 segment of the macrolide immunosuppressive agent FR252921. <i>Tetrahedron Letters</i> , 2016, 57, 2884-2887.	0.7	8
79	Enantioselective Total Synthesis of (+)-Amphirionin-4. <i>Organic Letters</i> , 2016, 18, 2296-2299.	2.4	16
80	A Modified P1 Moiety Enhances <i>In Vitro</i> Antiviral Activity against Various Multidrug-Resistant HIV-1 Variants and <i>In Vitro</i> Central Nervous System Penetration Properties of a Novel Nonpeptidic Protease Inhibitor, GRL-10413. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 7046-7059.	1.4	14
81	Enantioselective Syntheses of (S)-Alloyohimbane and (R)-Yohimbane by an Efficient Enzymatic Desymmetrization Process. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 6001-6009.	1.2	13
82	Achmatowicz reaction and its application in the syntheses of bioactive molecules. <i>RSC Advances</i> , 2016, 6, 111564-111598.	1.7	66
83	Enantioselective total synthesis and structural assignment of callyspongiolide. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 11357-11370.	1.5	19
84	Design, synthesis and in vitro splicing inhibition of desmethyl and carba-derivatives of herboxidiene. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 5263-5271.	1.5	16
85	Enantioselective Synthesis of Both Epimers at C-21 in the Proposed Structure of Cytotoxic Macrolide Callyspongiolide. <i>Organic Letters</i> , 2016, 18, 3274-3277.	2.4	19
86	Stereoselective Synthesis of Substituted Oxocene Cores by Lewis Acid Promoted Cyclization. <i>Organic Letters</i> , 2016, 18, 396-399.	2.4	14
87	Recent Progress in the Development of HIV-1 Protease Inhibitors for the Treatment of HIV/AIDS. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 5172-5208.	2.9	332
88	Defining Viral Defective Ribosomal Products: Standard and Alternative Translation Initiation Events Generate a Common Peptide from Influenza A Virus M2 and M1 mRNAs. <i>Journal of Immunology</i> , 2016, 196, 3608-3617.	0.4	25
89	Design of potent and highly selective inhibitors for human Î²-secretase 2 (memapsin 1), a target for type 2 diabetes. <i>Chemical Science</i> , 2016, 7, 3117-3122.	3.7	11
90	Interchangeable SF3B1 inhibitors interfere with pre-mRNA splicing at multiple stages. <i>Rna</i> , 2016, 22, 350-359.	1.6	73

#	ARTICLE	IF	CITATIONS
91	C-5-Modified Tetrahydropyrano-Tetrahydrofuran-Derived Protease Inhibitors (PIs) Exert Potent Inhibition of the Replication of HIV-1 Variants Highly Resistant to Various PIs, including Darunavir. <i>Journal of Virology</i> , 2016, 90, 2180-2194.	1.5	15
92	Prospects of Î²-Secretase Inhibitors for the Treatment of Alzheimerâ€™s Disease. <i>ChemMedChem</i> , 2015, 10, 1463-1466.	1.6	19
93	Activation of RAF1 (c-RAF) by the Marine Alkaloid Lasonolide A Induces Rapid Premature Chromosome Condensation. <i>Marine Drugs</i> , 2015, 13, 3625-3639.	2.2	15
94	Substituted Bis-THF Protease Inhibitors with Improved Potency against Highly Resistant Mature HIV-1 Protease PR20. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 5088-5095.	2.9	8
95	Organic Carbamates in Drug Design and Medicinal Chemistry. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 2895-2940.	2.9	493
96	Structure-based design, synthesis and biological evaluation of novel Î²-secretase inhibitors containing a pyrazole or thiazole moiety as the P3 ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 668-672.	1.0	18
97	Structural and biological evaluation of a novel series of benzimidazole inhibitors of <i>Francisella tularensis</i> enoyl-ACP reductase (FabI). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1292-1296.	1.0	18
98	A Novel Tricyclic Ligand-Containing Nonpeptidic HIV-1 Protease Inhibitor, GRL-0739, Effectively Inhibits the Replication of Multidrug-Resistant HIV-1 Variants and Has a Desirable Central Nervous System Penetration Property <i>In Vitro</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 2625-2635.	1.4	10
99	Structure-based design, synthesis, X-ray studies, and biological evaluation of novel HIV-1 protease inhibitors containing isophthalamide-derived P2-ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 4903-4909.	1.0	26
100	Structure-Based Design of Potent HIV-1 Protease Inhibitors with Modified P1-Biphenyl Ligands: Synthesis, Biological Evaluation, and Enzymeâ€™s Inhibitor X-ray Structural Studies. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 5334-5343.	2.9	21
101	Enantioselective synthesis of dioxatriquinane structural motifs for HIV-1 protease inhibitors using a cascade radical cyclization. <i>Tetrahedron Letters</i> , 2015, 56, 3314-3317.	0.7	7
102	Insights into the Mechanism of Inhibition of CXCR4: Identification of Piperidinylethanamine Analogs as Anti-HIV-1 Inhibitors. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 1895-1904.	1.4	28
103	Characterization of a <i>Drosophila</i> Ortholog of the Cdc7 Kinase. <i>Journal of Biological Chemistry</i> , 2015, 290, 1332-1347.	1.6	18
104	Inhibitor Recognition Specificity of MERS-CoV Papain-like Protease May Differ from That of SARS-CoV. <i>ACS Chemical Biology</i> , 2015, 10, 1456-1465.	1.6	114
105	Ligand-induced Dimerization of Middle East Respiratory Syndrome (MERS) Coronavirus nsp5 Protease (3CLpro). <i>Journal of Biological Chemistry</i> , 2015, 290, 19403-19422.	1.6	134
106	X-ray structure and inhibition of the feline infectious peritonitis virus 3C-like protease: Structural implications for drug design. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 5072-5077.	1.0	19
107	Design, synthesis, biological evaluation and X-ray structural studies of HIV-1 protease inhibitors containing substituted fused-tetrahydropyranyl tetrahydrofuran as P2-ligands. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 11607-11621.	1.5	10
108	Design of HIV-1 Protease Inhibitors with Amino-bis-tetrahydrofuran Derivatives as P2-Ligands to Enhance Backbone-Binding Interactions: Synthesis, Biological Evaluation, and Proteinâ€™s Ligand X-ray Studies. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 6994-7006.	2.9	13

#	ARTICLE	IF	CITATIONS
109	Design of <i>gem</i> -difluoro- <i>bis</i> -Tetrahydrofuran as P2 Ligand for HIV-1 Protease Inhibitors to Improve Brain Penetration: Synthesis, X-ray Studies, and Biological Evaluation. <i>ChemMedChem</i> , 2015, 10, 107-115.	1.6	20
110	A Mouse Model for <i>Betacoronavirus</i> Subgroup 2c Using a Bat Coronavirus Strain HKU5 Variant. <i>MBio</i> , 2014, 5, e00047-14.	1.8	55
111	Metabolism-directed structure optimization of benzimidazole-based <i>Francisella tularensis</i> enoyl-reductase (FabI) inhibitors. <i>Xenobiotica</i> , 2014, 44, 404-416.	0.5	6
112	Enantioselective Synthesis of Spliceostatin E and Evaluation of Biological Activity. <i>Organic Letters</i> , 2014, 16, 6200-6203.	2.4	21
113	A Conserved Hydrogen-Bonding Network of P2 <i>bis</i> -Tetrahydrofuran-Containing HIV-1 Protease Inhibitors (PIs) with a Protease Active-Site Amino Acid Backbone Aids in Their Activity against PI-Resistant HIV. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3679-3688.	1.4	17
114	Coherence between Cellular Responses and in Vitro Splicing Inhibition for the Anti-tumor Drug Pladienolide B and Its Analogs. <i>Journal of Biological Chemistry</i> , 2014, 289, 1938-1947.	1.6	62
115	Total Synthesis of GEX1Q1, Assignment of C-5 Stereoconfiguration and Evaluation of Spliceosome Inhibitory Activity. <i>Organic Letters</i> , 2014, 16, 3154-3157.	2.4	20
116	Enantioselective Total Syntheses of FR901464 and Spliceostatin A and Evaluation of Splicing Activity of Key Derivatives. <i>Journal of Organic Chemistry</i> , 2014, 79, 5697-5709.	1.7	34
117	An enantioselective synthesis of a MEM-protected aetheramide A derivative. <i>Tetrahedron Letters</i> , 2014, 55, 5191-5194.	0.7	10
118	Design and synthesis of potent macrocyclic HIV-1 protease inhibitors involving P1-P2 ligands. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 6842-6854.	1.5	20
119	Dimerization of HIV-1 protease occurs through two steps relating to the mechanism of protease dimerization inhibition by darunavir. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12234-12239.	3.3	70
120	Coronaviruses Resistant to a 3C-Like Protease Inhibitor Are Attenuated for Replication and Pathogenesis, Revealing a Low Genetic Barrier but High Fitness Cost of Resistance. <i>Journal of Virology</i> , 2014, 88, 11886-11898.	1.5	81
121	BACE1 ( $\beta$ -secretase) inhibitors for the treatment of Alzheimer's disease. <i>Chemical Society Reviews</i> , 2014, 43, 6765-6813.	18.7	274
122	A Convergent Synthesis of Carbocyclic Sinefungin and its $\epsilon$ Epimer. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 6761-6768.	1.2	7
123	An intramolecular cascade cyclization of 2-aryl indoles: efficient methods for the construction of 2,3-functionalized indolines and 3-indolinones. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 3567-3571.	1.5	12
124	FeCl <sub>3</sub> -catalyzed tandem Prins and Friedel-Crafts cyclization: a highly diastereoselective route to polycyclic ring structures. <i>Tetrahedron Letters</i> , 2014, 55, 4251-4254.	0.7	20
125	Highly Potent HIV-1 Protease Inhibitors with Novel Tricyclic P2 Ligands: Design, Synthesis, and Protein-Ligand X-ray Studies. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 6792-6802.	2.9	42
126	Selective inhibition of the West Nile virus methyltransferase by nucleoside analogs. <i>Antiviral Research</i> , 2013, 97, 232-239.	1.9	51



#	ARTICLE	IF	CITATIONS
127	Enantioselective Syntheses of FR901464 and Spliceostatin A: Potent Inhibitors of Spliceosome. <i>Organic Letters</i> , 2013, 15, 5088-5091.	2.4	49
128	Design of the anti-HIV protease inhibitor darunavir. , 2013, , 355-384.		24
129	Enantioselective synthesis of spiro[cyclohexane-1,3- $\beta$ -indolin]-2-ones containing multiple stereocenters via organocatalytic Michael/aldol cascade reactions. <i>Tetrahedron Letters</i> , 2013, 54, 2311-2314.	0.7	25
130	Extreme Multidrug Resistant HIV-1 Protease with 20 Mutations Is Resistant to Novel Protease Inhibitors with P1-Pyrrolidinone or P2-Tris-tetrahydrofuran. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 4017-4027.	2.9	34
131	Novel P2 Tris-tetrahydrofuran Group in Antiviral Compound <b>1</b> (GRL-0519) Fills the S2 Binding Pocket of Selected Mutants of HIV-1 Protease. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 1074-1083.	2.9	26
132	Bifunctional cinchona alkaloid-squaramide-catalyzed highly enantioselective aza-Michael addition of indolines to $\alpha,\beta$ -unsaturated ketones. <i>Tetrahedron Letters</i> , 2013, 54, 3500-3502.	0.7	19
133	Joint X-ray/Neutron Crystallographic Study of HIV-1 Protease with Clinical Inhibitor Amprenavir: Insights for Drug Design. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 5631-5635.	2.9	61
134	Enantioselective total synthesis of macrolide (+)-neopeltolide. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 7768.	1.5	28
135	GRL-04810 and GRL-05010, Difluoride-Containing Nonpeptidic HIV-1 Protease Inhibitors (PIs) That Inhibit the Replication of Multi-PI-Resistant HIV-1 <i>In Vitro</i> and Possess Favorable Lipophilicity That May Allow Blood-Brain Barrier Penetration. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 6110-6121.	1.4	21
136	P2 Benzene Carboxylic Acid Moiety Is Associated with Decrease in Cellular Uptake: Evaluation of Novel Nonpeptidic HIV-1 Protease Inhibitors Containing P2-bis-Tetrahydrofuran Moiety. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4920-4927.	1.4	32
137	GRL-0519, a Novel Oxatricyclic Ligand-Containing Nonpeptidic HIV-1 Protease Inhibitor (PI), Potently Suppresses Replication of a Wide Spectrum of Multi-PI-Resistant HIV-1 Variants <i>In Vitro</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2036-2046.	1.4	24
138	Synergistic Inhibitor Binding to the Papain-Like Protease of Human SARS Coronavirus: Mechanistic and Inhibitor Design Implications. <i>ChemMedChem</i> , 2013, 8, 1361-1372.	1.6	19
139	S-Adenosyl-Homocysteine Is a Weakly Bound Inhibitor for a Flaviviral Methyltransferase. <i>PLoS ONE</i> , 2013, 8, e76900.	1.1	18
140	The Structural Evolution of $\beta$ -Secretase Inhibitors: A Focus on the Development of Small-Molecule Inhibitors. <i>Current Topics in Medicinal Chemistry</i> , 2013, 13, 1787-1807.	1.0	39
141	Metabolism-Directed Structure Optimization of Benzimidazole-Based F. Tularensis Enoyl-Reductase (FabI) Inhibitors. <i>FASEB Journal</i> , 2013, 27, 664.3.	0.2	0
142	Diastereoselective Synthesis of Substituted Tetrahydropyrans by Copper(II)-Bisphosphine-Catalyzed Olefin Migration and Prins Cyclization. <i>Synthesis</i> , 2012, 44, 3579-3589.	1.2	9
143	Lasonolide A, a potent and reversible inducer of chromosome condensation. <i>Cell Cycle</i> , 2012, 11, 4424-4435.	1.3	26
144	Potent Antiviral HIV-1 Protease Inhibitor GRL-02031 Adapts to the Structures of Drug Resistant Mutants with Its P1-Pyrrolidinone Ring. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 3387-3397.	2.9	13

#	ARTICLE	IF	CITATIONS
145	Enantioselective Total Synthesis of Pladienolide B: A Potent Spliceosome Inhibitor. <i>Organic Letters</i> , 2012, 14, 4730-4733.	2.4	53
146	Stereoselective Synthesis of Both Tetrahydropyran Rings of the Antitumor Macrolide, (âˆ“)-Lasonolide A. <i>Journal of Organic Chemistry</i> , 2012, 77, 2559-2565.	1.7	13
147	Structure-based design, synthesis, and biological evaluation of dihydroquinazoline-derived potent Î²-secretase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5460-5465.	1.0	19
148	Structure-Based Design of Highly Selective Î²-Secretase Inhibitors: Synthesis, Biological Evaluation, and Proteinâ€“Ligand X-ray Crystal Structure. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 9195-9207.	2.9	36
149	Enantioselective Total Synthesis of (+)-Lithospermic Acid. <i>Organic Letters</i> , 2012, 14, 5046-5049.	2.4	38
150	TiCl <sub>4</sub> -Promoted Tandem Carbonyl or Imine Addition and Friedelâ€“Crafts Cyclization: Synthesis of Benzo-Fused Oxabicyclooctanes and Nonanes. <i>Organic Letters</i> , 2012, 14, 2002-2005.	2.4	13
151	A Stereoselective Synthesis of (âˆ“)-Viridifungin A Utilizing a TiCl <sub>4</sub> -Promoted Asymmetric Multicomponent Reaction. <i>Organic Letters</i> , 2012, 14, 510-512.	2.4	12
152	Total Synthesis of Potent Antitumor Macrolide (â€“)â€“Zampanolide: An Oxidative Intramolecular Cyclizationâ€“Based Strategy. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 4130-4139.	1.2	36
153	Developing Î²â€“secretase inhibitors for treatment of Alzheimerâ€™s disease. <i>Journal of Neurochemistry</i> , 2012, 120, 71-83.	2.1	227
154	Substituent effects on P2-cyclopentyltetrahydrofuryl urethanes: Design, synthesis, and X-ray studies of potent HIV-1 protease inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 2308-2311.	1.0	17
155	Synthesis of functionalized 4-methylenetetrahydropyrans by oxidative activation of cinnamyl or benzyl ethers. <i>Tetrahedron Letters</i> , 2012, 53, 2568-2570.	0.7	9
156	A tandem olefin migration and Prins cyclization using Cu(OTf) <sub>2</sub> â€“bisphosphine complexes: an improved synthesis of functionalized tetrahydropyrans. <i>Tetrahedron Letters</i> , 2012, 53, 3699-3702.	0.7	14
157	Enhancing Protein Backbone Bindingâ€“A Fruitful Concept for Combating Drugâ€“Resistant HIV. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1778-1802.	7.2	131
158	Design and Synthesis of Potent HIV-1 Protease Inhibitors Incorporating Hexahydrofuropyranol-Derived High Affinity P <sub>2</sub> Ligands: Structureâˆ“Activity Studies and Biological Evaluation. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 622-634.	2.9	69
159	A Stereoselective Synthesis of (+)-Herboxidiene/GEX1A. <i>Organic Letters</i> , 2011, 13, 66-69.	2.4	59
160	Cu(II)-Catalyzed Olefin Migration and Prins Cyclization: Highly Diastereoselective Synthesis of Substituted Tetrahydropyrans. <i>Organic Letters</i> , 2011, 13, 4328-4331.	2.4	43
161	Tetrahydrofuran, tetrahydropyran, triazoles and related heterocyclic derivatives as HIV protease inhibitors. <i>Future Medicinal Chemistry</i> , 2011, 3, 1181-1197.	1.1	47
162	Î²â€“Secretase inhibitor GRLâ€“8234 rescues ageâ€“related cognitive decline in APP transgenic mice. <i>FASEB Journal</i> , 2011, 25, 775-784.	0.2	106

#	ARTICLE	IF	CITATIONS
163	Enantioselective Total Synthesis of (âˆ™)-Zampanolide, a Potent Microtubule-Stabilizing Agent. <i>Organic Letters</i> , 2011, 13, 4108-4111.	2.4	72
164	Design of HIV-1 Protease Inhibitors with C3-Substituted Hexahydrocyclopentafuranyl Urethanes as P2-Ligands: Synthesis, Biological Evaluation, and Proteinâ€™Ligand X-ray Crystal Structure. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 5890-5901.	2.9	31
165	Design, Synthesis, and X-ray Structure of Substituted Bis-tetrahydrofuran (Bis-THF)-Derived Potent HIV-1 Protease Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2011, 2, 298-302.	1.3	26
166	Novel HIV-1 Protease Inhibitors (PIs) Containing a Bicyclic P2 Functional Moiety, Tetrahydropyrano-Tetrahydrofuran, That Are Potent against Multi-PI-Resistant HIV-1 Variants. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1717-1727.	1.4	25
167	Loss of Protease Dimerization Inhibition Activity of Darunavir Is Associated with the Acquisition of Resistance to Darunavir by HIV-1. <i>Journal of Virology</i> , 2011, 85, 10079-10089.	1.5	40
168	Probing Multidrugâ€™Resistance and Proteinâ€™Ligand Interactions with Oxatricyclic Designed Ligands in HIVâ€™ Protease Inhibitors. <i>ChemMedChem</i> , 2010, 5, 1850-1854.	1.6	47
169	Synthesis and biological evaluation of novel allophenylnorstatine-based HIV-1 protease inhibitors incorporating high affinity P2-ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 1241-1246.	1.0	14
170	Synthesis and biological evaluation of new jaspakinolide (jaspamide) analogs. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 5104-5107.	1.0	12
171	Novel Protease Inhibitors (PIs) Containing Macrocyclic Components and 3( <i>R</i> ),3a( <i>S</i> ),6a() Tj ETQq1 1 0.784314 rgBT /O Variants <i>In Vitro</i>. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 3460-3470.	1.4	21
172	<i>In Vitro</i> Selection of Highly Darunavir-Resistant and Replication-Competent HIV-1 Variants by Using a Mixture of Clinical HIV-1 Isolates Resistant to Multiple Conventional Protease Inhibitors. <i>Journal of Virology</i> , 2010, 84, 11961-11969.	1.5	85
173	Capturing the Essence of Organic Synthesis: From Bioactive Natural Products to Designed Molecules in Todayâ€™s Medicine. <i>Journal of Organic Chemistry</i> , 2010, 75, 7967-7989.	1.7	28
174	Peloruside B, A Potent Antitumor Macrolide from the New Zealand Marine Sponge <i>Mycale hentscheli</i> : Isolation, Structure, Total Synthesis, and Bioactivity. <i>Journal of Organic Chemistry</i> , 2010, 75, 2-10.	1.7	48
175	Enantioselective Syntheses of the Proposed Structures of Cytotoxic Macrolides Iriomoteolide-1a and -1b. <i>Organic Letters</i> , 2010, 12, 3120-3123.	2.4	19
176	The Assembly-Inducing Laulimalide/Peloruside A Binding Site on Tubulin: Molecular Modeling and Biochemical Studies with [ <sup>3</sup> H]Peloruside A. <i>Journal of Chemical Information and Modeling</i> , 2010, 50, 2019-2028.	2.5	33
177	Severe Acute Respiratory Syndrome Coronavirus Papain-like Novel Protease Inhibitors: Design, Synthesis, Proteinâ€™Ligand X-ray Structure and Biological Evaluation. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 4968-4979.	2.9	129
178	Highly diastereoselective synthesis of modified nucleosides via an asymmetric multicomponent reaction. <i>Chemical Communications</i> , 2010, 46, 1218.	2.2	12
179	Synthesis of Bioactive Natural Products by Asymmetric syn- and anti-Aldol Reactions. <i>Synthesis</i> , 2009, 2009, 2992-3002.	1.2	7
180	GRL-02031, a Novel Nonpeptidic Protease Inhibitor (PI) Containing a Stereochemically Defined Fused Cyclopentanyltetrahydrofuran Potent against Multi-PI-Resistant Human Immunodeficiency Virus Type 1 In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 997-1006.	1.4	38

#	ARTICLE	IF	CITATIONS
181	A Symmetry-Based Concise Formal Synthesis of Platencin, a Novel Lead against "Superbugs"; <i>Angewandte Chemie - International Edition</i> , 2009, 48, 5372-5375.	7.2	31
182	Stereoselective synthesis of the C1-C12 segment of iriomoteolide-1a: a very potent macrolide antitumor agent. <i>Tetrahedron Letters</i> , 2009, 50, 1416-1418.	0.7	24
183	Prediction of Potency of Protease Inhibitors Using Free Energy Simulations with Polarizable Quantum Mechanics-Based Ligand Charges and a Hybrid Water Model. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 2851-2862.	2.5	74
184	Asymmetric Synthesis of <i>anti</i> -Aldol Segments via a Nonaldol Route: Synthetic Applications to Statins and ( $\beta$ )-Tetrahydrolipstatin. <i>Journal of Organic Chemistry</i> , 2009, 74, 4508-4518.	1.7	50
185	Design of HIV-1 Protease Inhibitors with Pyrrolidinones and Oxazolidinones as Novel P1-Ligands To Enhance Backbone-Binding Interactions with Protease: Synthesis, Biological Evaluation, and Protein-Ligand X-ray Studies. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 3902-3914.	2.9	60
186	An Asymmetric Total Synthesis of Brevisamide. <i>Organic Letters</i> , 2009, 11, 4164-4167.	2.4	43
187	Structure-Based Design, Synthesis, and Biological Evaluation of a Series of Novel and Reversible Inhibitors for the Severe Acute Respiratory Syndrome Coronavirus Papain-Like Protease. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5228-5240.	2.9	110
188	A Convergent Synthesis of the Proposed Structure of Antitumor Depsipeptide Stereocalpin A. <i>Organic Letters</i> , 2009, 11, 1963-1966.	2.4	19
189	Total Synthesis of ( $\beta$ )-Platensimycin, a Novel Antibacterial Agent. <i>Journal of Organic Chemistry</i> , 2009, 74, 1163-1170.	1.7	75
190	Harnessing Nature's Insight: Design of Aspartyl Protease Inhibitors from Treatment of Drug-Resistant HIV to Alzheimer's Disease. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 2163-2176.	2.9	44
191	Design, Synthesis, Protein-Ligand X-ray Structure, and Biological Evaluation of a Series of Novel Macrocyclic Human Immunodeficiency Virus-1 Protease Inhibitors to Combat Drug Resistance. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 7689-7705.	2.9	40
192	P-Glycoprotein Mediates Efflux Transport of Darunavir in Human Intestinal Caco-2 and ABCB1 Gene-Transfected Renal LLC-PK1 Cell Lines. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1588-1593.	0.6	61
193	$\beta$ -Secretase as a Therapeutic Target for Alzheimer's Disease. <i>Neurotherapeutics</i> , 2008, 5, 399-408.	2.1	175
194	Asymmetric multicomponent reactions: convenient access to acyclic stereocenters and functionalized cyclopentenoids. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 1020-1026.	1.8	10
195	Enantioselective synthesis of cyclopentyltetrahydrofuran (Cp-THF), an important high-affinity P2-ligand for HIV-1 protease inhibitors. <i>Tetrahedron Letters</i> , 2008, 49, 3409-3412.	0.7	13
196	Potent memapsin 2 ( $\beta$ -secretase) inhibitors: Design, synthesis, protein-ligand X-ray structure, and in vivo evaluation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 1031-1036.	1.0	93
197	Design, synthesis and antiviral efficacy of a series of potent chloropyridyl ester-derived SARS-CoV 3CLpro inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 5684-5688.	1.0	99
198	Design of HIV Protease Inhibitors Targeting Protein Backbone: An Effective Strategy for Combating Drug Resistance. <i>Accounts of Chemical Research</i> , 2008, 41, 78-86.	7.6	236

#	ARTICLE	IF	CITATIONS
199	Development of Protease Inhibitors and the Fight with Drug-Resistant HIV-1 Variants. <i>Advances in Pharmacology</i> , 2008, 56, 169-197.	1.2	47
200	Total Synthesis of Potent Antitumor Agent (S)-Lasonolide: A Cycloaddition-Based Strategy. <i>Chemistry - an Asian Journal</i> , 2008, 3, 1811-1823.	1.7	21
201	L-Selectride-Mediated Highly Diastereoselective Asymmetric Reductive Aldol Reaction: Access to an Important Subunit for Bioactive Molecules. <i>Organic Letters</i> , 2008, 10, 4811-4814.	2.4	29
202	Effect of Flap Mutations on Structure of HIV-1 Protease and Inhibition by Saquinavir and Darunavir. <i>Journal of Molecular Biology</i> , 2008, 381, 102-115.	2.0	81
203	Structural Evidence for Effectiveness of Darunavir and Two Related Antiviral Inhibitors against HIV-2 Protease. <i>Journal of Molecular Biology</i> , 2008, 384, 178-192.	2.0	44
204	Potent HIV-1 protease inhibitors incorporating meso-bicyclic urethanes as P2-ligands: structure-based design, synthesis, biological evaluation and protein-ligand X-ray studies. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3703.	1.5	17
205	Solution Kinetics Measurements Suggest HIV-1 Protease Has Two Binding Sites for Darunavir and Amprenavir. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6599-6603.	2.9	30
206	Enantioselective Total Synthesis of (+)-Largazole, a Potent Inhibitor of Histone Deacetylase. <i>Organic Letters</i> , 2008, 10, 3907-3909.	2.4	89
207	Flexible Cyclic Ethers/Polyethers as Novel P2-Ligands for HIV-1 Protease Inhibitors: Design, Synthesis, Biological Evaluation, and Protein-Ligand X-ray Studies. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6021-6033.	2.9	40
208	Design and Synthesis of Stereochemically Defined Novel Spirocyclic P2-Ligands for HIV-1 Protease Inhibitors. <i>Organic Letters</i> , 2008, 10, 5135-5138.	2.4	14
209	Enantioselective Total Synthesis of Peloruside A: A Potent Microtubule Stabilizer. <i>Organic Letters</i> , 2008, 10, 1001-1004.	2.4	66
210	A noncovalent class of papain-like protease/deubiquitinase inhibitors blocks SARS virus replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16119-16124.	3.3	407
211	Memapsin 2 (Beta-Secretase) Inhibitors: Drug Development. <i>Current Alzheimer Research</i> , 2008, 5, 121-131.	0.7	55
212	Memapsin 2 (Beta-Secretase) Inhibitor Drug, between Fantasy and Reality. <i>Current Alzheimer Research</i> , 2007, 4, 418-422.	0.7	31
213	Enantioselective Total Synthesis of (+)-Jasplakinolide. <i>Organic Letters</i> , 2007, 9, 2425-2427.	2.4	51
214	Enantioselective Synthesis of (S)-Platensimycin Oxatetracyclic Core by Using an Intramolecular Diels-Alder Reaction. <i>Organic Letters</i> , 2007, 9, 4013-4016.	2.4	73
215	Potent New Antiviral Compound Shows Similar Inhibition and Structural Interactions with Drug Resistant Mutants and Wild Type HIV-1 Protease. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4509-4515.	2.9	40
216	Design, Synthesis, and X-ray Structure of Potent Memapsin 2 ( $\beta$ -Secretase) Inhibitors with Isophthalamide Derivatives as the P2-P3-Ligands. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 2399-2407.	2.9	87

#	ARTICLE	IF	CITATIONS
217	A Novel Bis-Tetrahydrofuranylurethane-Containing Nonpeptidic Protease Inhibitor (PI), GRL-98065, Is Potent against Multiple-PI-Resistant Human Immunodeficiency Virus In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2143-2155.	1.4	66
218	Potent Inhibition of HIV-1 Replication by Novel Non-peptidyl Small Molecule Inhibitors of Protease Dimerization. <i>Journal of Biological Chemistry</i> , 2007, 282, 28709-28720.	1.6	137
219	Enantioselective Total Synthesis of Macrolide Antitumor Agent (±)-Lasonolide A. <i>Organic Letters</i> , 2007, 9, 1437-1440.	2.4	51
220	Darunavir, a conceptually new HIV-1 protease inhibitor for the treatment of drug-resistant HIV. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 7576-7580.	1.4	195
221	Structure-based design, synthesis, and biological evaluation of peptidomimetic SARS-CoV 3CLpro inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 5876-5880.	1.0	94
222	Atomic resolution crystal structures of HIV-1 protease and mutants V82A and I84V with saquinavir. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007, 67, 232-242.	1.5	84
223	Asymmetric Multicomponent Reactions: Diastereoselective Synthesis of Substituted Pyrrolidines and Prolines. <i>Organic Letters</i> , 2006, 8, 4509-4511.	2.4	20
224	Total Synthesis and Revision of C6 Stereochemistry of (+)-Amphidinolide W. <i>Journal of Organic Chemistry</i> , 2006, 71, 1085-1093.	1.7	63
225	Structure-Based Design of Novel HIV-1 Protease Inhibitors To Combat Drug Resistance. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 5252-5261.	2.9	144
226	Effectiveness of Nonpeptide Clinical Inhibitor TMC-114 on HIV-1 Protease with Highly Drug Resistant Mutations D30N, I50V, and L90M. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 1379-1387.	2.9	132
227	Progress in Anti-SARS Coronavirus Chemistry, Biology and Chemotherapy. <i>Annual Reports in Medicinal Chemistry</i> , 2006, 41, 183-196.	0.5	35
228	Design, Synthesis and X-ray Structure of Protein-Ligand Complexes: An Important Insight into Selectivity of Memapsin 2 (Î²-Secretase) Inhibitors. <i>Journal of the American Chemical Society</i> , 2006, 128, 5310-5311.	6.6	63
229	Ultra-high Resolution Crystal Structure of HIV-1 Protease Mutant Reveals Two Binding Sites for Clinical Inhibitor TMC114. <i>Journal of Molecular Biology</i> , 2006, 363, 161-173.	2.0	136
230	Design and synthesis of novel HIV-1 protease inhibitors incorporating oxyindoles as the -ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 1869-1873.	1.0	99
231	Bis-Tetrahydrofuran: a Privileged Ligand for Darunavir and a New Generation of HIV Protease Inhibitors That Combat Drug Resistance. <i>ChemMedChem</i> , 2006, 1, 939-950.	1.6	116
232	Synergistic Effects of Peloruside A and Laulimalide with Taxoid Site Drugs, but Not with Each Other, on Tubulin Assembly. <i>Molecular Pharmacology</i> , 2006, 70, 1555-1564.	1.0	112
233	A Stereoselective Anti-Aldol Route to (3R,3aS,6aR)-Hexahydrofuro[2,3-b]furan-3-ol: A Key Ligand for a New Generation of HIV Protease Inhibitors. <i>Synthesis</i> , 2006, 2006, 3015-3018.	1.2	25
234	Structure-based design of cycloamide-urethane-derived novel inhibitors of human brain memapsin 2 (Î²-secretase). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 15-20.	1.0	87

#	ARTICLE	IF	CITATIONS
235	Structural Locations and Functional Roles of New Subsites S5, S6, and S7 in Memapsin 2 ( $\beta^2$ -Secretase). <i>Biochemistry</i> , 2005, 44, 105-112.	1.2	76
236	TiCl <sub>4</sub> -Promoted Multicomponent Reaction: A New Entry to Functionalized $\beta$ -Amino Acids. <i>Organic Letters</i> , 2005, 7, 7-10.	2.4	35
237	Structure-Based Design: Synthesis and Biological Evaluation of a Series of Novel Cycloamide-Derived HIV-1 Protease Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 3576-3585.	2.9	61
238	Conformations of Laulimalide in DMSO-d <sub>6</sub> . <i>Journal of the American Chemical Society</i> , 2005, 127, 12838-12846.	6.6	41
239	Design and Synthesis of Peptidomimetic Severe Acute Respiratory Syndrome Chymotrypsin-like Protease Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6767-6771.	2.9	114
240	Laulimalide and Paclitaxel: A Comparison of Their Effects on Tubulin Assembly and Their Synergistic Action When Present Simultaneously. <i>Molecular Pharmacology</i> , 2004, 66, 113-121.	1.0	75
241	In vivo inhibition of A $\beta$ production by memapsin 2 ( $\beta^2$ -secretase) inhibitors. <i>Journal of Neurochemistry</i> , 2004, 89, 1409-1416.	2.1	106
242	Asymmetric Syntheses of Potent Antitumor Macrolides Cryptophycin B and Arenastatin A. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 2131-2141.	1.2	13
243	Stereoselective Chloroacetate Aldol Reactions: Syntheses of Acetate Aldol Equivalents and Darzens Glycidic Esters. <i>Organic Letters</i> , 2004, 6, 2725-2728.	2.4	32
244	Total Synthesis and Structural Revision of (+)-Amphidinolide W. <i>Journal of the American Chemical Society</i> , 2004, 126, 3704-3705.	6.6	71
245	Stereoselective Photochemical 1,3-Dioxolane Addition to 5-Alkoxyethyl-2(5H)-furanone: Synthesis of Bis-tetrahydrofuranyl Ligand for HIV Protease Inhibitor UIC-94017 (TMC-114). <i>Journal of Organic Chemistry</i> , 2004, 69, 7822-7829.	1.7	134
246	High Resolution Crystal Structures of HIV-1 Protease with a Potent Non-peptide Inhibitor (UIC-94017) Active Against Multi-drug-resistant Clinical Strains. <i>Journal of Molecular Biology</i> , 2004, 338, 341-352.	2.0	205
247	Assignment of Absolute Stereochemistry and Total Synthesis of ( $\beta$ )-Spongidepsin. <i>Organic Letters</i> , 2004, 6, 2055-2058.	2.4	57
248	Chiral Bis(oxazolines). <i>Chemistry of Heterocyclic Compounds (New York, 1951): A Series of Monographs</i> , 2004, , 529-594.	0.0	1
249	Synthetic studies of microtubule stabilizing agent peloruside A: an asymmetric synthesis of C10-C24 segment. <i>Tetrahedron Letters</i> , 2003, 44, 7659-7661.	0.7	32
250	Asymmetric Total Synthesis of the Gastroprotective Microbial Agent AI-77-B. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 821-832.	1.2	60
251	An enantioselective synthesis of the C1-C9 segment of antitumor macrolide peloruside A. <i>Tetrahedron Letters</i> , 2003, 44, 3967-3969.	0.7	36
252	An enantioselective synthesis of the core unit of the non-nucleoside reverse transcriptase inhibitor taurospongins A. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 629-634.	1.8	13

#	ARTICLE	IF	CITATIONS
253	Enantioselective Synthesis of (+)-Cryptophycin 52 (LY355703), a Potent Antimitotic Antitumor Agent. <i>Journal of Organic Chemistry</i> , 2003, 68, 9823-9826.	1.7	63
254	Enantioselective Total Synthesis of (+)-Amphidinolide T1. <i>Journal of the American Chemical Society</i> , 2003, 125, 2374-2375.	6.6	96
255	Highly Diastereoselective anti-Aldol Reactions Utilizing the Titanium Enolate of cis-2-Arylsulfonamido-1-acenaphthenyl Propionate. <i>Organic Letters</i> , 2003, 5, 1063-1066.	2.4	32
256	Novel bis-Tetrahydrofuranylurethane-Containing Nonpeptidic Protease Inhibitor (PI) UIC-94017 (TMC114) with Potent Activity against Multi-PI-Resistant Human Immunodeficiency Virus In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3123-3129.	1.4	355
257	( $\hat{\alpha}$ )-Doliculide, a New Macrocyclic Depsipeptide Enhancer of Actin Assembly. <i>Journal of Biological Chemistry</i> , 2002, 277, 32165-32171.	1.6	53
258	Multicomponent Reactions: Synthesis of Spirocyclic Tetrahydropyran Derivatives by Prins Cyclization. <i>Heterocycles</i> , 2002, 58, 659.	0.4	18
259	Stereoselective Synthesis of the C11-N26 Fragment of Griseoviridin. <i>Synthesis</i> , 2002, 2002, 371-374.	1.2	6
260	$\hat{\Omega}$ -Secretase as a Therapeutic Target for Inhibitor Drugs. <i>Current Medicinal Chemistry</i> , 2002, 9, 1135-1144.	1.2	76
261	A Potent Human Immunodeficiency Virus Type 1 Protease Inhibitor, UIC-94003 (TMC-126), and Selection of a Novel (A28S) Mutation in the Protease Active Site. <i>Journal of Virology</i> , 2002, 76, 1349-1358.	1.5	134
262	Crystal Structure of Memapsin 2 ( $\hat{\Omega}$ -Secretase) in Complex with an Inhibitor OM00-3. <i>Biochemistry</i> , 2002, 41, 10963-10967.	1.2	204
263	The Microtubule Stabilizing Agent Laulimalide Does Not Bind in the Taxoid Site, Kills Cells Resistant to Paclitaxel and Epothilones, and May Not Require Its Epoxide Moiety for Activity. <i>Biochemistry</i> , 2002, 41, 9109-9115.	1.2	231
264	Specificity of Memapsin 1 and Its Implications on the Design of Memapsin 2 ( $\hat{\Omega}$ -Secretase) Inhibitor Selectivity. <i>Biochemistry</i> , 2002, 41, 8742-8746.	1.2	56
265	Chelation-Controlled Reduction: % Stereoselective Formation of syn-1,3-Diols and Synthesis of Compactin and Mevinolin Lactone. <i>Journal of Organic Chemistry</i> , 2002, 67, 8783-8788.	1.7	32
266	Antiviral activity of UIC-PI, a novel inhibitor of the human immunodeficiency virus type 1 protease. <i>Antiviral Research</i> , 2002, 54, 29-36.	1.9	29
267	Chelation-controlled ester-derived titanium enolate aldol reaction: diastereoselective syn-aldols with mono- and bidentate aldehydes. <i>Tetrahedron Letters</i> , 2002, 43, 5621-5624.	0.7	18
268	Novel cyclourethane-Derived HIV protease inhibitors: A ring-closing olefin metathesis based strategy. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 1993-1996.	1.0	12
269	Total Synthesis of Antitumor Depsipeptide ( $\hat{\alpha}$ )-Doliculide. <i>Organic Letters</i> , 2001, 3, 635-638.	2.4	61
270	Stereoselective Synthesis of Pseudopeptide Microbial Agent AI-77-B. <i>Organic Letters</i> , 2001, 3, 2677-2680.	2.4	40



#	ARTICLE	IF	CITATIONS
271	Structure-Based Design:â€‰ Potent Inhibitors of Human Brain Memapsin 2 ( $\beta$ -Secretase). Journal of Medicinal Chemistry, 2001, 44, 2865-2868.	2.9	240
272	Subsite Specificity of Memapsin 2 ( $\beta$ -Secretase):â€‰ Implications for Inhibitor Designâ€‰. Biochemistry, 2001, 40, 10001-10006.	1.2	196
273	Ester derived titanium enolate aldol reaction: chelation controlled diastereoselective synthesis of syn -aldols. Tetrahedron Letters, 2001, 42, 1227-1231.	0.7	24
274	A macrolactonization-based strategy to obtain microtubule-stabilizing agent ( $\beta$ )-lulimalide. Tetrahedron Letters, 2001, 42, 3399-3401.	0.7	26
275	Asymmetric hetero Dielsâ€‰Alder route to quaternary carbon centers: synthesis of ( $\beta$ )-malyngolide. Tetrahedron Letters, 2001, 42, 6231-6233.	0.7	39
276	Total Synthesis of Microtubule-Stabilizing Agent ( $\beta$ )-Lulimalide1. Journal of Organic Chemistry, 2001, 66, 8973-8982.	1.7	130
277	Tartaric Acid and Tartrates in the Synthesis of Bioactive Molecules. Synthesis, 2001, 2001, 1281-1301.	1.2	52
278	Syntheses of FDA Approved HIV Protease Inhibitors. Synthesis, 2001, 2001, 2203-2229.	1.2	103
279	Synthetic studies of antitumor macrolide lulimalide: a stereoselective synthesis of the C17â€‰C28 segment. Tetrahedron Letters, 2000, 41, 4705-4708.	0.7	29
280	Stereoselective construction of quaternary carbon centers by three component coupling reactions. Tetrahedron Letters, 2000, 41, 8425-8429.	0.7	20
281	A stereoselective synthesis of (+)-boronolide. Tetrahedron Letters, 2000, 41, 1003-1006.	0.7	40
282	An enantioselective synthesis of the C2â€‰C16 segment of antitumor macrolide lulimalide. Tetrahedron Letters, 2000, 41, 2319-2322.	0.7	45
283	Structure of the Protease Domain of Memapsin 2 ( $\beta$ -Secretase) Complexed with Inhibitor. Science, 2000, 290, 150-153.	6.0	717
284	Design of Potent Inhibitors for Human Brain Memapsin 2 ( $\beta$ -Secretase). Journal of the American Chemical Society, 2000, 122, 3522-3523.	6.6	235
285	Total Synthesis of ( $\beta$ )-Lulimalide. Journal of the American Chemical Society, 2000, 122, 11027-11028.	6.6	98
286	A Short Synthesis of ( $\beta$ )-Eburnamonine. Journal of Organic Chemistry, 2000, 65, 5433-5435.	1.7	26
287	A Convergent Synthesis of (+)-Cryptophycin B, a Potent Antitumor Macrolide from Nostoc sp. Cyanobacteria. Organic Letters, 2000, 2, 1573-1575.	2.4	35
288	Asymmetric Synthesis of ( $\beta$ )-Tetrahydrolipstatin:â€‰ Ananti-Aldol-Based Strategy. Organic Letters, 2000, 2, 2405-2407.	2.4	53

#	ARTICLE	IF	CITATIONS
289	TiCl <sub>4</sub> promoted three component coupling reaction: A new method for the synthesis of functionalized tetrahydrofurans and tetrahydropyrans. <i>Tetrahedron Letters</i> , 1999, 40, 1083-1086.	0.7	34
290	TiCl <sub>4</sub> promoted three component coupling reaction: an efficient method for the substituted tetrahydropyridine acetates. <i>Tetrahedron Letters</i> , 1999, 40, 4751-4754.	0.7	20
291	Stereoselective synthesis of 5-O-carbamoylpolyoxamic acid by [2,3]-Wittig-Still rearrangement. <i>Tetrahedron</i> , 1999, 55, 13369-13376.	1.0	12
292	Synthetic studies of nucleoside antibiotics: a formal synthesis of (+)-sinefungin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, 1999, 3597-3601.	0.9	9
293	Asymmetric dihydroxylation route to a dipeptide isostere of a protease inhibitor: enantioselective synthesis of the core unit of ritonavir. <i>Chemical Communications</i> , 1999, 1999, 1025-1026.	2.2	22
294	Counterions of BINAP-Pt(II) and Pd(II) Complexes: Novel Catalysts for Highly Enantioselective Diels-Alder Reaction. <i>Organic Letters</i> , 1999, 1, 2157-2159.	2.4	70
295	A stereoselective synthesis of (S)-tetrahydrolipstatin. <i>Chemical Communications</i> , 1999, 1999, 1743-1744.	2.2	67
296	Total Synthesis of (+)-Polyoxin J. <i>Journal of Organic Chemistry</i> , 1999, 64, 2789-2795.	1.7	39
297	Chemoselective catalytic hydrogenation of alkenes by Lindlar catalyst. <i>Tetrahedron Letters</i> , 1998, 39, 947-948.	0.7	36
298	Convenient synthesis of novel macrocyclic urethanes: alkoxy carbonylation of amines and ring-closing metathesis strategy. <i>Tetrahedron Letters</i> , 1998, 39, 1881-1884.	0.7	22
299	Ring-closing metathesis strategy to unsaturated $\beta^3$ - and $\gamma^3$ -lactones: Synthesis of hydroxyethylene isostere for protease inhibitors. <i>Tetrahedron Letters</i> , 1998, 39, 4651-4654.	0.7	123
300	Stereoselective synthesis of dihydroisocoumarin moiety of microbial agent AI-77-B: a Diels-Alder based strategy. <i>Tetrahedron Letters</i> , 1998, 39, 8803-8806.	0.7	18
301	C <sub>2</sub> -Symmetric chiral bis(oxazoline) metal complexes in catalytic asymmetric synthesis. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 1-45.	1.8	824
302	Bis(oxazoline) derived cationic aqua complexes: highly effective catalysts for enantioselective Diels-Alder reactions. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 3687-3691.	1.8	48
303	Potent HIV protease inhibitors incorporating high-affinity P <sub>2</sub> -ligands and (R)-(hydroxyethylamino)sulfonamide isostere. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 687-690.	1.0	154
304	Structure based design: Novel spirocyclic ethers as nonpeptidic P <sub>2</sub> -ligands for HIV protease inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 979-982.	1.0	39
305	Stereoselective Synthesis of Protected Thymine Polyoxin C via [2,3]-Wittig-Still Rearrangement of Ribose-Derived Allylic Stannyl Ethers. <i>Journal of Organic Chemistry</i> , 1998, 63, 6735-6738.	1.7	18
306	Transition-State Mimetics for HIV Protease Inhibitors: Stereocontrolled Synthesis of Hydroxyethylene and Hydroxyethylamine Isosteres by Ester-Derived Titanium Enolate Syn and Anti-Aldol Reactions. <i>Journal of Organic Chemistry</i> , 1998, 63, 6146-6152.	1.7	62

#	ARTICLE	IF	CITATIONS
307	cis-1-Aminoindan-2-ol in Asymmetric Syntheses. <i>Synthesis</i> , 1998, 1998, 937-961.	1.2	70
308	A Convenient Enzymatic Route to Optically Active 1-Aminoindan-2-ol: Versatile Ligands for HIV-1 Protease Inhibitors and Asymmetric Syntheses. <i>Synthesis</i> , 1997, 1997, 541-544.	1.2	22
309	A Convergent, Enantioselective Total Synthesis of Streptogramin Antibiotic (âˆ™)-Madumycin IIâ€€. <i>Journal of Organic Chemistry</i> , 1997, 62, 7908-7909.	1.7	44
310	Asymmetric Aldol Route to Hydroxyethylamine Isostere:âˆ™ Stereoselective Synthesis of the Core Unit of Saquinavir. <i>Journal of Organic Chemistry</i> , 1997, 62, 6080-6082.	1.7	37
311	Asymmetric alkylations and aldol reactions: (1S,2R)-2-aminocyclopentan-1-ol derived new chiral auxiliary. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 821-824.	1.8	25
312	SYNTHETIC STUDIES OF ANTITUMOR MACROLIDE LAULIMALIDE: ENANTIOSELECTIVE SYNTHESIS OF THE C3-C14 SEGMENT BY A CATALYTIC HETERO DIELS-ALDER STRATEGY. <i>Tetrahedron Letters</i> , 1997, 38, 2427-2430.	0.7	77
313	Ester derived titanium enolate aldol reaction: Highly diastereoselective synthesis of syn- and anti-aldols. <i>Tetrahedron Letters</i> , 1997, 38, 7171-7174.	0.7	46
314	Nonpeptidal P2Ligands for HIV Protease Inhibitors:âˆ™ Structure-Based Design, Synthesis, and Biological Evaluation. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 3278-3290.	2.9	99
315	Synthesis of Enantiomerically Pure Anti-Aldols:âˆ™ A Highly Stereoselective Ester-Derived Titanium Enolate Aldol Reaction. <i>Journal of the American Chemical Society</i> , 1996, 118, 2527-2528.	6.6	105
316	Total Synthesis of (+)-Sinefungin. <i>Journal of Organic Chemistry</i> , 1996, 61, 6175-6182.	1.7	68
317	A Convergent, Enantioselective Total Synthesis of Hapalosin: A Drug with Multidrug-Resistance Reversing Activity. <i>Angewandte Chemie International Edition in English</i> , 1996, 35, 74-76.	4.4	35
318	Conformationally constrained bis(oxazoline) derived chiral catalyst: A highly effective enantioselective Diels-Alder reaction. <i>Tetrahedron Letters</i> , 1996, 37, 3815-3818.	0.7	91
319	Asymmetric Diels-Alder reaction: Cis-1-arylsulfonamido-2-indanols as highly effective chiral auxiliaries. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 375-378.	1.8	25
320	Asymmetric hetero Diels-Alder reactions of Danishefsky's diene and glyoxylate esters catalyzed by chiral bisoxazoline derived catalysts. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2165-2168.	1.8	68
321	Cyclic sulfone-3-carboxamides as novel P2-ligands for Ro 31-8959 based HIV-1 protease inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 83-88.	1.0	35
322	Synthesis and optical resolution of high affinity P2-ligands for HIV-1 protease inhibitors. <i>Tetrahedron Letters</i> , 1995, 36, 505-508.	0.7	80
323	Chiral Auxiliary Mediated Conjugate Reduction and Asymmetric Protonation: Synthesis of High Affinity Ligands for HIV Protease Inhibitors. <i>Journal of Organic Chemistry</i> , 1995, 60, 6198-6201.	1.7	17
324	HIGHLY STEREOSELECTIVE REDUCTION OF Î±-KETO ESTERS: UTILITY OF CIS-1-ARYLSULFONAMIDO-2-INDANOLS AS CHIRAL AUXILIARIES. <i>Tetrahedron Letters</i> , 1995, 36, 6811-6814.	0.7	32

#	ARTICLE	IF	CITATIONS
325	The Development of Cyclic Sulfolanes as Novel and High-Affinity P2 Ligands for HIV-1 Protease Inhibitors. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 1177-1188.	2.9	56
326	Structure-Based Design of HIV-1 Protease Inhibitors: Replacement of Two Amides and a 10.π-Aromatic System by a Fused Bis-tetrahydrofuran. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 2506-2508.	2.9	70
327	Potent HIV-1 protease inhibitors: stereoselective synthesis of a dipeptide mimic. <i>Journal of Organic Chemistry</i> , 1993, 58, 1025-1029.	1.7	43
328	Cyclic sulfolanes as novel and high-affinity P2 ligands for HIV-1 protease inhibitors. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 924-927.	2.9	49
329	3-Tetrahydrofuran and pyran urethanes as high-affinity P2-ligands for HIV-1 protease inhibitors. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 292-294.	2.9	89
330	Potent HIV protease inhibitors: the development of tetrahydrofuranylglycines as novel P2-ligands and pyrazine amides as P3-ligands. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 2300-2310.	2.9	76
331	Highly enantioselective aldol reaction: development of a new chiral auxiliary from cis-1-amino-2-hydroxyindan. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, 1992, 1673.	2.0	50
332	A facile and enantiospecific synthesis of 2(S)- and 2(R)-[1-azido-2-phenylethyl]oxirane. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, 1992, 273-274.	2.0	21
333	An efficient synthesis of functionalized urethanes from azides. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, 1992, 1308.	2.0	14
334	Intramolecular and intermolecular hydroxyl reactivity differences in ginkgolides A, B and C and their chemical applications. <i>Tetrahedron Letters</i> , 1992, 33, 6955-6958.	0.7	24
335	N,N'-dissuccinimidyl carbonate: a useful reagent for alkoxycarbonylation of amines. <i>Tetrahedron Letters</i> , 1992, 33, 2781-2784.	0.7	101
336	An efficient synthesis of hydroxyethylene dipeptide isosteres: the core unit of potent HIV-1 protease inhibitors. <i>Journal of Organic Chemistry</i> , 1991, 56, 6500-6503.	1.7	62
337	Di(2-pyridyl) carbonate promoted alkoxycarbonylation of amines: A convenient synthesis of functionalized carbamates. <i>Tetrahedron Letters</i> , 1991, 32, 4251-4254.	0.7	37
338	Stereocontrolled synthesis of HIV-1 protease inhibitors with C2-axis of symmetry. <i>Tetrahedron Letters</i> , 1991, 32, 5729-5732.	0.7	35
339	Total synthesis of ginkgolide a. <i>Tetrahedron Letters</i> , 1988, 29, 3205-3206.	0.7	52
340	Total synthesis of (-)-ginkgolide B. <i>Journal of the American Chemical Society</i> , 1988, 110, 649-651.	6.6	188
341	Two-Step Synthesis of Furans by Mn(III)-Promoted Annulation of Enol Ethers. <i>Chemistry Letters</i> , 1987, 16, 223-226.	0.7	45
342	Mn(III)-promoted annulation of enol ethers and esters to fused or spiro 2-cyclopentenones. <i>Tetrahedron Letters</i> , 1987, 28, 175-178.	0.7	63

#	ARTICLE	IF	CITATIONS
343	Methods for pyranoannulation: an approach to a new class of polyethers. <i>Journal of Organic Chemistry</i> , 1985, 50, 3017-3019.	1.7	40
344	Diastereofacial selection in nitrile oxide cycloaddition reactions. The anti-directing effect of an allylic oxygen and some new results on the ring metalation of isoxazolines. A synthesis of (.+.)-blastmycinone. <i>Journal of Organic Chemistry</i> , 1984, 49, 2762-2772.	1.7	110
345	The Isoxazoline Route to Î±-Methylen Lactones.. <i>Tetrahedron Letters</i> , 1983, 24, 2623-2626.	0.7	34
346	Diastereoselection in intermolecular nitrile oxide cycloaddition (NOC) reactions: confirmation of the "anti-periplanar effect" through a simple synthesis of 2-deoxy-D-ribose. <i>Journal of the American Chemical Society</i> , 1982, 104, 5788-5789.	6.6	84