

# Won-Bin Im

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8365253/publications.pdf>

Version: 2024-02-01

160  
papers

7,407  
citations

61984

43  
h-index

62596

80  
g-index

169  
all docs

169  
docs citations

169  
times ranked

6034  
citing authors

#	ARTICLE	IF	CITATIONS
1	A zero-thermal-quenching phosphor. <i>Nature Materials</i> , 2017, 16, 543-550.	27.5	748
2	Enhancement of red spectral emission intensity of Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Ce <sup>3+</sup> phosphor via Pr co-doping and Tb substitution for the application to white LEDs. <i>Journal of Luminescence</i> , 2007, 126, 371-377.	3.1	499
3	Efficient and Color-Tunable Oxyfluoride Solid Solution Phosphors for Solid-State White Lighting. <i>Advanced Materials</i> , 2011, 23, 2300-2305.	21.0	311
4	Sr <sub>2.975</sub> Ba <sub>x</sub> Ce <sub>0.025</sub> AlO <sub>4</sub> F: a Highly Efficient Green-Emitting Oxyfluoride Phosphor for Solid State White Lighting. <i>Chemistry of Materials</i> , 2010, 22, 2842-2849.	6.7	227
5	Luminescence Properties and Energy Transfer of Site-Sensitive Ca <sub>6</sub> Mg <sub>x</sub> (PO <sub>4</sub> ) <sub>4</sub> :Eu <sub>y</sub> Phosphors and Their Application to Near-UV LED-Based White LEDs. <i>Inorganic Chemistry</i> , 2009, 48, 11525-11532.	4.0	187
6	LaSr <sub>2</sub> AlO <sub>5</sub> , a Versatile Host Compound for Ce <sup>3+</sup> -Based Yellow Phosphors: Structural Tuning of Optical Properties and Use in Solid-State White Lighting. <i>Chemistry of Materials</i> , 2009, 21, 2957-2966.	6.7	180
7	Phosphor in glasses with Pb-free silicate glass powders as robust color-converting materials for white LED applications. <i>Optics Letters</i> , 2012, 37, 3276.	3.3	174
8	A yellow-emitting Ce <sup>3+</sup> phosphor, La <sub>1-x</sub> Ce <sub>x</sub> Sr <sub>2</sub> AlO <sub>5</sub> , for white light-emitting diodes. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	158
9	Novel Blue-Emitting Na <sub>x</sub> Ca <sub>1-x</sub> Al <sub>2-x</sub> Si <sub>2</sub> O <sub>8</sub> :Eu <sup>2+</sup> (x = 0.34) Phosphor with High Luminescent Efficiency for UV-Pumped Light-Emitting Diodes. <i>Inorganic Chemistry</i> , 2012, 51, 10688-10694.	4.0	153
10	Doped Lanthanum Nickelates with a Layered Perovskite Structure as Bifunctional Cathode Catalysts for Rechargeable Metal-Air Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 9902-9907.	8.0	146
11	Processable high internal phase Pickering emulsions using depletion attraction. <i>Nature Communications</i> , 2017, 8, 14305.	12.8	127
12	Hydrophobic Organic Skin as a Protective Shield for Moisture-Sensitive Phosphor-Based Optoelectronic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 7232-7240.	8.0	121
13	A New Blue-Emitting Oxohalide Phosphor Sr <sub>4</sub> OCl <sub>6</sub> :Eu <sup>2+</sup> for Thermally Stable, Efficient White-Light-Emitting Devices under Near-UV. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2686-2692.	3.1	118
14	Tunable full-color-emitting La <sub>0.827</sub> Al <sub>1.9019</sub> O <sub>9</sub> :Eu <sup>2+</sup> , Mn <sup>2+</sup> phosphor for application to warm white-light-emitting diodes. <i>Applied Physics Letters</i> , 2006, 89, 231909.	3.3	117
15	Review-Phosphor Plates for High-Power LED Applications: Challenges and Opportunities toward Perfect Lighting. <i>ECS Journal of Solid State Science and Technology</i> , 2018, 7, R3134-R3147.	1.8	117
16	Melilite-Structure Ca <sub>3</sub> O <sub>7</sub> :Eu <sup>3+</sup> Phosphor: Structural and Optical Characteristics for Near-UV LED-Based White Light. <i>Journal of Physical Chemistry C</i> , 2012, 116, 26850-26856.	3.1	114
17	Near UV-pumped yellow-emitting Eu <sup>2+</sup> -doped Na <sub>3</sub> K(Si <sub>1-x</sub> Al <sub>x</sub> ) <sub>8</sub> O <sub>16</sub> ±1 phosphor for white-emitting LEDs. <i>Journal of Materials Chemistry</i> , 2012, 22, 8793.	6.7	100
18	Mining Unexplored Chemistries for Phosphors for High-Color-Quality White-Light-Emitting Diodes. <i>Joule</i> , 2018, 2, 914-926.	24.0	97

#	ARTICLE	IF	CITATIONS
19	Smart design to resolve spectral overlapping of phosphor-in-glass for high-powered remote-type white light-emitting devices. <i>Optics Letters</i> , 2014, 39, 762.	3.3	94
20	Colloidal Organolead Halide Perovskite with a High Mn Solubility Limit: A Step Toward Pb-Free Luminescent Quantum Dots. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 4161-4166.	4.6	90
21	Control of chromaticity by phosphor in glasses with low temperature sintered silicate glasses for LED applications. <i>Optics Letters</i> , 2014, 39, 4084.	3.3	87
22	Crystal Structure and Photoluminescence Evolution of $\text{La}_{0.5}\text{Si}_{2+x}\text{B}_3\text{O}_{13}\text{N}_x\text{Ce}_{0.5}$ Solid Solution Phosphors. <i>Journal of Physical Chemistry C</i> , 2015, 119, 9488-9495.	4.1	86
23	Mechanoluminescent, Air-Dielectric $\text{MoS}_2$ Transistors as Active-Matrix Pressure Sensors for Wide Detection Ranges from Footsteps to Cellular Motions. <i>Nano Letters</i> , 2020, 20, 66-74.	9.1	80
24	Thermal Stability Study of $\text{BaAl}_2\text{Si}_2\text{O}_8:\text{Eu}^{2+}$ Phosphor Using Its Polymorphism for Plasma Display Panel Application. <i>Chemistry of Materials</i> , 2006, 18, 1190-1195.	6.7	75
25	$\text{La}_{1-x}\text{Ce}_{0.025}\text{Sr}_{2+x}\text{Al}_x\text{Si}_x\text{O}_5$ solid solutions as tunable yellow phosphors for solid state white lighting. <i>Journal of Materials Chemistry</i> , 2009, 19, 1325.	6.7	75
26	Origin of PL intensity increase of $\text{CaMgSi}_2\text{O}_6:\text{Eu}^{2+}$ phosphor after baking process for PDPs application. <i>Solid State Communications</i> , 2005, 133, 197-201.	1.9	67
27	Stacked Quantum Dot Embedded Silica Film on a Phosphor Plate for Superior Performance of White Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 5744-5748.	8.0	66
28	Luminescent and Structural Properties of $(\text{Sr}_{1-x}\text{Ba}_x)_3\text{MgSi}_2\text{O}_8:\text{Eu}^{2+}$ : Effects of Ba Content on the $\text{Eu}^{2+}$ Site Preference for Thermal Stability. <i>Inorganic Chemistry</i> , 2009, 48, 557-564.	4.0	65
29	New full-color-emitting phosphor, $\text{Eu}^{2+}$ -doped $\text{Na}_2\text{Al}_2\text{Si}_2\text{O}_4$ (0 ≤ x ≤ 1), obtained using phase transitions for solid-state white lighting. <i>Journal of Materials Chemistry</i> , 2012, 22, 5374.	6.7	64
30	Phosphor in glass with $\text{Eu}^{3+}$ and $\text{Pr}^{3+}$ -doped silicate glasses for LED color conversion. <i>Optical Materials</i> , 2015, 41, 67-70.	3.6	64
31	Fully activated $\text{Li}_2\text{MnO}_3$ nanoparticles by oxidation reaction. <i>Journal of Materials Chemistry</i> , 2012, 22, 11772.	6.7	63
32	Facile Synthesis of Electrospun $\text{Li}_{1.2}\text{Ni}_{0.17}\text{Co}_{0.17}\text{Mn}_{0.5}\text{O}_2$ Nanofiber and Its Enhanced High-Rate Performance for Lithium-Ion Battery Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 7765-7769.	8.0	61
33	A novel blue-emitting silica-coated $\text{KBaPO}_4:\text{Eu}^{2+}$ phosphor under vacuum ultraviolet and ultraviolet excitation. <i>Materials Chemistry and Physics</i> , 2009, 115, 161-164.	4.0	60
34	Correlation of photoluminescence of $(\text{Y}, \text{Ln})\text{VO}_4:\text{Eu}^{3+}$ (Ln=Gd and La) phosphors with their crystal structures. <i>Solid State Communications</i> , 2005, 133, 651-656.	1.9	58
35	Promoting $\text{Li}_2\text{O}_2$ oxidation by an $\text{La}_{1.7}\text{Ca}_{0.3}\text{Ni}_{0.75}\text{Cu}_{0.25}\text{O}_4$ layered perovskite in lithium-oxygen batteries. <i>Chemical Communications</i> , 2012, 48, 9406.	4.1	58
36	Robust moisture and thermally stable phosphor glass plate for highly unstable sulfide phosphors in high-power white light-emitting diodes. <i>Optics Letters</i> , 2013, 38, 3298.	3.3	57

#	ARTICLE	IF	CITATIONS
37	Pyro-synthesis of a high rate nano-Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C cathode with mixed morphology for advanced Li-ion batteries. <i>Scientific Reports</i> , 2014, 4, 4047.	3.3	57
38	Probing molecule-like isolated octahedra via phase stabilization of zero-dimensional cesium lead halide nanocrystals. <i>Nature Communications</i> , 2018, 9, 4691.	12.8	56
39	Mechanochemistry as a Green Route: Synthesis, Thermal Stability, and Postsynthetic Reversible Phase Transformation of Highly-Luminescent Cesium Copper Halides. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 7723-7729.	4.6	55
40	Particle size control of a monodisperse spherical Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> phosphor and its photoluminescence properties. <i>Journal of Materials Research</i> , 2007, 22, 2017-2024.	2.6	51
41	Improved color rendering index and thermal stability of white LEDs with phosphor-in-glass using the SiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> -ZnO-Na <sub>2</sub> O glass system. <i>Journal of Non-Crystalline Solids</i> , 2016, 445-446, 77-80.	3.1	46
42	Preparation and photoluminescence properties of YAl <sub>3</sub> (BO <sub>3</sub> ) <sub>4</sub> :Tb <sup>3+</sup> , Bi <sup>3+</sup> phosphor under VUV/UV excitation. <i>Optical Materials</i> , 2008, 31, 131-135.	3.6	45
43	Continuous nano-coating of Y <sub>2</sub> O <sub>3</sub> :Eu <sup>3+</sup> phosphor shell on SiO <sub>2</sub> core particles and its photoluminescence properties. <i>Journal of Luminescence</i> , 2010, 130, 153-156.	3.1	44
44	Substitution of oxygen by fluorine in the GdSr <sub>2</sub> AlO <sub>5</sub> :Ce <sup>3+</sup> phosphors: Gd <sub>1-x</sub> Sr <sub>2+x</sub> AlO <sub>5-x</sub> F <sub>x</sub> solid solutions for solid state white lighting. <i>Optics Express</i> , 2009, 17, 22673.	3.4	43
45	Probing local structure in the yellow phosphor LaSr <sub>2</sub> AlO <sub>5</sub> :Ce <sup>3+</sup> , by the maximum entropy method and pair distribution function analysis. <i>Journal of Materials Chemistry</i> , 2009, 19, 8761.	6.7	42
46	Red-Emitting LiLa <sub>2</sub> O <sub>3</sub> BO <sub>3</sub> :Sm <sup>3+</sup> ,Eu <sup>3+</sup> Phosphor for Near-Ultraviolet Light-Emitting Diodes-Based Solid-State Lighting. <i>Journal of the Electrochemical Society</i> , 2008, 155, J226.	2.9	41
47	Facile one-step fabrication of 2-layered and 4-quadrant type phosphor-in-glass plates for white LEDs: an insight into angle dependent luminescence. <i>Optical Materials Express</i> , 2016, 6, 804.	3.0	40
48	Cation-Size Mismatch as a Design Principle for Enhancing the Efficiency of Garnet Phosphors. <i>Chemistry of Materials</i> , 2020, 32, 3097-3108.	6.7	40
49	Effective Heat Dissipation from Color-Converting Plates in High-Power White Light Emitting Diodes by Transparent Graphene Wrapping. <i>ACS Nano</i> , 2016, 10, 238-245.	14.6	39
50	Bredigite-structure Ca <sub>14</sub> Mg <sub>2</sub> [SiO <sub>4</sub> ] <sub>8</sub> :Eu <sup>2+</sup> ,Mn <sup>2+</sup> : A tunable green-red-emitting phosphor with efficient energy transfer for solid-state lighting. <i>Acta Materialia</i> , 2012, 60, 5783-5790.	7.9	38
51	La-doped SrTiO <sub>3</sub> interconnect materials for anode-supported flat-tubular solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 4319-4327.	7.1	38
52	Synergic coating and doping effects of Ti-modified integrated layered spinel Li <sub>1.2</sub> Mn <sub>0.75</sub> Ni <sub>0.25</sub> O <sub>2</sub> as a high capacity and long lifetime cathode material for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2200-2211.	10.3	38
53	Sub-micro droplet reactors for green synthesis of Li <sub>3</sub> VO <sub>4</sub> anode materials in lithium ion batteries. <i>Nature Communications</i> , 2021, 12, 3081.	12.8	37
54	Multimodal Digital X-ray Scanners with Synchronous Mapping of Tactile Pressure Distributions using Perovskites. <i>Advanced Materials</i> , 2021, 33, e2008539.	21.0	36

#	ARTICLE	IF	CITATIONS
55	Influence of $Ti^{4+}$ on the Electrochemical Performance of Li-Rich Layered Oxides - High Power and Long Cycle Life of $Li_2RuO_3$ Cathodes. ACS Applied Materials & Interfaces, 2015, 7, 7118-7128.	8.0	34
56	A complete inorganic colour converter based on quantum-dot-embedded silicate glasses for white light-emitting-diodes. Chemical Communications, 2016, 52, 3564-3567.	4.1	34
57	Phosphor-glass thick film formation with low sintering temperature phosphosilicate glass for robust white LED. Journal of the American Ceramic Society, 2017, 100, 1280-1284.	3.8	34
58	Bredigite-structure orthosilicate phosphor as a green component for white LED: the structural and optical properties. Optics Express, 2012, 20, 6248.	3.4	32
59	Versatile $Ca_4F_2Si_2O_7$ Host from Defect-Induced Host Emission to White-Light-Emitting $Ce^{3+}$ -Doped $Ca_4F_2Si_2O_7$ Phosphor for Near-UV Solid-State Lighting. Journal of Physical Chemistry C, 2016, 120, 4495-4503.	3.1	32
60	Intrinsically conductive polymer binders for electrochemical capacitor application. RSC Advances, 2014, 4, 27939-27945.	3.6	31
61	Highly porous coral-like silicon particles synthesized by an ultra-simple thermal-reduction method. Journal of Materials Chemistry A, 2018, 6, 2834-2846.	10.3	31
62	Full-color-emitting $CaYAl_3O_7:Pr^{3+},Ce^{3+}$ phosphor for near-UV LED-based white light. Journal of Luminescence, 2014, 152, 176-181.	3.1	30
63	Improved electrochemical reversibility of over-lithiated layered $Li_2RuO_3$ cathodes: Understanding aliovalent $Co^{3+}$ substitution with excess lithium. Journal of Power Sources, 2016, 324, 428-438.	7.8	30
64	Molecular Cooperative Assembly-Mediated Synthesis of Ultra-High-Performance Hard Carbon Anodes for Dual-Carbon Sodium Hybrid Capacitors. ACS Nano, 2019, 13, 11935-11946.	14.6	29
65	Facile fabrication of mesoporous carbon from mixed polymer precursor of PVDF and PTFE for high-power supercapacitors. Carbon, 2020, 159, 283-291.	10.3	29
66	Low temperature burnable carbon nanotube paste component for carbon nanotube field emitter backlight unit. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2005, 23, 745.	1.6	28
67	Tunable emission from blue to white light in single-phase $Na_{0.34}Ca_{(0.66-x-y)}Al_{1.66}Si_{2.34}O_8$ : $xEu^{2+},yMn^{2+}$ ( $x = 0.07$ ) phosphor for white-light UV LEDs. Optics Express, 2013, 21, 3287.	3.4	28
68	Towards green synthesis of $Mn^{4+}$ -doped fluoride phosphors: a review. Journal of Materials Research and Technology, 2021, 11, 181-195.	5.8	28
69	Luminescent and aging characteristics of blue emitting $(Ca_{1-x}Mgx)Al_2Si_2O_8:Eu^{2+}$ phosphor for PDPs application. Solid State Communications, 2005, 134, 717-720.	1.9	26
70	Rare earth doped silicate-oxyfluoride glass ceramics incorporating $LaF_3$ nano-crystals for UV-LED color conversion. Optical Materials, 2013, 35, 2034-2038.	3.6	26
71	Highly Luminescent Quantum Dots in Remote-Type Liquid-Phase Color Converters for White Light-Emitting Diodes. Advanced Materials Technologies, 2018, 3, 1800235.	5.8	26
72	Color tunable single-phase $Eu^{2+}$ and $Ce^{3+}$ co-activated $Sr_2LiAlO_4$ phosphors. Journal of Materials Chemistry C, 2019, 7, 7734-7744.	5.5	26

#	ARTICLE	IF	CITATIONS
73	Double Encapsulation of CsPbBr <sub>3</sub> Perovskite Nanocrystals with Inorganic Glasses for Robust Color Converters with Wide Color Gamut. ACS Applied Nano Materials, 2021, 4, 7072-7078.	5.0	26
74	Facile fabrication of moisture resistance and thermally stable SrGa <sub>2</sub> S <sub>4</sub> :Eu <sup>2+</sup> phosphor-in-glass microcubes for white LED. Ceramics International, 2015, 41, 5200-5204.	4.8	25
75	Facile Green Synthesis of Pseudocapacitance-Contributed Ultrahigh Capacity Fe <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> as an Anode for Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 35152-35163.	8.0	25
76	Robust, Brighter Red Emission from CsPbI <sub>3</sub> Perovskite Nanocrystals via Endotaxial Protection. Journal of Physical Chemistry Letters, 2020, 11, 3699-3704.	4.6	25
77	Neutron Rietveld Analysis for Optimized CaMgSi <sub>2</sub> O <sub>6</sub> :Eu <sup>2+</sup> and its Luminescent Properties. Journal of Materials Research, 2005, 20, 2061-2066.	2.6	24
78	A low sintering temperature glass based on SiO <sub>2</sub> -P <sub>2</sub> O <sub>5</sub> -ZnO-B <sub>2</sub> O <sub>3</sub> -R <sub>2</sub> O system for white LED's with high color rendering index. Journal of the American Ceramic Society, 2017, 100, 5186-5192.	3.8	24
79	Facile synthesis of SnS <sub>2</sub> @g-C <sub>3</sub> N <sub>4</sub> composites as high performance anodes for lithium ion batteries. Applied Surface Science, 2021, 549, 149312.	6.1	24
80	Combined Rietveld refinement of Zn <sub>2</sub> SiO <sub>4</sub> :Mn <sup>2+</sup> using X-ray and neutron powder diffraction data. Nuclear Instruments & Methods in Physics Research B, 2010, 268, 346-351.	1.4	23
81	Simple, robust metal fluoride coating on layered Li <sub>1.23</sub> Ni <sub>0.13</sub> Co <sub>0.14</sub> Mn <sub>0.56</sub> O <sub>2</sub> and its effects on enhanced electrochemical properties. Electrochimica Acta, 2013, 100, 10-17.	5.2	23
82	A rapid polyol combustion strategy towards scalable synthesis of nanostructured LiFePO <sub>4</sub> /C cathodes for Li-ion batteries. Journal of Solid State Electrochemistry, 2014, 18, 1557-1567.	2.5	23
83	Role of Co-Vapors in Vapor Deposition Polymerization. Scientific Reports, 2015, 5, 8420.	3.3	23
84	Structural and luminescent properties of red-emitting SrGe <sub>4</sub> O <sub>9</sub> :Mn <sup>4+</sup> phosphors for white light-emitting diodes with high color rendering index. Journal of Luminescence, 2016, 172, 99-104.	3.1	23
85	Highly Elastic and >200% Reversibly Stretchable Down-Conversion White Light-Emitting Diodes Based on Quantum Dot Gel Emitters. Advanced Optical Materials, 2020, 8, 1901972.	7.3	23
86	Zero-Thermal-Quenching Layered Metal Halide Perovskite. Chemistry of Materials, 2022, 34, 5690-5697.	6.7	23
87	Zero-thermal-quenching and improved chemical stability of a UCr <sub>4</sub> C <sub>4</sub> -type phosphor via crystal site engineering. Chemical Engineering Journal, 2021, 420, 127664.	12.7	21
88	Color-tunable binary solid-solution phosphor, (Sr <sub>3</sub> SiO <sub>5</sub> ) <sub>1-x</sub> (Sr <sub>3</sub> AlO <sub>4</sub> F) <sub>x</sub> , for white LEDs: Energy transfer mechanism between Ce <sup>3+</sup> and Tb <sup>3+</sup> . Journal of Alloys and Compounds, 2013, 555, 297-303.	5.5	20
89	Enhanced Luminescence of Ca <sub>14</sub> Mg <sub>2</sub> Si <sub>8</sub> by Codoping Ce <sup>3+</sup> , Mn <sup>2+</sup> for White LED's and Their Energy Transfer Mechanism. Journal of the American Ceramic Society, 2014, 97, 874-879.	3.8	20
90	Comparative study of optical and structural properties of electrospun 1-dimensional CaYAl <sub>3</sub> O <sub>7</sub> :Eu <sup>3+</sup> nanofibers and bulk phosphor. Materials Characterization, 2014, 95, 27-35.	4.4	20

#	ARTICLE	IF	CITATIONS
91	Effect of synthesis temperature on the structural defects of integrated spinel-layered $\text{Li}_{1.2}\text{Mn}_{0.75}\text{Ni}_{0.25}\text{O}_2$ : a strategy to develop high-capacity cathode materials for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15730-15742.	10.3	20
92	Phosphor in glass using $\hat{\text{I}}^2\text{-SiAlON:Eu}^{2+}$ , $\text{CaAlSiN}_3\text{:Eu}^{2+}$ and Nd-doped silicate glass for enhanced color gamut of white LED. <i>Journal of Alloys and Compounds</i> , 2021, 851, 156945.	5.5	20
93	Effects of $\text{Eu}^{2+}$ Concentration Variation and $\text{Ce}^{3+}$ Codoping on Photoluminescence Properties of $\text{BaGa}_2\text{S}_4\text{:Eu}^{2+}$ Phosphor. <i>Journal of the Electrochemical Society</i> , 2008, 155, J66.	2.9	19
94	Efficiency Enhancement of Bredigite Structure $\text{Ca}_{14}\text{Mg}_2[\text{SiO}_4]_{19}$ Phosphor via Partial Nitridation for Solid-State Lighting Applications. <i>Journal of the American Ceramic Society</i> , 2013, 96, 503-508.	3.8	19
95	A new persistent blue-emitting phosphor: Tailoring the trap density for enhancing the persistent time. <i>Applied Materials Today</i> , 2020, 18, 100518.	4.3	19
96	$\text{La}_4\text{LiAuO}_8$ and $\text{La}_2\text{BaPdO}_5$ : Comparing Two Highly Stable $d_{8/sq}$ Square-Planar Oxides. <i>Inorganic Chemistry</i> , 2010, 49, 4670-4680.	4.0	18
97	Tuning the diurnal natural daylight with phosphor converted white LED – Advent of new phosphor blend composition. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2015, 193, 4-12.	3.5	18
98	Compositional dependency of $\text{CdSe}$ quantum dots within silicate glass on color conversion for a white LED. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1703-1709.	3.8	18
99	Narrow-Band $\text{SrMgAl}_{10}\text{O}_{17}\text{:Eu}^{2+}$ , $\text{Mn}^{2+}$ Green Phosphors for Wide-Color-Gamut Backlight for LCD Displays. <i>ACS Omega</i> , 2020, 5, 19516-19524.	3.5	18
100	Strategies for improving luminescence efficiencies of blue-emitting metal halide perovskites. <i>Journal of the Korean Ceramic Society</i> , 2021, 58, 28-41.	2.3	18
101	A morphology, porosity and surface conductive layer optimized $\text{MnCo}_2\text{O}_4$ microsphere for compatible superior $\text{Li}^+$ ion/air rechargeable battery electrode materials. <i>Dalton Transactions</i> , 2016, 45, 5064-5070.	3.3	17
102	Effects of excess Li on the structure and electrochemical performance of $\text{Li}_{1+z}\text{MnTiO}_4$ cathode for Li-ion batteries. <i>Electrochimica Acta</i> , 2017, 225, 458-466.	5.2	17
103	In-situ preparation and unique electrochemical behavior of pore-embedding $\text{CoO/Co}_3\text{O}_4$ intermixed composite for $\text{Li}^+$ rechargeable battery electrodes. <i>Journal of Power Sources</i> , 2018, 378, 562-570.	7.8	17
104	Morphological effects on the electrochemical performance of lithium-rich layered oxide cathodes, prepared by electrospinning technique, for lithium-ion battery applications. <i>Materials Characterization</i> , 2014, 92, 118-126.	4.4	16
105	Engineering the Lattice Site Occupancy of Apatite-Structure Phosphors for Effective Broad-Band Emission through Cation Pairing. <i>Inorganic Chemistry</i> , 2017, 56, 5696-5703.	4.0	16
106	High-performance spinel-rich $\text{Li}_{1.5}\text{MnTiO}_4$ ultralong nanofibers as cathode materials for Li-ion batteries. <i>Scientific Reports</i> , 2017, 7, 45579.	3.3	16
107	Effects of Fluorine Doping on Electrochemical Performance of Spinel-Layered $\text{Li}_3\text{Mn}_3\text{O}_{7.5-x}\text{F}_x$ as Cathode Materials for Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2019, 166, A1568-A1573.	2.9	16
108	Thick free-standing electrode based on carbon-carbon nitride microspheres with large mesopores for high-energy-density lithium-sulfur batteries. , 2021, 3, 410-423.		16

#	ARTICLE	IF	CITATIONS
109	Characterization of nano-size YVO <sub>4</sub> :Eu and (Y,Gd)VO <sub>4</sub> :Eu phosphors by low voltage cathodo- and photoluminescence. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2005, 23, 843.	1.6	15
110	Eu <sup>2+</sup> and Mn <sup>2+</sup> co-doped oxyfluoride glass ceramic for white color conversion of 400Ånm UV-LED. Journal of Luminescence, 2020, 222, 117156.	3.1	15
111	A polymer/small-molecule binary-blend hole transport layer for enhancing charge balance in blue perovskite light emitting diodes. Journal of Materials Chemistry A, 2022, 10, 13928-13935.	10.3	15
112	Highly N-doped, H-containing mesoporous carbon with modulated physicochemical properties as high-performance anode materials for Li-ion and Na-ion batteries. Journal of Alloys and Compounds, 2021, 851, 156881.	5.5	14
113	Pr <sup>3+</sup> -doped oxyfluoride glass ceramic as a white LED color converter wide color gamut. Journal of Luminescence, 2021, 236, 118064.	3.1	14
114	Electrocatalytic and stoichiometric reactivity of 2D layered siloxene for high-energy-dense lithium-sulfur batteries. , 2021, 3, 976-990.		14
115	High capacity spinel-layered Li <sub>1.5</sub> MnTiO <sub>4</sub> as thermally stable core-shell-driven cathode materials for lithium-ion batteries. Journal of Alloys and Compounds, 2017, 704, 459-468.	5.5	13
116	Correlated Na <sup>+</sup> Ion Migration Invokes Zero Thermal Quenching in a Sodium Superionic Conductor-type Phosphor. Chemistry of Materials, 2022, 34, 107-115.	6.7	13
117	Preparation and electrochemical characterization of flower-like Li <sub>1.2</sub> Ni <sub>0.17</sub> Co <sub>0.17</sub> Mn <sub>0.5</sub> O <sub>2</sub> microstructure cathode by electrospinning. Ceramics International, 2014, 40, 2029-2034.	4.8	12
118	Highly stable hetero-structured green-emitting cesium lead bromide nanocrystals <i>via</i> ligand-mediated phase control. Nanoscale, 2019, 11, 21137-21146.	5.6	12
119	Zero reduction luminescence of aqueous-phase alloy core/shell quantum dots via rapid ambient-condition ligand exchange. Journal of Colloid and Interface Science, 2020, 564, 88-98.	9.4	12
120	Preferential Site of Gd in Gd-Doped Fe <sub>3</sub> O <sub>4</sub> Nanopowder. Journal of Nanoscience and Nanotechnology, 2011, 11, 810-814.	0.9	11
121	Crystal Structural Study of Ho-doped Ceria Using X-ray Powder Diffraction Data. Journal of Electroceramics, 2013, 31, 254-259.	2.0	11
122	Energy Transfer in Sr <sub>2</sub> MgSi <sub>2</sub> O <sub>7</sub> :Eu <sup>2+</sup> Phosphors in Nano Scale and Their Application to Solid State Lighting with Excellent Color Rendering. Journal of Nanoscience and Nanotechnology, 2013, 13, 4079-4083.	0.9	11
123	Synthesis of Mn <sup>4+</sup> activated Na <sub>2</sub> SiF <sub>6</sub> red-emitting phosphors using an ionic liquid. Journal of Luminescence, 2020, 218, 116835.	3.1	11
124	Jahn-Teller distortion-driven robust blue-light-emitting perovskite nanoplatelets. Applied Materials Today, 2020, 20, 100668.	4.3	11
125	Detection of cracked teeth using a mechanoluminescence phosphor with a stretchable photodetector array. NPG Asia Materials, 2022, 14, .	7.9	11
126	A new mechanoluminescence phosphor Na <sub>3</sub> Sc <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> :Eu <sup>2+</sup> : Phase transition-assisted defect formation in a polymorphic composition. Ceramics International, 2020, 46, 12138-12144.	4.8	10



#	ARTICLE	IF	CITATIONS
127	Structural refinement of Eu doped CaMgSi <sub>2</sub> O <sub>6</sub> using X-ray powder diffraction data. Journal of Luminescence, 2005, 115, 1-6.	3.1	9
128	Template-engaged synthesis of spinel-layered Li <sub>1.5</sub> MnTiO <sub>4</sub> + nanorods as a cathode material for Li-ion batteries. Journal of Power Sources, 2017, 355, 134-139.	7.8	9
129	A nanosheet phosphor of double-layered perovskite with unusual intranosheet site activator concentration. Chemical Engineering Journal, 2019, 375, 122044.	12.7	9
130	Internal pressure effect on cathodoluminescence enhancement of ZnS:Mn <sup>2+</sup> synthesized by a sealed vessel. Journal of Materials Research, 2007, 22, 2838-2844.	2.6	8
131	Efficiency and Thermal Stability Enhancements of Sr <sub>2</sub> SiO <sub>4</sub> :Eu <sup>2+</sup> Phosphor via Bi <sup>3+</sup> Codoping for Solid-State White Lighting. Japanese Journal of Applied Physics, 2012, 51, 022602.	1.5	8
132	New melilite (Ca,Sr,Ba) <sub>4</sub> MgAl <sub>2</sub> Si <sub>3</sub> O <sub>14</sub> :Eu <sup>2+</sup> phosphor: structural and spectroscopic analysis for application in white LEDs. RSC Advances, 2017, 7, 2025-2032.	3.6	8
133	Spinel-layered Li <sub>2</sub> MnTiO <sub>4</sub> + nanofibers as cathode materials for Li-ion batteries. Solid State Sciences, 2020, 103, 106178.	3.2	8
134	Recent Advances and Challenges in Obtaining Stable CsPbX <sub>3</sub> (X = Cl, Br, and I) Nanocrystals Toward White Light-Emitting Applications. ECS Journal of Solid State Science and Technology, 2021, 10, 106001.	1.8	8
135	Combined Rietveld refinement of CaMgSi <sub>2</sub> O <sub>6</sub> :Eu <sup>2+</sup> using X-ray and neutron powder diffraction data. Journal of Materials Science, 2006, 41, 1643-1647.	3.7	7
136	Low-temperature synthesis of Fe <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> nanosheets: A cathode for sodium ion batteries with kinetics enhancement. Nano Research, 2021, 14, 3977.	10.4	7
137	Blue and orange emission from Ce <sup>3+</sup> and Yb <sup>2+</sup> doped KNa <sub>3</sub> Al <sub>4</sub> Si <sub>4</sub> O <sub>16</sub> phosphor: A detailed study of the luminescence mechanism. Journal of Alloys and Compounds, 2015, 618, 718-723.	5.5	6
138	A Phosphosilicate Compound, NaCa <sub>3</sub> PSi <sub>8</sub> : Structure Solution and Luminescence Properties. Inorganic Chemistry, 2017, 56, 15130-15137.	4.0	6
139	Cd <sup>2+</sup> quantum dot embedded glasses with dual emissions for wide color gamut white LED. International Journal of Applied Glass Science, 2021, 12, 415-423.	2.0	6
140	One-pot synthesis of SnS <sub>2</sub> Nanosheets supported on g-C <sub>3</sub> N <sub>4</sub> as high capacity and stable cycling anode for sodium-ion batteries. International Journal of Energy Research, 2022, 46, 3233-3248.	4.5	6
141	Color conversion properties of various thick film phosphor glasses depending on structural design for white LEDs. Journal of the American Ceramic Society, 2020, 103, 4266-4274.	3.8	5
142	Effect of Synthesis Temperature on Structure and Electrochemical Performance of Spinel-Layered Li <sub>1.33</sub> MnTiO <sub>4+z</sub> in Li-Ion Batteries. Energies, 2020, 13, 2962.	3.1	5
143	Enhancement of Luminescence Efficiency of Y <sub>2</sub> O <sub>3</sub> Nanophosphor via Core/Shell Structure. Nanomaterials, 2021, 11, 1563.	4.1	5
144	Elucidating roles of cation disorder and spinel phase in high-capacity integrated spinel-layered cathodes. Journal of Power Sources, 2021, 507, 230315.	7.8	5

#	ARTICLE	IF	CITATIONS
145	Rechargeable Intermetallic Calcium-Lithium O <sub>2</sub> Batteries. ChemSusChem, 2020, 13, 574-581.	6.8	4
146	Third-Order Nonlinear Optical Response-Driven Upconversion Phosphors. Advanced Optical Materials, 2021, 9, 2100549.	7.3	4
147	Efficiency and Thermal Stability Enhancements of Sr <sub>2</sub> SiO <sub>4</sub> :Eu <sup>2+</sup> Phosphor via Bi <sup>3+</sup> Codoping for Solid-State White Lighting. Japanese Journal of Applied Physics, 2012, 51, 022602.	1.5	4
148	Rational design of electrochemically active polymorphic MnOx/rGO composites for Li <sup>+</sup> -rechargeable battery electrodes. Ceramics International, 2019, 45, 9522-9528.	4.8	3
149	Critical Review "A Promising Cs <sub>3</sub> CoCl <sub>5</sub> Prototype Phosphor toward the Discovery of Next-Generation LED Phosphor. ECS Journal of Solid State Science and Technology, 2020, 9, 016016.	1.8	3
150	Plasma-resistant characteristics according to sintering conditions of CaO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass coating layer. Journal of the Korean Ceramic Society, 2022, 59, 86-93.	2.3	3
151	Rare earth dependent formation of PbF <sub>2</sub> nanocrystals and its effect on the emission properties in oxyfluoride glasses. Metals and Materials International, 2013, 19, 347-352.	3.4	2
152	Enhanced Optical Properties of Bridgite Structure Ca <sub>13.7</sub> Eu <sub>0.3</sub> Mg <sub>2</sub> [SiO <sub>4</sub> ] <sub>8</sub> Phosphor: Effective Eu Reduction by La Co-Doping. Journal of the American Ceramic Society, 2016, 99, 557-563.	3.8	2
153	Phase formation and luminescence properties of ternary solid-solution among tetragonal systems. Journal of Alloys and Compounds, 2019, 798, 635-643.	5.5	2
154	Structural and Optical Properties of Yellow-Emitting CaGd <sub>2</sub> ZrSc(AlO <sub>4</sub> ) <sub>3</sub> :Ce <sup>3+</sup> Phosphor for Solid-State Lighting. Journal of the Korean Ceramic Society, 2017, 54, 422-428.	2.3	2
155	Preparation of Electrospun Pyrochlore-Structure KGdTa <sub>2</sub> O <sub>7</sub> :Eu <sup>3+</sup> Phosphor: The Optical and Structural Properties for White Light Emitting Diode Applications. Journal of Nanoscience and Nanotechnology, 2013, 13, 7850-7854.	0.9	1
156	Narsarsukite-structure fluorosilicate as a blue component for white LEDs: structural and optical properties. Optics Letters, 2014, 39, 4887.	3.3	1
157	Control of the plasmon resonance from poly-dispersed silver nanoparticles. Japanese Journal of Applied Physics, 2015, 54, 02BD02.	1.5	1
158	Ant-Cave-Structured Nanopore-Embedded CoMn <sub>2</sub> O <sub>4</sub> Microspheres with Stable Electrochemical Reaction for Li-Air Battery. Journal of the Electrochemical Society, 2020, 167, 080537.	2.9	1
159	Film formation of CdSe quantum dot embedded phosphate glass on an FTO glass substrate. Electronic Materials Letters, 2015, 11, 670-674.	2.2	0
160	Back Cover Image, Volume 3, Number 3, July 2021. , 2021, 3, ii.		0