

Maciej L Goniewicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/836603/publications.pdf>

Version: 2024-02-01

211
papers

12,945
citations

41627

51
h-index

31191

106
g-index

214
all docs

214
docs citations

214
times ranked

8468
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing use of inhalable nicotine products within complex markets: the dilemma of heated tobacco products. <i>Tobacco Control</i> , 2024, 33, 103-109.	1.8	5
2	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2023, 32, 51-59.	1.8	5
3	Trends in e-cigarette brands, devices and the nicotine profile of products used by youth in England, Canada and the USA: 2017â€“2019. <i>Tobacco Control</i> , 2023, 32, 19-29.	1.8	30
4	Indicators of dependence and efforts to quit vaping and smoking among youth in Canada, England and the USA. <i>Tobacco Control</i> , 2022, 31, e25-e34.	1.8	19
5	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2022, 31, e66-e73.	1.8	8
6	Urinary Nicotine Metabolites and Self-Reported Tobacco Use Among Adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013â€“2014. <i>Nicotine and Tobacco Research</i> , 2022, 24, 768-777.	1.4	10
7	Serum Concentrations of Cotinine and <i>Trans</i> -3-â€²-Hydroxycotinine in US Adults: Results From Wave 1 (2013â€“2014) of the Population Assessment of Tobacco and Health Study. <i>Nicotine and Tobacco Research</i> , 2022, 24, 736-744.	1.4	6
8	Changes in Biomarkers of Tobacco Exposure among Cigarette Smokers Transitioning to ENDS Use: The Population Assessment of Tobacco and Health Study, 2013â€“2015. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1462.	1.2	15
9	Use of Inhaled Nicotine and Cannabis Products among Adults Who Vape Both Substances. <i>Substance Use and Misuse</i> , 2022, 57, 432-441.	0.7	6
10	Cardiovascular Outcomes among Combustible-Tobacco and Electronic Nicotine Delivery System (ENDS) Users in Waves 1 through 5 of the Population Assessment of Tobacco and Health (PATH) Study, 2013â€“2019. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4137.	1.2	4
11	Tobacco Product Use and Functionally Important Respiratory Symptoms Among US Adolescents/Young Adults. <i>Academic Pediatrics</i> , 2022, 22, 1006-1016.	1.0	8
12	Evolution of tobacco products: recent history and future directions. <i>Tobacco Control</i> , 2022, 31, 175-182.	1.8	29
13	Tobacco Use and Respiratory Symptoms Among Adults: Findings From the Longitudinal Population Assessment of Tobacco and Health (PATH) Study 2014â€“2016. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1607-1618.	1.4	13
14	Oral Nicotine Product Awareness and Use Among People Who Smoke and Vape in the U.S.. <i>American Journal of Preventive Medicine</i> , 2022, 63, 611-618.	1.6	8
15	Instruments to measure e-cigarette related constructs: a systematic review. <i>BMC Public Health</i> , 2022, 22, .	1.2	1
16	Correlates of tobacco product initiation among youth and young adults between waves 1â€“4 of the population assessment of tobacco and Health (PATH) study (2013â€“2018). <i>Addictive Behaviors</i> , 2022, 134, 107396.	1.7	3
17	Transcriptomic Evidence That Switching from Tobacco to Electronic Cigarettes Does Not Reverse Damage to the Respiratory Epithelium. <i>Toxics</i> , 2022, 10, 370.	1.6	7
18	Modes of Delivery in Concurrent Nicotine and Cannabis use (â€œCo-Useâ€œ) among Youth: Findings from the International Tobacco Control (ITC) Survey. <i>Substance Abuse</i> , 2021, 42, 339-347.	1.1	24

#	ARTICLE	IF	CITATIONS
19	Tobacco-Specific Nitrosamines (NNAL, NNN, NAT, and NAB) Exposures in the US Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013–2014). <i>Nicotine and Tobacco Research</i> , 2021, 23, 573-583.	1.4	30
20	Adults'™ E-Cigarette Flavor Use and Cigarette Quit Attempts: Population Assessment of Tobacco and Health Study Findings. <i>American Journal of Preventive Medicine</i> , 2021, 60, 300-302.	1.6	7
21	Acute Effects of Heated Tobacco Product (IQOS) Aerosol Inhalation on Lung Tissue Damage and Inflammatory Changes in the Lungs. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1160-1167.	1.4	19
22	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 678-686.	1.4	15
23	Smokers'™ Exposure to Perceived Modified Risk Claims for E-Cigarettes, Snus, and Smokeless Tobacco in the United States. <i>Nicotine and Tobacco Research</i> , 2021, 23, 605-608.	1.4	8
24	Background and Description of E-Cigarette Products and Solutions. , 2021, , 37-51.		1
25	E-Cigarettes and Cardiopulmonary Health. <i>Function</i> , 2021, 2, zqab004.	1.1	36
26	Exposure to Nicotine and Toxicants Among Dual Users of Tobacco Cigarettes and E-Cigarettes: Population Assessment of Tobacco and Health (PATH) Study, 2013–2014. <i>Nicotine and Tobacco Research</i> , 2021, 23, 790-797.	1.4	15
27	How Does the Use of Flavored Nicotine Vaping Products Relate to Progression Toward Quitting Smoking? Findings From the 2016 and 2018 ITC 4CV Surveys. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1490-1497.	1.4	17
28	Perspectives on Epigenetics Alterations Associated with Smoking and Vaping. <i>Function</i> , 2021, 2, zqab022.	1.1	8
29	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1611-1616.	1.4	23
30	Cross-Sectional Associations of Smoking and E-cigarette Use with Self-Reported Diagnosed Hypertension: Findings from Wave 3 of the Population Assessment of Tobacco and Health Study. <i>Toxics</i> , 2021, 9, 52.	1.6	19
31	Biomarkers of Toxicant Exposure and Inflammation Among Women of Reproductive Age Who Use Electronic or Conventional Cigarettes. <i>Journal of Women's Health</i> , 2021, 30, 539-550.	1.5	4
32	E-Cigarette Flavors and Frequency of E-Cigarette Use among Adult Dual Users Who Attempt to Quit Cigarette Smoking in the United States: Longitudinal Findings from the PATH Study 2015/16–2016/17. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4373.	1.2	7
33	Urinary Cotinine and Cotinine + Trans-3-Hydroxycotinine (TNE-2) Cut-points for Distinguishing Tobacco Use from Nonuse in the United States: PATH Study (2013–2014). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1175-1184.	1.1	13
34	Harmonization of acronyms for volatile organic compound metabolites using a standardized naming system. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 235, 113749.	2.1	11
35	Cardiovascular Risk Factor and Disease Measures from the Population Assessment of Tobacco and Health (PATH) Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7692.	1.2	9
36	Biomarkers of Inflammation and Oxidative Stress among Adult Former Smoker, Current E-Cigarette Users—Results from Wave 1 PATH Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1947-1955.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Don't Know Responses for Nicotine Vaping Product Features among Adult Vapers: Findings from the 2018 and 2020 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7928.	1.2	2
38	Reasons for individual and concurrent use of vaped nicotine and cannabis: their similarities, differences, and association with product use. <i>Journal of Cannabis Research</i> , 2021, 3, 39.	1.5	9
39	Validation of an Index for Functionally Important Respiratory Symptoms among Adults in the Nationally Representative Population Assessment of Tobacco and Health Study, 2014–2016. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9688.	1.2	6
40	Changes in cannabis, tobacco, and alcohol use among sexually active female adolescents and young adults over a twelve-year period ending in 2019. <i>Addictive Behaviors</i> , 2021, 121, 106994.	1.7	1
41	The Time Course of Compensatory Puffing With an Electronic Cigarette: Secondary Analysis of Real-World Puffing Data With High and Low Nicotine Concentration Under Fixed and Adjustable Power Settings. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1153-1159.	1.4	9
42	Association between Friends' Use of Nicotine and Cannabis and Intake of both Substances among Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 695.	1.2	5
43	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, , .	1.4	9
44	New Analytical Method for Quantifying Flavoring Chemicals of Potential Respiratory Health Risk Concerns in e-Cigarette Liquids. <i>Frontiers in Chemistry</i> , 2021, 9, 763940.	1.8	6
45	Changes in e-cigarette and cigarette use during pregnancy and their association with small-for-gestational-age birth. <i>American Journal of Obstetrics and Gynecology</i> , 2021, , .	0.7	8
46	Association of smoking and electronic cigarette use with wheezing and related respiratory symptoms in adults: cross-sectional results from the Population Assessment of Tobacco and Health (PATH) study, wave 2. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054694.	1.8	91
47	Altria-Juul Labs deal: why did it occur and what does it mean for the US nicotine delivery product market. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2019-055081.	1.8	17
48	Use of JUUL E-cigarettes Among Youth in the United States. <i>Nicotine and Tobacco Research</i> , 2020, 22, 827-832.	1.4	92
49	Nicotine and Toxicant Exposure Among Concurrent Users (Co-Users) of Tobacco and Cannabis. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1354-1363.	1.4	41
50	Cost-effectiveness of e-cigarettes compared with nicotine replacement therapy in stop smoking services in England (TEC study): a randomized controlled trial. <i>Addiction</i> , 2020, 115, 507-517.	1.7	35
51	A Randomized Clinical Trial Examining the Effects of Instructions for Electronic Cigarette Use on Smoking-Related Behaviors and Biomarkers of Exposure. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1524-1532.	1.4	44
52	Effect of e-cigarette flavors on nicotine delivery and puffing topography: results from a randomized clinical trial of daily smokers. <i>Psychopharmacology</i> , 2020, 237, 491-502.	1.5	37
53	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2020, , tobaccocontrol-2020-055985.	1.8	21
54	How effective are electronic cigarettes for reducing respiratory and cardiovascular risk in smokers? A systematic review. <i>Harm Reduction Journal</i> , 2020, 17, 91.	1.3	32

#	ARTICLE	IF	CITATIONS
55	Reasons for Regularly Using Heated Tobacco Products among Adult Current and Former Smokers in Japan: Finding from 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8030.	1.2	30
56	Urinary Biomarkers of Exposure to Volatile Organic Compounds from the Population Assessment of Tobacco and Health Study Wave 1 (2013–2014). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5408.	1.2	29
57	Correlation between biomarkers of exposure, effect and potential harm in the urine of electronic cigarette users. <i>BMJ Open Respiratory Research</i> , 2020, 7, e000452.	1.2	32
58	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. <i>PLoS ONE</i> , 2020, 15, e0237938.	1.1	48
59	Emerging Chemicals of Health Concern in Electronic Nicotine Delivery Systems. <i>Chemical Research in Toxicology</i> , 2020, 33, 2637-2646.	1.7	10
60	Smokers™ and Young Adult Non-Smokers™ Perceptions and Perceived Impact of Snus and E-Cigarette Modified Risk Messages. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6807.	1.2	19
61	Biomarkers of Exposure among USA Adult Hookah Users: Results from Wave 1 of the Population Assessment of Tobacco and Health (PATH) Study (2013–2014). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6403.	1.2	7
62	4219 Discrepancies in flavor preferences among adult ever users of various tobacco products in the US – Findings from The Population Assessment of Tobacco and Health Study (2015-2016). <i>Journal of Clinical and Translational Science</i> , 2020, 4, 47-48.	0.3	0
63	4179 Use of tobacco products and their association with wheezing among adult current tobacco users in the US – Findings from The Population Assessment of Tobacco and Health Study (2015-2016). <i>Journal of Clinical and Translational Science</i> , 2020, 4, 52-52.	0.3	0
64	Evaluating the Impact of Nicotine Regulatory Policies in a Rapidly Changing Market: Findings From the ITC Project in the United States, Canada, United Kingdom, and Australia. <i>JCO Global Oncology</i> , 2020, 6, 22-22.	0.8	0
65	Differences in Exposure to Nicotine, Tobacco-Specific Nitrosamines, and Volatile Organic Compounds among Electronic Cigarette Users, Tobacco Smokers, and Dual Users from Three Countries. <i>Toxics</i> , 2020, 8, 88.	1.6	16
66	Acute Effect of Electronic Cigarette-Generated Aerosol From Flavored CBD-Containing Refill Solutions on Human Bronchial Epithelial Cells. <i>Frontiers in Physiology</i> , 2020, 11, 592321.	1.3	6
67	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7084.	1.2	8
68	The role of subjective responses in electronic cigarette uptake and substitution in adult smokers. <i>Drug and Alcohol Dependence</i> , 2020, 212, 107999.	1.6	6
69	The Association of E-cigarette Flavors With Satisfaction, Enjoyment, and Trying to Quit or Stay Abstinent From Smoking Among Regular Adult Vapers From Canada and the United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1831-1841.	1.4	42
70	Effect of aerosolized nicotine on human bronchial epithelial cells is amplified after co-administration with cannabidiol (CBD): a pilot in vitro study. <i>BMC Pharmacology & Toxicology</i> , 2020, 21, 42.	1.0	10
71	E-Cigarette or Vaping Product Use–associated Lung Injury: Developing a Research Agenda. An NIH Workshop Report. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 795-802.	2.5	42
72	Use of Electronic Cigarettes in Smoke-Free Spaces by Smokers: Results from the 2014–2015 Population Assessment on Tobacco and Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 978.	1.2	7

#	ARTICLE	IF	CITATIONS
73	An Animal Model of Inhaled Vitamin E Acetate and EVALI-like Lung Injury. <i>New England Journal of Medicine</i> , 2020, 382, 1175-1177.	13.9	126
74	Biomarkers of Exposure among Adult Smokeless Tobacco Users in the Population Assessment of Tobacco and Health Study (Wave 1, 2013-2014). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 659-667.	1.1	18
75	Changes in Nicotine Product Use among Dual Users of Tobacco and Electronic Cigarettes: Findings from the Population Assessment of Tobacco and Health (PATH) Study, 2013-2015. <i>Substance Use and Misuse</i> , 2020, 55, 909-913.	0.7	20
76	Comparison of the Relative Abuse Liability of Electronic Cigarette Aerosol Extracts and Nicotine Alone in Adolescent Rats: A Behavioral Economic Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 860.	1.2	1
77	Association between Urinary Metabolite Levels of Organophosphorus Flame Retardants and Serum Sex Hormone Levels Measured in a Reference Sample of the US General Population. <i>Exposure and Health</i> , 2020, 12, 905-916.	2.8	7
78	Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2394.	1.2	35
79	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>International Journal of Drug Policy</i> , 2020, 79, 102754.	1.6	31
80	Daily exposure to formaldehyde and acetaldehyde and potential health risk associated with use of high and low nicotine e-liquid concentrations. <i>Scientific Reports</i> , 2020, 10, 6546.	1.6	11
81	Concurrent Daily and Non-Daily Use of Heated Tobacco Products with Combustible Cigarettes: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2098.	1.2	32
82	The role of policy in the EVALI outbreak: solution or contributor?. <i>Lancet Respiratory Medicine</i> , 2020, 8, 343-344.	5.2	9
83	Cross-Sectional Association Between Exclusive and Concurrent Use of Cigarettes, ENDS, and Cigars, the Three Most Popular Tobacco Products, and Wheezing Symptoms Among U.S. Adults. <i>Nicotine and Tobacco Research</i> , 2020, 22, S76-S84.	1.4	12
84	E-cigarette or vaping product use-associated lung injury and state-level cannabis policies. <i>Journal of Cannabis Research</i> , 2020, 2, 45.	1.5	4
85	Electronic cigarette use and subjective cognitive complaints in adults. <i>PLoS ONE</i> , 2020, 15, e0241599.	1.1	18
86	Perceived relative harm of heated tobacco products (IQOS), e-cigarettes, and cigarettes among adults in Canada: Findings from the ITC Project. <i>Tobacco Induced Diseases</i> , 2020, 18, 1-5.	0.3	16
87	Association of flavored electronic nicotine delivery system (ENDS) use with self-reported chronic obstructive pulmonary disease (COPD): Results from the Population Assessment of Tobacco and Health (PATH) study, Wave 4. <i>Tobacco Induced Diseases</i> , 2020, 18, 1-9.	0.3	7
88	Association of Electronic Nicotine Delivery System Use With Cigarette Smoking Progression or Reduction Among Young Adults. <i>JAMA Network Open</i> , 2020, 3, e2015893.	2.8	5
89	Flavor Inconsistencies between Flavored Tobacco Products among US Adults. <i>American Journal of Health Behavior</i> , 2020, 44, 617-630.	0.6	0
90	Flavor Inconsistencies between Flavored Tobacco Products among US Adults. <i>American Journal of Health Behavior</i> , 2020, 44, 617-630.	0.6	4

#	ARTICLE	IF	CITATIONS
91	Vaping-induced severe respiratory disease outbreak: what went wrong?. <i>Lancet Respiratory Medicine</i> , 2019, 7, 1014-1015.	5.2	9
92	Use of Flavored E-Cigarettes and the Type of E-Cigarette Devices Used among Adults and Youth in the US—Results from Wave 3 of the Population Assessment of Tobacco and Health Study (2015–2016). <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2991.	1.2	75
93	Concurrent Quantification of Emerging Chemicals of Health Concern in e-Cigarette Liquids by High-Performance Liquid Chromatography–Tandem Mass Spectrometry. <i>ACS Omega</i> , 2019, 4, 15364-15372.	1.6	10
94	What is the nicotine delivery profile of electronic cigarettes?. <i>Expert Opinion on Drug Delivery</i> , 2019, 16, 1193-1203.	2.4	98
95	In Vitro Consequences of Electronic-Cigarette Flavoring Exposure on the Immature Lung. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3635.	1.2	15
96	Non-nicotine constituents in e-cigarette aerosol extract attenuate nicotine's aversive effects in adolescent rats. <i>Drug and Alcohol Dependence</i> , 2019, 203, 51-60.	1.6	9
97	The impact of vaping and regulatory environment on cigarette demand: behavioral economic perspective across four countries. <i>Addiction</i> , 2019, 114, 123-133.	1.7	11
98	A Randomized Trial of E-Cigarettes versus Nicotine-Replacement Therapy. <i>New England Journal of Medicine</i> , 2019, 380, 629-637.	13.9	1,050
99	Longitudinal e-Cigarette and Cigarette Use Among US Youth in the PATH Study (2013–2015). <i>Journal of the National Cancer Institute</i> , 2019, 111, 1088-1096.	3.0	40
100	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (so-called "dual use"): findings from the ITC Country Smoking and Vaping wave 1 Survey. <i>Addiction</i> , 2019, 114, 24-34.	1.7	57
101	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 15-23.	1.7	27
102	Urinary concentrations of monohydroxylated polycyclic aromatic hydrocarbons in adults from the U.S. Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013–2014). <i>Environment International</i> , 2019, 123, 201-208.	4.8	38
103	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. <i>BMJ: British Medical Journal</i> , 2019, 365, l2219.	2.4	217
104	Evidence of Nicotine Dependence in Adolescents Who Use Juul and Similar Pod Devices. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2135.	1.2	63
105	Physical activity among adolescent tobacco and electronic cigarette users: Cross-sectional findings from the Population Assessment of Tobacco and Health study. <i>Preventive Medicine Reports</i> , 2019, 15, 100897.	0.8	10
106	An Economic Analysis of the Pre-Deeming US Market for Nicotine Vaping Products. <i>Tobacco Regulatory Science (discontinued)</i> , 2019, 5, 169-181.	0.2	24
107	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	1.2	9
108	Self-Reported Use of Tobacco, E-cigarettes, and Marijuana Versus Urinary Biomarkers. <i>Pediatrics</i> , 2019, 143, e20183531.	1.0	61

#	ARTICLE	IF	CITATIONS
109	Identification of flavouring chemicals and potential toxicants in e-cigarette products in Ontario, Canada. <i>Canadian Journal of Public Health</i> , 2019, 110, 542-550.	1.1	26
110	Randomized within-subject trial to evaluate smokers' initial perceptions, subjective effects and nicotine delivery across six vaporized nicotine products. <i>Addiction</i> , 2019, 114, 1236-1248.	1.7	26
111	Biomarkers of Exposure Among U.S. Adult Cigar Smokers: Population Assessment of Tobacco and Health (PATH) Study Wave 1 (2013-2014). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, cebp.0539.2018.	1.1	30
112	Use of Heated Tobacco Products within Indoor Spaces: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4862.	1.2	13
113	Prevalence, Use Behaviors, and Preferences among Users of Heated Tobacco Products: Findings from the 2018 ITC Japan Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4630.	1.2	51
114	Are E-Cigarette Flavors Associated with Exposure to Nicotine and Toxicants? Findings from Wave 2 of the Population Assessment of Tobacco and Health (PATH) Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5055.	1.2	6
115	Letter in Reply: Promoting Accurate Public Health Messages About Electronic Cigarettes: E-Cigs Contain Carcinogens. <i>Journal of the American Academy of Dermatology</i> , 2019, , .	0.6	1
116	Biomarkers of Exposure Among "Dual Users" of Tobacco Cigarettes and Electronic Cigarettes in Canada. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1259-1266.	1.4	43
117	High exposure to nicotine among adolescents who use Juul and other vape pod systems ("pods"). <i>Tobacco Control</i> , 2019, 28, 676-677.	1.8	194
118	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 71-85.	1.7	17
119	An exploration into "do-it-yourself" (DIY) e-liquid mixing: Users' motivations, practices and product laboratory analysis. <i>Addictive Behaviors Reports</i> , 2019, 9, 100151.	1.0	27
120	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. <i>Tobacco Control</i> , 2019, 28, 629-635.	1.8	155
121	Associations of risk factors of e-cigarette and cigarette use and susceptibility to use among baseline PATH study youth participants (2013-2014). <i>Addictive Behaviors</i> , 2019, 91, 51-60.	1.7	37
122	Exclusive versus dual use of tobacco and electronic cigarettes among adolescents in Poland, 2010-2016. <i>Addictive Behaviors</i> , 2019, 90, 341-348.	1.7	25
123	Are Some E-Cigarette Users "Blowing Smoke"? Assessing the Accuracy of Self-Reported Smoking Abstinence in Exclusive E-Cigarette Users. <i>Nicotine and Tobacco Research</i> , 2019, 21, 699-700.	1.4	16
124	Secondhand marijuana smoke (SHMS): Exposure occurrence, biological analysis and potential health effects. <i>Advances in Molecular Toxicology</i> , 2019, , 1-30.	0.4	2
125	E-cigarettes compared with nicotine replacement therapy within the UK Stop Smoking Services: the TEC RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-82.	1.3	43
126	Consortium on Methods Evaluating Tobacco: Research Tools to Inform US Food and Drug Administration Regulation of Snus. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1292-1300.	1.4	9

#	ARTICLE	IF	CITATIONS
127	Slower nicotine metabolism among postmenopausal Polish smokers. <i>Pharmacological Reports</i> , 2018, 70, 434-438.	1.5	7
128	Transitions in electronic cigarette use among adults in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1 and 2 (2013â€“2015). <i>Tobacco Control</i> , 2018, 28, tobaccocontrol-2017-054174.	1.8	105
129	Nicotine emissions from electronic cigarettes: Individual and interactive effects of propylene glycol to vegetable glycerin composition and device power output. <i>Food and Chemical Toxicology</i> , 2018, 115, 302-305.	1.8	36
130	Potential deaths averted in USA by replacing cigarettes with e-cigarettes. <i>Tobacco Control</i> , 2018, 27, 18-25.	1.8	167
131	Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013â€“2014 and 2014â€“2015: Findings from the PATH Study Wave 1 and Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2556.	1.2	15
132	Transitions in Tobacco Product Use by U.S. Adults between 2013â€“2014 and 2014â€“2015: Findings from the PATH Study Wave 1 and Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2515.	1.2	26
133	Comparison of Nicotine and Toxicant Exposure in Users of Electronic Cigarettes and Combustible Cigarettes. <i>JAMA Network Open</i> , 2018, 1, e185937.	2.8	361
134	Tobacco-specific nitrosamines (TSNA) in heated tobacco product IQOS. <i>Tobacco Control</i> , 2018, 27, s37-s38.	1.8	62
135	Use of flavored electronic cigarette refill liquids among adults and youth in the USâ€“Results from Wave 2 of the Population Assessment of Tobacco and Health Study (2014â€“2015). <i>PLoS ONE</i> , 2018, 13, e0202744.	1.1	51
136	Youth Access to Electronic Cigarettes in an Unrestricted Market: A Cross-Sectional Study from Poland. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1465.	1.2	4
137	Cytotoxic effects of heated tobacco products (HTP) on human bronchial epithelial cells. <i>Tobacco Control</i> , 2018, 27, s26-s29.	1.8	89
138	E-cigarette nicotine content and labelling practices in a restricted market: Findings from Ontario, Canada. <i>International Journal of Drug Policy</i> , 2018, 58, 9-12.	1.6	15
139	How close are we to definitively identifying the respiratory health effects of e-cigarettes?. <i>Expert Review of Respiratory Medicine</i> , 2018, 12, 549-556.	1.0	36
140	Brief Report: Lead Levels in Selected Electronic Cigarettes from Canada and the United States. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 154.	1.2	26
141	Urinary Metabolite Levels of Flame Retardants in Electronic Cigarette Users: A Study Using the Data from NHANES 2013â€“2014. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 201.	1.2	15
142	â€“Realâ€“worldâ€“™ compensatory behaviour with low nicotine concentration eâ€“liquid: subjective effects and nicotine, acrolein and formaldehyde exposure. <i>Addiction</i> , 2018, 113, 1874-1882.	1.7	77
143	Circadian Puffing Behavior and Topography among E-cigarette Users. <i>Tobacco Regulatory Science (discontinued)</i> , 2018, 4, 41-49.	0.2	29
144	Tobacco use and chemosensory impairments among current adult tobacco users in the US: Data from NHANES 2013â€“2014. <i>Tobacco Induced Diseases</i> , 2018, 16, 43.	0.3	6

#	ARTICLE	IF	CITATIONS
145	Comparing particulate emissions between electronic nicotine delivery devices: context for smoke-free indoor air quality. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.3	0
146	Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. <i>New England Journal of Medicine</i> , 2017, 376, 342-353.	13.9	545
147	Nicotine, Carcinogen, and Toxin Exposure in Long-Term E-Cigarette and Nicotine Replacement Therapy Users. <i>Annals of Internal Medicine</i> , 2017, 166, 390.	2.0	401
148	Electronic cigarette use among US adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013â€“2014. <i>Tobacco Control</i> , 2017, 26, e117-e126.	1.8	161
149	Labeling Information on Electronic Nicotine Delivery Systems. <i>Tobacco Regulatory Science (discontinued)</i> , 2017, 3, 3-9.	0.2	3
150	E-Cigarettes and Toxin Exposure. <i>Annals of Internal Medicine</i> , 2017, 167, 525.	2.0	8
151	A Naturalistic, Randomized Pilot Trial of E-Cigarettes: Uptake, Exposure, and Behavioral Effects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1795-1803.	1.1	56
152	Indicators of dependence for different types of tobacco product users: Descriptive findings from Wave 1 (2013â€“2014) of the Population Assessment of Tobacco and Health (PATH) study. <i>Drug and Alcohol Dependence</i> , 2017, 178, 257-266.	1.6	118
153	Exposure to Nicotine and Selected Toxicants in Cigarette Smokers Who Switched to Electronic Cigarettes: A Longitudinal Within-Subjects Observational Study. <i>Nicotine and Tobacco Research</i> , 2017, 19, 160-167.	1.4	234
154	Factors Associated With Quitting Among Smoking Pregnant Women From Small Town and Rural Areas in Poland. <i>Nicotine and Tobacco Research</i> , 2017, 19, 647-651.	1.4	5
155	Smokersâ€™ and E-Cigarette Usersâ€™ Perceptions about E-Cigarette Warning Statements. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 655.	1.2	40
156	Flavourings significantly affect inhalation toxicity of aerosol generated from electronic nicotine delivery systems (ENDS). <i>Tobacco Control</i> , 2016, 25, ii81-ii87.	1.8	205
157	Consumer preferences for electronic cigarettes: results from a discrete choice experiment. <i>Tobacco Control</i> , 2016, 25, e30-e36.	1.8	72
158	Cessation of alcohol consumption decreases rate of nicotine metabolism in male alcohol-dependent smokers. <i>Drug and Alcohol Dependence</i> , 2016, 163, 157-164.	1.6	24
159	Assessing 30-day quantity-frequency of U.S. adolescent cigarette smoking as a predictor of adult smoking 14 years later. <i>Drug and Alcohol Dependence</i> , 2016, 162, 92-98.	1.6	43
160	E-cigarette puffing patterns associated with high and low nicotine e-liquid strength: effects on toxicant and carcinogen exposure. <i>BMC Public Health</i> , 2016, 16, 999.	1.2	20
161	Smoking among pregnant women in small towns in Poland. <i>International Journal of Public Health</i> , 2016, 61, 111-118.	1.0	13
162	Dual use of electronic and tobacco cigarettes among adolescents: a cross-sectional study in Poland. <i>International Journal of Public Health</i> , 2016, 61, 189-197.	1.0	50

#	ARTICLE	IF	CITATIONS
163	Cherry-flavoured electronic cigarettes expose users to the inhalation irritant, benzaldehyde. <i>Thorax</i> , 2016, 71, 376-377.	2.7	151
164	Enjoyment and other reasons for electronic cigarette use: Results from college students in New York. <i>Addictive Behaviors</i> , 2016, 54, 33-39.	1.7	78
165	Associations between perceptions of e-cigarette advertising and interest in product trial amongst US adult smokers and non-smokers: results from an internet-based pilot survey. <i>Tobacco Induced Diseases</i> , 2015, 13, 14.	0.3	24
166	Variations in Label Information and Nicotine Levels in Electronic Cigarette Refill Liquids in South Korea: Regulation Challenges. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 4859-4868.	1.2	37
167	Electronic Nicotine Delivery Systems: A Policy Statement from the American Association for Cancer Research and the American Society of Clinical Oncology. <i>Clinical Cancer Research</i> , 2015, 21, 514-525.	3.2	66
168	Electronic Nicotine Delivery Systems: A Policy Statement From the American Association for Cancer Research and the American Society of Clinical Oncology. <i>Journal of Clinical Oncology</i> , 2015, 33, 952-963.	0.8	102
169	A pilot study on nicotine residues in houses of electronic cigarette users, tobacco smokers, and non-users of nicotine-containing products. <i>International Journal of Drug Policy</i> , 2015, 26, 609-611.	1.6	48
170	Nicotine Intake From Electronic Cigarettes on Initial Use and After 4 Weeks of Regular Use. <i>Nicotine and Tobacco Research</i> , 2015, 17, 175-179.	1.4	87
171	Changes in puffing behavior among smokers who switched from tobacco to electronic cigarettes. <i>Addictive Behaviors</i> , 2015, 48, 1-4.	1.7	66
172	Risky behaviors, e-cigarette use and susceptibility of use among college students. <i>Drug and Alcohol Dependence</i> , 2015, 149, 25-30.	1.6	147
173	Nicotine levels in electronic cigarette refill solutions: A comparative analysis of products from the US, Korea, and Poland. <i>International Journal of Drug Policy</i> , 2015, 26, 583-588.	1.6	119
174	Electronic Cigarettes Are a Source of Thirdhand Exposure to Nicotine. <i>Nicotine and Tobacco Research</i> , 2015, 17, 256-258.	1.4	95
175	Effects of Switching to Electronic Cigarettes with and without Concurrent Smoking on Exposure to Nicotine, Carbon Monoxide, and Acrolein. <i>Cancer Prevention Research</i> , 2015, 8, 873-878.	0.7	145
176	E-Cigarette use among children and young people: the need for regulation. <i>Expert Review of Respiratory Medicine</i> , 2015, 9, 507-509.	1.0	30
177	Comparison of the characteristics of long-term users of electronic cigarettes versus nicotine replacement therapy: A cross-sectional survey of English ex-smokers and current smokers. <i>Drug and Alcohol Dependence</i> , 2015, 153, 300-305.	1.6	25
178	Different profiles of carcinogen exposure in Chinese compared with US cigarette smokers. <i>Tobacco Control</i> , 2015, 24, e258-e263.	1.8	9
179	NIH Electronic Cigarette Workshop: Developing a Research Agenda. <i>Nicotine and Tobacco Research</i> , 2015, 17, 259-269.	1.4	88
180	Initial puffing behaviors and subjective responses differ between an electronic nicotine delivery system and traditional cigarettes. <i>Tobacco Induced Diseases</i> , 2014, 12, 17.	0.3	59

#	ARTICLE	IF	CITATIONS
181	Cigarette Smokers'™ Use of Unconventional Tobacco Products and Associations With Quitting Activity: Findings From the ITC-4 U.S. Cohort. <i>Nicotine and Tobacco Research</i> , 2014, 16, 672-681.	1.4	49
182	The impact of the 2010 Polish smoke-free legislation on the popularity and sales of electronic cigarettes. <i>European Journal of Public Health</i> , 2014, 24, 471-473.	0.1	5
183	Electronic cigarettes are at least as effective as nicotine patches for smoking cessation. <i>Evidence-Based Medicine</i> , 2014, 19, 133-133.	0.6	5
184	Carbonyl Compounds in Electronic Cigarette Vapors: Effects of Nicotine Solvent and Battery Output Voltage. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1319-1326.	1.4	594
185	Nicotine content of electronic cigarettes, its release in vapour and its consistency across batches: regulatory implications. <i>Addiction</i> , 2014, 109, 500-507.	1.7	187
186	Levels of selected carcinogens and toxicants in vapour from electronic cigarettes. <i>Tobacco Control</i> , 2014, 23, 133-139.	1.8	1,324
187	Secondhand Exposure to Vapors From Electronic Cigarettes. <i>Nicotine and Tobacco Research</i> , 2014, 16, 655-662.	1.4	309
188	Rise in Electronic Cigarette Use Among Adolescents in Poland. <i>Journal of Adolescent Health</i> , 2014, 55, 713-715.	1.2	129
189	E-cigarettes: online survey of UK smoking cessation practitioners. <i>Tobacco Induced Diseases</i> , 2014, 12, 13.	0.3	33
190	Tobacco Smoking Decreases Plasma Concentration of the Emerging Cardiovascular Risk Marker, L-homoarginine. <i>Circulation Journal</i> , 2014, 78, 1254-1258.	0.7	23
191	Do Homoarginine and Asymmetric Dimethylarginine Act Antagonistically in the Cardiovascular System?. <i>Circulation Journal</i> , 2014, 78, 2096.	0.7	1
192	The Regulatory Challenge of Electronic Cigarettes. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 685.	3.8	150
193	Nicotine Levels in Electronic Cigarettes. <i>Nicotine and Tobacco Research</i> , 2013, 15, 158-166.	1.4	435
194	Patterns of electronic cigarette use and user beliefs about their safety and benefits: An internet survey. <i>Drug and Alcohol Review</i> , 2013, 32, 133-140.	1.1	258
195	Nicotine vaccines to treat tobacco dependence. <i>Human Vaccines and Immunotherapeutics</i> , 2013, 9, 13-25.	1.4	32
196	Nicotelline: A Proposed Biomarker and Environmental Tracer for Particulate Matter Derived from Tobacco Smoke. <i>Chemical Research in Toxicology</i> , 2013, 26, 1615-1631.	1.7	37
197	Electronic Cigarette Use Among Teenagers and Young Adults in Poland. <i>Pediatrics</i> , 2012, 130, e879-e885.	1.0	166
198	Exposure and Kinetics of Polycyclic Aromatic Hydrocarbons (PAHs) in Cigarette Smokers. <i>Chemical Research in Toxicology</i> , 2012, 25, 952-964.	1.7	102

#	ARTICLE	IF	CITATIONS
199	Comparison of Urine Cotinine and the Tobacco-Specific Nitrosamine Metabolite 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanol (NNAL) and Their Ratio to Discriminate Active From Passive Smoking. <i>Nicotine and Tobacco Research</i> , 2011, 13, 202-208.	1.4	129
200	Biomarkers increase detection of active smoking and secondhand smoke exposure in critically ill patients*. <i>Critical Care Medicine</i> , 2011, 39, 40-45.	0.4	60
201	The Role of Pharmacists in Smoking Cessation in Poland. <i>Evaluation and the Health Professions</i> , 2010, 33, 81-95.	0.9	13
202	Urine Cotinine Underestimates Exposure to the Tobacco-Derived Lung Carcinogen 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanone in Passive Compared with Active Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2795-2800.	1.1	37
203	Chinese 'low-tar' cigarettes do not deliver lower levels of nicotine and carcinogens. <i>Tobacco Control</i> , 2010, 19, 374-379.	1.8	16
204	Elimination Kinetics of the Tobacco-Specific Biomarker and Lung Carcinogen 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanol. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3421-3425.	1.1	131
205	Chinese "Herbal" Cigarettes Are as Carcinogenic and Addictive as Regular Cigarettes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3497-3501.	1.1	18
206	Simultaneous determination of nicotine and 3-vinylpyridine in single cigarette tobacco smoke and in indoor air using direct extraction to solid phase. <i>International Journal of Environmental Analytical Chemistry</i> , 2009, 89, 105-117.	1.8	14
207	ADMA and SDMA levels in healthy men exposed to tobacco smoke. <i>Atherosclerosis</i> , 2009, 205, 357-359.	0.4	17
208	Exposure to carbon monoxide in pubs and restaurants in Poland. <i>Toxicology Letters</i> , 2008, 180, S201.	0.4	0
209	Determination of low carboxyhemoglobin blood levels by gas chromatography. <i>Analytica Chimica Acta</i> , 2006, 556, 295-300.	2.6	4
210	The Complex Analytical Method for Assessment of Passive Smokers' Exposure to Carbon Monoxide. <i>Journal of Analytical Toxicology</i> , 2005, 29, 830-834.	1.7	18
211	Exposure of Active and Passive Smokers to Aromatic Amines Present in Tobacco Smoke. <i>Toxicology Mechanisms and Methods</i> , 2005, 15, 235-245.	1.3	9