
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8367627/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Preventing childhood obesity by reducing consumption of carbonated drinks: cluster randomised controlled trial. BMJ: British Medical Journal, 2004, 328, 1237.	2.3	647
2	CD38 expression and immunoglobulin variable region mutations are independent prognostic variables in chronic lymphocytic leukemia, but CD38 expression may vary during the course of the disease. Blood, 2002, 99, 1023-1029.	1.4	555
3	ZAP-70 expression and prognosis in chronic lymphocytic leukaemia. Lancet, The, 2004, 363, 105-111.	13.7	504
4	Multivariate analysis of prognostic factors in CLL: clinical stage, IGVH gene mutational status, and loss or mutation of the p53 gene are independent prognostic factors. Blood, 2002, 100, 1177-1184.	1.4	462
5	Effectiveness of Mindfulness-Based Stress Reduction in Mood, Breast- and Endocrine-Related Quality of Life, and Well-Being in Stage 0 to III Breast Cancer: A Randomized, Controlled Trial. Journal of Clinical Oncology, 2012, 30, 1335-1342.	1.6	304
6	A subset of t(11;14) lymphoma with mantle cell features displays mutated IgVH genes and includes patients with good prognosis, nonnodal disease. Blood, 2003, 101, 4975-4981.	1.4	275
7	Early life risk factors for adult asthma: A birth cohort study of subjects at risk. Journal of Allergy and Clinical Immunology, 2001, 108, 720-725.	2.9	209
8	A randomized controlled trial of the effects of multiâ€sensory stimulation (MSS) for people with dementia. British Journal of Clinical Psychology, 2001, 40, 81-96.	3.5	150
9	Psychological interventions for multiple sclerosis. The Cochrane Library, 2006, , CD004431.	2.8	144
10	Effects of multiâ€sensory stimulation for people with dementia. Journal of Advanced Nursing, 2003, 43, 465-477.	3.3	116
11	Biallelic <i>ATM</i> Inactivation Significantly Reduces Survival in Patients Treated on the United Kingdom Leukemia Research Fund Chronic Lymphocytic Leukemia 4 Trial. Journal of Clinical Oncology, 2012, 30, 4524-4532.	1.6	109
12	Preventing childhood obesity: two year follow-up results from the Christchurch obesity prevention programme in schools (CHOPPS). BMJ: British Medical Journal, 2007, 335, 762.	2.3	107
13	Emotional processing and panic. Behaviour Research and Therapy, 2004, 42, 1271-1287.	3.1	106
14	A pragmatic parallel arm multi-centre randomised controlled trial to assess the effectiveness and cost-effectiveness of a group-based fatigue management programme (FACETS) for people with multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 1092-1099.	1.9	102
15	Myocardial iron loading by magnetic resonance imaging T2* in good prognostic myelodysplastic syndrome patients on longâ€ŧerm blood transfusions. British Journal of Haematology, 2007, 138, 587-593.	2.5	92
16	Poor numeracy skills are associated with glycaemic control in Type 1 diabetes. Diabetic Medicine, 2012, 29, 662-669.	2.3	88
17	Day After the Night Before: Influence of evening alcohol on risk of hypoglycemia in patients with type 1 diabetes. Diabetes Care, 2005, 28, 1801-1802.	8.6	82
18	Cognitive analytic therapy for personality disorder: randomised controlled trial. British Journal of Psychiatry, 2013, 202, 129-134.	2.8	80

#	Article	IF	CITATIONS
19	A randomized clinical trial comparing the efficacy of ibuprofen and paracetamol in the control of orthodontic pain. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 132, 511-517.	1.7	79
20	Septicemia caused by salmonella infection: An overlooked complication of sickle cell disease. Journal of Pediatrics, 1997, 130, 394-399.	1.8	78
21	Breathlessness clinics within specialist palliative care settings can improve the quality of life and functional capacity of patients with lung cancer. Palliative Medicine, 2003, 17, 410-417.	3.1	76
22	Educational portfolios in the assessment of general practice trainers: reliability of assessors. Medical Education, 1999, 33, 515-520.	2.1	75
23	The Emotional Processing Scale: Scale refinement and abridgement (EPS-25). Journal of Psychosomatic Research, 2010, 68, 83-88.	2.6	65
24	Development of an emotional processing scale. Journal of Psychosomatic Research, 2007, 62, 167-178.	2.6	61
25	Influence of alcohol on cognitive performance during mild hypoglycaemia; implications for Type 1 diabetes. Diabetic Medicine, 2004, 21, 230-237.	2.3	53
26	Influence of Caffeine on Heart Rate Variability in Patients With Long-Standing Type 1 Diabetes. Diabetes Care, 2004, 27, 1127-1131.	8.6	51
27	One year follow-up of a pragmatic multi-centre randomised controlled trial of a group-based fatigue management programme (FACETS) for people with multiple sclerosis. BMC Neurology, 2014, 14, 109.	1.8	51
28	Enhancing reliability in portfolio assessment: 'shaping' the portfolio. Medical Teacher, 2001, 23, 351-356.	1.8	50
29	Enhancing reliability in portfolio assessment: discussions between assessors. Medical Teacher, 2002, 24, 197-201.	1.8	50
30	Mii-vitaliSe: a pilot randomised controlled trial of a home gaming system (Nintendo Wii) to increase activity levels, vitality and well-being in people with multiple sclerosis. BMJ Open, 2017, 7, e016966.	1.9	50
31	Evaluation and comparison of parental needs, stressors, and coping strategies in a pediatric intensive care unit. Pediatric Critical Care Medicine, 2012, 13, e166-e175.	0.5	49
32	Who wants second-line, palliative chemotherapy?. Psycho-Oncology, 2001, 10, 410-418.	2.3	46
33	How good are we at implementing evidence to support the management of birth related perineal trauma? A UK wide survey of midwifery practice. BMC Pregnancy and Childbirth, 2012, 12, 57.	2.4	43
34	Treatments for secondary postpartum haemorrhage. The Cochrane Library, 2002, , CD002867.	2.8	39
35	Anxiety, emotional processing and depression in people with multiple sclerosis. BMC Neurology, 2017, 17, 43.	1.8	39
36	Does CBT Facilitate Emotional Processing?. Behavioural and Cognitive Psychotherapy, 2012, 40, 19-37.	1.2	38

#	Article	IF	CITATIONS
37	Associations between social and environmental factors and perinatal mortality in Jamaica. Paediatric and Perinatal Epidemiology, 1994, 8, 17-39.	1.7	37
38	Strengthening Motivational Interviewing skills following initial training: A randomised trial of workplace-based reflective practice. Addictive Behaviors, 2007, 32, 2963-2975.	3.0	35
39	PErineal Assessment and Repair Longitudinal Study (PEARLS): protocol for a matched pair cluster trial. BMC Pregnancy and Childbirth, 2010, 10, 10.	2.4	35
40	Is the risk of adult coeliac disease causally related to cigarette exposure?. European Journal of Gastroenterology and Hepatology, 2003, 15, 995-1000.	1.6	34
41	Influence of Caffeine on Frequency of Hypoglycemia Detected by Continuous Interstitial Glucose Monitoring System in Patients With Long-Standing Type 1 Diabetes. Diabetes Care, 2005, 28, 1316-1320.	8.6	32
42	Multi-centre parallel arm randomised controlled trial to assess the effectiveness and cost-effectiveness of a group-based cognitive behavioural approach to managing fatigue in people with multiple sclerosis. BMC Neurology, 2010, 10, 43.	1.8	32
43	Glucose Intolerance During Adjuvant Chemotherapy for Breast Cancer. Journal of the National Cancer Institute, 2009, 101, 537-537.	6.3	31
44	Opposite clear corneal incisions on the steep meridian in phacoemulsification. Journal of Cataract and Refractive Surgery, 2004, 30, 414-417.	1.5	30
45	Perineal Assessment and Repair Longitudinal Study (PEARLS): a matched-pair cluster randomized trial. BMC Medicine, 2013, 11, 209.	5.5	30
46	Proportional lumbar spine inter-vertebral motion patterns: a comparison of patients with chronic, non-specific low back pain and healthy controls. European Spine Journal, 2014, 23, 2059-2067.	2.2	30
47	<p>Randomised Controlled Trial Of The Effect Of Tai Chi On Postural Balance Of People With Dementia</p> . Clinical Interventions in Aging, 2019, Volume 14, 2017-2029.	2.9	30
48	Is the Clinical Expression of Late-Life Depression Influenced by Brain Changes? MRI Subcortical Neuroanatomical Correlates of Depressive Symptoms. International Psychogeriatrics, 2000, 12, 425-434.	1.0	28
49	Adult endomysial antibody-negative coeliac disease and cigarette smoking. European Journal of Gastroenterology and Hepatology, 2001, 13, 667-671.	1.6	25
50	A randomised trial of early warning signs relapse prevention training in the treatment of alcohol dependence. Addictive Behaviors, 2005, 30, 1111-1124.	3.0	25
51	Delayed antenatal care: Does it effect pregnancy outcome?. Social Science and Medicine, 1991, 32, 715-723.	3.8	24
52	Is oral fluid analysis as accurate as urinalysis in detecting drug use in a treatment setting?. Drug and Alcohol Dependence, 2003, 72, 265-269.	3.2	23
53	Removal of lens epithelial cells and the effect on capsulorhexis size. Journal of Cataract and Refractive Surgery, 2005, 31, 1569-1574.	1.5	22
54	Influence of acute alcohol ingestion on the hormonal responses to modest hypoglycaemia in patients with Type 1 diabetes. Diabetic Medicine, 2007, 24, 312-316.	2.3	22

#	Article	IF	CITATIONS
55	MS Energize: Field trial of an app for self-management of fatigue for people with multiple sclerosis. Internet Interventions, 2019, 18, 100291.	2.7	22
56	Unmarried at delivery. II. Perinatal morbidity and mortality. Early Human Development, 1986, 14, 217-227.	1.8	21
57	Midlumbar Lateral Flexion Stability Measured in Healthy Volunteers by In Vivo Fluoroscopy. Spine, 2009, 34, E811-E817.	2.0	21
58	Infant Feeding Attitudes of Women in the United Kingdom during Pregnancy and after Birth. Journal of Human Lactation, 2012, 28, 547-555.	1.6	20
59	Testing the feasibility and acceptability of using the Nintendo Wii in the home to increase activity levels, vitality and well-being in people with multiple sclerosis (Mii-vitaliSe): protocol for a pilot randomised controlled study. BMJ Open, 2014, 4, e005172.	1.9	20
60	MotivATE: A Pretreatment Web-Based Program to Improve Attendance at UK Outpatient Services Among Adults With Eating Disorders. JMIR Research Protocols, 2017, 6, e146.	1.0	20
61	Propionyl-L-carnitine in chronic leg ulcers of homozygous sickle cell disease: A pilot study. Journal of the American Academy of Dermatology, 1997, 37, 491-493.	1.2	19
62	Risk factors for hospital admission related to excessive and/or prolonged postpartum vaginal blood loss after the first 24 h following childbirth. Paediatric and Perinatal Epidemiology, 2006, 20, 392-402.	1.7	19
63	The influence of liberal alcohol consumption on glucose metabolism in patients with type 1 diabetes: a pilot study. QJM - Monthly Journal of the Association of Physicians, 2008, 102, 169-174.	0.5	19
64	HbA _{1c} 3 months after diagnosis predicts premature mortality in patients with new onset type 2 diabetes. Diabetic Medicine, 2011, 28, 1520-1524.	2.3	19
65	The outcome of Chronic lymphocytic leukaemia patients with 97% <i><scp>IGHV</scp></i> gene identity to germline is distinct from cases with <97% identity and similar to those with 98% identity. British Journal of Haematology, 2016, 173, 127-136.	2.5	19
66	Does fetal heart rate predict subsequent heart rate in childhood?. Early Human Development, 1989, 19, 147-152.	1.8	18
67	Feeding outcome in breast-fed term babies supplemented by cup or bottle. Midwifery, 1999, 15, 92-96.	2.3	18
68	An in-service evaluation of hip protector use in residential homes. Age and Ageing, 2005, 34, 52-56.	1.6	18
69	The Person-Centered Dermatology Self-Care Index. Archives of Dermatology, 2012, 148, 1251.	1.4	18
70	An Eastern art form for a Western disease: randomised controlled trial of yoga in patients with poorly controlled insulin-treated diabetes. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2002, 19, 164-166.	0.2	15
71	The IDvIP Trial: A two-centre randomised double-blind controlled trial comparing intramuscular diamorphine and intramuscular pethidine for labour analgesia. BMC Pregnancy and Childbirth, 2011, 11, 51.	2.4	15
72	Emotional processing in childbirth: a predictor of postnatal depression?. British Journal of Midwifery, 2009, 17, 154-159.	0.4	14

#	Article	IF	CITATIONS
73	A randomised controlled trial comparing the effectiveness of tai chi alongside usual care with usual care alone on the postural balance of community-dwelling people with dementia: protocol for the TACIT trial (TAi ChI for people with demenTia). BMC Geriatrics, 2018, 18, 263.	2.7	14
74	Caffeine reduces cerebral blood flow in patients recovering from an ischaemic stroke. Age and Ageing, 2004, 33, 299-303.	1.6	13
75	The Multiple Sclerosis-Fatigue Self– Efficacy (MS-FSE) scale: initial validation. Clinical Rehabilitation, 2015, 29, 376-387.	2.2	12
76	HeART of Stroke: randomised controlled, parallel-arm, feasibility study of a community-based arts and health intervention plus usual care compared with usual care to increase psychological well-being in people following a stroke. BMJ Open, 2019, 9, e021098.	1.9	12
77	Design considerations for a multiple sclerosis fatigue mobile app MS Energize: A pragmatic iterative approach using usability testing and resonance checks. Internet Interventions, 2021, 24, 100371.	2.7	12
78	Digitizing a Face-to-Face Group Fatigue Management Program: Exploring the Views of People With Multiple Sclerosis and Health Care Professionals Via Consultation Groups and Interviews. JMIR Formative Research, 2019, 3, e10951.	1.4	12
79	Subjective visual vertical perception and sense of smell in Parkinson disease. Journal of Rehabilitation Research and Development, 2012, 49, 961.	1.6	11
80	Sexual assault on wards: Staff actions and reactions. International Journal of Psychiatry in Clinical Practice, 2003, 7, 239-242.	2.4	10
81	One-fifth of basal cell carcinomas have a morphoeic or partly morphoeic histology: Implications for treatment. Australasian Journal of Dermatology, 2006, 47, 102-105.	0.7	10
82	A naturalistic longitudinal evaluation of counselling in primary care. Counselling Psychology Quarterly, 2002, 15, 359-373.	2.3	8
83	Perineal resuturing versus expectant management following vaginal delivery complicated by a dehisced wound (PREVIEW): protocol for a pilot and feasibility randomised controlled trial. BMJ Open, 2012, 2, e001458.	1.9	8
84	Digital Health Rehabilitation Can Improve Access to Care in Spinal Cord Injury in the UK: A Proposed Solution. International Journal of Telerehabilitation, 2020, 12, 3-16.	1.8	8
85	Determinants of endomysial antibody status in untreated coeliac disease. European Journal of Gastroenterology and Hepatology, 2007, 19, 890-895.	1.6	7
86	Patient perspectives on the Poole PCT cancer genetics service. Familial Cancer, 2007, 6, 231-239.	1.9	7
87	Unmarried at delivery. I. The mothers and their care. Early Human Development, 1986, 14, 201-216.	1.8	6
88	Hypertensive disorders of pregnancy in Greece. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1989, 31, 127-131.	1.1	5
89	Height, weight, body mass index and ocular biometry in patients with sickle cell disease. Ophthalmic and Physiological Optics, 2009, 29, 189-198.	2.0	5
90	â€~HeART of Stroke (HoS)', a community-based Arts for Health group intervention to support self-confidence and psychological well-being following a stroke: protocol for a randomised controlled feasibility study. BMJ Open, 2015, 5, e008888.	1.9	5

#	Article	IF	CITATIONS
91	Weight-for-height in two national cohorts with particular reference to 10-year-old children. Annals of Human Biology, 1989, 16, 109-119.	1.0	4
92	Sex and segregation: Staff attitudes explored. International Journal of Psychiatry in Clinical Practice, 2003, 7, 243-247.	2.4	4
93	Creating a Digital Toolkit to Reduce Fatigue and Promote Quality of Life in Multiple Sclerosis: Participatory Design and Usability Study. JMIR Formative Research, 2021, 5, e19230.	1.4	4
94	Creating a FACETS digital toolkit to promote quality of life of people with multiple sclerosis through participatory design. , 2018, , .		3
95	The Natural History of Mutated, Stage AO Chronic Lymphocytic Leukemia Blood, 2004, 104, 954-954.	1.4	2
96	Effect of triage on patient outcomes. Practice Development in Health Care, 2003, 2, 29-32.	0.3	0
97	Evaluation of a pilot relapse support service (RSS) for people with multiple sclerosis – "a tiny pot of sunshine in my pocketâ€. Social Care and Neurodisability, 2012, 3, 89-100.	0.3	0
98	Defining the 10 Year Risk of Disease Progression in Stage A0 CLL Blood, 2006, 108, 2772-2772.	1.4	0