List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8372451/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 121, 4021-4031.	1.4	596
2	Molecular signatures to improve diagnosis in peripheral T-cell lymphoma and prognostication in angioimmunoblastic T-cell lymphoma. Blood, 2010, 115, 1026-1036.	1.4	353
3	Mutational profile and prognostic significance of TP53 in diffuse large B-cell lymphoma patients treated with R-CHOP: report from an International DLBCL Rituximab-CHOP Consortium Program Study. Blood, 2012, 120, 3986-3996.	1.4	301
4	CD30 expression defines a novel subgroup of diffuse large B-cell lymphoma with favorable prognosis and distinct gene expression signature: a report from the International DLBCL Rituximab-CHOP Consortium Program Study. Blood, 2013, 121, 2715-2724.	1.4	206
5	Patients with diffuse large B-cell lymphoma of germinal center origin with BCL2 translocations have poor outcome, irrespective of MYC status: a report from an International DLBCL rituximab-CHOP Consortium Program Study. Haematologica, 2013, 98, 255-263.	3.5	142
6	Rearrangements of MYC gene facilitate risk stratification in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. Modern Pathology, 2014, 27, 958-971.	5.5	112
7	Global microRNA expression profiling uncovers molecular markers for classification and prognosis in aggressive B-cell lymphoma. Blood, 2015, 125, 1137-1145.	1.4	110
8	Immune Profiling and Quantitative Analysis Decipher the Clinical Role of Immune-Checkpoint Expression in the Tumor Immune Microenvironment of DLBCL. Cancer Immunology Research, 2019, 7, 644-657.	3.4	106
9	Diffuse Large B-Cell Lymphoma Classification System That Associates Normal B-Cell Subset Phenotypes With Prognosis. Journal of Clinical Oncology, 2015, 33, 1379-1388.	1.6	94
10	Prognostic impact of concurrent <i>MYC</i> and <i>BCL6</i> rearrangements and expression in <i>de novo</i> diffuse large B-cell lymphoma. Oncotarget, 2016, 7, 2401-2416.	1.8	93
11	microRNA expression profiling identifies molecular signatures associated with anaplastic large cell lymphoma. Blood, 2013, 122, 2083-2092.	1.4	84
12	Genome wide transcriptional analysis of resting and IL2 activated human natural killer cells: gene expression signatures indicative of novel molecular signaling pathways. BMC Genomics, 2007, 8, 230.	2.8	82
13	Long Noncoding RNA Expression during Human B-Cell Development. PLoS ONE, 2015, 10, e0138236.	2.5	80
14	Clinical and biological significance of <i>de novo</i> CD5+ diffuse large B-cell lymphoma in Western countries. Oncotarget, 2015, 6, 5615-5633.	1.8	72
15	Aspects of vincristine-induced neuropathy in hematologic malignancies: a systematic review. Cancer Chemotherapy and Pharmacology, 2019, 84, 471-485.	2.3	71
16	Human Papillomavirus Infection as a Possible Cause of Spontaneous Abortion and Spontaneous Preterm Delivery. Infectious Diseases in Obstetrics and Gynecology, 2016, 2016, 1-19.	1.5	66
17	Clinical Significance of PTEN Deletion, Mutation, and Loss of PTEN Expression in De Novo Diffuse Large B-Cell Lymphoma. Neoplasia, 2018, 20, 574-593.	5.3	64
18	Dysregulated CXCR4 expression promotes lymphoma cell survival and independently predicts disease progression in germinal center B-cell-like diffuse large B-cell lymphoma. Oncotarget, 2015, 6, 5597-5614.	1.8	61

KAREN DYBKAER

#	Article	IF	CITATIONS
19	Clinical Implications of Phosphorylated STAT3 Expression in <i>De Novo</i> Diffuse Large B-cell Lymphoma. Clinical Cancer Research, 2014, 20, 5113-5123.	7.0	60
20	Distinct gene expression profiles in different B-cell compartments in human peripheral lymphoid organs. BMC Immunology, 2004, 5, 20.	2.2	59
21	Assessment of CD37 B-cell antigen and cell of origin significantly improves risk prediction in diffuse large B-cell lymphoma. Blood, 2016, 128, 3083-3100.	1.4	59
22	miR-155 as a Biomarker in B-Cell Malignancies. BioMed Research International, 2016, 2016, 1-14.	1.9	56
23	The myeloma stem cell concept, revisited: from phenomenology to operational terms. Haematologica, 2016, 101, 1451-1459.	3.5	55
24	The in Vivo Toxicity of Hydroxyurea Depends on Its Direct Target Catalase. Journal of Biological Chemistry, 2010, 285, 21411-21415.	3.4	49
25	Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. Modern Pathology, 2015, 28, 1555-1573.	5.5	48
26	Clinical and Biologic Significance of <i>MYC</i> Genetic Mutations in <i>De Novo</i> Diffuse Large B-cell Lymphoma. Clinical Cancer Research, 2016, 22, 3593-3605.	7.0	48
27	MDM2 phenotypic and genotypic profiling, respective to TP53 genetic status, in diffuse large B-cell lymphoma patients treated with rituximab-CHOP immunochemotherapy: a report from the International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 2630-2640.	1.4	46
28	High miR-34a expression improves response to doxorubicin in diffuse large B-cell lymphoma. Experimental Hematology, 2016, 44, 238-246.e2.	0.4	46
29	Predicting response to multidrug regimens in cancer patients using cell line experiments and regularised regression models. BMC Cancer, 2015, 15, 235.	2.6	44
30	Single nucleotide variation in the TP53 3′ untranslated region in diffuse large B-cell lymphoma treated with rituximab-CHOP: a report from the International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 121, 4529-4540.	1.4	41
31	AKT Hyperactivation and the Potential of AKT-Targeted Therapy in Diffuse Large B-Cell Lymphoma. American Journal of Pathology, 2017, 187, 1700-1716.	3.8	39
32	PD-1/PD-L1 expression and interaction by automated quantitative immunofluorescent analysis show adverse prognostic impact in patients with diffuse large B-cell lymphoma having T-cell infiltration: a study from the International DLBCL Consortium Program. Modern Pathology, 2019, 32, 741-754.	5.5	39
33	Multiparametric Flow Cytometry for Identification and Fluorescence Activated Cell Sorting of Five Distinct B-Cell Subpopulations in Normal Tonsil Tissue. American Journal of Clinical Pathology, 2011, 136, 960-969.	0.7	35
34	Implementing the FAIR Data Principles in precision oncology: review of supporting initiatives. Briefings in Bioinformatics, 2020, 21, 936-945.	6.5	35
35	Prognostic impact of c-Rel nuclear expression and <i>REL</i> amplification and crosstalk between c-Rel and the p53 pathway in diffuse large B-cell lymphoma. Oncotarget, 2015, 6, 23157-23180.	1.8	35
36	Investigation of Human Cancers for Retrovirus by Low-Stringency Target Enrichment and High-Throughput Sequencing. Scientific Reports, 2015, 5, 13201.	3.3	34

KAREN DYBKAER

#	Article	IF	CITATIONS
37	Age cutoff for Epstein-Barr virus-positive diffuse large B-cell lymphoma-is it necessary?. Oncotarget, 2015, 6, 13933-13945.	1.8	33
38	Prevalence and clinical implications of cyclin D1 expression in diffuse large B ell lymphoma (DLBCL) treated with immunochemotherapy: A report from the International DLBCL Rituximab HOP Consortium Program. Cancer, 2014, 120, 1818-1829.	4.1	32
39	The CXCR4 antagonist plerixafor enhances the effect of rituximab in diffuse large B-cell lymphoma cell lines. Biomarker Research, 2016, 4, 12.	6.8	29
40	RelA NF-κB subunit activation as a therapeutic target in diffuse large B-cell lymphoma. Aging, 2016, 8, 3321-3340.	3.1	29
41	Multiparametric flow cytometry profiling of neoplastic plasma cells in multiple myeloma. Cytometry Part B - Clinical Cytometry, 2010, 78B, 338-347.	1.5	28
42	Human papillomavirus infects placental trophoblast and Hofbauer cells, but appears not to play a causal role in miscarriage and preterm labor. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1188-1196.	2.8	28
43	A populationâ€based study of prognosis in advanced stage follicular lymphoma managed by watch and wait. British Journal of Haematology, 2015, 169, 435-444.	2.5	27
44	XPO1 expression worsens the prognosis of unfavorable DLBCL that can be effectively targeted by selinexor in the absence of mutant p53. Journal of Hematology and Oncology, 2020, 13, 148.	17.0	27
45	Loss of MicroRNA Targets in the 3′ Untranslated Region as a Mechanism of Retroviral Insertional Activation of Growth Factor Independence 1. Journal of Virology, 2009, 83, 8051-8061.	3.4	25
46	MicroRNAs in B-cells: from normal differentiation to treatment of malignancies. Oncotarget, 2015, 6, 7-25.	1.8	24
47	Stable phenotype of B-cell subsets following cryopreservation and thawing of normal human lymphocytes stored in a tissue biobank. , 2015, 88, 40-49.		22
48	Immunoglobulin somatic hypermutation has clinical impact in DLBCL and potential implications for immune checkpoint blockade and neoantigen-based immunotherapies. , 2019, 7, 272.		22
49	A refined cell-of-origin classifier with targeted NCS and artificial intelligence shows robust predictive value in DLBCL. Blood Advances, 2020, 4, 3391-3404.	5.2	22
50	Genetic Subtyping and Phenotypic Characterization of the Immune Microenvironment and MYC/BCL2 Double Expression Reveal Heterogeneity in Diffuse Large B-cell Lymphoma. Clinical Cancer Research, 2022, 28, 972-983.	7.0	22
51	Molecular Diagnosis and Outcome Prediction in Diffuse Large B-Cell Lymphoma and Other Subtypes of Lymphoma. Clinical Lymphoma and Myeloma, 2004, 5, 19-28.	2.1	21
52	Prognostic and biological significance of survivin expression in patients with diffuse large B-cell lymphoma treated with rituximab-CHOP therapy. Modern Pathology, 2015, 28, 1297-1314.	5.5	21
53	Cancer stem cells and the cellular hierarchy in haematological malignancies. European Journal of Cancer, 2009, 45, 194-201.	2.8	20
54	Aggressive B-cell Lymphoma with MYC/TP53 Dual Alterations Displays Distinct Clinicopathobiological Features and Response to Novel Targeted Agents. Molecular Cancer Research, 2021, 19, 249-260.	3.4	20

#	Article	IF	CITATIONS
55	MicroRNA-155 controls vincristine sensitivity and predicts superior clinical outcome in diffuse large B-cell lymphoma. Blood Advances, 2019, 3, 1185-1196.	5.2	19
56	p63 expression confers significantly better survival outcomes in high-risk diffuse large B-cell lymphoma and demonstrates p53-like and p53-independent tumor suppressor function. Aging, 2016, 8, 345-365.	3.1	19
57	High CXCR4 expression impairs rituximab response and the prognosis of R-CHOP-treated diffuse large B-cell lymphoma patients. Oncotarget, 2019, 10, 717-731.	1.8	19
58	Generation of a Predictive Melphalan Resistance Index by Drug Screen of B-Cell Cancer Cell Lines. PLoS ONE, 2011, 6, e19322.	2.5	18
59	Identification of BLNK and BTK as mediators of rituximabâ€induced programmed cell death by CRISPR screens in GCBâ€subtype diffuse large Bâ€cell lymphoma. Molecular Oncology, 2020, 14, 1978-1997.	4.6	18
60	Evaluation of NF-κB subunit expression and signaling pathway activation demonstrates that p52 expression confers better outcome in germinal center B-cell-like diffuse large B-cell lymphoma in association with CD30 and BCL2 functions. Modern Pathology, 2015, 28, 1202-1213.	5.5	17
61	HPV16 E6 and E7 Upregulate Interferon-Induced Antiviral Response Genes ISG15 and IFIT1 in Human Trophoblast Cells. Pathogens, 2017, 6, 40.	2.8	17
62	Application and Evaluation of RT-PCR—ELISA for the Nucleoprotein and RT-PCR for Detection of Low-Pathogenic H5 and H7 Subtypes of Avian Influenza Virus. Journal of Veterinary Diagnostic Investigation, 2004, 16, 51-56.	1.1	16
63	Exposure time independent summary statistics for assessment of drug dependent cell line growth inhibition. BMC Bioinformatics, 2014, 15, 168.	2.6	16
64	Extended Minus-Strand DNA as Template for R-U5-Mediated Second-Strand Transfer in Recombinational Rescue of Primer Binding Site-Modified Retroviral Vectors. Journal of Virology, 1998, 72, 2519-2525.	3.4	16
65	Cell of origin associated classification of B-cell malignancies by gene signatures of the normal B-cell hierarchy. Leukemia and Lymphoma, 2014, 55, 1251-1260.	1.3	15
66	Human B-cell cancer cell lines as a preclinical model for studies of drug effect in diffuse large B-cell lymphoma and multiple myeloma. Experimental Hematology, 2014, 42, 927-938.	0.4	15
67	GMCM : Unsupervised Clustering and Meta-Analysis Using Gaussian Mixture Copula Models. Journal of Statistical Software, 2016, 70, .	3.7	15
68	Proof of the Concept to Use a Malignant B Cell Line Drug Screen Strategy for Identification and Weight of Melphalan Resistance Genes in Multiple Myeloma. PLoS ONE, 2013, 8, e83252.	2.5	13
69	Hepatitis C virus positive diffuse large B-cell lymphomas have distinct molecular features and lack BCL2 translocations. British Journal of Cancer, 2017, 117, 1685-1688.	6.4	13
70	A B-cell–associated gene signature classification of diffuse large B-cell lymphoma by NanoString technology. Blood Advances, 2018, 2, 1542-1546.	5.2	13
71	Oral mucosa tissue gene expression profiling before, during, and after radiation therapy for tonsil squamous cell carcinoma. PLoS ONE, 2018, 13, e0190709.	2.5	13
72	High-Throughput Sequencing-Based Investigation of Viruses in Human Cancers by Multienrichment Approach. Journal of Infectious Diseases, 2019, 220, 1312-1324.	4.0	13

#	Article	IF	CITATIONS
73	Clinical impact of leukemic blast heterogeneity at diagnosis in cytogenetic intermediateâ€risk acute myeloid leukemia. Cytometry Part B - Clinical Cytometry, 2012, 82B, 123-131.	1.5	11
74	Interactions between SNPs affecting inflammatory response genes are associated with multiple myeloma disease risk and survival. Leukemia and Lymphoma, 2017, 58, 2695-2704.	1.3	11
75	Reproducible probe-level analysis of the Affymetrix Exon 1.0 ST array with R/Bioconductor. Briefings in Bioinformatics, 2014, 15, 519-533.	6.5	10
76	Validation and implementation of a method for microarray gene expression profiling of minor B-cell subpopulations in man. BMC Immunology, 2014, 15, 3.	2.2	10
77	Molecular Characteristics of High-Dose Melphalan Associated Oral Mucositis in Patients with Multiple Myeloma: A Gene Expression Study on Human Mucosa. PLoS ONE, 2017, 12, e0169286.	2.5	10
78	Clobal Myeloma Research Clusters, Output, and Citations: A Bibliometric Mapping and Clustering Analysis. PLoS ONE, 2015, 10, e0116966.	2.5	10
79	Single site polymorphisms and alternative splicing of the human CD13 gene - different splicing frequencies among patients with acute myeloid leukaemia and healthy individuals. British Journal of Haematology, 2001, 112, 691-696.	2.5	9
80	RT-PCR-ELISA as a Tool for Diagnosis of Low-Pathogenicity Avian Influenza. Avian Diseases, 2003, 47, 1075-1078.	1.0	9
81	The application of human phase 0 microdosing trials: A systematic review and perspectives. Leukemia and Lymphoma, 2016, 57, 1281-1290.	1.3	9
82	MicroRNAs associated to single drug components of R-CHOP identifies diffuse large B-cell lymphoma patients with poor outcome and adds prognostic value to the international prognostic index. BMC Cancer, 2020, 20, 237.	2.6	9
83	Long Non-Coding RNAs in Diffuse Large B-Cell Lymphoma. Non-coding RNA, 2021, 7, 1.	2.6	9
84	Stringent or nonstringent complete remission and prognosis in acute myeloid leukemia: a Danish population-based study. Blood Advances, 2018, 2, 559-564.	5.2	8
85	Development of a Precision Medicine Workflow in Hematological Cancers, Aalborg University Hospital, Denmark. Cancers, 2020, 12, 312.	3.7	8
86	Subtype assignment of CLL based on B-cell subset associated gene signatures from normal bone marrow – A proof of concept study. PLoS ONE, 2018, 13, e0193249.	2.5	8
87	DNA methylation biomarkers in peripheral blood of patients with head and neck squamous cell carcinomas. A systematic review. PLoS ONE, 2020, 15, e0244101.	2.5	8
88	Inherited variation in immune response genes in follicular lymphoma and diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2015, 56, 3257-3266.	1.3	7
89	Circulating tumor necrosis factor-α and YKL-40 level is associated with remission status following salvage therapy in relapsed non-Hodgkin lymphoma. Leukemia and Lymphoma, 2015, 56, 2476-2478.	1.3	7
90	hemaClass.org: Online One-By-One Microarray Normalization and Classification of Hematological Cancers for Precision Medicine. PLoS ONE, 2016, 11, e0163711.	2.5	7

#	Article	IF	CITATIONS
91	Real world data on rituximab maintenance therapy after frontline immunochemotherapy in grade 1–3a follicular lymphoma. British Journal of Haematology, 2018, 182, 297-301.	2.5	7
92	Expression of NOTCH3 exon 16 differentiates Diffuse Large B-cell Lymphoma into molecular subtypes and is associated with prognosis. Scientific Reports, 2019, 9, 335.	3.3	7
93	Determining clinical course of diffuse large B-cell lymphoma using targeted transcriptome and machine learning algorithms. Blood Cancer Journal, 2022, 12, 25.	6.2	7
94	Identification of acute myeloid leukemia patients with diminished expression of CD13 myeloid transcripts by competitive reverse transcription polymerase chain reaction (RT-PCR). Leukemia Research, 2000, 24, 497-506.	0.8	6
95	Unaccounted uncertainty from qPCR efficiency estimates entails uncontrolled false positive rates. BMC Bioinformatics, 2016, 17, 159.	2.6	6
96	Optimization of Preanalytical Variables for cfDNA Processing and Detection of ctDNA in Archival Plasma Samples. BioMed Research International, 2021, 2021, 1-9.	1.9	6
97	Genomic complexity is associated with epigenetic regulator mutations and poor prognosis in diffuse large B-cell lymphoma. Oncolmmunology, 2021, 10, 1928365.	4.6	6
98	A multiple myeloma classification system that associates normal B-cell subset phenotypes with prognosis. Blood Advances, 2018, 2, 2400-2411.	5.2	5
99	The mutational profile of immune surveillance genes in diagnostic and refractory/relapsed DLBCLs. BMC Cancer, 2021, 21, 829.	2.6	5
100	Stromal-mediated down-regulation of CD13 in bone marrow cells originating from acute myeloid leukemia patients. European Journal of Haematology, 2001, 66, 168-177.	2.2	4
101	Suitability of Stratagene reference RNA for analysis of lymphoid tissues. BioTechniques, 2004, 37, 470-474.	1.8	4
102	Dynamic Intracellular Metabolic Cell Signaling Profiles During Ag-Dependent B-Cell Differentiation. Frontiers in Immunology, 2021, 12, 637832.	4.8	4
103	Gene Expression Profiling of Murine T-Cell Lymphoblastic Lymphoma Identifies Deregulation of S-Phase Initiating Genes Blood, 2012, 120, 2395-2395.	1.4	4
104	Hsp90 inhibition sensitizes DLBCL cells to cisplatin. Cancer Chemotherapy and Pharmacology, 2022, 89, 431-440.	2.3	4
105	Gene expression profiling of murine T-cell lymphoblastic lymphoma identifies deregulation of S-phase initiating genes. Leukemia Research, 2013, 37, 1383-1390.	0.8	3
106	Characterization of memory B cells from thymus and its impact for DLBCL classification. Experimental Hematology, 2016, 44, 982-990.e11.	0.4	3
107	A systematic review of molecular responses to cancer therapy in normal human mucosa. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2017, 124, 355-366.	0.4	3
108	Normal myeloid progenitor cell subset-associated gene signatures for acute myeloid leukaemia subtyping with prognostic impact. PLoS ONE, 2020, 15, e0229593.	2.5	3

#	Article	IF	CITATIONS
109	Mutational landscape of immune surveillance genes in diffuse large B-cell lymphoma. Expert Review of Hematology, 2020, 13, 655-668.	2.2	3
110	The t(14;18)(q32;q21) Characterizes a Subset of Patients with Diffuse Large-B Cell Lymphoma of Germinal Center Origin with Poor Outcome: Report From the International DLBCL Rituximab-CHOP Consortium Program Study. Blood, 2011, 118, 949-949.	1.4	3
111	Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 641-641.	1.4	3
112	IDH2 R172 Mutations Define a Unique Subgroup of Patients in Angioimmunoblastic T-Cell Lymphoma. Blood, 2014, 124, 3580-3580.	1.4	3
113	Molecular classification of tissue from a transformed non-Hogkin's lymphoma case with unexpected long-time remission. Experimental Hematology and Oncology, 2017, 6, 3.	5.0	2
114	Anthropometrics and prognosis in diffuse large Bâ€cell lymphoma: a multicentre study of 653 patients. European Journal of Haematology, 2017, 98, 355-362.	2.2	2
115	Anti-Apoptotic Effects of Lentiviral Vector Transduction Promote Increased Rituximab Tolerance in Cancerous B-Cells. PLoS ONE, 2016, 11, e0153069.	2.5	2
116	A model system for assessing and comparing the ability of exon microarray and tag sequencing to detect genes specific for malignant B-cells. BMC Genomics, 2012, 13, 596.	2.8	1
117	Addition of Drug-Response Specific Micro-RNAs to the International Prognostic Index Improves Prognostic Stratification of GCB-DLBCL Patients Treated with R-CHOP. Blood, 2019, 134, 1623-1623.	1.4	1
118	MYC and BCL2 mRNA Expression As Determined By NGS Predicts Survival in DLBCL in GCB but Not in ABC Subgroup. Blood, 2019, 134, 5092-5092.	1.4	1
119	Clinical Impact of TP53 Gene Mutations in Diffuse Large B-Cell Lymphoma (DLBCL): An International DLBCL Rituxan-CHOP Consortium Program Study Blood, 2009, 114, 967-967.	1.4	1
120	Prognostic Significance and Phenotypic Manifestations of MYC/BCL2 Protein Expression in Diffuse Large B-Cell Lymphoma (DLBCL) with Extranodal Organ Involvement: A Report of the International DLBCL Rituximab-CHOP Consortium Program Study. Blood, 2012, 120, 544-544.	1.4	1
121	Cell Cycle Gene Sets Coordination In Multiple Myeloma and Plasma Cell Leukemia. Blood, 2013, 122, 1901-1901.	1.4	1
122	STAT3 Expression and Clinical Implications In De Novo Diffuse Large B-Cell Lymphoma: A Report From The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 365-365.	1.4	1
123	Akt Activation Confers an Inferior Survival in Patients with Activated B-Cell Subtype of Diffuse Large B-Cell Lymphoma: A Report from the International DLBCL Rituximab-CHOP Consortium Program. Blood, 2014, 124, 143-143.	1.4	1
124	Estimating a common covariance matrix for network meta-analysis of gene expression datasets in diffuse large B-cell lymphoma. Annals of Applied Statistics, 2018, 12, .	1.1	1
125	Cell of Origin Classification of DLBCL Using Targeted NGS Expression Profiling and Deep Learning. Blood, 2019, 134, 2891-2891.	1.4	1
126	Higher Stability of Mutant mRNA As Compared to Wild-Type mRNA in Diffuse Large B-Cell Lymphoma. Blood, 2019, 134, 1499-1499.	1.4	1

#	Article	IF	CITATIONS
127	Determining Clinical Course of Diffuse Large B-Cell Lymphoma Using Targeted Transcriptome and Machine Learning Algorithms. Blood, 2021, 138, 2395-2395.	1.4	1
128	Longitudinal minimal residual disease assessment in multiple myeloma patients in complete remission – results from the NMSG flow-MRD substudy within the EMN02/HO95 MM trial. BMC Cancer, 2022, 22, 147.	2.6	1
129	Alternative pre-mRNA splicing leads to potential biomarkers in diffuse large B-cell lymphoma - a systematic review. Danish Medical Journal, 2016, 63, .	0.5	1
130	Blood on the tracks – toward precision medicine. Leukemia and Lymphoma, 2016, 57, 1753-1754.	1.3	0
131	Direct costs of antineoplastic and supportive treatment for progressive multiple myeloma in a tax-based health system. Future Oncology, 2021, 17, 3331-3341.	2.4	0
132	Analysis of Gene Expression Patterns and Gene Copy Number Changes in Human NK Cell Malignancies Blood, 2006, 108, 2228-2228.	1.4	0
133	A Novel Chemo Sensitivity Index for Melphalan Based on Gene Expression Profiling (GEP) Blood, 2007, 110, 4191-4191.	1.4	0
134	Genomic Analyses Reveal Global Functional Alterations That Promote Tumor Growth and Novel Tumor Suppressor Genes in Natural Killer-Cell Malignancies. Blood, 2008, 112, 3792-3792.	1.4	0
135	Impact of Growth Factor Independence 1 in Human T-Cell Lymphomas; Pathogenic Potential Identified by Insertional Mutagenesis in a Murine T-Cell Lymphoma Model Blood, 2009, 114, 5047-5047.	1.4	Ο
136	MYC Mutation Profiling In 708 De Novo Diffuse Large B-Cell Lymphoma Demonstrates That Genetic Abnormalities In The Coding Sequence and Untranslated Regions Have Different Prognostic and Clinical Significance: A Report From The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 363-363.	1.4	0
137	Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 122, 213-213.	1.4	0
138	NF-κB Subunit c-Rel Cooperates with Myc and Mutated p53 to Confer Significantly Worse Survival in Patients with Diffuse Large B-Cell Lymphoma: A Report from the International DLBCL Rituximab-CHOP Consortium Program. Blood, 2014, 124, 1620-1620.	1.4	0
139	Subtyping of B-Cell Malignancies By B-Cell Subset Associated Gene Signatures (BAGS), Generated from Human Primary and Secondary Lymphoid Organs Blood, 2015, 126, 5347-5347.	1.4	0
140	A bendamustine resistance gene signature in diffuse large B-cell lymphoma and multiple myeloma. , 2021, 4, 208-222.		0