

Xu Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/837832/publications.pdf>

Version: 2024-02-01

45
papers

1,787
citations

394421

19
h-index

276875

41
g-index

48
all docs

48
docs citations

48
times ranked

3213
citing authors

#	ARTICLE	IF	CITATIONS
1	LncRNA NRON negatively regulates cisplatin-induced cell apoptosis via downregulating miR-31 in esophageal squamous cell carcinomas. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2022, 58, 37-43.	1.5	3
2	In utero antiretroviral exposure and sociodemographic characteristics on neurodevelopment of HIV-exposed uninfected children versus HIV-unexposed uninfected healthy children in Malawi. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 153, 424-437.	2.3	2
3	CHRNA1 promotes the pathogenesis of primary focal hyperhidrosis. <i>Molecular and Cellular Neurosciences</i> , 2021, 111, 103598.	2.2	8
4	Thoracoscopic total laryngo-pharyngo-oesophagectomy for the pharyngoesophageal junction cancer: a single-center experience of multidisciplinary team. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4509-4517.	1.6	0
5	Unfractionated Heparin Attenuated Histone-Induced Pulmonary Syndecan-1 Degradation in Mice: a Preliminary Study on the Roles of Heparinase Pathway. <i>Inflammation</i> , 2021, , 1.	3.8	1
6	Acute respiratory failure in COVID-19: is it "atypical" ARDS?. <i>Critical Care</i> , 2020, 24, 198.	5.8	517
7	Unfractionated heparin inhibits histone-mediated coagulation activation and thrombosis in mice. <i>Thrombosis Research</i> , 2020, 193, 122-129.	1.7	7
8	Different signaling pathways involved in the anti-inflammatory effects of unfractionated heparin on lipopolysaccharide-stimulated human endothelial cells. <i>Journal of Inflammation</i> , 2020, 17, 5.	3.4	24
9	Unfractionated Heparin Alleviates Sepsis-Induced Acute Lung Injury by Protecting Tight Junctions. <i>Journal of Surgical Research</i> , 2019, 238, 175-185.	1.6	64
10	Vitamin D alleviates acute graft-versus-host disease through promoting the generation of Foxp3+ T cells. <i>Annals of Translational Medicine</i> , 2019, 7, 748-748.	1.7	7
11	Differential expression profile analysis of lncRNA UCA1± regulated mRNAs in bladder cancer. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 1841-1854.	2.6	3
12	A brief comment on the predictive value of myeloperoxidase-conjugated DNA level in patients with septic shock. <i>Critical Care</i> , 2018, 22, 294.	5.8	1
13	Unfractionated Heparin Modulates Lipopolysaccharide-Induced Cytokine Production by Different Signaling Pathways in THP-1 Cells. <i>Journal of Interferon and Cytokine Research</i> , 2018, 38, 283-289.	1.2	5
14	Altered expression of thrombospondin-1/-2 in the cortex and synaptophysin in the hippocampus after middle cerebral artery occlusion and reperfusion. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 3267-3276.	0.5	1
15	A Hemophagocytic Lymphohistiocytosis Patient that Presented with Unilateral Panuveitis. <i>Ocular Immunology and Inflammation</i> , 2017, 25, 275-277.	1.8	9
16	H19 promotes endometrial cancer progression by modulating epithelial-mesenchymal transition. <i>Oncology Letters</i> , 2017, 13, 363-369.	1.8	29
17	Bedside Blood Glucose Monitoring in Critically Ill Patients: Comparison Between Arterial and Capillary Glucose. <i>American Journal of the Medical Sciences</i> , 2017, 354, 458-461.	1.1	1
18	IL-1 ² upregulates Muc5ac expression via NF- ⁹ B-induced HIF-1 [±] in asthma. <i>Immunology Letters</i> , 2017, 192, 20-26.	2.5	40

#	ARTICLE	IF	CITATIONS
19	The role of heparin in sepsis: much more than just an anticoagulant. <i>British Journal of Haematology</i> , 2017, 179, 389-398.	2.5	88
20	LncRNA UCA1 Promotes Mitochondrial Function of Bladder Cancer via the MiR-195/ARL2 Signaling Pathway. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 2548-2561.	1.6	100
21	High risk of occult hepatitis B virus infection in leukemia patients from China. <i>Archives of Virology</i> , 2017, 162, 349-357.	2.1	8
22	Inhibition of long non-coding RNA UCA1 by CRISPR/Cas9 attenuated malignant phenotypes of bladder cancer. <i>Oncotarget</i> , 2017, 8, 9634-9646.	1.8	82
23	Genetic variation of occult hepatitis B virus infection. <i>World Journal of Gastroenterology</i> , 2016, 22, 3531.	3.3	69
24	CX-5461 induces autophagy and inhibits tumor growth via mammalian target of rapamycin-related signaling pathways in osteosarcoma. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5985-5997.	2.0	44
25	Genetic variation of hepatitis B virus and its significance for pathogenesis. <i>World Journal of Gastroenterology</i> , 2016, 22, 126.	3.3	85
26	Minimally Invasive Esophagectomy in the Lateral-prone Position. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2016, 26, 60-65.	0.8	13
27	Prediction model for sustained hepatitis B e antigen seroconversion to peginterferon alfa-2a in chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1963-1970.	2.8	18
28	Presence of high risk HPV DNA but indolent transcription of E6/E7 oncogenes in invasive ductal carcinoma of breast. <i>Pathology Research and Practice</i> , 2016, 212, 1151-1156.	2.3	12
29	Hepatitis B virus genotype A: design of reference sequences for sub-genotypes. <i>Virus Genes</i> , 2016, 52, 325-333.	1.6	12
30	Development of algorithms based on serum markers and transient elastography for detecting significant fibrosis and cirrhosis in chronic hepatitis B patients: Significant reduction in liver biopsy. <i>Hepatology Research</i> , 2016, 46, 1367-1379.	3.4	20
31	Occult hepatitis B virus infection: influence of S protein variants. <i>Virology Journal</i> , 2016, 13, 10.	3.4	18
32	Hypoxia regulates the expression and localization of CCAAT/enhancer binding protein β by hypoxia inducible factor-1 α in bladder transitional carcinoma cells. <i>Molecular Medicine Reports</i> , 2015, 12, 2121-2127.	2.4	4
33	Occult hepatitis B virus infection among people with a family history of chronic hepatitis B virus infection. <i>Journal of Medical Virology</i> , 2015, 87, 1890-1898.	5.0	6
34	Microarray expression profile of lncRNAs and the upregulated ASLNC04080 lncRNA in human endometrial carcinoma. <i>International Journal of Oncology</i> , 2015, 46, 2125-2137.	3.3	57
35	Ginsenoside 20(S)-Rg3 inhibits the Warburg effect through STAT3 pathways in ovarian cancer cells. <i>International Journal of Oncology</i> , 2015, 46, 775-781.	3.3	67
36	Unfractionated heparin attenuates LPS-induced IL-8 secretion via PI3K/Akt/NF- κ B signaling pathway in human endothelial cells. <i>Immunobiology</i> , 2015, 220, 399-405.	1.9	31

#	ARTICLE	IF	CITATIONS
37	Long non-coding RNA UCA1 promotes glutamine metabolism by targeting miR-16 in human bladder cancer. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 1055-1063.	1.3	111
38	In vitro and in vivo replication of a chemically synthesized consensus genome of hepatitis B virus genotype B. <i>Journal of Virological Methods</i> , 2015, 213, 57-64.	2.1	11
39	Models for predicting hepatitis B e antigen seroconversion in response to interferon- α in chronic hepatitis B patients. <i>World Journal of Gastroenterology</i> , 2015, 21, 5668.	3.3	8
40	Upregulation of long non-coding RNA urothelial carcinoma associated 1 by CCAAT/enhancer binding protein β contributes to bladder cancer cell growth and reduced apoptosis. <i>Oncology Reports</i> , 2014, 31, 1993-2000.	2.6	54
41	Unfractionated heparin suppresses lipopolysaccharide-induced monocyte chemoattractant protein-1 expression in human microvascular endothelial cells by blocking Kr β 1-like factor 5 and nuclear factor- κ B pathway. <i>Immunobiology</i> , 2014, 219, 778-785.	1.9	21
42	Unfractionated Heparin Ameliorates Lipopolysaccharide-Induced Lung Inflammation by Downregulating Nuclear Factor- κ B Signaling Pathway. <i>Inflammation</i> , 2013, 36, 1201-1208.	3.8	30
43	Unfractionated heparin promotes LPS-induced endothelial barrier dysfunction: A preliminary study on the roles of angiotensin/Tie2 axis. <i>Thrombosis Research</i> , 2012, 129, e223-e228.	1.7	16
44	Unfractionated heparin inhibits lipopolysaccharide-induced inflammatory response through blocking p38 MAPK and NF- κ B activation on endothelial cell. <i>Cytokine</i> , 2012, 60, 114-121.	3.2	62
45	Prevalence of plasmid-mediated quinolone resistance determinants in <i>Citrobacter freundii</i> isolates from Anhui province, PR China. <i>Journal of Medical Microbiology</i> , 2011, 60, 1801-1805.	1.8	15