

David Kleijn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8378361/publications.pdf>

Version: 2024-02-01

122
papers

18,313
citations

28274

55
h-index

18647

119
g-index

127
all docs

127
docs citations

127
times ranked

12922
citing authors

#	ARTICLE	IF	CITATIONS
1	Additive and synergistic effects of arbuscular mycorrhizal fungi, insect pollination and nutrient availability in a perennial fruit crop. <i>Agriculture, Ecosystems and Environment</i> , 2022, 325, 107742.	5.3	14
2	Rapid assessment of insect pollination services to inform decision-making. <i>Conservation Biology</i> , 2022, 36, .	4.7	3
3	Temporal and spatial heterogeneity of semi-natural habitat, but not crop diversity, is correlated with landscape pollinator richness. <i>Journal of Applied Ecology</i> , 2022, 59, 1258-1267.	4.0	13
4	<scp>CropPol</scp>: A dynamic, open and global database on crop pollination. <i>Ecology</i> , 2022, 103, e3614.	3.2	19
5	Extremely wet summer events enhance permafrost thaw for multiple years in Siberian tundra. <i>Nature Communications</i> , 2022, 13, 1556.	12.8	24
6	Effects of ozone air pollution on crop pollinators and pollination. <i>Global Environmental Change</i> , 2022, 75, 102529.	7.8	9
7	Potential tradeoffs between effects of arbuscular mycorrhizal fungi inoculation, soil organic matter content and fertilizer application in raspberry production. <i>PLoS ONE</i> , 2022, 17, e0269751.	2.5	2
8	Insect pollination and soil organic matter improve raspberry production independently of the effects of fertilizers. <i>Agriculture, Ecosystems and Environment</i> , 2021, 309, 107270.	5.3	18
9	Evaluating predictive performance of statistical models explaining wild bee abundance in a mass-flowering crop. <i>Ecography</i> , 2021, 44, 525-536.	4.5	11
10	Wild insect diversity increases inter-annual stability in global crop pollinator communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210212.	2.6	43
11	From zero to infinity: Minimum to maximum diversity of the planet by spatio-parametric Rao's quadratic entropy. <i>Global Ecology and Biogeography</i> , 2021, 30, 1153-1162.	5.8	21
12	rasterdiv: An Information Theory tailored R package for measuring ecosystem heterogeneity from space: To the origin and back. <i>Methods in Ecology and Evolution</i> , 2021, 12, 1093-1102.	5.2	33
13	Global patterns in bumble bee pollen collection show phylogenetic conservation of diet. <i>Journal of Animal Ecology</i> , 2021, 90, 2421-2430.	2.8	24
14	Pollination increases white and narrow-leaved lupin protein yields but not all crop visitors contribute to pollination. <i>Agriculture, Ecosystems and Environment</i> , 2021, 313, 107386.	5.3	5
15	Shrub decline and expansion of wetland vegetation revealed by very high resolution land cover change detection in the Siberian lowland tundra. <i>Science of the Total Environment</i> , 2021, 782, 146877.	8.0	19
16	Habitats supporting wader communities in Europe and relations between agricultural land use and breeding densities: A review. <i>Global Ecology and Conservation</i> , 2021, 28, e01657.	2.1	6
17	Using ecological and field survey data to establish a national list of the wild bee pollinators of crops. <i>Agriculture, Ecosystems and Environment</i> , 2021, 315, 107447.	5.3	24
18	Flower availability drives effects of wildflower strips on ground-dwelling natural enemies and crop yield. <i>Agriculture, Ecosystems and Environment</i> , 2021, 319, 107570.	5.3	18

#	ARTICLE	IF	CITATIONS
19	Attractiveness of sown wildflower strips to flower-visiting insects depends on seed mixture and establishment success. <i>Basic and Applied Ecology</i> , 2021, 56, 401-415.	2.7	21
20	High land-use intensity in grasslands constrains wild bee species richness in Europe. <i>Biological Conservation</i> , 2020, 241, 108255.	4.1	35
21	International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020, 4, 174-176.	7.8	176
22	Insect pollination is the weakest link in the production of a hybrid seed crop. <i>Agriculture, Ecosystems and Environment</i> , 2020, 290, 106743.	5.3	20
23	Integrating agroecological production in a robust post-2020 Global Biodiversity Framework. <i>Nature Ecology and Evolution</i> , 2020, 4, 1150-1152.	7.8	54
24	Integrating biodiversity conservation in wider landscape management: Necessity, implementation and evaluation. <i>Advances in Ecological Research</i> , 2020, , 127-159.	2.7	15
25	The effectiveness of flower strips and hedgerows on pest control, pollination services and crop yield: a quantitative synthesis. <i>Ecology Letters</i> , 2020, 23, 1488-1498.	6.4	319
26	The relative importance of green infrastructure as refuge habitat for pollinators increases with local land-use intensity. <i>Journal of Applied Ecology</i> , 2020, 57, 1494-1503.	4.0	15
27	Rapid Vegetation Succession and Coupled Permafrost Dynamics in Arctic Thaw Ponds in the Siberian Lowland Tundra. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020, 125, e2019JG005618.	3.0	20
28	A critical analysis of the potential for EU Common Agricultural Policy measures to support wild pollinators on farmland. <i>Journal of Applied Ecology</i> , 2020, 57, 681-694.	4.0	77
29	The power of argument. <i>International Journal of Agricultural Sustainability</i> , 2019, 17, 231-242.	3.5	9
30	Effectiveness of agricultural environmental management on pollinators is moderated more by ecological contrast than by landscape structure or land-use intensity. <i>Ecology Letters</i> , 2019, 22, 1493-1500.	6.4	47
31	A global synthesis reveals biodiversity-mediated benefits for crop production. <i>Science Advances</i> , 2019, 5, eaax0121.	10.3	524
32	Applying the Aboveground-Belowground Interaction Concept in Agriculture: Spatio-Temporal Scales Matter. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	2.2	20
33	Pollination contribution to crop yield is often context-dependent: A review of experimental evidence. <i>Agriculture, Ecosystems and Environment</i> , 2019, 280, 16-23.	5.3	62
34	The interplay of landscape composition and configuration: new pathways to manage functional biodiversity and agroecosystem services across Europe. <i>Ecology Letters</i> , 2019, 22, 1083-1094.	6.4	364
35	Effects of landscape complexity on pollinators are moderated by pollinators' association with mass-flowering crops. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20190387.	2.6	23
36	Linking farmer and beekeeper preferences with ecological knowledge to improve crop pollination. <i>People and Nature</i> , 2019, 1, 562-572.	3.7	32

#	ARTICLE	IF	CITATIONS
37	Establishment of wildflower fields in poor quality landscapes enhances micro-parasite prevalence in wild bumble bees. <i>Oecologia</i> , 2019, 189, 149-158.	2.0	27
38	Local and Landscape Scale Effects of Heterogeneity in Shaping Bird Communities and Population Dynamics. , 2019, , 231-243.		8
39	Ecological Intensification: Bridging the Gap between Science and Practice. <i>Trends in Ecology and Evolution</i> , 2019, 34, 154-166.	8.7	318
40	Scaling up effects of measures mitigating pollinator loss from local to landscape level population responses. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1727-1738.	5.2	35
41	Bee conservation: Inclusive solutions. <i>Science</i> , 2018, 360, 389-390.	12.6	16
42	Complementarity and synergisms among ecosystem services supporting crop yield. <i>Global Food Security</i> , 2018, 17, 38-47.	8.1	66
43	Managing trap-nesting bees as crop pollinators: Spatiotemporal effects of floral resources and antagonists. <i>Journal of Applied Ecology</i> , 2018, 55, 195-204.	4.0	41
44	Insect pollination is at least as important for marketable crop yield as plant quality in a seed crop. <i>Ecology Letters</i> , 2018, 21, 1704-1713.	6.4	69
45	Landscape-scale forest cover increases the abundance of <i>Drosophila suzukii</i> and parasitoid wasps. <i>Basic and Applied Ecology</i> , 2018, 31, 33-43.	2.7	21
46	Impact of pollen resources drift on common bumblebees in NW Europe. <i>Global Change Biology</i> , 2017, 23, 68-76.	9.5	36
47	How to efficiently obtain accurate estimates of flower visitation rates by pollinators. <i>Basic and Applied Ecology</i> , 2017, 19, 11-18.	2.7	38
48	Exploring the relationships between landscape complexity, wild bee species richness and reproduction, and pollination services along a complexity gradient in the Netherlands. <i>Biological Conservation</i> , 2017, 214, 312-319.	4.1	39
49	Combined effects of agrochemicals and ecosystem services on crop yield across Europe. <i>Ecology Letters</i> , 2017, 20, 1427-1436.	6.4	70
50	Effects of pollen species composition on the foraging behaviour and offspring performance of the mason bee <i>Osmia bicornis</i> (L.). <i>Basic and Applied Ecology</i> , 2017, 18, 21-30.	2.7	44
51	Soil pathogen-aphid interactions under differences in soil organic matter and mineral fertilizer. <i>PLoS ONE</i> , 2017, 12, e0179695.	2.5	5
52	No evidence that migratory geese disperse avian influenza viruses from breeding to wintering ground. <i>PLoS ONE</i> , 2017, 12, e0177790.	2.5	9
53	Size and Sex-Dependent Shrinkage of Dutch Bees during One-and-a-Half Centuries of Land-Use Change. <i>PLoS ONE</i> , 2016, 11, e0148983.	2.5	43
54	Demographic Changes Underpinning the Population Decline of Starlings <i>Sturnus vulgaris</i> in The Netherlands. <i>Ardea</i> , 2016, 104, 153-165.	0.6	9

#	ARTICLE	IF	CITATIONS
55	Mass flowering crops dilute pollinator abundance in agricultural landscapes across Europe. <i>Ecology Letters</i> , 2016, 19, 1228-1236.	6.4	195
56	Concentrating or scattering management in agricultural landscapes: Examining the effectiveness and efficiency of conservation measures. <i>Agriculture, Ecosystems and Environment</i> , 2016, 235, 51-60.	5.3	1
57	Can above-ground ecosystem services compensate for reduced fertilizer input and soil organic matter in annual crops?. <i>Journal of Applied Ecology</i> , 2016, 53, 1186-1194.	4.0	30
58	Forty Years of Wildlife Conservation in a Nutshell. <i>Trends in Ecology and Evolution</i> , 2016, 31, 329-330.	8.7	0
59	Non-bee insects are important contributors to global crop pollination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 146-151.	7.1	618
60	The role of agricultural environment schemes in conservation and environmental management. <i>Conservation Biology</i> , 2015, 29, 1006-1016.	4.7	687
61	Local and landscape-level floral resources explain effects of wildflower strips on wild bees across four European countries. <i>Journal of Applied Ecology</i> , 2015, 52, 1165-1175.	4.0	208
62	Testing projected wild bee distributions in agricultural habitats: predictive power depends on species traits and habitat type. <i>Ecology and Evolution</i> , 2015, 5, 4426-4436.	1.9	9
63	Functions of extensive animal dung deposits around the nests of the Black Lark (<i>Melanocorypha</i>) Tj ETQq1 1 0.784314 rgBT	1.4	7
64	Delivery of crop pollination services is an insufficient argument for wild pollinator conservation. <i>Nature Communications</i> , 2015, 6, 7414.	12.8	656
65	Harnessing the biodiversity value of Central and Eastern European farmland. <i>Diversity and Distributions</i> , 2015, 21, 722-730.	4.1	172
66	Pollinator conservation: the difference between managing for pollination services and preserving pollinator diversity. <i>Current Opinion in Insect Science</i> , 2015, 12, 93-101.	4.4	118
67	Ecological contrasts drive responses of wintering farmland birds to conservation management. <i>Ecography</i> , 2015, 38, 813-821.	4.5	18
68	Agricultural Policies Exacerbate Honeybee Pollination Service Supply-Demand Mismatches Across Europe. <i>PLoS ONE</i> , 2014, 9, e82996.	2.5	171
69	Museum specimens reveal loss of pollen host plants as key factor driving wild bee decline in The Netherlands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17552-17557.	7.1	264
70	Waterbirds increase more rapidly in Ramsar-designated wetlands than in unprotected wetlands. <i>Journal of Applied Ecology</i> , 2014, 51, 289-298.	4.0	65
71	From research to action: enhancing crop yield through wild pollinators. <i>Frontiers in Ecology and the Environment</i> , 2014, 12, 439-447.	4.0	363
72	Environmental factors driving the effectiveness of European agricultural environmental measures in mitigating pollinator loss: a meta-analysis. <i>Ecology Letters</i> , 2013, 16, 912-920.	6.4	378

#	ARTICLE	IF	CITATIONS
73	Ecological intensification: harnessing ecosystem services for food security. <i>Trends in Ecology and Evolution</i> , 2013, 28, 230-238.	8.7	1,325
74	A horizon scanning assessment of current and potential future threats to migratory shorebirds. <i>Ibis</i> , 2012, 154, 663-679.	1.9	89
75	Landscape moderation of biodiversity patterns and processes – eight hypotheses. <i>Biological Reviews</i> , 2012, 87, 661-685.	10.4	1,443
76	Interactive effects of landscape context constrain the effectiveness of local agri-environmental management. <i>Journal of Applied Ecology</i> , 2012, 49, 695-705.	4.0	100
77	<i>Escherichia coli</i> Concentrations in Feces of Geese, Coots, and Gulls Residing on Recreational Water in The Netherlands. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 601-603.	1.5	20
78	Landscape-moderated biodiversity effects of agri-environmental management: a meta-analysis. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 1894-1902.	2.6	460
79	Does conservation on farmland contribute to halting the biodiversity decline?. <i>Trends in Ecology and Evolution</i> , 2011, 26, 474-481.	8.7	522
80	Seasonal distribution of meadow birds in relation to in-field heterogeneity and management. <i>Agriculture, Ecosystems and Environment</i> , 2011, 142, 161-166.	5.3	22
81	Developing European conservation and mitigation tools for pollination services: approaches of the STEP (Status and Trends of European Pollinators) project. <i>Journal of Apicultural Research</i> , 2011, 50, 152-164.	1.5	64
82	Effect of conservation management on bees and insect-pollinated grassland plant communities in three European countries. <i>Agriculture, Ecosystems and Environment</i> , 2010, 136, 35-39.	5.3	122
83	Adverse effects of agricultural intensification and climate change on breeding habitat quality of Black-tailed Godwits <i>Limosa l. limosa</i> in the Netherlands. <i>Ibis</i> , 2010, 152, 475-486.	1.9	80
84	Dynamics and ecological consequences of avian influenza virus infection in greater white-fronted geese in their winter staging areas. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 2041-2048.	2.6	56
85	Effects of ecological compensation meadows on arthropod diversity in adjacent intensively managed grassland. <i>Biological Conservation</i> , 2010, 143, 642-649.	4.1	66
86	On the relationship between farmland biodiversity and land-use intensity in Europe. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 903-909.	2.6	624
87	Effective Long-Distance Pollen Dispersal in <i>Centaurea jacea</i> . <i>PLoS ONE</i> , 2009, 4, e6751.	2.5	22
88	At what spatial scale do high-quality habitats enhance the diversity of forbs and pollinators in intensively farmed landscapes?. <i>Journal of Applied Ecology</i> , 2008, 45, 753-762.	4.0	164
89	In search for key biogeochemical factors affecting plant species persistence in heathland and acidic grasslands: a comparison of common and rare species. <i>Journal of Applied Ecology</i> , 2008, 45, 680-687.	4.0	86
90	A RETROSPECTIVE ANALYSIS OF POLLEN HOST PLANT USE BY STABLE AND DECLINING BUMBLE BEE SPECIES. <i>Ecology</i> , 2008, 89, 1811-1823.	3.2	200

#	ARTICLE	IF	CITATIONS
91	Reprint of "Conservation biological control and enemy diversity on a landscape scale" [Biol. Control 43 (2007) 294-309]. Biological Control, 2008, 45, 238-253.	3.0	64
92	Indirect effects of grassland extensification schemes on pollinators in two contrasting European countries. Biological Conservation, 2007, 135, 302-307.	4.1	37
93	Species groups occupying different trophic levels respond differently to the invasion of semi-natural vegetation by <i>Solidago canadensis</i> . Biological Conservation, 2007, 136, 612-617.	4.1	89
94	Conservation biological control and enemy diversity on a landscape scale. Biological Control, 2007, 43, 294-309.	3.0	531
95	Alpha and beta diversity of arthropods and plants in organically and conventionally managed wheat fields. Journal of Applied Ecology, 2007, 44, 804-812.	4.0	150
96	The Swiss agri-environment scheme enhances pollinator diversity and plant reproductive success in nearby intensively managed farmland. Journal of Applied Ecology, 2007, 44, 813-822.	4.0	179
97	Effects of local and landscape scale and cattle grazing intensity on Orthoptera assemblages of the Hungarian Great Plain. Basic and Applied Ecology, 2007, 8, 280-290.	2.7	76
98	Mixed biodiversity benefits of agri-environment schemes in five European countries. Ecology Letters, 2006, 9, 243-254.	6.4	812
99	Direct and indirect effects of the most widely implemented Dutch agri-environment schemes on breeding waders. Journal of Applied Ecology, 2006, 44, 70-80.	4.0	83
100	Diversity of flower-visiting bees in cereal fields: effects of farming system, landscape composition and regional context. Journal of Applied Ecology, 2006, 44, 41-49.	4.0	381
101	The Relation Between Unpalatable Species, Nutrients and Plant Species Richness in Swiss Montane Pastures. Biodiversity and Conservation, 2006, 15, 3971-3982.	2.6	16
102	Interacting effects of landscape context and habitat quality on flower visiting insects in agricultural landscapes. Basic and Applied Ecology, 2006, 7, 201-214.	2.7	165
103	The importance of nitrogen and carbohydrate storage for plant growth of the alpine herb <i>Veratrum album</i> . New Phytologist, 2005, 166, 565-575.	7.3	43
104	Effects of Set-Aside Land on Farmland Biodiversity: Comments on Van Buskirk and Willi. Conservation Biology, 2005, 19, 963-966.	4.7	49
105	Effectiveness of the Swiss agri-environment scheme in promoting biodiversity. Journal of Applied Ecology, 2005, 43, 120-127.	4.0	189
106	Spider diversity in cereal fields: comparing factors at local, landscape and regional scales. Journal of Biogeography, 2005, 32, 2007-2014.	3.0	183
107	Ecological Effectiveness of Agri-Environment Schemes in Different Agricultural Landscapes in The Netherlands. Conservation Biology, 2004, 18, 775-786.	4.7	177
108	Relationship between land-use intensity and species richness and abundance of birds in Hungary. Agriculture, Ecosystems and Environment, 2004, 104, 465-473.	5.3	143

#	ARTICLE	IF	CITATIONS
109	Declining Biodiversity in Agricultural Landscapes and the Effectiveness of Agri-environment Schemes. <i>Ambio</i> , 2004, 33, 499-502.	5.5	87
110	The conservation effects of meadow bird agreements on farmland in Zeeland, The Netherlands, in the period 1989-1995. <i>Biological Conservation</i> , 2004, 117, 443-451.	4.1	54
111	The Effectiveness of Agri-Environment Schemes as a Tool to Restore Biodiversity in Dutch Agricultural Landscapes. , 2004, , 183-192.		2
112	Can Establishment Characteristics Explain the Poor Colonization Success of Late Successional Grassland Species on Ex-Arable Land?. <i>Restoration Ecology</i> , 2003, 11, 131-138.	2.9	49
113	How effective are European agri-environment schemes in conserving and promoting biodiversity?. <i>Journal of Applied Ecology</i> , 2003, 40, 947-969.	4.0	1,187
114	Contrasting effects of grazing and hay cutting on the spatial and genetic population structure of <i>Veratrum album</i> , an unpalatable, long-lived, clonal plant species. <i>Journal of Ecology</i> , 2002, 90, 360-370.	4.0	73
115	Field Boundary Habitats for Wildlife, Crop, and Environmental Protection. <i>Advances in Agroecology</i> , 2001, , .	0.3	0
116	Agri-environment schemes do not effectively protect biodiversity in Dutch agricultural landscapes. <i>Nature</i> , 2001, 413, 723-725.	27.8	526
117	Factors affecting the species composition of arable field boundary vegetation. <i>Journal of Applied Ecology</i> , 2000, 37, 256-266.	4.0	148
118	The exploitation of heterogeneity by a clonal plant in habitats with contrasting productivity levels. <i>Journal of Ecology</i> , 1999, 87, 873-884.	4.0	54
119	Field Boundary Vegetation and the Effects of Agrochemical Drift: Botanical Change Caused by Low Levels of Herbicide and Fertilizer. <i>Journal of Applied Ecology</i> , 1997, 34, 1413.	4.0	148
120	Patterns in species composition of arable field boundary vegetation. <i>Acta Botanica Neerlandica</i> , 1997, 46, 175-192.	0.9	16
121	Conservation headlands for rare arable weeds: The effects of fertilizer application and light penetration on plant growth. <i>Biological Conservation</i> , 1997, 81, 57-67.	4.1	102
122	The Use of Nutrient resources form Arable Fields by Plants in Field Boundaries. <i>Journal of Applied Ecology</i> , 1996, 33, 1433.	4.0	18