

Minoru Tanaka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8378394/publications.pdf>

Version: 2024-02-01

20
papers

1,545
citations

687363

13
h-index

794594

19
g-index

21
all docs

21
docs citations

21
times ranked

2681
citing authors

#	ARTICLE	IF	CITATIONS
1	In Vivo Analysis of Necrosis and Ferroptosis in Nonalcoholic Steatohepatitis (NASH). <i>Methods in Molecular Biology</i> , 2022, 2455, 267-278.	0.9	3
2	Prospect of in vitro Bile Fluids Collection in Improving Cell-Based Assay of Liver Function. <i>Frontiers in Toxicology</i> , 2021, 3, 657432.	3.1	0
3	Diversity in cell differentiation, histology, phenotype and vasculature of mass-forming intrahepatic cholangiocarcinomas. <i>Histopathology</i> , 2021, 79, 731-750.	2.9	8
4	Tubular bile duct structure mimicking bile duct morphogenesis for prospective in vitro liver metabolite recovery. <i>Journal of Biological Engineering</i> , 2020, 14, 11.	4.7	9
5	Hepatic ferroptosis plays an important role as the trigger for initiating inflammation in nonalcoholic steatohepatitis. <i>Cell Death and Disease</i> , 2019, 10, 449.	6.3	267
6	Oncostatin M causes liver fibrosis by regulating cooperation between hepatic stellate cells and macrophages in mice. <i>Hepatology</i> , 2018, 67, 296-312.	7.3	76
7	Characterization of Peribiliary Gland-Constituting Cells Based on Differential Expression of Trophoblast Cell Surface Protein 2 in Biliary Tract. <i>American Journal of Pathology</i> , 2018, 188, 2059-2073.	3.8	14
8	Differential expression of Lutheran/BCAM regulates biliary tissue remodeling in ductular reaction during liver regeneration. <i>ELife</i> , 2018, 7, .	6.0	12
9	Bone morphogenetic protein signaling governs biliary-driven liver regeneration in zebrafish through <i>tbx2b</i> and <i>id2a</i> . <i>Hepatology</i> , 2017, 66, 1616-1630.	7.3	42
10	YAP determines the cell fate of injured mouse hepatocytes in vivo. <i>Nature Communications</i> , 2017, 8, 16017.	12.8	40
11	Depletion of myeloid cells exacerbates hepatitis and induces an aberrant increase in histone H3 in mouse serum. <i>Hepatology</i> , 2017, 65, 237-252.	7.3	12
12	Expression and localization of sterile alpha motif domain containing 5 is associated with cell type and malignancy of biliary tree. <i>PLoS ONE</i> , 2017, 12, e0175355.	2.5	7
13	Liver regeneration and fibrosis after inflammation. <i>Inflammation and Regeneration</i> , 2016, 36, 19.	3.7	74
14	Semaphorin 3E Secreted by Damaged Hepatocytes Regulates the Sinusoidal Regeneration and Liver Fibrosis during Liver Regeneration. <i>American Journal of Pathology</i> , 2014, 184, 2250-2259.	3.8	36
15	Stem/Progenitor Cells in Liver Development, Homeostasis, Regeneration, and Reprogramming. <i>Cell Stem Cell</i> , 2014, 14, 561-574.	11.1	463
16	Nephronectin is upregulated in acute and chronic hepatitis and aggravates liver injury by recruiting CD4 positive cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 430, 751-756.	2.1	22
17	TROP2 Expressed in the Trunk of the Ureteric Duct Regulates Branching Morphogenesis during Kidney Development. <i>PLoS ONE</i> , 2011, 6, e28607.	2.5	21
18	Potential hepatic stem cells reside in EpCAM+ cells of normal and injured mouse liver. <i>Development (Cambridge)</i> , 2009, 136, 1951-1960.	2.5	251

#	ARTICLE	IF	CITATIONS
19	Mouse hepatoblasts at distinct developmental stages are characterized by expression of EpCAM and DLK1: Drastic change of EpCAM expression during liver development. <i>Mechanisms of Development</i> , 2009, 126, 665-676.	1.7	114
20	p75 Neurotrophin Receptor Is a Marker for Precursors of Stellate Cells and Portal Fibroblasts in Mouse Fetal Liver. <i>Gastroenterology</i> , 2008, 135, 270-281.e3.	1.3	74