Si Xie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8382539/publications.pdf

Version: 2024-02-01

9775 19169 429 21,174 73 118 h-index citations g-index papers 436 436 436 9967 all docs citing authors docs citations times ranked

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	1.6	497
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	369
5	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
6	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
7	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
8	Search for dark matter, extra dimensions, and unparticles in monojet events in protona \in proton collisions at $s=0.5$,	1.4	320
9	Demonstration of sub-3 ps temporal resolution with a superconducting nanowire single-photon detector. Nature Photonics, 2020, 14, 250-255.	15.6	285
10	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
11	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	1.6	230
12	Suppression of non-prompt J/lˆr, prompt J/lˆr, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{\text{NN}}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	200
13	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
14	Measurement of the differential cross section for top quark pair production in pp collisions at $s=0.015$, s	1.4	191
15	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	181
16	Search for heavy neutrinos and $\$$ mathrm $\{W\}$ \$\$ W bosons with right-handed couplings in protonâ \in "proton collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179
17			

#	Article	IF	CITATIONS
19	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	1.6	169
20	Search for dark matter and large extra dimensions in monojet events in pp collisions at $q = \{7\}$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	168
21	Measurement of the inclusive W and Z production cross sections in pp collisions at $\$ $ sqrt $\$ $ = 7 $\$ $ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	1.6	158
22	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	154
23	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	1.4	147
24	Measurement of the top quark-pair production cross section withÂATLAS in pp collisions at \$sqrt{s}=7\$ ÂTeV. European Physical Journal C, 2011, 71, 1.	1.4	146
25	Strange particle production in pp collisions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	139
26	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
27	Prompt and non-prompt J/ $\hat{\Gamma}$ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	135
28	Searching for long-lived particles beyond the Standard Model at the Large Hadron Collider. Journal of Physics G: Nuclear and Particle Physics, 2020, 47, 090501.	1.4	133
29	A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ mbox} $ European Physical Journal C, 2012, 72, 1.	1.4	129
30	Search for charged Higgs bosons decaying via H ± → τν in \$ toverline t \$ events using pp collision d sqrt {s} = 7;TeV \$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	ata at \$ 1.6	126
31	Measurement of differential top-quark-pair production cross sections in pp collisions at $q = 7 \text{ mathrm} $	1.4	125
32	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï,, leptons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	123
33	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
34	Measurements of inclusive W and Z cross sections in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	122
35	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	1.4	120
36	Search for a light charged Higgs boson in the decay channel H^{+} ightarrow car{s}\$ in t^{+} events using pp collisions at t^{-} mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119

#	Article	IF	Citations
37	Searches for long-lived charged particles in pp collisions at $ \sqrt{s} = 7 $ and $ 8 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
38	Search for a light charged Higgs boson in top quark decays in pp collisions at sqrt s = 7;TeV S. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
39	Measurement of inclusive jet and dijet cross sections inÂproton-proton collisions at 7ÂTeV centre-of-mass energy withÂtheÂATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	114
40	Measurement of $\frac{t}{s}$ production with a veto on additional central jet activity in pp collisions at $\frac{s}{s}$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
41	Charged particle multiplicities in pp interactions at $\$$ sqrt $\{s\}$ = 0.9 $\$$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	106
42	Measurement of the inclusive jet cross-section in pp collisions at $\frac{s}{1}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
43	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $q=7\mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	1.4	101
44	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
45	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $q = 7 \text{ mbox}^2$. European Physical Journal C, 2012, 72, 1.	1.4	100
46	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
47	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$	1.6	99
48	Measurement of the underlying event activity at the LHC with $\$$ sqrt $\{s\} = 7 \$$ TeV and comparison with $\$$ sqrt $\{s\} = 0.9 \$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
49	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\ \sqrt{s}=7 \ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
50	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
51	Jet mass and substructure of inclusive jets in $\$ sqrt $\{s\} = 7$; $\{ext\{TeV\}\}\$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
52	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88
53	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
54	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\frac{1}{5}$ sqrt{{ $s_{n} = 0.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	85

#	Article	IF	Citations
55	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
56	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
57	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = $; $\$$ s N N = 5.02 $\$$,ext $\{TeV\}$ \$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85
58	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a} \cdot \hat{s} < i > s < /i > = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
59	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
60	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{W\}^{pm}+X$ p p → W ± + X production at $\{q\}^{pm} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	1.4	83
61	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	1.4	83
62	Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)/psi $ $f(s)/psi $ $f(s)/psi/psi $ $f(s)/psi/psi/psi/psi/psi/psi/psi/psi/psi/psi$	1.4	82
63	J/ $\hat{\Gamma}$ and $\hat{\Gamma}$ (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	81
64	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	81
65	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
66	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
67	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
68	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
69	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\$ sqrt{{{s_{NN }}}} \$=2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	77
70	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
71	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{1}{2014}$,	1.4	75
72	Measurement of the $f(w) ^{+} \mathrm{W} ^{-} \mathrm{W}^{-} \mat$	1.4	74

#	Article	IF	Citations
73	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{~TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
74	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $q=0$ and $q=0$ are $q=0$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
75	Measurement of the X(3872) production cross section via decays to J/ÏʻÏ€ + Ï€ − in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	7 3
76	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
77	Measurement of the t-channel single-top-quark production cross section and of the $ V tb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
78	Searches for physics beyond the standard model with the $M_{mathrm {T2}}$ variable in hadronic final states with and without disappearing tracks in protonâ \in proton collisions at $s=13,ext {Te}ext {V}$. European Physical Journal C, 2020, 80, 3.	1.4	70
79	Measurement of the \mbox{mathrm}_{t} overline{mathrm} \$\psi\$ production cross section in the dilepton channel in pp collisions at \$\sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
80	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
81	Search for anomalous production of multilepton events in pp collisions at $\$$ sqrt $\$$ = 7,TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
82	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
83	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	68
84	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68
85	Measurement of the $f_{t}=0$ Measurement of $f_{t}=0$ Measurement of the $f_{t}=0$ Measurement of $f_{t}=0$	1.4	68
86	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}$ \$ $\hat{a}\in \infty=\hat{a}\in \infty$ 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
87	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $sqrt {s}$ = 7 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
88	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}=7$,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65
89	Measurement of the W \hat{a} †' \hat{a} ," $\hat{1}$ ½ and Z/ $\hat{1}$ 3 * \hat{a} †' \hat{a} ," production cross sections in proton-proton collisions at \$ = 7;{ext{TeV}} \$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	sqrt {s}	64
90	Measurement of isolated-photon pair production in pp collisions at $q=0$ sqrt $q=0$; with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64

#	Article	IF	CITATIONS
91	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 2283.	1.4	64
92	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
93	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
94	Measurement of the W+W \hat{a} cross section in pp collisions at $q=7mbox{TeV}$ and limits on anomalous WW \hat{a} and WWZ couplings. European Physical Journal C, 2013, 73, 1.	1.4	62
95	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $s=0.45$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
96	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
97	Measurement of ZZ production in pp collisions at $\frac{1}{5}=7$ TeV and limits on anomalous ZZZ and ZZÎ ³ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
98	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $q=0.015$, European Physical Journal C, 2013, 73, 1.	1.4	61
99	Measurement of prompt $J^{\hat{i}}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
100	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $q=0$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	1.4	60
101	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	59
102	Measurement of W $\hat{A}\pm Z$ production in proton-proton collisions at $q=7-mbox{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
103	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
104	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
105	Jet production rates in association with W and Z bosons in pp collisions at sqrt s = 7 extTeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
106	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
107	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{5}{7}$ =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
108	Measurement of the weak mixing angle using the forwardâ€"backward asymmetry of Drellâ€"Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58

#	Article	IF	CITATIONS
109			

#	Article	IF	Citations
127	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
128	Measurement of the $\$$ toverline $\{t\}$ $\$$ production cross section in the dilepton channel in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
129	Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt ${s} = 8$ \$ $s = 8$ \$,ext ${TeV}$ \$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
130	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p → Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{s} Z$ → 4 â," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
131	Search for exclusive or semi-exclusive $\hat{1}^3\hat{1}^3$ production and observation of exclusive and semi-exclusive e+eâ° production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
132	Measurement of the top quark mass with the template method in the $tar{t}$ omathrm{lepton}+mathrm{jets}\$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
133	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
134	First measurement of the underlying event activity at \hat{A} the \hat{A} LHC \hat{A} with \hat{A} \$ sqrt {s} = 0.9\$ \hat{A} TeV. European Physical Journal C, 2010, 70, 555-572.	1.4	50
135	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
136	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s. European Physical Journal C, 2019, 79, 564.	1.4	50
137	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	49
138	Search for leptonic decays of Wâ \in 2 bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
139	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
140	Search for new physics in events with same-sign dileptons and jets in pp collisions at $q = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
141	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
142	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	47
143	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	46
144	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	46

#	Article	lF	CITATIONS
145	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
146	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46
147	Measurement of the cross section for top-quark pair production in pp collisions at $sqrt \{s\} = \{7\}, \{ext\{TeV\}\}\}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
148	Search for heavy bottom-like quarks in 4.9 fb \hat{a} of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
149	Measurement of the $tar{t}\$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
150	Search for microscopic black holes in pp collisions at $ \sqrt{s}=8 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
151	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
152	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
153	Measurement of top quarkâ \in antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
154	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
155	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	1.4	43
156	Measurement of the top-quark mass in $\mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	42
157	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\frac{s}{v}=7-mbox\{TeV\}$ protonâ \in proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
158	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
159	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
160	Measurement of the $\mbox{mathrm{t}-overline{\{mathrm{t}}}$$ t t \mbox{\hat{A}^-} production cross section in the all-jets final state in pp collisions at \mbox{$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}$\$ TeV. European Physical Journal C, 2016, 76, 128.}$	1.4	41
161	Search for same-sign top-quark pair production at	1.6	40
162	A search for \$ toverline t \$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at	1.6	40

#	Article	IF	CITATIONS
163	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t $\mbox{$\hat{A}$}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\mbox{$\hat{I}$}$ 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
164	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$\$qrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	1.4	40
165	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
166	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s. European Physical Journal C, 2021, 81, 378.	1.4	40
167	Search for resonances in the dilepton mass distribution in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	39
168	Inclusive b-jet production in pp collisions at $sqrt \{s\} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
169	Measurement of the $Z\hat{l}^3*\hat{a}$ €‰+ \hat{a} €‰b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
170	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
171	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,,"2â,,"′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
172	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
173	Measurement of differential cross sections for $\$ ext {Z}}\$\$ Z boson production in association with jets in proton-proton collisions at sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	1.4	39
174	Search for heavy stable charged particles in pp collisions at sqrt s = 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	1.6	38
175	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ events with lepton+jets final states in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
176	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
177	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$\$qrt\{s\} = 13\$\$ s = 13\$\$,ext \{TeV\}\$\$ TeV.$ European Physical Journal C, 2017, 77, 636.	1.4	38
178	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying i, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
179	Measurement of the $mathrm{{tar{t}}}$ production cross section in pp collisions at $q=7$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
180	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37

#	Article	IF	Citations
181	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$\$ TeV$ and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\} \$\$ s = 8$ TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
182	Measurement of the Drell-Yan cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	36
183	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\frac{1}{5} = 7 \text{ mathrm{TeV}}$. European Physical Journal C, 2012, 72, 1.	1.4	36
184	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at	1.6	36
185	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $sqrt{s} = 7 \text{ mbox}{TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
186	Measurement of the top-quark mass in all-jets $\frac{t}{ar}$ where $t^2 + t^2 = 0$ collisions at $\frac{1}{ar}$ events in pp	1.4	35
187	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	1.4	35
188	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
189	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
190	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
191	Multi-channel search for squarks and gluinos in $\frac{s}{7mbox}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
192	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\hat{a}\% = 3$ b-quark jets in 7 TeV pp collisions using the variable \hat{l} T. Journal of High Energy Physics, 2013, 2013, 1.	1.6	34
193	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
194	Measurement of $\mbox{mathrm {t}-verline{mathrm {t}}}$ t t $\mbox{$\hat{A}^-$}$ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
195	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}^-$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to $7\mbox{$\hat{A}$}$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
196	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	1.4	34
197	Search for single production of vector-like quarks decaying to a top quark and a $mathrm \{W\} $ W boson in protonâ $matherapprox $ for some vector-like quarks decaying to a top quark and a \$\$mathrm $\{W\} $ \$\$ where \$W\$ boson in protonance of the proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	1.4	34
198	Inclusive search for same-sign dilepton signatures in pp collisions at sqrt = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33

#	Article	IF	CITATIONS
199	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
200	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
201	Measurement of exclusive $\{\{\{uprho _{}^{}\}\}_{\{\{left(\{770\}ight) \}\{\}_{}^{}\}\}\}$ $\{0\}$ \$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm}}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	1.4	33
202	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	1.4	33
203	Search for top squark pair production using dilepton final states in $\{x \in \{p\}\} $ collision data collected at $\{x \in \{p\}\} $ European Physical Journal C, 2021, 81, 3.	1.4	33
204	Measurement of $hox {t}{ar{hbox {t}}}$ normalised multi-differential cross sections in $f(x) = 13$, where $f(x) = 13$, we have $f(x) = 13$, where $f(x) = 13$, we have $f(x) = 13$, where $f(x) = 13$, where $f(x) = 13$, we have $f(x) = 13$, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
205	Measurement of $\ \{ext\{B\}\}\$ overline $\{ext\{B\}\}\$ angular correlations based on secondary vertex reconstruction at $\$ sqrt $\{s\} = 7$, $\{ext\{TeV\}\}\$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
206	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
207	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
208	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32
209	Measurements of the \frac{Z} \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 l 2 $\frac{1}{2}$ channel in protonâ \in "proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	1.4	32
210	Searches for pair production of third-generation squarks in $\$\$qrt\{s\}=13\$\$ s=13\$\$,ext \{TeV\}\$\$$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
211	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\$ sqrt{s}=900\$ GeV and $\$ qrt{s}=7\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
212	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	31
213	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
214	Measurement of the differential cross-section of B + meson production in pp collisions at $qrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
215	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at $\$ sqrt $\{s\}$ $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
216	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	1.4	31

#	Article	IF	CITATIONS
217	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
218	Search for top squark pair production in pp collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
219	A multi-dimensional search for new heavy resonances decaying to boosted $\$ w \{\}{\}\$\$ \$\$ext{ W \{\}}\\$\$ \$\$ext{ W \}{\}{\}\$\$ \$\$ext{ Z \}{\}\$\$, or \$\$ext{ Z \}{\}\$\$ \$\$ext{ Z \}{\}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	1.4	31
220	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	30
221	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $ sqrt $ {s} = 7 $ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
222	Search for a Higgs boson in the decay channel H \hat{a} †' ZZ(*) \hat{a} †' q\$ overline {ext{q}} \$ \hat{a} ," \hat{a} " \hat{a} " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 1.	1.6	30
223	Measurement of the W-boson helicity in top-quark decays from \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
224	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
225	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â," $1\frac{1}{2}$ b b A^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
226	Measurements of the associated production of a Z boson and b jets in pp collisions at $\{s\} = 8$, ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
227	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	29
228	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
229	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$$ sqrt $s_{mathrm {NN}} = 5.02$, mathrm TeV $\$$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29
230	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
231	A search for new phenomena in pp collisions at $\$\$qrt\{s\} = 13$, ext $TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$alpha_{mathrm} T\}$ $\^{t}$ T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
232	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 $ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
233	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in protonâ \in proton collisions at $\frac{1}{s}=13$,ext Te ext V $$$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
234	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the $\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$$ decay channel with leptonic $\$$ mathrm{t}overline{mathrm{t}} $\$$ decays in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28

#	Article	IF	CITATIONS
235	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
236	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$ $ sqrt $\{s_{NN}\}\}=2.76 \$\$ $ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
237	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
238	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ \in "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
239	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a}\tilde{s} < i > s < i> = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
240	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
241	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\$ sqrt $\{s\} = 7, \{ext\{TeV\}\}\$ Sournal of High Energy Physics, 2011, 2011, 1.	1.6	26
242	Search for resonant $\mbox{mathrm}\{t\}$ overline{mathrm} $\{t\}$ } production in lepton+jets events in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
243	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	26
244	Search for the standard model Higgs boson in the H â†' ZZ â†' 2â,,"2ν channel in pp collision = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	is at \$ sqrt 1.6	: {ext{s}} 26
245	Measurement of the production cross section for pairs of isolated photons in pp collisions at $ sqrt {s} = 7; TeV $. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
246	Search for $\hat{Wa} \in 2$ at' tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
247	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
248	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
249	Measurement of energy flow at large pseudorapidities in pp collisions at sqrt = 0. and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25
250	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
251	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
252	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25

#	Article	IF	Citations
253	Measurement of the $mathrm{t}\ar{mathrm{t}}$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=0$ mbox e^{2n} . European Physical Journal C, 2013, 73, 1.	1.4	24
254	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
255	Search for third-generation scalar leptoquarks in the $t\ddot{i}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
256	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
257	Measurements of $f^{p}} {\mathbf{p}} {\mathbf{p}$	1.4	24
258	Inclusive b-hadron production cross section with muons in pp collisions at $\$$ sqrt $\{s\}$ = 7; $\{ext\{TeV\}\}\}$ \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	23
259	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
260	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
261	Measurement of the jet mass in highly boosted ${\rm mathrm\{t\}}$ overline {mathrm{t}}\$\$ events from pp collisions at ${\rm s}$ our 467.	1.4	23
262	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are $s=8$ for $s=8$ and $s=8$ for	1.4	23
263	Measurement of the triple-differential dijet cross section in proton-proton collisions at $$$ sqrt ${s}=8$,ext ${TeV}$ $$$ s = 8 ${TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
264	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13,\{ext \{TeV\}\} \$$. European Physical Journal C, 2020, 80, 752.	1.4	23
265	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	1.6	22
266	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\frac{1}{s}$ mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	22
267	Search for physics beyond the standard model in events with \ddot{I} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{1}$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
268	Development of a new fast shower maximum detector based on microchannel plates photomultipliers (MCP-PMT) as an active element. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 759, 65-73.	0.7	22
269	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ $s=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
270	Search for direct pair production of supersymmetric partners to the $\$ {uptau }_{}^{}^{} = 13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22

#	Article	IF	CITATIONS
271	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
272	Measurement of \ddot{l} , polarization in Wâ† \ddot{l} , \hat{l} /2 decays with the ATLAS detector in pp collisions at \$sqrt{s} =7~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 2062.	1.4	21
273	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
274	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
275	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	20
276	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
277	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20
278	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $\mbox{sqrt{s}} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
279	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
280	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
281	First beam tests of prototype silicon modules for the CMS High Granularity Endcap Calorimeter. Journal of Instrumentation, 2018, 13, P10023-P10023.	0.5	20
282	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
283	Search for rare decays of $\$$ mathrm $\{Z\}$ and Higgs bosons to $\$$ mathrm $\{J\}$ /psi $\}$ $\$$ J / Γ and a photon in proton-proton collisions at $\$$ sqrt $\{s\}$ s = 13 $\$$, ext $\{TeV\}$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
284	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
285	Search for charged Higgs bosons through the violation of lepton universality in $\$ toverline{t} \$ events using pp collision data at $\$ sqrt{s}=7 $\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
286	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
287	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
288	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	1.4	19

#	Article	IF	CITATIONS
289	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in \$sqrt{s}=7\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
290	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt	1.6	18
291	Study of the timing performance of micro-channel plate photomultiplier for use as an active layer in a shower maximum detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 795, 288-292.	0.7	18
292	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ at $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1,4	18
293	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $s=13$, ext TeV $s=13$ TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
294	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
295	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
296	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18
297	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
298	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} Sournal of High Energy Physics, 2012, 2012, 1.	1.6	17
299	Search for anomalous production of prompt like-sign lepton pairs at $\ \sqrt{s}=7;$ mathrm{TeV} with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
300	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
301	Search for standard model production of four top quarks in the lepton $+$ jets channel in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
302	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	1.4 ~j̃∈ Â+	17
303	and B± → J/îrK ± and â,,¬ B c ± → J / Îr Ĩ€ ± Í€ ± Í€ â^" / â,,¬ B c ± → J / Îr Íe ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm} o mathrm{J}/psi {pi}^{pm} {pi}^{pm} Tj ETQq1 1	0.784314 rg	:BT ₁ /Overlook
304	2015, 1. On timing properties of LYSO-based calorimeters. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 794, 7-14.	0.7	17
305	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
306	Search for $Z\hat{l}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17

#	Article	IF	Citations
307	Measurement of charged particle spectra in minimum-bias events from protonâ \in "proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	1.4	17
308	Electroweak production of two jets in association with a Z boson in proton \hat{s} "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17
309	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
310	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	16
311	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ q^{t} TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
312	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
313	Measurement of jet multiplicity distributions in $\frac{t}{0}$ mathrm $t}$ werline mathrm t to t the production in pp collisions at $\frac{1}{0}$ production in pp collisions at $\frac{1}{0}$ at t to t	1.4	16
314	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
315	Measurement of dijet azimuthal decorrelation in pp \hat{A} collisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
316	Search for excited leptons in proton-proton collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
317	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ sqrt $\{s\} = 8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
318	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$ qt{s} = 8\{, mathrm{TeV}\} $ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
319	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
320	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	1.4	16
321	Search for a fermiophobic Higgs boson in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
322	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\$ sqrt $\{s\}=7\$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
323	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
324	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15

#	Article	IF	CITATIONS
325	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
326	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
327	8D likelihood effective Higgs couplings extraction framework in h → 4â,". Journal of High Energy Physics, 2015, 2015, 1.	1.6	15
328	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
329	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
330	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $q=1$ sqrt $s=7$; TeV $s=1$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
331	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ\hat{I}^3$ and $Z\hat{I}^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14
332	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
333	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
334	Studies of $\$\{mathrm \{B\}\} ^{*}_{\{mathrm \{s\}\}2\}(5840)^0 \$ B s 2 \hat{a}- (5840) 0 and \$\{mathrm \{B\}\}\}$		

#	Article	IF	CITATIONS
343	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton $+$ jets events in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	13
344	Direct tests of micro channel plates as the active element of a new shower maximum detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 795, 52-57.	0.7	13
345	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
346	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
347	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
348	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
349	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
350	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
351	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
352	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 and \hat{I}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
353	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
354	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
355	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ $\$$. European Physical Journal C, 2019, 79, 893.	1.4	12
356	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
357	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
358	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
359	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $\frac{1}{5} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	11
360	Search for the standard model Higgs boson in the H → ZZ → â,,"+â,"â^'Ï,,+Ï,,â^' decay channel in pp collisions at \${s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	S sart	11

#	Article	IF	Citations
361	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
362	Test beam studies of silicon timing for use in calorimetry. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 825, 62-68.	0.7	11
363	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
364	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1.4	11
365	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
366	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
367	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt sqrt FeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	10
368	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10
369	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $$$ sqrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	1.4	10
370	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / \hat{I}^3 â^— â†' \ddot{I} ,, \ddot{I} , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	1.4	10
371	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
372	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
373	Calorimeters for Precision Timing Measurements in High Energy Physics. Journal of Physics: Conference Series, 2015, 587, 012057.	0.3	9
374	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	1.4	9
375	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\frac{1}{s} = 13$, ext $\frac{1}{v}$ \$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
376	Search for a heavy vector resonance decaying to a $f(Z)_{\mathrm{mathrm}}^{\mathrm{Z}}_{\mathrm{mathrm}}}^{\mathrm{mathrm}}$ Aboson and a Higgs boson in proton-proton collisions at $f(z) = 13$, ext $f(z) = 13$, European Physical Journal C, 2021, 81, 688.	1.4	9
377	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,,"2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
378	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	1.4	8

#	Article	IF	Citations
379	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
380	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
381	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$\$qrt{s} = 5.02\$\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
382	Search for narrow resonances lighter than i' mesons. European Physical Journal C, 2009, 62, 319-326.	1.4	6
383	Measurement of the cross section for production of $\$$ boverline b X \$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	6
384	Comparison of the Z/\hat{I}^3 $\hat{a} - + \text{jets to } \hat{I}^3 + \text{jets cross sections in pp collisions at s} = 8 $$ sqrt{s}=8 $$ TeV. Journal of High Energy Physics, 2015, 2015, 1.$	1.6	6
385	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6
386	Precision timing detectors with cadmium-telluride sensor. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 867, 32-39.	0.7	6
387	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\$ mathrm{p}mathrm{p}\$\$ collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	1.4	6
388	Search for the associated production of the Higgs boson with a top-quark pair., 2014, 2014, 1.		6
389	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
390	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
391	Direct tests of a pixelated microchannel plate as the active element of a shower maximum detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 828, 1-7.	0.7	5
392	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
393	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ $sqrt{s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
394	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}/4\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
395	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
396	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5

#	Article	IF	CITATIONS
397	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
398	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
399	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
400	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
401	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
402	Precision timing measurements for high energy photons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 787, 94-97.	0.7	4
403	Precision timing calorimeter for high energy physics. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 824, 670-673.	0.7	4
404	Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
405	CACTUS: a depleted monolithic active timing sensor using a CMOS radiation hard technology. Journal of Instrumentation, 2020, 15, P06011-P06011.	0.5	4
406	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
407	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
408	Search for $\text{W}\hat{a}\in^2\hat{a}$ †' tb in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
409	LYSO based precision timing calorimeters. Journal of Physics: Conference Series, 2017, 928, 012023.	0.3	3
410	LYSO-based precision timing detectors with SiPM readout. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 896, 75-81.	0.7	3
411	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
412	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.		3
413	Measurements of the (mathrm $\{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$) production cross section and the (mathrm $\{Z\}$ ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt $\{s\} = 13$,ext $\{TeV\}$)., 2018, 78, 1.		3
414	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2

#	Article	IF	CITATIONS
415	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
416	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
417	Measurement of the inclusive $\mbox{mathrm{t}}\$ mathrm{t} when the proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
418	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
419	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
420	Comparative test beam studies of precision timing calorimeter technologies. , 2016, , .		1
421	Precision Timing Calorimeter for High Energy Physics. IEEE Transactions on Nuclear Science, 2016, 63, 591-595.	1.2	1
422	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
423	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
424	Studies towards a precision timing calorimeter for high energy physics collider experiments. , 2015, , .		0
425	Precision Timing with Silicon Sensors for Use in Calorimetry. Journal of Physics: Conference Series, 2017, 928, 012020.	0.3	0
426	Precision Timing Detectors with Cadmium Telluride Sensors., 2017,,.		0
427	Precision Timing with shower maximum detectors based on pixelated micro-channel plates. Journal of Physics: Conference Series, 2017, 928, 012016.	0.3	0
428	Precision timing photon detectors using Cadmium-Telluride sensors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 912, 300-302.	0.7	0
429	Illinois Express Quantum Network for Distributing and Controlling Entanglement on Metro-Scale. , 2021, , .		0